


3 1924 101 560 906

Digitized by the Internet Archive in 2018 with funding from BHL-SIL-FEDLINK

The PROTHONOTARY



Published Monthly by the

BUFFALO ORNITHOLOGICAL SOCIETY

Volume 71, No. 1 January, 2005

THE MONTH: December

by Joe Thill

Following a mild, windy and snowless first 15 days, Buffalo and its adjacent suburbs remained virtually snow free until December 24th when a large mass of cold arctic air, the coldest in recent memory, accompanying a cold front from Canada which precipitated the first lake effect storm of the winter over the warm waters of Lake Erie and deposited 22.8 inches of snow on the city of Buffalo and its environs. Earlier in the month, between December 12th and 15th Chautauqua and Cattaraugus counties in the higher elevations of the Southern Tier received one to three feet of snow from this weather system which also assured the region of a White Christmas for the third consecutive year. However, the remainder of the period enjoyed above average temperatures with the lake temperature just one tenth of a degree below normal and it did not fall below 45° F until the end of the month. As the result of this dramatic reversal of fortunes observers report waterfowl staying further north than usual and an increase of marginal wintering passerines in our study area in December. Following the unpleasant intervals of cold weather early in the month, the more favorable conditions accompanying the winter solstice in December lured a large number of birders afield and, as the number of noteworthy records published

The Month
by Joe Thill
Noteworthy Records
by Bruce Chilton
Scaup Decline
Prothonotary Index 2005 (Volume 70)
by Karen Landau
BOS Calendar

elsewhere in those pages will attest, they were rewarded with a banner month. The average temperature for the month at Buffalo was 29.7° F, one tenth of a degree below normal; the total snowfall for the month, 22.8 inches was 2.7 inches

below normal; precipitation (as rain) 1.99 inches above normal (meteorological data provided by the National Weather Service Monthly Weather Service Summary for Buffalo as posted on the internet and by the Daily Weather Summary in the *Buffalo News*).

The milder weather patterns of late December provided a needed tonic to the winter weary bird watchers in Niagara County and indeed they were not disappointed. On December 2nd, Canadian birder, Allen Chartier of Niagara Falls, Ontario was summoned to the home of a neighbor to review photographs of a hummingbird, which had been discovered by the homeowner on September 2nd and had been visiting one or more bird feeders in the neighborhood for some time prior to the December date. Chartier was able to see the bird with binoculars and, having previous experience a licensed bander of this and other hummingbirds, immediately identified it as a Rufous Hummingbird by its diagnostic buffy orange flanks and broad outer tail feathers which average larger than those of its congener, Allen's Hummingbird, which has outer tail feathers that tend to be narrower. Chartier concludes that his bird is a male Rufous Hummingbird of the nominate race Salasphorus rufus, a bird of western provenance and a casual vagrant in the Great Lakes Region; it is the third record for our study area, the most recent being an adult male of this species reported by BOS member Jim Wojewodzki at his residence on the State Road in the Town of Colden where it was seen by Bob Andrle and a host of others on October 4th, 2003 (see Prothonotary 62: 11, November 2003).

Hummingbirds were not the only species to attract the attention of local birders this month. On December 18th, Willie D'Anna and Betsy Potter went to the resi-

The Prothonotary is published monthly by the Buffalo Ornithologica Society, Buffalo Museum of Science Buffalo, NY 14211. Send subscriptions and address changes to the Corresponding Secretary, Karen Landau, S-9195 State Road, Colden, NY 14033. The regular subscription rate is \$20/year. Back issues are available from the Treasurer for \$2/issue.

Please mail correspondence to: Jack Skalicky 178 N Main, Suite K55 Salt Lake City, UT 84103-2075 [Email] skalicky@biochem.utah.edu Ed. Consultants: Robert Andrle

Gerry Rising William Watson Audrey Horbett

Production: Eileen Hull

Society Officers:

President: Terry Yonker V. President: Lynne Landon Thomas O'Donnell Treasurer: Donna DeLeon Rec. Secretary: Corr. Secretary: Karen Landau Statisticians: Robert Andrle Frances Rew Librarian: Audrey Horbett Archivist: Audrey Horbett

Council: 2003-2005 Mike Hamilton Tom LeBlanc Mike Morgante 2004-2006 Bob DeLeon Mike Desha Jim Landau 2005-2007 Mike Galas

Jerry Lazarczyk

Gail Seamans

dence of Joan and David Huts on Cayuga Island in the City of Niagara Falls (NY) in response to a request from the residents for their assistance in the identification of a small parulid in the company of a flock of resident Black-capped Chickadees in a grove of large hemlocks and Austrian pines on the premises. A smaller bird with a short thin bill, black, gray and white in color with white wing bars, a dark crown and a white ventral body patch was flying among the chickadees. They speculated that this might be the Hilts' elusive parulid. A series of excellent photographs taken by Joan Hilts subsequently identified their quarry as a Black-throated Gray Warbler, accurately described by Mitchell

and Beardslee and other authors as a casual very rare vagrant in New York State and Ontario, Hilts' bird being only the 4th record for our study area. Previous sightings include birds seen by Mitchell, Rew at al. in the Town of Portland in Cattaraugus County in August 1962.

Bald Eagle sightings in Western New York continue to increase. On a field trip on December 26th, Allegany County Birders Tim Baird and Tom LeBlanc counted 15 immature and 11 adult Bald Eagles over and around the Allegheny Reservoir in Allegany State Park, Cattaraugus County. Bald Eagle populations in New York State in June 2004 had increased by 12% to 84 breeding pairs; successful pairs grew 20% to 66 and eaglets fledged soared 28% to 111 birds (fide North American Birds 58: 4 2004). Closer to home in early February, Bill Watson observed two Bald Eagles in flight across the Niagara River carrying twigs and other nesting material to a large, apparently empty



Lark Sparrow, photographed in Youngstown, NY by Jim Wojewodzski

nest in the uppermost boughs of a large tree on Strawberry Island, 1/3 of a mile across the Niagara River shoreline in the City of North Tonawanda. Watson also observed interaction between these two birds in flight, which he speculated may be a precursor to courtship activity. Other raptor observations of interest in December include an adult male Peregrine Falcon observed on December 1st by Mike Turisk flying with no apparent discomfort against a west southwest wind of 15-25 mph velocity in higher gusts along the Lake Erie Shoreline at Athol Springs. The presence of Merlins in our study area continued to occupy Peter Yoerg's attention in December although in decreased numbers. This month he continued to monitor a small population of 23 birds wintering among the Austrian Pines at the State University at Buffalo South Campus but he estimates that no more than six of these Merlins will remain until spring.

Finally the year 2004 ended on an upbeat note with several interesting birds reported to our compiler of records. On November 7th, Willie D'Anna, Betsy Potter and Dean DiTommaso discovered the first Califor-



Boreal Owl, photographed at Wilson-Tuscarora State Park, December 18th, by Bob Ensminger

NOTEWORTHY RECORDS

Underlined common names, dates or localities indicate that an acceptable, detailed written verification according to the *Date Guide to Birds of Western New York and Adjacent Ontario* (Seventh Edition - Revised 2001) has been received and placed in the permanent files of the Buffalo Ornithological Society.

- * Indicates first record for the year.
- F Indicates first record for the migration.
- L Indicates last record for the migration.
- (f) Indicates record from feeding station.

PDBA - Indicates Previously Documented Breeding Area.

<u>Species</u>	<u>December</u>	Numbe	r <u>Location</u>	Observer(s)
Red-throated Loon	18	1	Wilson	D'Anna
Common Loon	27	1	Porter	Klick, Harris, Pawlicki
Pied-billed Grebe	30	5	Dunkirk Harbor	Rew, J&K Landau
Horned Grebe	12	4	Fort Erie	Morgante
Great Blue Heron	30	9	Dunkirk Harbor	Rew, J&K Landau
Black-cr. Night-Heron	30	1	Dunkirk Harbor	Rew, J&K Landau
Turkey Vulture	<u>27</u>	1	Cambria	Morgante
Brant	<u>12</u>	1	Bird I. Pier	Yoerg
Mute Swan	18	3	Wilson-Tuscarora SP	Watson, Lazarczyk
Tundra Swan	7; 8	30; 39	Beaver I. SP	Lazarczyk; Hess
11	19	3; 23	Fort Erie; Niagara Falls	Watson; Roberson
Wood Duck	4	1	Dufferin Is.	Watson, D'Anna et al (BOS)
11	11	1	Tifft NP	Watson
Gadwall	2	7	South Park, Bflo.	Rew
TI .	4	6	Niagara Falls, Ont.	Watson, D'Anna et al (BOS)
н	<u>11</u>	4	Tifft NP	Watson
American Wigeon	4	11	Niagara Falls, Ont.	Watson, D'Anna et al (BOS)
"	4	8	South Park, Bflo.	Rew
11	11	3	Tifft NP	Watson
American Black Duck	21	18	Batavia WWTP	Watson
Northern Shoveler	2;4	2; 1	South Park, Bflo.	Rew
n e	<u>21</u>	2	Batavia WWTP	Watson
Northern Pintail	7	1	Beaver I. SP	Lazarczyk
Green-winged Teal	4; 6	1; 1	Sinking Ponds	Holmes
Canvasback	6	200	Niagara Falls, NY	Lazarczyk
Redhead	6	20	Niagara Falls, NY	Lazarczyk
Ring-necked Duck	8	1	Bennington	Seamans
n	19	22	Niagara Falls	Roberson
Greater Scaup	11	30	Buffalo Harbor	Watson
King Eider	12	2	Fort Erie	Morgante
11	19; 20	2	Fort Erie	Watson; Lazarczyk
11	26; 29	2	Fort Erie	Yoerg, Henderson
H	27	1	Fort Niagara SP	Klick, Harris, Pawlicki
Harlequin Duck	4	1	Niagara Falls, Ont.	Watson, D'Anna et al (BOS)
11	5	1	Niagara Falls, Ont.	Yoerg, Henderson
Surf Scoter	27	1	Fort Niagara SP	Klick, Harris, Pawlicki

	<u>Species</u>	<u>December</u>	Number	Location	Observer(s)
	н	27	1	Porter	Morgante
	White-winged Scoter	6	1	Niagara Falls, NY	Lazarczyk
	II .	12	1	Buffalo Harbor	Morgante
	H	24	25	Fort Niagara SP	S&T O'Donnell
	Black Scoter	27	1	Fort Niagara SP	Klick, Harris, Pawlicki
	Hooded Merganser	4	23	Niagara Falls, Ont.	Watson, D'Anna et al (BOS)
	"	11	22	Buffalo Harbor	Watson
	Common Merganser	1 - 18	82 max	Bennington	Seamans
	Bald Eagle	2	2	Peace Bridge	J Landau, Chilton
	11	5	15 imm + 11 ac	l Allegany SP and Reservoir	Baird, DeSha, LeBlanc
	11	21	1	Iroquois NWR	W & D Watson
	11	24	1	Niagara Falls, NY	S&T O'Donnell
	"	27	2 ad	Iroquois NWR	Turisk
	11	27	1	Beaver I. SP	Klick, Harris, Pawlicki
	Red-shouldered Hawk	26	1	Royalton	S&T O'Donnell
	Rough-legged Hawk	11 - 30	6 recs; 5 max	Near L. Ontario	Several observers
	H	18	1	Philips Creek	Brooks
	Merlin	3 - 27	6 max	UB south campus	Yoerg
	Peregrine Falcon	1	1	Athol Springs	Turisk
*	Purple Sandpiper	4	1	Niagara Falls, Ont.	Watson, D'Anna et al (BOS)
	Little Gull	4	2	Niag. Whirlpool	Watson, D'Anna et al (BOS)
	tt.	5	1	Niag. Whirlpool	Yoerg, Henderson
	Ħ	5	2 .	Niagara-on-the-Lake	Yoerg, Henderson
	California Gull	4	1	Adam Beck Hydro	Watson, D'Anna et al (BOS)
	11	5; 12	1	Adam Beck Hydro	D'Anna et al
	Iceland Gull	4	2	Adam Beck Hydro	Watson, D'Anna et al (BOS)
	11	27	13	Porter	D'Anna, Guthrie
	11	27	1	Porter	Klick, Harris, Pawlicki
	Lesser Black-b. Gull	4	1	Niagara Falls, Ont.	Watson, D'Anna et al (BOS)
	н	5	11	Niag. Falls & Queenston	D'Anna et al
	# 	5; 12	3; 2	Niagara Falls, Ont.	Yoerg, Henderson
	Glaucous Gull	4	1	Adam Beck Hydro	D'Anna et al (BOS)
	11	12	1	Wilson	D'Anna, Pawlicki
	11	12	1	Niag. Whirlpool	Yoerg
	11	27	2	Porter	D'Anna, Potter
	Black-leg. Kittiwake	5	2	Niagara-on-the-Lake	Yoerg, Henderson
	Eastern Screech-Owl	27	5	Iroquois NWR	Turisk
	Snowy Owl	27	1	Yates	Klick, Harris, Pawlicki
	Short-eared Owl	5	3	Yates	S&T O'Donnell
	11	11	3	Shelby	S&T O'Donnell
샤	Boreal Owl	18	1	Wilson-Tuscarora SP	Watson, Lazarczyk et al
*	Rufous Hummingbird	2	1	Niagara Falls, Ont.	Chartier
	Northern Shrike	5 - 30	8 records;2 ma	axBOS region (NY & Ont.)	Several observers
	Common Raven	5	2	Allegany SP	Baird
	11	8 - 23	5 max	Alfred, Ward	Brooks

<u>Species</u>	<u>December</u>	<u>Number</u>	Location	Observer(s)
Horned Lark	27	300	Oakfield	Klick, Harris, Pawlicki
Tufted Titmouse	1 - 31	3	Eden (f)	Andrle
11	5	2	Yates	S&T O'Donnell
Red-br. Nuthatch	1 - 31	2	Bennington	Seamans
H .	1 - 31	2	Niagara Falls (f)	Roberson
"	14 - 29	4 max	Ward	Brooks
Carolina Wren	18	2	Wilson	D'Anna, Potter
II .	22	1	Salamanca	Baird
"	27	1	West Shelby	Turisk
Winter Wren	9	1	Sinking Ponds	Holmes
Eastern Bluebird	9	5	Sinking Ponds	Holmes
· ·	18	2	Allegany	Baird
Ħ	27	2	Porter	Klick, Harris, Pawlicki
"	27	6	Ransomville	Morgante
"	30	7	Eden	Andrle
Hermit Thrush	26	1	Stevensville CA, Ont.	Yoerg, Henderson
H .	27	1	Porter	D'Anna et al
American Robin	18	3	Wilson-Tuscarora SP	Watson, Lazarczyk
Northern Mockingbird	2 - 31	1	South Park, Bflo.	Rew
11	26	1	Youngstown	J Landau, Wojewodzki
ti .	29	1	Porter	Roberson
Cedar Waxwing	11	26	Tonawanda WMA	S&T O'Donnell
11	21	88	Oak Orchard WMA	Watson
11	30	45	Lakeside Beach SP	Turisk
Yellow-r. Warbler	27	5	Porter	D'Anna et al
n	27	1	Iroquois NWR	Turisk, Morgantes
Blthr. Gray Warb.	17	1	Niagara Falls	Hilts
H .	18	1	Niagara Falls	D'Anna, et al
Chipping Sparrow	10 - 30	3 max	Wilson	Potter, D'Anna
Lark Sparrow	15; 25	1; 1	Porter (f)	D'Anna
H .	16	1	Youngstown	Watson, et al
11	17	1	Porter	Lazarczyk, Hamilton
H .	26	1	Youngstown	Landau, Wojewodzki
11	27	1	Porter	Klick, et al
Swamp Sparrow	11	2	Iroquois NWR	S&T O'Donnell
"	27	5	Iroquois NWR	Turisk, Morgantes
H .	27	2	Tonawanda WMA	Klick, Harris, Pawlicki
White-thr. Sparrow	11	9	Tifft NP	Watson
White-cr. Sparrow	16	7	Porter	Watson, Rothman, Partridge
11	18 - 30	2 max	Wilson	D'Anna, Potter
11	27	1	Porter	Klick, Harris, Pawlicki
Lapland Longspur	27	8	Oakfield	Klick, Harris, Pawlicki
Snow Bunting	19	25	Porter	Yoerg, Henderson
H	27	900	Oakfield	Klick, Harris, Pawlicki
n .	30	250	Yates	Turisk

<u>Species</u>	<u>December</u>	Number	Location	Observer(s)
Red-w. Blackbird	19	9	Tonawanda	Chilton
Brown-head. Cowbird	1 - 29	1	Tonawanda	Hess
11	22	34	Alden	Coniglio
11	25	32	Colden	J&K Landau
Purple Finch	19	1	Marilla	Holmes
U	21; 30	1; 1	Bennington	Seamans
tt	22	8	Allegany SP	Baird
ti .	27	4	Porter	D'Anna et al
4,	27	1; 1	Iroquois NWR	Turisk, Morgantes; Klick,
				Harris, Pawlicki
Common Redpoll	13	1	Buffalo	Yoerg
Pine Siskin	6 - 30	94 max	Wilson (f)	D'Anna, Potter
11	16	2	Porter	Watson, Rothman
11	22; 31	1; 1	Orchard Park (?) (f)	Morgante

Species, subspecies, and hybrids previously recorded this year:286Species, subspecies, and hybrids recorded for this month:007Total for the year 2004:293

Statisticians' Note: If any observer wishes to know the status of their verification report, please contact the Statisticians and we will give them the reasons for our decision. Please mail reports for each month not later than the FIFTH day of the following month to the Compiler: Bruce Chilton 88 Pryor Avenue, Tonawanda, NY 14150; Email: BChi314159@aol.com.

Addenda/Deletions/Changes - 2003						
ADD Black-headed Gull	12/27		Niagara-on-the-Lake, Ont	Rellerhy		
ADD Hooded Warbler	10/12	1	Portland	Hardenburg		
DELETE Red-eyed Vireo	3/23	15	Harmony	Berry		
Mute Swan	12/6 TO 12/26		Porter	Morgante		
Northern Harrier	12/28	23	Iroquois NWR <u>TO</u> Porter	Morgante		
		Addenda -	2004			
Ross's Goose	1/1	1	Iroquois NWR	Lazarczyk		
Tufted Duck	1/24	1	Port Weller, Ont.	Roy		
Osprey	3/ <u>25</u>	4	Allegany SP	Lazarczyk		
Golden Eagle	10/31	1	Lockport	Suggs		
Lesser Black-backed Gull	7/24	1	Wilson	Pawlicki		
N. Saw-whet Owl (banded)	10/ <u>5</u> , <u>8</u> , <u>10</u> , <u>1</u> 1, <u>12</u> , <u>14</u> , 22-26, 28, 29, 31	44	Wethersfield	Junkin		
N. Saw-whet Owl (banded)	10/ <u>9</u> , <u>12</u> , 23, 26, 27; 11/1, 3	13	Allegany SP	LeBlanc		
Sedge Wren	6/10	1	Tonawanda WMA	Pawlicki		
Yellow-throated Warbler	6/5	1	Allegany SP	Pawlicki		
Yellow-throated Warbler	7/12	1	Chestnut Ridge SP	Pawlicki		
Pine Warbler	6/ <u>5</u>	2	Allegany SP	Pawlicki		
Clay-colored Sparrow	6/13	3	Yorkshire	Pawlicki		
Hoary Redpoll	3/4, 9, 11	1	Pembroke	Seamans		
	Errata - 2004	Prothonotar	y Noteworthy Records			
Am. Coot NOT Willet	6/13	5	Bird Island Pier	Morgante		

Niagara Falls, ONT

Ft. Erie NOT Tifft NP

D'Anna, DiTommaso

Yoerg, Henderson

3

13

12/26

9/5

DELETE Am. Willet

Mute Swan

nia Gull of the season among the myriad gulls in the lower Niagara River at the Robert Moses Power Plant in the Town of Lewiston in Niagara County. This exotic gull is very slightly darker-mantled than the adult Herring and Ring-billed Gulls with whom it shares the lower Niagara River gorge at Niagara Falls. Since it first appeared in the gorge at the Adam Beck Power Complex in November 1992 this gull, presumably the same bird, has made annual appearances in the lower river in late November, usually in the company of a flock of Ring-billed gulls on the rocky shoreline of the Robert Moses Power Complex (See Prothonotary 58: 12, December 1992). Less spectacular but equally of interest was the presence of a Lark Sparrow, a rare spring and fall vagrant, although occasional found in winter when it is commonly found visiting feeders in suburban locales in the company of other fringillids. Thus it was that on December 15th Willie D'Anna and Betsy Potter went to the residence of Vicki Rothman on the Youngstown-Wilson Road in the Town of Porter in Niagara County where they joined Bill Broderick and other birders in scanning a large flock of Dark-eyed Juncos on the ground and subsequently confirmed her identification of 'an unusual bird' that had appeared at her feeder earlier that morning as a Lark Sparrow. It remained in residence on the premises until month's end, the habitat of trimmed lawn, shrubs and small trees apparently much to its liking.

Scaup Decline and Research

Since the mid 1980s, the continental population of lesser and greater scaup has declined substantially. Breeding and wintering ground surveys indicate that the decline can be attributed to those populations that breed east of the Continental Divide and winter on the Atlantic and Mississippi Flyways. However, it is unknown if the events that caused the decline occurred on wintering, staging, and/or breeding areas. The numbers of juveniles as well as adult female lesser scaup have declined in the U.S. duck harvest. This suggests that adult female survival and/or reproductive rates have declined. Several theories for the decline have been proposed, and are being studied.

One cause for concern has been the substantial increase in the number of scaup staging on portions of the lower Great Lakes where these birds consume large quantities of zebra mussels. Dr. Scott Petrie has recorded waterfowl days (an index of waterfowl use of

an area) for scaup at Long Point, Ontario. He documented a dramatic increase of scaup waterfowl days from 1987 (prior to the zebra mussel colonization of Long Point) to over 5 million in 1999.

The zebra mussel is a non-native mollusk that was introduced to Lake St. Clair in 1986, probably through the dumping of ship ballast water. In the absence of natural predators and with limited competition, zebra mussels rapidly increased in numbers and expanded their range throughout the Great Lakes. Studies have since reported densities in excess of 200,000 mussels per square meter in some portions of Lake Erie and Lake St Clair. Native bivalves, which averaged 10 individuals per square meter prior to zebra mussel colonization, have been almost completely displaced by this highly competitive species. Zebra mussels now dominate the lake bottom-dwelling community. They now are readily available to diving ducks, like scaup, that stage in the Great Lakes.

Zebra mussels are filter feeders and they accumulate sediment and contaminants [e.g., polychlorinated biphenyls (PCBs) and polynuclear aromatic hydrocarbons (PAHs)] into their tissue more readily than native bivalves. These contaminants can then be passed up the food chain to the waterfowl that consume them. The tufted duck is closely related to scaup. When these birds were fed contaminated zebra mussels, they were shown to lay fewer and smaller eggs, with reduced hatchability and increased contaminate levels. Smaller ducklings were also produced, and adult female mortality increased. Therefore, the consumption of large quantities of zebra mussels on the lower Great Lakes may be contributing to the continental scaup decline.

Prothonotary Index 2005: Volume 70

		2004	
Prothonotary Inde by Karen I		Northern Chautauqua County 2004	29
TOPICS	PAGE(S)	Tifft Nature Preserve 2004	2, 64, 82
TOTTES	THOE(D)	Whip-poor-will Trip 2004	76
Authors		1 1	
Baird, Tim	99-100	Articles	
Best, Brenda	107	Bald Eagles: Up for the	79
Burch, Bill	19-20, 76	Count	
Chartier, Allen T.	132-135	Birding Quiz	18, 28, 37, 46, 56, 69, 79,
DeFrancisco, Leonard	7, 47-49		97, 105, 131
DeLeon, Donna	66-69	Brown-headed Cowbird	49, 106
DeLeon, Robert	66-69	Parasitism Project	
Hamilton, Mike	50-53, 120-123, 135	Confirmed Rufous Hum-	132-135
Landau, Jim	41, 47	mingbird in Niag. Falls,	
Landau, Karen	10-11	ON	0.0
Lazarczyk, Gerald	64-65, 87-88, 93	Grant Application 2004	8-9
Morgante, Mike	18, 28, 37, 46, 56, 69, 76-	Hamburg Hawkwatch 2004 Report	41, 47
Dittamay Dan	79, 95-97, 105, 131	Isotope Fingerprints:	117-119
Pittaway, Ron Randell, Gil	93-95	Using Hydrogen Isotopes to Track Bird Populations	
	7, 47-49 82	Likely Record-Setting	29
Ratajczak, Ed	20-21, 55-56, 125-126,	Recovery of Shorebird	4)
Rising, Gerry	132	New York State Ornitho-	107
Rosenberg, Chuck	29	logical Association	
Skalicky, Jack	117-119	Noteworthy Records 101	76-79, 95-97
Thill, Joseph	1-2, 71-72	Prothonotary Index 2003	10-11
Turisk, Michael	23-24	Ripley Hawkwatch 2004	47-49
Watson, Bill	29, 39-41, 49, 64, 106,	Report	
Zebehazy, Mike	109-110, 117 13-14, 31-32, 81-82	Ripley/Westfield Turbine Project	7
Zeochazy, whice	13-14, 31-32, 61-62	Winter Finches	93-95
Bird Counts		Wintering Northern	7
April Count 2004	50-53	Shrikes in Chautauqua	
Feeder Count 2004	20-21	Co.	
May Count 2004	66-69		
October Count 2004	120-123	Accepted Verification	
Waterfowl Count 2004	19-20	<u>Reports</u>	
THEOLIGINI COURT 2001	1, 20	American Golden-Plover	90
Field Trips		American White Pelican	57
Adirondack Bird Festival	65	Bank Swallow	60
2004		Black Scoter	34, 89
Natureview Park 2004	64-65	Black Tern	44
Niagara County Owl Trip	29	Black Vulture	33, 120
2004		Black-headed Gull	4, 17
		Black-legged Kittiwake	114, 121

Niagara River BOS/GOS

2004

135

Dlacknall Washlas	62	Ochrou	24 120
Blackpoll Warbler Blue-winged Teal	33	Osprey Painted Punting	34, 129 63
· · · · · · · · · · · · · · · · · · ·	17	Painted Bunting Palm Warbler	51
Bohemian Waxwing Broad-winged Hawk	43	Parasitic Jaeger	114
Bufflehead	112	· ·	
	111, 127	Peregrine Falcon Pine Siskin	35, 129 75
Cackling Goose California Gull	4, 129	Pine Warbler	
Canada Goose	3, 15, 33	Prairie Warbler	35, 45, 62, 75, 85, 92 75, 85
B.c. hutchinsii	3, 13, 33	Red Crossbill	75, 83
Cattle Egret	57, 83, 89	Red-eyed Vireo	60
Clay-colored Sparrow	62, 68, 75	Red-throated Loon	25, 57
Common Raven	27, 60, 67, 74, 84, 91	Rose-breasted Grosbeak	46
Common Yellowthroat	5	Ross's Goose	
Dark-eyed Junco	130	Rough-legged Hawk	3, 15
J.h.oreganus	130	Rufous or Allen's Hum-	102, 113
Double-cr. Cormorant	57	mingbird	130
Eared Grebe	89, 101, 111, 127	Sandhill Crane	58, 120
Eastern Kingbird	121	Scissor-tailed Flycatcher	74
Franklin's Gull	91	Sedge Wren	6, 60, 74
Golden Eagle	26, 34, 43, 113	Semipalmated Plover	58
Great Egret	6	Semipalmated Sandpiper	59
Greater Scaup	101	Snow Goose	33
Greater White-fronted	3, 15, 33, 127	Snowy Egret	66
Goose		Swainson's Thrush	115
Harris's Sparrow	63, 68	Townsend's Solitaire	5
Hoary Redpoll	18	Tricolored Heron	57
Horned Grebe	127	Trumpeter Swan	57
Iceland Gull	67	Tufted Duck	26
Indigo Bunting	63	Turkey Vulture	15, 25
Jaeger species	114, 129	Western Kingbird	91
Kentucky Warbler	75	Western Sandpiper	90, 102
Laughing Gull	17	White-eyed Vireo	60, 74, 103, 114
"Lawrence's" Warbler	61, 68	White-winged Crossbill	116
Lesser Black-backed Gull	59, 84	White-winged Scoter	83, 89
Loggerhead Shrike	35	Willet	4, 73
Merlin	4, 6, 16, 26, 34, 83, 90,	Wilson's Storm Petrel	6
	102, 113, 129	Worm-eating Warbler	62
Mew Gull	4	Yellow-throated Warbler	68, 75, 85, 92
Mute Swan	25, 73, 101		
Nashville Warbler	115		
Nelson's Sharp-tailed	105, 115		
Sparrow			
Northern Gannet	3		

Northern Harrier

Orchard Oriole

Northern Shoveler

Northern Waterthrush

Orange-crowned Warbler

4

3, 15

45

130


63, 68

Buffalo Ornithological Society Buffalo Museum of Science 1020 Humboldt Parkway Buffalo, NY 14211-1293

Return Service Requested

Non. Profit Org.
U.S. Postage
PAID
Buffalo, NY
Permit No. 412

Albert R. Mann Library Acquisitions Division-Serials Cornell University Ithaca, NY 14853-4301



1483340099 58

February – March Calendar

BOS website http://www.bosbirding.org/



Buffalo-Niagara Region Dial-a-Bird: 716-896-1271 March 1 - May 15: Hamburg Hawkwatch at Lakeside Memorial Park in Hamburg (off Camp Rd. between Routes 5 & 20). Generally 10 AM - 3 PM weather permitting. Jim Landau (941-3869 or kjlandau@localnet.com).

March 26: Saturday not Sunday. Lake Ontario Plain Field Trip for early spring migrants. Leader: Willie D'Anna 731-4348 or dannapotter@wzrd.com. Meet at 8 a.m. at Tops Market in Wright's Corners. This is on the east side of Route 78 at Route 104 north of Lockport.

April 10: April Count: All BOS members should participate. Contact: Mike Hamilton (881-6709 or mhsr@wzrd.com).

April 13: BOS Meeting at 7:30 PM at the Buffalo Museum of Science. Brendan Klick will discuss "Statistical Analysis of BOS Count Data."

April 10: April Count: All BOS members should participate. Contact April 24: Sunday. Braddock Bay Trip. This annual trip to the Hawk Watch will be led by Mike Zebehazy (BOS) and Bob Spahn (GOS). Meet at th Tanning Bed at Main and Transit at 7:00 AM. The group will proceed to the parking lot at Braddock Bay (Monroe County) for a 9 AM rendezvous with the GOS. This trip may be canceled due to weather conditions. Contact Mike at zebs@adelphia.net or 662-6987.

April 27: BOS Meeting at 7:30 PM in the Cummings room of the Buffalo Museum of Science. The Canisius College Computational Ecology Research Team will present several research projects. Colleen Bell will discuss the study of avian migration in Western New York using tower mortality data. Melissa Mustillo will compare the spring and fall stopover durations of song birds. Kathryn Mattern will compare stopover durations at several different staging areas. Jennifer Urbanski and Jerry Dudziak will discuss a new method of estimating stopover length. Mike Hurban, Emily Caruana, and Sara Musilli will each discuss different aspects of the migration and stopover ecology of the Northern Saw-Whet Owl. These projects were completed under the sponsorship of Dr. Sara Morris, Associate Professor of Biology, Cap:

The PROTHONOTARY



Published Monthly by the

A. R. MANN LIBRARY

APR 2 6 2005

ITHACA, NY 1485.

BUFFALO **O**RNITHOLOGICAL SOCIETY

Volume 71, No. 2 February, 2005

THE MONTH: January

by Jerry Lazarczyk

January was a month of extremes although it averaged out to a near normal month in the categories of temperature, precipitation and sunshine. Snowfall was slightly above average. The first two weeks were almost the warmest ever for January, while the last two weeks challenged for the coldest ever. The abrupt change was unprecedented.

The average temperature of 23.8 °F was just under the norm but the variation was incredible. The absolute range of 74 °F (68 to -6) was the greatest ever in January, besting a 73 °F range record set in 1985. The first 14 days averaged 36.1 °F while the next two weeks only 11.9 °F. Three records were set during the month: 61 °F on the 12th and 68 °F on the 13th with a low of -6 °F on the 28th.

The 3.57 inches of total precipitation was within the normal range. Much of it fell as rain during the month's first half but all as snow in the wintry second half. Snowfall totaled 37 inches, about a foot more than usual in January. There were no major storms but most of this fell in light to moderate daily amounts from the 16th to the 26th. The ground was often bare during the mild first half but a decent snow cover became established during the last two weeks.

Sunshine became typically scarce in January although it was fairly abundant during the last week.

- 11 The Month
- by Jerry Lazarczyk 12 **Waterfowl Count**
- by Jim Landau 13 **Noteworthy Records** by Bruce Chilton
- 18 **Rufous Hummingbird Update**
- **BOS** Calendar

The monthly total of 29% was just below the normal of 31%. Six days were mostly sunny while 21 were mostly cloudy.

Winds were moderate during the month with especially gusty days on

the 1st, 6th and 13th. Lake Erie warmed to a near record 39 °F by the 13th but the severe cold allowed ice to form in the eastern basin by the 22nd when the lake temperature dove to 32 °F (a week later than usual).

Continued good January weather was a Godsend for the fascinating Lark Sparrow that continued to reside at the Vicki Rothman residence in Porter, NY since November of 2004. Any visit by a Lark Sparrow to our region would be exceptional. However, the bird also withstood the brutal weather in the second part of the month. Bill Watson said the Lark Sparrow's field



Boreal Owl photographed by Willie D'Anna off Rt 18 in the Town of Wilson on Jan 23, 2005.

The Prothonotary is published monthly by the Buffalo Ornithological Society, Buffalo Museum of Science, Buffalo, NY 14211. Send subscriptions and address changes to the Corresponding Secretary, Karen Landau, S-9195 State Road, Colden, NY 14033. The regular subscription rate is \$20/year, Back issues are available from the Treasurer for \$2/issue.

Please mail correspondence to: Jack Skalicky 178 N Main, Suite K55 Salt Lake City, UT 84103-2075 [Email] skalicky@biochem.utah.edu Ed. Consultants: Robert Andrle

Gerry Rising William Watson

Production: Audrey Horbett Eileen Hull

Society Officers:

President: Terry Yonker V. President: Lynne Landon Treasurer: Thomas O'Donnell Donna DeLeon Rec. Secretary: Corr. Secretary: Karen Landau Statisticians: Robert Andrle Frances Rew Librarian: Audrey Horbett Archivist: Audrey Horbett Council: 2003-2005 Mike Hamilton Tom LeBlanc Mike Morgante 2004-2006 Bob DeLeon Mike Desha Jim Landau 2005-2007 Mike Galas

mark changes with the season should provide additional points of interest to birders.

Another surprising visitor was the Boreal Owl seen in Wilson, NY. This exceptional bird was reported and photographed by Willie D'Anna toward the end of the month. This may be the same bird that was seen in the Wilson-Tuscarora State Park in December 2004. Both birds were seen by a number of birders. Meanwhile, an irruption of owls from the Arctic was experienced by birders in Ontario. BOS kept a vigilant eye for the Great Gray Owl and less abundant Northern Hawk Owl but none were reported in our Region. It would have been an exceptional event if either bird had been spotted in our region.

Willie D'Anna and

Betsy Potter observed and photographed an Oregon subspecies of Dark-eyed Junco at their home. This rare junco subspecies continued to be seen in their neighborhood in the later portion of the month.

Jerry Lazarczyk

Gail Seamans

Fran Rew and Audrey Horbett separated the *E. a. alpestris* subspecies of Horned Lark from the more locally common *E. a. praticola* while scanning a flock of these birds on January 9th in Yates NY.

A large number (400) of American Black Ducks were seen on January 9th at Rock Point Provincial Park Ontario.

On the 25th a Northern Shoveler in Dunkirk Harbor was found there by Bill Watson. The Moshers reported a Black Scoter in Dunkirk Harbor on January 30th. Dunkirk Harbor continues to be an avian hotspot over the severest winter months.



Chipping Sparrow photographed by Willie D'Anna at a feeding station in the Town of Wilson on Jan 17, 2005

2005 Region 1 January Waterfowl Count Summary

by Jim Landau

Overview: The New York State Ornithological Association (formerly the Federation of New York State Bird Clubs) conducts an annual waterfowl count each January throughout the state's 10 assigned regions, to assist the New York State Department of Environmental Conservation in monitoring long-term population changes, bird conservation planning and environmental reviews. Region 1, assigned to the Buffalo Ornithological Society, consists of the New York State portion of the BOS study area and includes the Niagara River and adjacent waters of Lakes Erie and Ontario. Final results of the state waterfowl count will be published in "The Kingbird" and posted on the NYSOA website at: http://www.nybirds.org/ProjWaterfowl.htm.

Weather: The week leading up to this year's count period (1/15 – 1/23) was notable for record and near record high temperatures (68 two days before the start), with open water on Lake Erie and many of the streams and tributaries. But that was soon to change. By Saturday the 15th, Western New York began to experience some of the coldest temperatures of the season, akin to those encountered during the course of last year's count. As the count period progressed the eastern end of Lake Erie locked up with ice, along with almost all of the slower moving creeks. The area

NOTEWORTHY RECORDS

Underlined common names, dates or localities indicate that an acceptable, detailed written verification according to the *Date Guide to Birds of Western New York and Adjacent Ontario* (Seventh Edition - Revised 2001) has been received and placed in the permanent files of the Buffalo Ornithological Society.

- * Indicates first record for the year.
- F Indicates first record for the migration.
- L Indicates last record for the migration.
- (f) Indicates record from feeding station.

PDBA - Indicates Previously Documented Breeding Area.

Species	<u>January</u>	Number	Location	Observer(s)
Pied-billed Grebe	21; 25	8; 5	Dunkirk Harbor	Rew, Walker; Watson
**	31	1	N. Tonawanda	Watson
Horned Grebe	9	3	Wilson	Rew, Horbett
Dcrested Cormorant	8	67	Buffalo Harbor	Watson
"	20	9	Tonawanda	Sharon
**	21; 25	53; 91	Dunkirk Harbor	Rew, Walker; Watson
Great Blue Heron	4	1	Williamsville	Christensen
"	5	1	Franklinville	DeSha
"	23	12	Lewiston	Pawlicki
11	23	10	Queenston	S&T O'Donnell
н	25	6	Dunkirk Harbor	Watson
11	31	4	Motor I.	Watson
Mute Swan	14	1	Wilson-Tuscarora SP	Sharon
	25	1	Dunkirk Harbor	Watson
Tundra Swan	23	126	Beaver I. SP	Watson
"	29	58	Grand I.	Sowinski
**	31	12	Strawberry I.	Watson
Wood Duck	1	1	Fort Erie	Rew, Horbett, Walker
"	8	1	Fort Erie	Pawlicki, Watson
11	21	2	Silver Creek	Rew, Horbett, Walker
11	30	1	Dufferin I.	Watson, Pawlicki
Gadwall	9	2	Rock Pt. PP	Yoerg, Henderson
11	30	3	Dunkirk Harbor	Rew, Horbett
"	30	1	Dufferin I.	Watson, Pawlicki
American Black Duck	9	<u>400</u>	Rock Pt. PP	Yoerg, Henderson
Northern Shoveler	<u>25</u>	1	Dunkirk Harbor	Watson
Northern Pintail	8	1	Dufferin I.	Watson, Pawlicki
**	30	1	Dufferin I.	Watson, Pawlicki
Green-winged Teal	30	2	Goat I. SP	Watson, Pawlicki
Canvasback	7	890	Niagara Falls, NY	Watson
· ·	29	2400	Grand I.	Sowinski
Redhead	8	145	Fort Erie	Watson
11	29	200	Grand I.	Sowinski
Ring-necked Duck	8	13	Lewiston Res.	Watson, Pawlicki
Greater Scaup	7	2600	Grand I.	Watson, Lazarczyk
Lesser Scaup	7	5	Grand I.	Watson, Lazarczyk
Scaup species	29	1200	Grand I.	Sowinski
King Eider	16	1	Ft. Niagara	Yoerg, Henderson
Surf Scoter	16	1	Fort Erie	Pawlicki, Rising et al
White-winged Scoter	16	280	Ft. Niagara to Olcott	Yoerg, Henderson
Black Scoter	<u>30</u>	1	Dunkirk Harbor	Moshers
Long-tailed Duck	16	265	Ft. Niagara to Olcott	Yoerg, Henderson

<u>Species</u>	January	<u>Number</u>	Location	Observer(s)
11	30	600	Queenston	Watson
Bufflehead	16	40	Ft. Niagara to Olcott	Yoerg, Henderson
Common Goldeneye	16	185	Ft. Niagara to Olcott	Yoerg, Henderson
Hooded Merganser	21; 25	17; 10	Dunkirk Harbor	Rew, Walker
Red-br. Merganser	8	38	Fort Erie	Watson
"	16	85	Ft. Niagara to Olcott	Yoerg, Henderson
Ruddy Duck	9	1	Buckhorn I. SP	Sharon
"	15; 21	1; 2	Dunkirk Harbor	Watson; Rew, Walker
Rold Fools	5; 16	1; 1	Iroquois NWR	Watson; S&T O'Donnell
Bald Eagle	15	1, 1	Buckhorn I. SP	S&T O'Donnell
11	16	1	Tonawanda WMA	S&T O'Donnell
Nouth our Housian	10	1	Franklinville	DeSha
Northern Harrier	12	1	Eden	Andrle
11		1		Moshers, Benton
11	15	1	Dunkirk Airport	
	16	l 1	Porter	Yours Handerson
Rough-legged Hawk	1	1	Fort Erie	Yoerg, Henderson
	3; 5	8; 6	Yates	S&T O'Donnell; Turisk
	9	2	Wainfleet	Yoerg, Henderson
11	9	2	Porter	D'Anna, Potter
11	15	4	Yates	Turisk
11	16	1	Tonawanda	Pawlicki, Rising et al
11	20	1	Evans	Hentz
Merlin	7; 11; 29	4; 2; 4	UB south campus	Yoerg
Wild Turkey	16	21	Royalton	S&T O'Donnell
11	30	35	Leon	Yoerg, Henderson
American Coot	9	11	Buckhorn I. SP	Sharon
H	25	46	Dunkirk Harbor	Watson
Iceland Gull	8; 30	11; 28	Niag. Falls to Lewiston Res.	Watson, Pawlicki
Ħ	16	25	Adam Beck Hydro	D'Anna et al
Lesser Black-b. Gull	8	2	Fort Erie, Niag. Falls	Watson, Pawlicki
"	12	1	Beaver I. SP	Sharon
11	30	3	Niag. Falls, Adam Beck	Watson, Pawlicki
Glaucous Gull	8	3	Adam Beck Hydro	Watson, Pawlicki
11	23	1	Lewiston	Pawlicki, S&T O'Donnell
11	30	3	Niag. Falls, Adam Beck	Watson, Pawlicki
Great Black-b. Gull	25	222	Dunkirk Harbor	Watson
Eastern Screech-Owl	16	1	Oakfield	S&T O'Donnell
Snowy Owl	5; 9; 15	1; 1; 1	Yates	Turisk; Rew et al; Turisk
11	16	1	Port Dalhousie, Ont.	D'Anna et al
Barred Owl	1	1	Carrollton	Eaton
11	30	2	Allegany SP	Yoerg, Henderson
Short-eared Owl	5	6	Yates	Turisk
"	9 - 28	9 max	Porter	D'Anna, Potter
11	14; 23	8; 13	Porter	S&T O'Donnell
**	15	2	Dunkirk Airport	Moshers, Benton
11	15; 30	6; 1	Yates	Turisk; S&T O'Donnell
tt	23	3	Fort Erie	Yoerg, Henderson
11	31	1	Wheatfield	S&T O'Donnell
Boreal Owl		1		
	23, 28, 31	1	Wilson	D'Anna et al
Red-headed Wdpkr.	2	1	Hamburg	Zebehazy, Happ
Pileated Woodpecker	30	10	Allegany SP	Yoerg, Henderson
Northern Shrike	1 - 30	10 tepts; 2 m	ax Throughout WNY	Several observers

Species	January	<u>Number</u>	Location	Observer(s)
Common Raven	8	2	Great Valley	DeSha
п	30	1	Allegany SP	Yoerg, Henderson
Horned Lark:				5,
E. a. alpestris	9	2	Yates	Rew, Horbett
E. a. praticola	9	16	Chautauqua	Mosher, Farver
11	9	16	Yates	Rew, Horbett
Tufted Titmouse	2 - 31	3 max	Westfield (f)	Hentz
Red-br. Nuthatch	16	2	Porter (f)	Yoerg, Henderson
"	27; 30	- 1; 1	Westfield (f)	Hentz
11	30	1	Dufferin I.	Watson
Carolina Wren	1 - 29	11 rents: 2 max	Throughout BOS territory	Several observers
Winter Wren	1	1	Sinking Ponds	Holmes
n viller vilen	1; 23	1; 1	Carrollton	Eaton
11	29	1	Beaver I. SP	Sharon
Golden-cr. Kinglet	1	12	Chestnut Ridge Pk	Morgante
Eastern Bluebird	1; 9	2; 8	Sinking Ponds	Holmes
"	5	5	Wilson	D'Anna
11	9	9	Wainfleet	
Hermit Thrush	16	1		Yourg, Handerson
		1	Porter	Yourg, Handerson
Gray Catbird	16	1	Porter Coat I SP	Yoerg, Henderson
NI south and NA solation alst only	30	1	Goat I. SP	Watson, Pawlicki
Northern Mockingbird	1 - 30	1	South Park, Bflo.	Rew
	16	1	Ft. Niagara	Yoerg, Henderson
American Pipit	5	3	Batavia WWTP	Watson
Yellow-r. Warbler	5 - 31	1	Orchard Park	Zebehazy
Chipping Sparrow	6 - 31	3 max	Wilson (f)	D'Anna, Potter
	9	1	Portland	Mosher, Farver
Field Sparrow	9	1	Pomfret	Mosher
<u>Lark Sparrow</u>	7	1	Porter (f)	Watson et al
	16	1	Porter (f)	Yoerg, Henderson
White-thr. Sparrow	1 - 31	1	Eden (f)	Andrle
**	1	2	South Park, Bflo.	Rew, Horbett, Walker
"	2 - 30	1 max	Sinking Ponds, Elma	Holmes
11	16	10	Porter	Yoerg, Henderson
11	23	8	Porter	S&T O'Donnell
· · · · · · · · · · · · · · · · · · ·	24	4	Brant	Watson
White-cr. Sparrow	6 - 31	2 max	Wilson (f)	D'Anna, Potter
***	7	4	Porter	Watson, Lazarczyk
H H	16	2	Porter (f)	Yoerg, Henderson
## ## ## ## ## ## ## ## ## ## ## ## ##	23	1	Porter	S&T O'Donnell
Dark-eyed Junco				
<u>J. h. oreganus</u>	22	1	Wilson	D'Anna et al
Lapland Longspur	28 - 31	5 max	Wilson	D'Anna
"	29	2	Wilson	S O'Donnell
Snow Bunting	9	30	Chautauqua	Mosher, Farver
**	9	28	Yates	Rew, Horbett
"	21; 30	25; 34	Franklinville	DeSha
Red-w. Blackbird	8	1	Newfane	D'Anna
11	23; 26	12; 12	South Park, Bflo.	Rew
11	26	19	Tonawanda	Watson
Common Grackle	5	2	Yates	Turisk
Brown-head. Cowbird	18 - 26	5 max	Tonawanda	Watson

<u>Species</u>	<u>January</u>	<u>Number</u>	Location	Observer(s)
Purple Finch	2 - 28	12 max	Farmersville	DeSha
"	24	1	Carrollton	Eaton
11	28	6	Orchard Park (f)	Morgante
11	30	2	Allegany SP	Yoerg, Henderson
Common Redpoll	9	2	Rock Pt. PP	Yoerg, Henderson
11	22-27; 31	1; 10 max	Wilson (f)	D'Anna, Potter
11	29	6	Porter	S O'Donnell
Pine Siskin	2 - 31	23 max	Wilson (f)	D'Anna, Potter
11	4 - 31	30 max	Franklinville	DeSha
11	7	10	Porter	Watson, Lazarczyk
11	16	1	Porter (f)	Yoerg, Henderson
11	25	1	Eden	Andrle
***	29	4	Orchard Park (f)	Morgante
H	29	15	Porter	S O'Donnell

Also observed this month: Canada Goose, Mallard, Common Merganser, Sharp-shinned Hawk, Cooper's Hawk, Red-tailed Hawk, Bonaparte's Gull, Ring-billed Gull, Herring Gull, Rock Pigeon, Mourning Dove, Belted Kingfisher, Red-bellied Woodpecker, Downy Woodpecker, Hairy Woodpecker, Northern Flicker, Blue Jay, American Crow, Black-capped Chickadee, White-breasted Nuthatch, Brown Creeper, American Robin, European Starling, Song Sparrow, Dark-eyed Junco (hyemalis), Northern Cardinal, House Finch, American Goldfinch, House Sparrow.

Species, subspecies, and hybrids previously recorded this year:	000
Species, subspecies, and hybrids recorded for this month:	103
Total for the year 2005:	<u>103</u>

Statisticians' Note: If any observer wishes to know the status of their verification report, please contact the Statisticians and we will give them the reasons for our decision. Please mail reports for each month not later than the FIFTH day of the following month to the Compiler: Bruce Chilton 88 Pryor Avenue, Tonawanda, NY 14150; Email: BChi314159@aol.com.

logged seven overnight low temperatures in the single digits or below zero. By the second weekend of the count period, a large regional storm deposited significant snow accumulations, and a few parties reported that challenging road conditions, coupled with formidable wind chill factors and poor visibility, hindered their efforts afield.

Compilation: The table below lists the species, their accumulated tallies and trending patterns, if any. Where a species was recorded in three or fewer sections, the section numbers are given in parentheses.

Species	Number seen	Comments
Canada Goose	3429	variable
Tundra Swan	126	variable (G)
Wood Duck	9	average (I, P)
Gadwall	17	low (E)
American Wigeon	14	variable (D)
Am. Black Duck	54	record low
Mallard	5086	7-year low
Mallard X Black Duck	1	rare (R)
Canvasback	15749	high
Redhead	92	18-year low
Ring-necked Duck	2	8-year low (F)
Greater Scaup	6262	7-year low
Lesser Scaup	5	20-year low (E, H)
Scaup species	1	
King Eider	1	rare (B)
Surf Scoter	1	uncommon (F)
White-winged Scoter	313	variable
Long-tailed Duck	1526	variable
Bufflehead	2107	high
Common Goldeneye	856	record low
Hooded Merganser	4 7	average
Common Merganser	1598	variable
Red-breasted Merganser	371	variable
Ruddy Duck	3	uncommon (G, I)
Pied-billed Grebe	8	high (I)
Horned Grebe	3	variable (A)
Double-crested Cormorant	54	high (H,I)
American Coot	34	ties 18-year low (G, I)
Other/Unidentified	340	
Total Species	26	average
TOTAL OF ABOVE	38109	average

Notes: The 51st Region 1 New York State January Waterfowl Count was noteworthy primarily for low numbers: Mallard saw a 7-year low. American Black Duck (54) is an all-time low. Redhead (92) is the lowest since 1992. Ring-necked Duck (2) was largely absent, an 8-year low. Greater Scaup (6262) is the lowest since 1997. Lesser Scaup (5) saw a 20-year low. Common Goldeneye (856) came in at an all-time low. American Coot (34) ties a low last seen in 1987. Welcome sightings included a female King Eider

(found on Lake Ontario near Old Fort Niagara), a Surf Scoter (between Jaeger Rocks and the Peace Bridge), and three Ruddy Ducks (one off Grand Island and two at Dunkirk Harbor). All in all, a concerted effort resulted in 38109 individual birds logged over the course of 83.25 hours.

Section	Compilers	Area(s) surveyed
A	Roberta Vallone	Lake Ontario (Point Breeze to Olcott)
В	Peter Yoerg	Lake Ontario (Olcott to Fort Niagara)
С	Bob Deleon	Fort Niagara to Niagara Falls (NY)
D	Mike Zebehazy	Niagara-On-The-Lake to Niagara Falls
		(ON)
E	Gerry Rising, Jim	Buffalo Harbor to Goat Island (NY)
	Landau	
F	Gerry Rising, Don	Jaeger Rocks to Horseshoe Falls (ON)
	Roberson	
G	Don Brasure	Grand Island, NY
Н	Dave Suggs	Lake Erie (Buffalo Harbor to Silver
		Creek)
I	Fran Rew	Lake Erie (Silver Creek to PA line)
J	Bob Sundell	Jamestown & Chautauqua Lake
K	Tim Baird	Olean & Salamanca
L	Doris Burton	Allegany County
M	Gail Seamans	Batavia
N	Sonny Knowlton	Oak Orchard & Tonawanda WMAs
O	Paul Hess	Iroquois NWR
P	Bill Burch	Amherst, Clarence, Cheektowaga,
		Lancaster
Q	Tom Connare	Delaware Park, Forest Lawn Cemetery
R	Liz Wells	South Park, Cazenovia Park & Creek

Bald Eagle Report: We are also asked to report any Bald Eagle sightings during the count to the DEC. A total of five individuals were observed over the count period. Four adults were seen on 1/16/2005 on Section K. One adult was seen in Salamanca along the Allegheny River. Two adults were seen at noon near the Allegheny Reservoir. One adult was seen east of Salamanca along the Allegheny River. One immature Bald Eagle was seen on 1/20/2005 on Motor Island in the Niagara River on Section G.

Acknowledgements: Thanks go to the following birders who participated in this year's waterfowl census:

Tim Baird, Tom Bearss, Don Brasure, Bill Broderick, Bill Burch, Olive Burch, Doris Burton, Ken Cohen, Dick Collins, Mary Collins, Tom Connare, Bob Deleon, Donna Deleon, Mike Desha, Steve Eaton, Mike Galas, Doug Happ, Barbara Henderson, Paul Hess, Mary Jordan, Sonny Knowlton, Jim Landau, Jerry Lazarczyk, Tom LeBlanc, Bob Lipp, Max Mason, Mike Morgante, Jim Pawlicki, Fran Rew,

Gerry Rising, Don Roberson, Jim Rozanski, Gail Seamans, Dave Suggs, Debbie Suggs, Bob Sundell, Roberta Vallone, Barb Walker, Bill Watson, Liz Wells, Peter Yoerg, and Mike Zebehazy.

I would like to make a special note of thanks to Bill Burch, who has been the BOS Compiler of this count for the past nine years. His thorough, meticulous record keeping allowed me to make sense of the scope of the project. Bill's familiarity with the study area's birds and their habitats (and the birders who study them) and his easygoing willingness to share that knowledge has enabled me to take the project over.


Update: Rufous Hummingbird (Selasphorus rufus), immature female

Contributions from Allen Chartier, Jean Iron, and Kayo Roy.

Additional information has been made available to the BOS regarding the Rufous Hummingbird identified in Niagara Falls, Ontario during November and December, 2004. The bird was frequenting the sugar feeder of Janice M. Haines. The following information comes from an Ontario Rare Bird Report submitted by Allen Chartier, and photographs provided by Allen Chartier, Jean Iron, and Kayo Roy and made available by Kayo Roy to the editor. A previous article describing this particular bird was published in The Prothonotary, Vol 70, No. 12, pp 132-134. Note: this particular bird was incorrectly called a male Rufous Humming-bird in (The Prothonotary, Vol 71, No. 1).

Description excerpt from the Ontario Rare Bird Report or Allen Chartier:

"Description: Upon arriving at the home, I was able to see the bird in binoculars within about 10-minutes, and confirmed that it was a Selasphorus hummingbird due to its peach-buff flanks and under tail coverts four gorget feathers in the bottom center of the throat. Based on this, and photos I'd previously seen of the amount of rufous in the tail, it was clearly a Rufous or Allen's Hummingbird, which was the main differentiation that needed to be made, and one reason I was capturing and banding it. The bird was easily captured for banding, and it was aged, sexed, and identified in that order. The proper use of Stiles (1972) for banders requires that an individual Rufous/Allen's Hummingbird in-hand be correctly aged and sexed before a species determination can be made (B. Sargent, N. Newfield, and F. G. Stiles, pers. comm.).




Rufous Hummmingbird photographed by Allen Chartier in Niagara Falls, Ontario on December 2, 2004.

Age: The bird was aged as HY (hatch-year, or immature) based on the presence of shallow groovings on the basal 60-70% of the upper mandible. This is universally recognized as the most reliable method for age determination in hummingbirds (Ortiz-Crespo, 1972).

Sex: The green, white, and buff coloration with a pattern of iridescent gorget feathers (4 on this bird) on the lower center of the throat is suggestive of female (see photo above). The pattern of rufous on the central tail feather can also be helpful, with juvenile males having at least the basal half entirely rufous. This bird showed very little rufous at the base of the central tail feather, being mostly green with a black tip. No rufous was visible on the central tail feather beyond the upper tail coverts. This is consistent with a female also (Stiles fig. 2). The bird was confirmed as female based on wing length, which was 44.59 mm and was unambiguously conclusive for female, whether it was Rufous or Allen's.

Species: Given that the bird was an after hatch-year (adult) female, using Stiles we can determine whether this bird was a Rufous or Allen's Hummingbird using several additional measurements and observations. Known age and sex Rufous and Allen's Hummingbirds are best distinguished in-hand by measuring the widths of the central tail feather (r1) and the outer tail feather (r5), and noting the shape of the second tail feather from the center (r2). If a bird shows a clearly "notched" r2, then it is easily identified as a Rufous. Using Stiles' Figure 3, the shape of r2 on the Niagara Falls bird most closely matched Cb, for immature female Rufous, and, was very subtle in-hand, as well as in photos (see photo below), a condition that could be approached by some Allen's Hummingbirds. The shape of this notch was more suggestive of Rufous than Allen's, but alone would not be conclusive. So,



the identification was dependent on the measurements of the tail feather widths (Stiles table 1).

It is important to note here briefly that there are two subspecies of Allen's Hummingbird. One is the widespread and migratory nominate subspecies (Selasphorus sasin sasin) breeding from coastal northern California to coastal southern California and mainly migrating southward into Baja California, Mexico. The other is a more range-restricted and generally non-migratory subspecies (S. s. sedentarius), breeding on California's Channel Islands and the adjacent mainland (around Los Angeles). Sedentarius presents some problems, because it is intermediate between S. s. sasin and Rufous in some characters. And, while sasin has a shorter bill than Rufous, sedentarius has a longer bill! If sedentarius were entirely sedentary, this would not be an issue. But, I've been told (N. Newfield, pers. comm.) that the first specimen of Allen's Hummingbird collected in Louisiana actually fits sedentarius! So, however remote the possibility, *sedentarius* must also be considered.

The width of the central rectrix (r1) on the Niagara Falls bird was measured as 8.29 mm.

HY-F Rufous ranges from 7.8 - 9.5 mm. HY-F (S. s. sasin) Allen's ranges from 6.9 - 8.2 mm. HY-F (S. s. sedentarius) Allen's ranges from 7.3 - 8.4. So, this measurement is slightly above the range of (S. s. sasin) and near the upper size range of (S. s. sedentarius), while it is near the midrange for Rufous. This measurement is strongly suggestive of Rufous, but not conclusive.

The width of the outer tail feather (r5) on the Niagara Falls bird was measured as 4.16 mm. HY-F Rufous ranges from 3.2 - 4.7 mm. HY-F (S. s. sasin) Allen's ranges from 2.4 - 3.3 mm. HY-F (S. s. seden-

tarius) Allen's ranges from 2.6 - 3.3 mm. Since this measurement falls well above the range for either subspecies of Allen's, it is conclusive for Rufous. (It is also above the midrange for Rufous)

For additional support, we can look at Wing Length (wing chord), Bill Length (exposed culmen), and Tail Length.

This bird's Wing Length of 44.59 mm was longer than that of HY-F (*S. s. sasin*) Allen's, but slightly below the upper range for HY-F (*S. s. sedentarius*) Allen's, and above the midrange for Rufous. Wing Length suggests Rufous.

This bird's Bill Length of 17.53 mm was near the upper limit for both Rufous and (*S. s. sasin*) Allen's, but only slightly above the midrange for (*S. s. sedentarius*) Allen's. Bill Length was not useful.

Tail measurements are often not very useful, but this bird's Tail Length of 27 mm was 2 mm above the range of (*S. s. sasin*) Allen's, and near the upper limit for Rufous. Unfortunately, Stiles does not provide tail measurements for HY-F (*S. s. sedentarius*) Allen's. Tail length suggests Rufous.

There was fairly extensive body molt on this bird, and the outer 6 primaries (p5-p10) were old and worn, contrasting with the blacker, fresher inner primaries. The inner rectrix (r1), as well as r2, and r5 were fresh, while r3 and r4 were worn. The bird had a fat code of 0 (0-3 scale) and weighed 3.03 grams."



Rufous Hummmingbird photographed by Allen Chartier in Niagara Falls, Ontario on December 2, 2004.

Buffalo Ornithological Society Buffalo Museum of Science 1020 Humboldt Parkway Buffalo, NY 14211-1293

Return Service Requested

Non. Profit Org. U.S. Postage **PAID** Buffalo, NY Permit No. 412

Albert R. Mann Library Acquisitions Division-Serials Cornell University Ithaca, NY 14853-4301



BOS website http://www.bosbirding.org/



Buffalo-Niagara Region Dial-a-Bird: 716-896-1271 April – June Calendar

March 1 - May 15: Hamburg Hawkwatch at Lakeside Memorial Park in Hamburg (off Camp Rd. between Routes 5 & 20). Generally 10 AM - 3 PM weather permitting. Jim Landau (941-3869 or kjlandau@localnet.com).

April 24: Sunday. Braddock Bay Trip. This annual trip to the Hawk Watch will be led by Mike Zebehazy (BOS) and Bob Spahn (GOS). Meet at the Tar ning Bed at Main and Transit at 7:00 AM. The group will proceed to the parking lot at Braddock Bay for a 9 AM rendezvous with the GOS. This trip may be weather canceled. Contact Mike at zebs@adelphia.net or 662-6987.

April 27: BOS Meeting at 7:30 PM in the Cummings room of the Buffalo Museum of Science. The Canisius College Computational Ecology Research Team (Colleen Bell, Melissa Mustillo, Kathryn Mattern, Jennifer Urbanski, Emily Caruana, Sara Musilli, Jerry Dudziak, and Mike Hurban mentored by Dr. Sara Morris) will present a variety of avian migration topics.

May 7: Saturday not Sunday. Tifft Nature Preserve and Times Beach for warblers. Meet at the Tifft NP at 7:30 AM. Leader: Bill Bogacki (674-5781)

May 11: BOS Meeting at 7:30 in the Cummings Room of the Buffalo Museun of Science. Rick Vetter and Joan Suther will present a program on "The Nat ural History of Madagascar." The talk centers on birds and wildlife with excursions about people, landscape, lifestyle, and plants of this country.


May 15: May Count. Coordinator: Robert DeLeon (626-0325 or rldeleon@yahoo.com) BOS members should plan to participate.

May 25: BOS Meeting at 7:30 PM in the room of the Buffalo Museum of Science. Glenn Johnson, Chairman of the Department of Biology at the SUNY Potsdam presents, "Conservation of the Spruce Grouse in the Adirondacks."

June 8: Wednesday. The Annual June Picnic will be held 6PM at Tifft Nature Preserve Visitor Center. Bring your own food and plan for a short hike.

June 10: Friday. Canadian Whip-poor-will Trip and Chinese Dinner. Meet at Vermont and Busti at 6:00 PM. Dinner at Lotus Garden Restaurant (182 West St., Port Colborne, Ontario) Then we will go to Wilson Road, four mile: west of town Reservations appreciated. Leader: Bill Burch (773-3690).

The PROTHONOTARY



6

Published Monthly by the

A. R. MANN LIBRARY

MAY 1 0 2005

ITHACA, HY 14853

BUFFALO ORNITHOLOGICAL SOCIETY

Volume 71, No. 3 March, 2005

THE MONTH: February

by Mike Zebehazy

February was uneventful and quiet as it often is in the Buffalo area. With a frozen lake negating any significant lake effect and a coastal storm track, no major storms occurred in our region. All major parameters: temperature, precipitation, snowfall, and sunshine, were close to normal for February.

The month began mild and dry with no measurable precipitation occurring during the first seven days. Temperatures peaked at a spring-like 52 °F on the 6th. A rainy mild period on the 14-15th briefly cleared much of the ground of snow, but a pattern change brought colder than usual conditions for the remainder of the month, along with small daily snowfalls. There were no major snows, the largest fall being just over 3 inches, but the month did end with the region on the edge of a coastal system with light snow falling.

The month mirrored January to a lesser degree, with a mild first half followed by a cold second half, but not nearly as extreme. No records were set during the month.

Measurable snow fell on 11 consecutive days (16-26th) but the amounts were trifling. Only three days have had more than four inches for the entire winter season. Snow covered the ground for virtually all of February, but depths were quite modest.

February was a brighter month than January but still

totaled just 35 percent of the possible sunshine, again close to normal. Winds were relatively light for the month and Lake Erie was mainly ice covered.

(Weather summary from the *National Weather Forecast Service* in Buffalo, NY).

Twenty-one species of notable waterfowl high-light this month's


records. Some species were said to number in the tens of thousands according to the Dial-a-bird report of February 10. Primary locations were Dunkirk Harbor, Fort Erie, the upper Niagara River, and Fort Niagara. At Dunkirk Harbor, a Ross's Goose was first reported to Dial-a-bird on February 19. It was seen off and on for the rest of the month, usually at the west end of the harbor near Memorial Park. Elsewhere in this issue is a report of the BOS trip to Dunkirk Harbor on the 13th where 15 species of waterfowl were seen.

Courting Bald Eagles attempting to occupy an old cormorant nest on Strawberry Island were observed from Aqua Lane at the foot of Sheridan Drive in the Town of Tonawanda. Another nest, under construction by two adult eagles, was found on the north end of Navy Island. It can be viewed from the northwest trail at Buckhorn Island State Park.

Peter Yoerg continues to monitor the Merlins at the UB south campus, a personal project that has continued for seven years.

The Killdeer of February 5 was found along a muddy stream on the east side of North Beebee Road, just north of Wilson-Burt Road.

Seven owl species stand out in this month's reports (six in the records plus Screech Owl). These include a Snowy



Ross's Goose photographed by Mike Zebehazy at Dunkirk Harbor on February 23, 2005.

		A He Month
		by Mike Zebehazy
ı	22	Northern Chatauqua
		County Field Trip
		by Bill Watson
	23	Noteworthy Records
		by Bruce Chilton
	26	Thanks to Atlasers
		by Valerie Freer
	27	Madagascar Talk
		by Bill Watson
	27	Ivory-billed Woodpecker
		by Jack Skalicky

BOS Calendar

The Month

21

The Prothonotary is published monthly by the Buffalo Ornithological Society, Buffalo Museum of Science, Buffalo, NY 14211. Send subscriptions and address changes to the Corresponding Secretary, Karen Landau, S-9195 State Road, Colden, NY 14033. The regular subscription rate is \$20/year. Back issues are available from the Treasurer for \$2/issue.

Please mail correspondence to: Jack Skalicky 178 N Main, Suite K55 Salt Lake City, UT 84103-2075 [Email] skalicky@biochem.utah.edu Ed. Consultants: Robert Andrle

> Gerry Rising William Watson Audrey Horbett

Production: Audrey Horbett Eileen Hull

Society Officers:

President: Terry Yonker V. President: Lynne Landon Treasurer: Thomas O'Donnell Donna DeLeon Rec. Secretary: Corr. Secretary: Karen Landau Statisticians: Robert Andrle Frances Rew Librarian: Audrey Horbett Archivist: Audrey Horbett Council: 2003-2005 Mike Hamilton Tom LeBlanc Mike Morgante 2004-2006 Bob DeLeon Mike Desha Jim Landau 2005-2007 Mike Galas Jerry Lazarczyk

Owl seen at the same location in Pomfret for nearly the entire month. While viewing this bird as it stood on the ground in the snow, two observers watched it walk further into the scrub, drop down into the snow and virtually disappear from site. This could explain why the bird was not found on some days.

Short-eared Owls were reported at Niagara-Orleans Countyline Road, and Marshall and Lakeshore Roads in Yates, on Dickersonville Road in Porter and at East High Street and Keck Road in Lockport.

With all the reports of Great Gray Owl just north and east of our territory in Canada it didn't seem too far-fetched to expect one somewhere in our region. However, only one of this species turned up in New York State, far from us at Cape Vincent at the source of the St. Lawrence outside Watertown.

A Yellow-rumped Warbler continued at a yard in Orchard Park

every day this month and a White-throated Sparrow was at the same location all month as well.



Gail Seamans

Sharp-shinned Hawk photographed by Willie D'Anna in his yard on February 19, 2005.

Via Dial-a-bird, the Lark Sparrow was reported again on February 13 at the same location in Niagara County where many have observed it during the last two months.

Willie D'Anna described in extensive detail an "Oregon Junco" seen on his property and compared it to the distinguishing features of other Dark-eyed Junco subspecies.

From Bush Road on Grand Island comes a report of a very early arriving Common Grackle on the 15th and another was spotted on Paramount Parkway in the Town of Tonawanda on the 16th.

The grand total of 116 species, subspecies and hybrids for the year is a bit low compared to previous years.

(Thanks for the assistance of Bob Andrle and Gerry Rising for editing, David Suggs for his Dial-a-bird reports and all those who submitted individual reports.)

Northern Chautauqua County Field Trip

by Bill Watson

Five field trip participants met at the Dunkirk Harbor Pier, February 13th at 9 am for the Northern Chautauqua County Field Trip led by Dick Miga. The day was clear and sunny with temperatures rising from 20 to 26 °F by noon, but light east winds of 5 mph made it feel colder. The east winds helped blow the mist on the water toward the lake resulting in good visibility. Fifteen species of ducks were observed with abundant Mallards, Greater Scaup, and Common Mergansers. We also observed White-winged Scoter, a very-rare-in-February Black Scoter, a female and two male Northern Pintails, and Pied-billed Grebe. From Deer Street we observed two more male Northern Pintails. another Black Scoter, and a very-rare-in-February Northern Shoveler. Black Scoters between January 27th and March 28th and Northern Shovelers between December 18th and March 5th required written verification reports. There were also 4 Great Blue Herons and a Cooper's Hawk sitting on the close break wall, but a previously reported Blackcrowned Night-Heron was not found. Impressive numbers at the harbor were 64 Double-crested Cormorants, 26 American Coots, about 200 Great Black-backed Gulls, and 17 Hooded Mergansers.

Dick Miga then led us on a tour of the surrounding county side. At the Chautauqua County Airport there was a beautiful dark phase Rough-legged Hawk. At Lake Erie State Park we found a Sharp-shinned Hawk, Golden-crowned Kinglets, and a Purple Finch. On Webster Road in the Town of Pomfret twelve Tom Wild Turkeys were counted as they marched across a snowy field. Although we could not find the Snowy Owl at the intersection of Cummings and Stockton Roads, we did hear Horned Larks. On the way home the pair of Bald Eagles was observed on Strawberry Island bringing our raptor total to six species and our species total to 45.

NOTEWORTHY RECORDS

Underlined common names, dates or localities indicate that an acceptable, detailed written verification according to the *Date Guide to Birds of Western New York and Adjacent Ontario* (Seventh Edition - Revised 2001) has been received and placed in the permanent files of the Buffalo Ornithological Society.

- * Indicates first record for the year.
- F Indicates first record for the migration.
- L Indicates last record for the migration.
- (f) Indicates record from feeding station.

PDBA - Indicates Previously Documented Breeding Area.

	<u>Species</u>	February	Number	<u>Location</u>	Observer(s)
*	Common Loon	5	1	Golden Hill SP	Watson, D'Annaet al
	Pied-billed Grebe	5 - 20	8 max	Dunkirk Harbor	Several observers
	**	24	1	N.Tonawanda	Watson, Pawlicki
	Horned Grebe	2	7	Shadigee	Watson
	11	5	13	Golden Hill SP	D'Anna, DiTommaso
	***	5	27	Shadigee	D'Anna, DiTommaso
*	Red-necked Grebe	5	1	Fort Erie	Morgante
	Dcrested Cormorant	8; 12	7; 4	Tonawanda	Watson
	***	9	60 nests	Strawberry 1.	Watson
	11	13; 20	64;107	Dunkirk Harbor	Watson (BOS); Watson
	Great Blue Heron	13; 20	4; 8	Dunkirk Harbor	Watson (BOS); Watson
	11	15 - 23	29 max	Motor I.	Watson, S& T O'Donnell
	11	27	8	Queenston	D'Anna, DiTommaso
*	Black-cr. Night-Heron	5; 6; 24	1; 1; 1	Dunkirk Harbor	S&T O'Donnell et al
*	Snow Goose	18 - 27	1 (blue)	Dunkirk Harbor	Moshers et al
*	Ross's Goose	25	1	Dunkirk Harbor	Moshers
	Mute Swan	5	1	Golden Hill SP	D'Anna, DiTommaso
	H .	6	1	Dunkirk Harbor	Yoerg, Henderson
	n e	8	3	Beaver I. SP	Sharon
	Tundra Swan	5	75	Strawberry I.	Morgante
	11	7; 8	135; 80	Beaver 1. SP	Watson
	n e	9; 23	5; 2	Strawberry I.	Watson
	11	20	110	Buckhorn 1. SP	Yoerg, Henderson
	11	20	20	Grand I.	Yoerg, Henderson
	"	24	83	Fort Erie	Watson
	Gadwall	12	1	South Park, Bflo.	Rew
	11	20	2	Buckhorn 1. SP	Yoerg, Henderson
	11	23	1	Tonawanda	Watson
	American Black Duck	3	9	Sinking Ponds	Holmes
	,	20	7	Randolph	Baird, DeSha, Blacc
	11	24	26	Fort Erie	Watson
	Northern Shoveler	<u>13</u>	2	Dunkirk Harbor	Watson (BOS)
	Northern Pintail	13; 20	5; 1	Dunkirk Harbor	Lazarczyk (BOS); Watson
	11	15	2	Forest Lawn Cem.	Hess
	11	24	2	Dunkirk Harbor	Rew, Walker
	Canvasback	13; 20	20; 5	Dunkirk Harbor	Watson (BOS); Watson
	11	24	3415	Fort Erie	Watson
	Redhead	8; 12	78;21	Strawberry I.	Watson
	11	13; 20	1; 7	Dunkirk Harbor	Watson (BOS); Watson
	11	20; 24	3;183	Fort Erie	Yoerg, Henderson: Watson
	11	22	43	Grand 1.	Hess
	Ring-necked Duck	8	2	Beaver I. SP	Sharon

<u>Species</u>	<u>February</u>	<u>Number</u>	Location	Observer(s)
H	20	1	Grand I.	Rew, Yoerg, S&T O'Donnell
H .	24	13	Fort Erie	Watson
11	24	2	Strawberry I.	Watson
Greater Scaup	5	2000	Strawberry 1.	Morgante
11	24	3800	Fort Erie	Watson
Lesser Scaup	6; 20	2; 5	Dunkirk Harbor	Yoerg, Henderson; Watson
11	24	20	N.Tonawanda	Watson, Pawlicki
King Eider	21; 24	1; 1	Strawberry 1.	Watson, Pawlicki
"	27	1	Fort Niagara SP	D'Anna, DiTommaso
Surf Scoter	5	1	Golden Hill SP	D'Anna, DiTommaso
**	5; 13	3; 4	Fort Niagara SP	Morgante; S&T O'Donnell
**	24; 27	1	Dunkirk Harbor	Rew, Walker et al
White-winged Scoter	2; 5	31; 72	Olcott	Watson; Watson, Pawlicki
**	5; 11; 27	550 max	Fort Niagara SP	Morgante; S&T O'Donnell;
				D'Anna et al
**	6; 20	1; 1	Dunkirk Harbor	Yoerg, Henderson
**	13	1	Dunkirk Harbor	Watson (BOS)
Black Scoter	<u>13; 20</u>	2; 3	Dunkirk Harbor	Watson (B0S); Watson et al
Long-tailed Duck	2	250	Olcott	Watson
н	5; 27	600; 400	Fort Niagara SP	Morgante; Zebehazy, Happ
"	24	620	Queenston	Watson
"	27	2300	Lewiston	D'Anna, DiTommaso
Common Merganser	24	245	Fort Erie	Watson
Red-br. Merganser	24	342	Fort Erie	Watson
Ruddy Duck	<u>6</u>	1	Dunkirk Harbor	Yoerg, Henderson
**	<u>20</u> 5 - 27	1	Dunkirk Harbor	Watson et al
Bald Eagle	5 - 27	2 max	Strawberry I.	Morgante, Watson,
			•	Lazarczyk et al
"	6	3	Oak Orchard WMA	S&T O'Donnell
**	6	2	Iroquois NWR	S&T O'Donnell
***	6; 12	2; 2	Grand I.	Lazarczyk
11	9; 20; 27	2; 2; 3	Allegany Res.	Baird. DeSha, LeBlanc
"	13; 20	2; 5	Navy I.	S&T O'Donnell, Yoerg,
				Henderson
Ħ	1	1	Lewiston	S&T O'Donnell
H	19	1	Machias	DeSha
11	20	1 imm	Buckhorn I. SP	Yoerg, Henderson
11	21	2	Tonawanda	Pawlicki
#	27	1	Motor I.	Zebehazy, Happ
* Northern Goshawk	<u>3</u>	1	Bethany	Beattie
Rough-legged Hawk	1 - 27	5 max	Throughout WNY	Several observers
Merlin	<u>1 - 27</u>	6 max	UB south campus	Yoerg
* Killdeer	5	1	Wilson	Pawlicki, Watson
Iceland Gull	5	5	Adam Beck Hydro	Morgante
11	24	5	Adam Beck Hydro	Watson, Pawlicki
"	24	1	Lewiston Res.	Watson, Pawlicki
Lesser Black-b. Gull	21	1	Lewiston Res.	Watson, Pawlicki
11	24	2	Fort Erie	Pawlicki, Watson
G1	24	1	Niagara Falls, Ont.	Pawlicki, Watson
Glaucous Gull	5	1	Adam Beck Hydro	Morgante
"	20	1	Dunkirk Harbor	Watson, Pawlicki
11	24	I	Niagara Falls, Ont.	Pawlicki, Watson

<u>Species</u>	<u>February</u>	<u>Number</u>	Location	Observer(s)
	24	1	Lewiston Res.	Pawlicki, Watson
11	7	1	Fort Niagara SP	D'Anna, DiTommaso
Great Black-b. Gull	13; 20	200; 88	Dunkirk Harbor	Watson (BOS); Watson
* Great Horned Owl	3 - 28	1 max	BOS territory	Several observers
		1 111ax 1	Pomfret	
Snowy Owl	6 20	1		Moshers, Yoerg, Henderson
11		1	Stockton	Watson, Pawlicki
"	25 27	1	Pomfret	Zebehazy, Happ
D 1 O 1	27	1	Pomfret	Pawlicki, Horst
Barred Owl	6	l	Arkwright	Yoerg, Henderson
* Long-eared Owl	3	1	Golden Hill SP	Potter
	5	3	Yates	D'Anna et al
Short-eared Owl	5; 13	3; 4	Yates	Watson, D'Anna et al; S&T O'Donnell
"	19	4	Porter	S&T O'Donnell, Lazarczyk
11	21	1	Yates	Pawlicki, Rosenburg et al
* Nor. Saw-whet Owl	15;17;28	2; 1; 1	Wilson-Tuscarora SP	Potter
Red-headed Wdpkr.	6	1	Pt. Gratiot	Yoerg, Henderson
Northern Shrike	5 - 27	2 max	Throughout WNY	Several observers
Common Raven	9	1	Allegany SP	Baird
"	20	1	South Valley	Baird, DeSha, LeBlanc
11	22	1	W. Almond	Watson, Pawlicki, Lazarczyk
Homed Lark	2 - 27	150 max	Throughout WNY	Several observers
Tufted Titmouse	5	1	Wilson	Watson
11	26	1	Shelby	S&T O'Donnell
Red-br. Nuthatch	20	1	Stockton	Watson, Pawlicki
Brown Creeper	26	1	Iroquois NWR	Pawlicki
Carolina Wren	1 - 28	1	Franklinville (f)	DeSha
"	4; 8	1; 1	Bethany	Beattie
11	5	1	Fort Erie	Morgante
11	5	1	Niagara-on-the-Lake	Morgante '
11	6	1	Pt. Gratiot	Yoerg, Henderson
11	18	1	Four Mile Creek SP	Sharon
Golden-cr. Kinglet	3 - 27	8 max	Throughout WNY	Several observers
Eastern Bluebird	2	o max	<u> </u>	Baird
	27	4	Conewango Pt. Gratiot	
* Brown Thrasher	27	1		Pawlicki, Horst
Diowii Tinashei		1	Allegany SP	Baird
Cedar Waxwing	15	8	Salamanca	Baird
Yellow-r. Warbler	2	2	Wilson	Lazarczyk, Watson
	28	1	Orchard Park	Zebehazy
Chipping Sparrow	6-28	3	Wilson (f)	D'Anna, Potter
Song Sparrow	3; 17; 22	1; 2; 2	Sinking Ponds	Holmes
* Swamp Sparrow	17	I	Sinking Ponds	Holmes
White-thr. Sparrow	1-28	1	Eden (f)	Andrle
"	3;22	1;2	Sinking Ponds	Holmes
	11	7	Four Mile Creek SP	S&T O'Donnell
"	22		Angelica	Watson, Pawlicki, Lazarczyk
"	28	1	Orchard Park	Zebehazy
* White-cr. Sparrow	5-28	2 max	Wilson (f)	Watson, D'Anna, Potter
"	8	1	Bethany	Beattie
Dark-eyed Junco				
J. h. oreganus	6; 13	1; 1	Wilson	D'Anna, DiTommaso
Lapland Longspur	2; 13	14; 5	Wilson	Watson; S&T O'Donnell

<u>Species</u>	February	<u>Number</u>	Location	Observer(s)
Snow Bunting	2	40	Wilson	Watson
"	5	1200	Yates	Watson, D'Anna et al
**	6	20	Bethany	Beattie
**	24	45	Eden	Andrle
**	27	400	Carlton	Zebehazy, Happ
**	28	10	Machias	DeSha
Red-w. Blackbird	1-27	5 max	BOS Study Area	Several observers
Common Grackle	15	1	Grand I.	Sharon
11	16; 17	1; 1	Tonawanda	Hess
***	20	2	South Valley	Baird, DeSha, LeBlanc
Brown-head. Cowbird	5	1	Somerset (f)	D'Anna, DiTommaso
11	18	3	Lancaster	Morgante
11	20	50	South Valley	Baird, DeSha, LeBlanc
11	27	2	Chippawa, Ont.	S&T O'Donnell
Purple Finch	1 - 28	9 max	Orchard Park (f)	Morgante
**	1 - 28	8 max	Franklinville	DeSha
***	13	1	Lake Erie SP	Watson (BOS)
***	22	8	Angelica	Watson, Pawlicki, Lazarczyk
**	22	4	W. Almond	Watson, Pawlicki, Lazarczyk
Common Redpoll	6; 11	6; 1	Wilson (f)	D'Anna, Potter
Pine Siskin	1 - 28	20 max	Wilson (f)	D'Anna, Potter et al
"	1 - 28	6 max	Franklinville (f)	DeSha

Species, subspecies, and hybrids previously recorded this year:103Species, subspecies, and hybrids recorded for this month:013Total for the year 2005:116

Statisticians' Note: If any observer wishes to know the status of their verification report, please contact the Statisticians and we will give them the reasons for our decision. Please mail reports for each month not later than the FIFTH day of the following month to the Compiler: Bruce Chilton 88 Pryor Avenue, Tonawanda, NY 14150; Email: BChi314159@aol.com.

MANY THANKS TO ATLASERS!


by Valerie Freer

Five years of Atlas field work are complete, the results are in, and it is time to express the gratitude of the Atlas Steering Committee and Regional Coordinators to the wonderful volunteers. Over 1100 of you diligently worked in your blocks over the past 5 summers, watching and listening for the birds breeding there, and then you took the time to fill out forms and to send in your data. THANK YOU!

Without your contributions, the Atlas would not have been possible. You were very generous with your birding skills, your time, energy, and gas money! Thank you also for your contributions (on the state tax form) to "Return a Gift to Wildlife", which provides most of the funding for this project.

The map at right shows the results of your work, and it is indeed impressive. Over 5200 blocks have been surveyed, with an average of about 70 species per block visited. Scaled-down "mop-up" field work this year will focus on about 250 blocks that are unvisited or have fewer than 25 species. (If you just can't give up Atlasing and can travel to

hard-to-reach places, contact your Regional Coordinator.) In the meantime, the publication phase of the Atlas project is underway, with the goal of a book available in late 2007. Volunteer birders in New York State are the BEST!



Rick Vetter to talk on "The Natural History of Madagascar"

by Bill Watson

May 11th Rick Vetter and his wife Joan Suther (who now reside in the State of Oregon) will return to Buffalo to give a talk on the Natural History of Madagascar. Rick is a fish and wildlife biologist with the U. S. Forest Service and Joan is a land manager with the United States Department of the Interior. Many may remember the excellent talk Rick presented four years ago on their harrowing experiences studying colonial pelagic bird on an isolated island between Hawaii and Midway.

This years talk will be on the worlds fourth largest island, Madagascar. Most of the talk centers on birds, including the strange endemic families of vangas, mesites and ground rollers and other wildlife of Madagascar. However, the trip took in everything: the people, landscape, plants, insects, lifestyle and what is left of the natural vegetation. The people were especially very friendly and photogenic in Madagascar. The local native guides at specific reserves were the best Rick and Joan have encountered.

This trip was cosponsored by Idaho State University. A group of 12 biologists took part in a 5 week trip and attempted to see most of the 122 endemics. They saw 116, plus many other local migrants. There are at least 72 lemur species with 2 of these only recently described! Madagascar is great place to visit. Unfortunately much of the natural habitat is being converted to agricultural land needed to support and feed its growing population.

Rick has switched to a digital single lens reflex camera and took about 5000 photos, which creates an editing challenge, but he has narrowed it down to about 150 of his best photos in a one hour presentation. This talk should be interesting, informative, and enjoyable.

Ivory-billed Woodpecker Rediscovered in "Big Woods" of Eastern Arkansas

by Jack Skalicky

Ivory-billed Woodpecker has been rediscovered in the "Big Woods" of Arkansas. This discovery has generated a flurry of recent news releases and an accelerated publication in the journal, Science [Ivory-Billed Woodpecker (*Campephilus principalis*) Persists in Continental North America (2005) Sciencexpress, April 28, 2005). There are many websites with much more detailed information than this article provides, *e.g.*, http://www.ivorybill.org/. Remarkably, first evidence of an Ivory-billed Woodpecker in Arkansas dates back to February, 2004 and only at the end of April, 2005 was the news released to the general public. Between these dates a team of field researchers has scoured selected parts of the "Big Woods" region of Arkan-

sas searching for tangible evidence of this species – a minimum of fifteen visual encounters have been described, of which seven contain sufficient detail to confirm Ivorybilled Woodpecker. Independent field sketches of the bird from at least two observers are consistent with Ivory-billed Woodpecker and not Pileated Woodpecker. Audio and several seconds of video recording evidence also support the existence of Ivory-billed Woodpecker. Enhanced still images of the latter appear as supplementary material in the Science paper (http://www.sciencemag.org/cgi/content/abstract/1114103) and indeed provide most of the data used to write the paper. Below is a brief summary of these data that support identification of an Ivory-billed Woodpecker:

- 1. Size. Analysis of individual frames that capture the bird perched on a tupelo tree trunk allowed estimation of dimensions. In particular, the minimum distance spanning the "wrist" and the tip of the tail was outside of the range expected for Pileated Woodpecker and near the upper range expected for Ivory-billed Woodpecker. This data is summarized in supplemental figure 4 of the Science article.
- 2. Wing pattern at rest. Analysis of the same video footage reveals extensive white on posterior region of the opening wing bordered by an anterior black region consistent with either sex of Ivory-billed Woodpecker.
- 3. Wing pattern in flight. The video provided data for eleven wingbeats of flight these frames show extensive posterior white patches on dorsal and ventral wing surfaces representing "white secondary and innermost primary flight feathers", consistent with Ivory-Billed Woodpecker. Simulation using Ivory-billed Woodpecker models produced similar results.
- 4. White plumage on dorsum. Video frames also capture the dorsal surface of the bird revealing white plumage on the back between the wings, consistent with an Ivory-billed Woodpecker and inconsistent with Pileated Woodpecker.
- 5. Black-and-white pattern of a perched bird. Video footage revealed the bird perched on a tupelo tree trunk. Simulation with an Ivory-billed Woodpecker model produced a similar image.
- 6. Wingspan. The authors note that the bird in question showed an estimated wingspan of 71 centimeters, within the range expected for an Ivory-billed Woodpecker and "at or above the maximum published wingspan of Pileated Woodpecker."
- 7. Wingbeat rate. The video showed a wingbeat rate of 9 s⁻¹ for at least 4 seconds. This flight pattern matches the anecdotal descriptions of the Ivory-billed Woodpecker and is atypical of Pileated Woodpecker.


The field surveys have provide no information regarding population (indeed all observations may have been of the same individual) or evidence of breeding. The "Big Woods" area of Arkansas may be an ideal last stronghold of this species, with the region being quite inaccessible to disruptive human activity and comprises the second largest contiguous area of bottomland forest in the Mississippi River basin (~220,000 hectares), with a large fraction of this area at or approaching maturity.

Buffalo Ornithological Society Buffalo Museum of Science 1020 Humboldt Parkway Buffalo, NY 14211-1293

Return Service Requested

Non. Profit Org. U.S. Postage **PAID** Buffalo, NY Permit No. 412

Albert R. Mann Library Acquisitions Division-Serials Cornell University Ithaca, NY 14853-4301



BOS website http://www.bosbirding.org/



Buffalo-Niagara Region Dial-a-Bird: 716-896-1271

May – June Calendar

March 1 - May 15: Hamburg Hawkwatch at Lakeside Memorial Park in Hamburg (off Camp Rd. between Routes 5 & 20). Generally 10 AM - 3 PM weather permitting. Jim Landau (941-3869 or kjlandau@localnet.com).

May 11: BOS Meeting at 7:30 in the Cummings Room of the Buffalo Museur of Science. Rick Vetter and Joan Suther will present a program on "The Na ural History of Madagascar." The talk centers on birds and wildlife with excursions about people, landscape, lifestyle, and plants of this country.

May 15: May Count. Coordinator: Robert DeLeon (626-0325 or rldeleon@yahoo.com) BOS members should plan to participate.

May 25: BOS Meeting at 7:30 PM in the room of the Buffalo Museum of Sci ence. Glenn Johnson, Chairman of the Department of Biology at the SUNY Potsdam presents, "Conservation of the Spruce Grouse in the Adirondacks.

June 8: Wednesday. The Annual June Picnic will be held 6PM at Tifft Natur Preserve Visitor Center. Bring your own food and plan for a short hike.

June 10: Friday. Canadian Whip-poor-will Trip and Chinese Dinner. Mee at Vermont and Busti at 6:00 PM. Dinner at Lotus Garden Restaurant (182 West St., Port Colborne, Ontario) Then we will go to Wilson Road, four mile west of town. Reservations appreciated. Leader: Bill Burch (773-3690).

The PROTHONOTARY



INN

Published Monthly by the

JUN 1 5 2005

BUFFALO ORNITHOLOGICAL SOCIETY

Volume 71, No. 4 April, 2005

THE MONTH: March

by Tim Baird

March is a month of transition for season and birds. This March seemed reluctant to let go of winter. According to the National Weather Service summary, Buffalo's March temperature averaged 29.4 °F, which is about 5 degrees below the normal average. Most of the month was cold and the ground was snow-covered. The nine day period in Buffalo from the 8th through the 16th remained below freezing, an unusual string of cold days for March. Nevertheless, true to the old saying, March went out like a lamb with March 31st recording a high of 68 °F.

Like the temperature, March precipitation was below the average. Most fell as snow (17.9 inches), half of that total fell during the first two days. Total precipitation at 1.38 inches gave Buffalo the driest March in the last ten years.

Sunshine remained near normal at 44% of the possible. The near normal sun, cold temperatures, and generally dry conditions, imply that many of March's air masses were of northern origin. Snow-cover remained for most of the month, particularly in the southern tier. Lake Erie was mostly ice-covered, and the smaller lakes and ponds in western New York were frozen for most or all of the month. Despite its reputation for windy conditions, March winds were described as "relatively modest by March standards" by the National Weather Service.

March is the most active month for spring waterfowl migration. Reported species of geese, swans, and ducks totaled 31 for the month, with reports for the Greater White-fronted Goose, Cackling Goose, American Wigeon,

29 The Month
by Tim Baird
30 Northern Chatauqua
County Field Trip
by Bill Watson
31 Noteworthy Records

by Bruce Chilton
Region 1 BBS Routes
by Gerry Rising

36 BOS Calendar

and Blue-winged Teal (D'Anna et. al.) as first records for the year. A Ross's Goose at Dunkirk Harbor (D'Anna and Rew) on March 5th is noteworthy. Tundra Swans had a good flight on the 17th with 148 reported at the Hamburg

Hawkwatch (Rew) and 350 reported at Beaver Island State Park (Sharon).

Numbers of other waterfowl seemed somewhat conservative with the exceptions of 350 Northern Pintails (D'Anna) at Somerset on the 19th, 700 Greater Scaup (Watson) at Buffalo Harbor on the 31st, 232 White-winged Scoters (Watson *et. al.*) at Fort Niagara on the 12th, and 300 Common Mergansers on the 3rd at Strawberry Island (Watson). No March waterfowl records were submitted for the Batavia Waste Water Treatment Plant; perhaps this was a factor as only one Ruddy Duck is listed for the month (Watson, 31st at Buffalo Harbor).

A single Red-throated Loon was seen at Dunkirk Harbor on the 16th (Watson) and again on the 27th (Rew). Rew's description of the loon noted: "Its attitude on the water was as pictured in every field guide—head and bill thrust upward, long body rather low in the water." No sightings for Common Loon were submitted.

March 7th recorded our region's first Turkey Vultures, one in Lancaster (Morgante) and three at the Hamburg Hawkwatch (Watson *et. al.*). This species count culminated on March 31st with 93 observed at Tifft Nature Preserve (Watson). Osprey, Bald Eagle, Northern Goshawk, Red-tailed Hawk, Red-shouldered Hawk, and Roughlegged Hawk were observed at the Hamburg Hawkwatch during the month. Four Sandhill Cranes passing the Hawkwatch on the 19th (Rew) add evidence that this species is increasing in the east.

The last week in March hosted our first shorebirds—Greater Yellowlegs, Wilson's Snipe, and American Woodcock. Killdeer were only noted by three of 17 observers reporting for the month. Great Black-backed Gulls are not unusual around the Great Lakes, but 190 at Dunkirk Harbor on March 16th is an impressive number (Watson).

The Snowy Owl and Boreal Owl may be our region's only northern owl representatives during an irruptive year. A single Snowy Owl was reported from Yates (20th, Potter *et. al.*, 26th, D'Anna *et. al.*). The Boreal Owl was still in

The Prothonotary is published monthly by the Buffalo Ornithological Society, Buffalo Museum of Science, Buffalo, NY 14211. Send subscriptions and address changes to the Corresponding Secretary, Karen Landau, S-9195 State Road, Colden, NY 14033. The regular subscription rate is \$20/year, Back issues are available from the Treasurer for \$2/issue.

Please mail correspondence to: Jack Skalicky 178 N Main, Suite K55 Salt Lake City, UT 84103-2075 [Email] skalicky@biochem.utah.edu Ed. Consultants: Robert Andrle

Gerry Rising
William Watson
Audrey Horbett

Production: Audrey Horbett Eileen Hull

Society Officers:


President: Terry Yonker V. President: Lynne Landon Treasurer: Thomas O'Donnell Rec. Secretary: Donna DeLeon Corr. Secretary: Karen Landau Statisticians: Robert Andrle Frances Rew Librarian: Audrey Horbett Archivist: Audrey Horbett Council: 2003-2005 Mike Hamilton Tom LeBlanc Mike Morgante 2004-2006 Bob DeLeon Mike Desha Jim Landau 2005-2007 Mike Galas Jerry Lazarczyk Gail Seamans

Wilson on the 10th (Potter).

March opens the door for our returning passerines. However, the door remained closed until the latter part of the month this year. Eastern Phoebe was first recorded on the 30th at Marilla (Holmes) and at Wilson-Tuscarora State Park (Potter). Tree Swallows arrived on the 30th with a maximum of 20 recorded in Wilson (D'Anna) on the 31st. Late March brought a single Vesper Sparrow, now increasingly rare at any season, to Blasdell (31st, Turisk), a Fox Sparrow to Buffalo (30th, Yoerg), an Eastern Meadowlark to Sommerset (17th, D'Anna), and five Rusty Blackbirds to Tonawanda Wildlife Management area (26th, O'Donnells). Though not new for the year, Redwinged Blackbirds and Common Grackles increased their presence, and a single Yellowrumped Warbler that remained in Orchard Park for the first half of the month (Zebehazy) is the only representative

of its family to be recorded in the region for March.

As we greet arriving migrants from the south, we will likely say goodbye to some of our wintering birds this month. Northern Shrike, Lapland Longspur and Snow Bunting (600 of the latter at Yates on the 12th, Watson and Pawlicki) continued into March. Possibly underreported,



Cooper's Hawk photographed by Willie D'Anna at Dunkirk Harbor on March 5, 2005.

but there was only one report for American Tree Sparrow (17th, Holmes at Sinking Ponds). Common Redpolls and Pine Siskins were still being reported by several observers.

The Lark Sparrow in Porter was present as late as March 12th (Watson *et. al.*, BOS). We owe Vicki Rothman, whose family hosted this bird and the birders who came to see it, our deep appreciation.

Lake Plains Field Trip

by Bill Watson

March 26th was a bright sunshiny day with temperatures reaching the high 40s and weak NNE winds of only 4 mph. The well attended field trip caravan left Wright's Corners and proceeded down Route 104 to Hosmer Road where many observers saw a Northern Shrike. Curiously, this is the same location where we had a Loggerhead Shrike on last years trip. Along the way we observed twelve of the more common bird species including many Canada Geese. Next we went to Barker Centennial Park and found an American Wigeon, six Northern Pintails, about 20 Longtailed Ducks, 29 White-winged Scoters, Common Goldeneye, and many Red-breasted Mergansers. It was here that Jim Pawlicki found two very rare in spring Cackling Geese. While traveling east along Lower Lake we stopped to look at a Short-eared Owl in flight and four Eastern Bluebirds.

At Lower Lake and Burgess Roads most birders had some more of their first spring migrant ducks: eleven Northern Pintails, two male Green-winged Teals, two American Wigeons, and a colorful male Wood Duck. While studying the waterfowl we also observed a variety of hawks overhead including three dark phase and one light phase Rough-legged Hawks, two Red-shouldered Hawks, and a Sharp-shinned Hawk.

At Golden Hill State Park, Betsy Potter showed the group an adorable Northern Saw-whet Owl she had found the previous day. Along Niagara-Orleans County Line Road we added four more raptor species with a Bald Eagle, a Northern Harrier, a Snowy Owl, and a Turkey Vulture. In Yates Jim Pawlicki found seven more Cackling Geese, while others were studying three Snow Geese, a Cooper's Hawk, and a possible Canada Goose X Barnyard (or Snow Goose) hybrid found by Jerry Lazarczyk. At Shadigee in addition to most of the waterfowl observed at Barker Centennial Park, there were twelve Red-necked Grebes in striking breeding plumage and at least eight Horned Grebes in winter plumage. We then returned to the south side of Hartland-Somerset Town Line Road, where we had a second and more cooperative Northern Shrike. The bird was a fitting end to another great Lake Ontario Plains Field Trip. Thanks to Willie D'Anna.

NOTEWORTHY RECORDS

Underlined common names, dates or localities indicate that an acceptable, detailed written verification according to the *Date Guide to Birds of Western New York and Adjacent Ontario* (Seventh Edition - Revised 2001) has been received and placed in the permanent files of the Buffalo Ornithological Society.

- * Indicates first record for the year.
- F Indicates first record for the migration.
- L Indicates last record for the migration.
- (f) Indicates record from feeding station.

PDBA - Indicates Previously Documented Breeding Area.

	<u>Species</u>	March	Number	Location	Observer(s)
*	Gr. White-fr. Goose	20F	1	Yates	D'Anna et al
	Snow Goose	7	165	Bethany	Beattie
	H	12 - 30	7 recs	L. Ontario plain	Several observers
	11	20	60	Somerset & Yates	D'Anna et al
	H	22	20	Oakfield	Sharon
	Ross's Goose	5	1	Dunkirk Harbor	D'Anna, Rew
*	Cackling Goose	26F	7	Yates	D'Anna, Watson (BOS)
	11	26F	2	Barker Bicent. Park	DiTommaso, Watson (BOS)
	Tundra Swan	3	50	Buckhorn I. SP	Watson
	11	5; 9; 17	32; 5; 350	Beaver I. SP	Watson; Watson; Sharon
	**	13	30	Marilla	Holmes
	11	17; 21	148; 24	Hamburg Hawkwatch	Rew; Watson, Lazarczyk
	H .	18	70	Fort Erie	Yoerg
	Wood Duck	18F	1	Tonawanda	Hess
	11	19	3	Somerset	D'Anna
	11	26 - 29	4 rpts	Throughout WNY	Several observers
*	American Wigeon	12F	2	Four Mile Creek SP	D'Anna
	11	30	37	Tonawanda WMA	Watson
*	Blue-winged Teal	20F	1	Yates	D'Anna et al
	11	27	2	Somerset	Yoerg, Henderson
	Northern Shoveler	17F	2	Dunkirk Harbor	Moshers
	н	20	2	Yates	D'Anna et al
	11	30	2	Iroquois NWR	Watson
	H .	30	1	Buffalo Harbor	Watson
	Northern Pintail	12F - 26	8 rpts	Throughout WNY	Several observers
	"	17; 19	30; 350	Somerset	D'Anna
	11	18	120	Fort Erie	Yoerg
	"	24	48	Hanover	Moshers
	Green-winged Teal	18	2	Fort Erie	Yoerg
	**	26	4	Somerset	D'Anna et al (BOS)
	**	30	7	Iroquois NWR	Watson
	Canvasback	30	166	Buffalo Harbor	Watson
	Redhead	3	5	Tonawanda	Watson
	11	17	2	Olcott	D'Anna
	Ring-necked Duck	22; 23	1; 1	Sinking Ponds	Holmes
	11	23	8	Tonawanda	Lazarczyk, Watson
	"	30	73	Tonawanda WMA	Watson
	Greater Scaup	1 - 31	200	Grand I.	Lazarczyk, Watson
	11	31	700	Buffalo Harbor	Watson
	Lesser Scaup	25	2	Beaver I. SP	Hess

	<u>Species</u>	March	Number	Location	Observer(s)
	n	31	8	Buffalo Harbor	Watson
	King Eider	12; 18	2; 2	Fort Erie	Yoerg
	Surf Scoter	12; 18	1; 1	Fort Erie	Yoerg
	"	16	2	Dunkirk Harbor	Watson
	White-winged Scoter	12	232	Fort Niagara	Watson et al
	"	18	11	Fort Erie	Yoerg
	Black Scoter	<u>5; 16</u>	3; 3	Dunkirk Harbor	D'Anna; Watson
	Long-tailed Duck	18	10	Fort Erie	Yoerg
	Ruddy Duck	31F	1	Buffalo Harbor	Watson
*	Red-throated Loon	16; 27	1; 1	Dunkirk Harbor	Watson; Rew
	Pied-billed Grebe	16	4	Dunkirk Harbor	Watson
	11	30F	1	Sinking Ponds	Holmes
	Horned Grebe	16	6	Dunkirk Harbor	Watson
	11	18F	3	Jaeger Rocks	Yoerg
	11	22	47	Shadigee	Watson, Lazarczyk
	11	26	8	Shadigee	D'Anna et al (BOS)
	Red-necked Grebe	12;17;18	1; 1; 6	Fort Erie	Yoerg
	"	16;17;27	4; 2; 3	Dunkirk Harbor	Watson; Moshers; Rew
	11	17	2	Buckhorn I. SP	Yoerg
	11	26	12	Shadigee	D'Anna et al (BOS)
	Dcrested Cormorant	16	73	Dunkirk Harbor	Watson
	Great Blue Heron	3; 9; 27	17; 26; 34	Motor I.	Watson
	11	22	10	Iroquois NWR (n)	Watson
	Black-cr. Night-Heron	25	3	Motor I.	Sharon
	"	27	27	Motor I.	Lazarczyk et al
	n	31	5 .	Niagara Falls, Ont.	Watson
*	Turkey Vulture	7 F	1	Lancaster	Morgante
	"	7F; 28	3; 88	Hamburg hawkwatch	Watson et al
	n .	12 - 27	6 rpts	Throughout WNY	Several observers
	11	31	75	Tonawanda	Hess
	11	31	93	Tifft NP	Watson
*	Osprey	31F	1	Hamburg Hawkwatch	Andrle, Rew, Turisk
	"	31F	1	Wilson	D'Anna
	Bald Eagle	3 - 24	5 rpts	Strawberry I.	Watson et al
	11	5	1 imm	Dunkirk Harbor	D'Anna, DiTommaso
	11	6	1 ad	Fredonia	Moshers
	11	15; 30	1; 1	Iroquois NWR (n)	Watson
	11	18	1	Grand I.	Lazarczyk
	11	19	1 imm	Bird I. Pier	DiTommaso
	11	19	2 ad	Lackawanna	DiTommaso
	11	24	1	Somerset	Watson
	H .	26	1	Pomfret	Moshers
	11	26	1 imm	Yates	D'Anna et al (BOS)
	11	28	1	Hamburg hawkwatch	Watson et al
	11	31	2	Wilson	D'Anna, Potter
	Northern Goshawk	20	1	Yates	D'Anna et al
	11	28	1	Hamburg Hawkwatch	Watson
	11	31	1	Hamburg Hawkwatch	Rew, Turisk
*	Red-shouldered Hawk	7F; 28	1; 6	Hamburg Hawkwatch	Watson; Watson et al
	tt.	17	2	Somerset	D'Anna

	<u>Species</u>	March	<u>Number</u>	Location	Observer(s)
	n	20 - 27	2 max	Orchard Park	Morgante
	TI Comments of the comments of	26;27;31	2; 2; 1	Sinking Ponds	Holmes
	11	27	1	Ward	Brooks
	Rough-legged Hawk	6	4	Porter	Rosenburg et al (BOS)
	***	22	3	Iroquois NWR	Watson, Lazarczyk
	11	26	6	Yates	S&T O'Donnell
	"	27	1	Wilson	Yoerg, Henderson
	"	31	3	Hamburg hawkwatch	Andrle, Rew, Turisk
	Merlin	<u>4 - 28</u>	5 max	UB south campus	Yoerg
*	Peregrine Falcon	<u>5F</u>	1	Dunkirk Harbor	D'Anna
	II .	31	1	Wilson	D'Anna et al
*	Sandhill Crane	19F	4	Hamburg hawkwatch	Rew
*	Greater Yellowlegs	30F	3	Iroquois NWR	Watson, Sharon
	***	30F	1	Wilson	D'Anna, Potter
*	Wilson's Snipe	31F	1	Lancaster	Morgante
*	American Woodcock	25F	1	Blasdell	Turisk
	H	25F	3	Almond	Case
	H	26	1	Wilson	S&T O'Donnell
	11	30	1	Colden	K & J Landau
	H	31	5	Porter	S&T O'Donnell
	Iceland Gull	17	1	Adam Beck Hydro	Yoerg
	Glaucous Gull	5	1	Dunkirk Harbor	D'Anna, DiTommaso, Rew
	II .	17	1	Niagara Falls, Ont.	Yoerg
	Great Black-b. Gull	16	190	Dunkirk Harbor	Watson
	Snowy Owl	20	1	Yates	Potter et al
	11	26	1	Yates	D'Anna et al (BOS)
	Long-eared Owl	17	1	Amherst SP	Lazarczyk
	H	18	1	Newfane	Potter, D'Anna
	н	31	2	Porter	S&T O'Donnell
	Short-eared Owl	6; 12; 31	20; 26; 2	Porter	D'Anna,S&T O'Donnell et al
	It	26	1	Somerset	D'Anna et al (BOS)
	Boreal Owl	10	1	Wilson	Potter
	Nor. Saw-whet Owl	12	1	Wilson-Tuscarora SP	Watson, Potter, Pawlicki
	n	25	1	Golden Hill SP	Potter
	H	26	1	Golden Hill SP	D'Anna et al (BOS)
	H	31	2	Wilson-Tuscarora SP	Potter
*	Eastern Phoebe	30F	1	Marilla	Holmes
	11	30F	1	Wilson-Tuscarora SP	Potter
	11	31	1	Bethany	Beattie
	Northern Shrike	5	1	Pomfret	D'Anna, DiTommaso
	"	12; 26	1; 1	Yates	S&T O'Donnell
	11	26	2	Hartland	D'Anna et al (BOS)
	11	26	1	Portland	Mosher
	Common Raven	26	2	Alfred	Brooks
	Horned Lark	6	20	Porter	Rosenburg et al (BOS)
	Ħ	12	60	Yates	Watson, Pawlicki
	!!	24	14	Somerset	Watson, Lazarczyk
	E. a. alpestris	2	26	Stockton	Mosher
	E. a. praticola	11	26	Stockton	Mosher
*	Tree Swallow	30F	3	Tonawanda WMA	Watson

<u>S</u>	Species .	March	Number	Location	Observer(s)
11		30F	1	Sinking Ponds	Holmes
11		31	8	Tifft NP	Watson
11		31	20	Wilson	D'Anna, Potter
C	Carolina Wren	7	1	Bethany	Beattie
11		8; 27	1; 1	Orchard Park (f)	Morgante
Е	Eastern Bluebird	23	1	Sinking Ponds	Holmes
11		24	5	Grand I.	Lazarczyk, Watson, Burke
11		26	4	Somerset	D'Anna et al (BOS)
11		26	1	Tonawanda WMA	S&T O'Donnell
N	Northern Mockingbird	10 - 31	1	Sinking Ponds	Holmes
A	American Pipit	31	1	Sinking Ponds	Holmes
7	Yellow-r. Warbler	1 - 15	1	Orchard Park	Zebehazy
(Chipping Sparrow	1 - 31	3 max	Wilson (f)	D'Anna, Potter
	Field Sparrow	31	2	Tifft NP	Watson
* /	Vesper Sparrow	31F	1	Blasdell	Turisk
Ī	Lark Sparrow	6	1	Porter	Watson et al (BOS)
11		12	1	Porter	Watson, et al (BOS)
* F	Fox Sparrow	30F	1	Buffalo	Yoerg
11		31	3	Tifft NP	Watson
7	White-cr. Sparrow	1;4	2; 2	Bethany	Beattie
11		1 - 31	2 max	Wilson (f)	D'Anna, Potter
11	1	6	2	Porter	Rosenburg et al (BOS)
I	Lapland Longspur	18	1	Yates	Sharon
ŧ		26	3	Yates	S&T O'Donnell
	Snow Bunting	6	15	Porter	Rosenburg et al (BOS)
1	1	12	600	Yates	Watson, Pawlicki
I	Red-w. Blackbird	7F	13	Hamburg Hawkwatch	Watson
*]	Eastern Meadowlark	17F	1	Somerset	D'Anna
1	1	18	1	Somerset	Morgante
*]	Rusty Blackbird	26F	5	Tonawanda WMA	S&T O'Donnell
1	1	30	2	Iroquois NWR	Watson
(Common Grackle	7F	2	Hamburg Hawkwatch	Watson
,	n	15	1	Wilson (f)	Potter
]	Brown-head. Cowbird	7	10	Tonawanda	Hess
]	Purple Finch	15; 28	1; 3	Colden (f)	K Landau
1	11	22	2	Alfred	Brooks
	!! !!	24	2	Andover	Brooks
	"	26	1	Tonawanda WMA	S&T O'Donnell
		30 12	35	Wilson Tuggerore SD	Potter
	Common Redpoll	28	33 4	Wilson-Tuscarora SP Wilson (f)	D'Anna, DiTommaso Potter
	Pine Siskin	6 - 31	6 max	Wilson	D'Anna
	"	8	1	East Aurora	Holmes
	11	12	8	Porter	Watson
	11	27	1	Four Mile Creek SP	Yoerg

Species, subspecies, and hybrids previously recorded this year:116Species, subspecies, and hybrids recorded for this month:019Total for the year 2005:135

Statisticians' Note: If any observer wishes to know the status of their verification report, please contact the Statisticians and we will give them the reasons for our decision. Please mail reports for each month not later than the FIFTH day of the following month to the Compiler: Bruce Chilton 88 Pryor Avenue, Tonawanda, NY 14150; Email: BChi314159@aol.com.

Region 1 Breeding Bird Survey Routes – Volunteers Needed.

by Gerry Rising

In a recent issue of New York Birders, Charles Smith wrote about New York State's participation in the North American Breeding Bird Surveys. Sadly, we in Region 1 come up short in his analysis of coverage. As of his report in April of this year, we now have four of our thirteen BBS routes not being censused. For a society that has long prided itself on its ornithological studies, I consider this situation both embarrassing and unacceptable.

Those who have done these surveys know that they represent a challenge for you must be at the starting point a half hour before local dawn. But they are also interesting and a great deal of fun. On a day in June convenient to you, you follow a prescribed 25 mile route, stopping every half mile to look and listen for three minutes, recording numbers of all the species identified at your 51 stops. You then tabulate and report your results on appropriate forms to the Inventory and Monitoring Section of the Biological Resources Division of the U.S. Biological Survey. Routes are best covered by two people: one to serve as driver and recorder, the other to do the actual count.


These routes have been censused since 1965 and provide important comparative data about our breeding species of birds. Today over 3000 routes are being surveyed across North America. Much of this data now resides on the web and may be accessed at <www.mbr-pwrc.usgs.gov/bbs/>. You can learn more there about the precipitous population declines in our region of species like Blue-winged Teal, Brown Thrasher, European Starling (!), Vesper Sparrow, Eastern Meadowlark and House Sparrow as well as corresponding increases for Double-crested Cormorant, Canada Goose, Red-bellied Woodpecker, Tufted Titmouse, White-breasted Nuthatch, Eastern Bluebird, Hooded Warbler, Northern Cardinal and House Finch.


Continuing to provide this kind of information is, I believe, very important. As our society's average age is increasing, many older birders no longer have the eyesight and hearing necessary to do the actual identification. We need younger members to step forward, but older members can still serve as drivers and recorders.


The routes not currently being censused are 53 Hamburg (!), 61 Sheridan (in Chautauqua County south of Dunkirk), 62 Cherry Hill (near the Pennsylvania border of Chautauqua County) and 63 Nashville (in Cattaraugus County southeast of Silver Creek).


To take responsibility for a BBS Route and to obtain route data contact Charles Smith, NY Coordinator at Department of Natural Resources, Fernow Hall, Cornell University, Ithaca, NY 14853-3001 (phone: 607-255-3219, email: crs6@cornell.edu). Let's meet this challenge.

Figures on right show New York State trends for the indicated species. Sauer, J. R., J. E. Hines, and J. Fallon. 2005. The North American Breeding Bird Survey, Results and Analysis 1966 - 2004. Version 2005.2. USGS Patuxent Wildlife Research Center, Laurel, MD.









Buffalo Ornithological Society Buffalo Museum of Science 1020 Humboldt Parkway Buffalo, NY 14211-1293

Return Service Requested

Non. Profit Org.
U.S. Postage
PAID
Buffalo, NY
Permit No. 412

Albert R. Mann Library Acquisitions Division-Serials Cornell University Ithaca, NY 14853-4301



BOS website http://www.bosbirding.org/



Buffalo-Niagara Region Dial-a-Bird: 716-896-1271

June – August Calendar

June 18: Saturday. CARLTON HILL MULTIPLE USE AREA. Joint trip with Genesee Ornithological Society. Prepare to hike. Bring water resistant hiking boots, water, and lunch. Meet at the Alexander Post Office parking loon Rte 98 about 10 miles south of Batavia and just south of Rte 20 at 7:30 a.m. Leaders: Kurt Fox 585-343-0896 and Jon Dombrowski.

July 31: Canadian shoreline of Lake Erie for shorebirds. Leader: Mike Hamilton (881-6709). Meet at 7:00 AM at Vermont and Busti near the Peac Bridge to carpool. We will be going to Rock Point PP + others, Rock Point charges \$10.00 Canadian for entry, so bring Canadian money. We will consolidate the group into as few cars as possible at park entrance.

August 21: BOS August Shorebird Count. 6AM. The count will cover 10 reaches of the north shore of Lake Erie from the Peace Bridge to Port Maitland. Teams of two or more will be assigned each reach. Contact Terry Yon ker or Lynne Landon at (716) 745-9129 or email: TerryYonker@cs.com

August 28: Sunday. Canadian shoreline of Lake Erie for shorebirds and other early migrants. Leader: Mike Hamilton (881-6709). Meet at 7:30 AN at Vermont and Busti to carpool. See July 31 note above.

The PROTHONOTARY



Published Monthly by the

JUL 7

BUFFALO THACA, ORNITHOLOGICAL SOCIETY

Volume 71, No. 5 May, 2005

THE MONTH: April

by Bill Watson

Weather: April's average temperature was 46.8 °F (1.5 °F above normal) and we received 4.50 inches of melted precipitation (1.46 inches above average). The beginning and end of the month were unseasonably cold, wet, and windy while the middle of the month was pleasantly warm, sunny, and conducive to avian migration.

On April 2nd and 3rd nearly all of the month's 9.3 inches of snow fell in a 36 hour period, making this April the snowiest in 15 years. In contrast, April 5–20th was seven degrees warmer than normal. Although the beginning and end of April were cloudy, a stretch of twelve consecutive sunny days and 15 of 16 sunny days between the 4–19th made this April the sunniest in 35 years with 60% of the possible sunshine. The final ten days had temperatures four degrees below normal, cloudy skies, and a storm on the 22-23rd. Of the 15 early arrivals requiring written verification reports, only two were from dates outside of the extremely warm and sunny period from April 5-20th.

During the last ten days of the month, cold wet weather appeared to slow the migration, and most of the expected neotropical migrants were absent or late. Only seven warbler species were reported. This was similar to April 1997 when even fewer species of warblers were reported and the average temperature was 2.6 °F below normal. To find an April with fewer warbler species than 2005 and above average temperatures, one has to go back to 1980 (six species) when the average temperature was 46.1 °F. I did not find an

April as warm as 2005 with seven or fewer warbler species.

Rare Birds: Once again April had more than its share of rarities. This month Whooping Crane, Townsend's Solitaire, and Swainson's Hawk were the exceptional records. The Whooping Cranes were

reported by Gil Randell and he wrote, "At approximately 12:10 EST, the three WHOOPING CRANES appeared about ¼ to ½ mile to the west of us, approaching us at site #2 as close as about 100 feet to the south and about 50 feet above ground level. They continued in an easterly direction until they disappeared about ¼ mile away over a barn roof and then below a line of trees. Five observers watched the birds from Site #2: Jann and Gil Randell, Mel Freeborough, Bill Dietz, and Tom Wasilewski. Because we coordinate sightings between different sites at the hawk watch with two way radios, we were able to contact two other observers about three miles to the southeast of us at Site #4, Len DeFrancisco and Bob Sundell, who then were able to observe the birds for a brief time, and at a great distance, after we had lost sight of them (Randell 2005)."

According to U.S. Fish and Wildlife Service (USFWS), the three Whooping Cranes observed above are coded 1-03, 9-03, and 18-03 and were hatch year birds in 2003. 1-03 was equipped with a radio transmitter providing research-



Townsend's Solitaire photographed by Willie D'Anna at his yard in the Town of Wilson on April 14, 2005.

37 The Month

by Bill Watson
Noteworthy Records
by Bruce Chilton

44 Hamburg Hawk Watch by Jim Landau

45 Ripley Hawk Watch
by Len DeFrancisco and
Gil Randell

47 April Count by Michael Hamilton

50 BOS Calendar

The Prothonotary is published monthly by the Buffalo Ornithological Society, Buffalo Museum of Science, Buffalo, NY 14211. Send subscriptions and address changes to the Corresponding Secretary, Karen Landau, S-9195 State Road, Colden, NY 14033. The regular subscription rate is \$20/year. Back issues are available from the Treasurer for \$2/issue.

Please mail correspondence to: Jack Skalicky 178 N Main, Suite K55 Salt Lake City, UT 84103-2075 [Email] skalicky@biochem.utah.edu Ed. Consultants: RobertAndrle

Gerry Rising
William Watson

Production: Audrey Horbett Eileen Hull

Society Officers:

President: Terry Yonker V. President: Lynne Landon Thomas O'Donnell Treasurer: Rec. Secretary: Donna DeLeon Corr. Secretary: Karen Landau Statisticians: Robert Andrle Frances Rew **Audrey Horbett** Librarian: Audrey Horbett Archivist: Council: 2003-2005 Mike Hamilton Tom LeBlanc Mike Morgante 2004-2006 Bob DeLeon Mike Desha Jim Landau 2005-2007 Mike Galas Jerry Lazarczyk Gail Seamans

ers with knowledge of its location using telemetry (and associating cranes 9-03 and 18-03; see map below). Their migratory routes during fall, 2004 and spring, 2005 is shown. This spring the three cranes were reported from Lake County, Ohio on April 3rd (south and west of Ripley), then at Ripley, NY on April 6th (corroborating the Ripley Hawk Watch sightings), and then from Grey County, Ontario on April 15th (Stilwell 2005). Since then, 1-03 and 18-03 were observed in Mason County, Michigan on June 12th while 9-03 has separated from the group and on June 9th was found in Addison County, Vermont (Sullivan 2005). Although these birds are members of an "experimental nonessential population", their sighting at Ripley Hawk Watch is the first documented record of any kind in the BOS study area and New York State (if approved by NYSARC) for this species.


Rare birds have become common on and near Willie D'Anna's property at 4777 Lake Road in the Town of Wilson. TOWNSEND'S SOLITAIRE visited here April 12-14th. There are only two other records of this species in the BOS archives: one at Fonthill, Ontario on Nov. 6, 1983 and one at Bond Lake from Dec. 23, 2001 to Feb. 23, 2002. Only five NYSARC approved records of this species exist.

Also in the Town of Wilson on the 19th Dean Di Tommaso car-chased a SWAINSON'S HAWK from Route 18 to Coomer Road and finally to Hess Road. He described it as a very dark buteo with dihedral, long, tapering wings (with no obvious bulges) that were held forward of the body (similar to Red-shouldered Hawk). In eliminating similar species he noted that melanistic Broad-winged, Red-tailed, Rough-legged, and Ferruginous Hawks have paler flight feathers that contrast with the darker underwing lining. When eliminating similar species, how often do we forget to eliminate melanistic, leucistic, and albinistic forms of other species? There are four other BOS records of Swainson's Hawk: one in Brockport on October 1, 1889

(note: Brockport was within BOS study area until 1956); one at Rock Point Provincial Park on Sept. 19, 1984; one at Westfield on May 2, 1993; and one at Ripley on Apr. 18, 2002.

The Eastern Palm Warbler (*Dendroica palmarum hypo-chrysea*) studied on April 13 and 14 at Amherst State Park is only our fourth record of this subspecies since 1964. The Common Raven on the 12th at the Hamburg Hawk Watch is the twelfth Erie County record, while the Common Ravens on the 17th at Beaver Meadows and on the 10th in Bennington are the ninth and tenth records for Wyoming County. Other rare birds requiring written verification reports were the Northern Goshawk in Wilson, Golden Eagle at the Hamburg Hawk Watch, and Sandhill Cranes in Somerset (1) and Haldimand County, Canada (2).

Early arrivals: Usually the April count will produce only three or four unusually early records. The very favorable migratory weather of April 5-20th this years resulted in nine early records on the April 10th Count: Broad-winged Hawk (2), Merlin, Common Moorhen, Blue-gray Gnatcatcher, Blue-headed Vireo, Louisiana Waterthrush, Merlin, and Pine Warbler (2). The Common Moorhen is the fifth earliest record. The Blue-gray Gnatcatcher is bettered by records on the April 8, 1945 and April 5, 1998 Counts. The Blue-headed Vireo found along ASP 2 in Allegar State Park is the earliest ever record in the BOS territ ... Thomas LeBlanc feels this bird and other local breedurs like Pine Warblers and Ospreys are often found in the Southern Tier long before they reach the rest of the BOS territory. The Louisiana Waterthrush also found by Tom Leblanc on the same day near ASP 2 is our second earliest record of this species. Our earliest Louisiana Waterthrush was found by Steve Eaton in Carrollton on April 7, 1991. The two records of Broad-winged Hawk, the two records of Pine Warbler, and the Merlin were also excellent early records on this year's April Count. Although the Broadwinged Hawk seen April 9 is the earliest non-count record, there are earlier records on April Counts of: April 6, 1941; April 8, 1945; April 7, 1946 and April 8, 1979.



NOTEWORTHY RECORDS

Underlined common names, dates or localities indicate that an acceptable, detailed written verification according to the *Date Guide to Birds of Western New York and Adjacent Ontario* (Seventh Edition - Revised 2001) has been received and placed in the permanent files of the Buffalo Ornithological Society.

- * Indicates first record for the year.
- F Indicates first record for the migration.
- L Indicates last record for the migration.
- (f) Indicates record from feeding station.

PDBA - Indicates Previously Documented Breeding Area.

<u>Species</u>	<u>April</u>	Number	Location	Observer(s)
Snow Goose	5	1	Yates	S&T O'Donnell
H	24	2 blue	Yates	Potter, D'Anna
Mute Swan	13	2	Wilson	Watson et al
Gadwall	9	1	Small Boat Harbor	Morgante
11	16	6	Batavia WWTP	Watson
American Wigeon	16	23	Iroquois NWR	Watson
Blue-winged Teal	16	6	Batavia WWTP	Watson
Northern Shoveler	16	134	Batavia WWTP	Watson
11	16	2	Iroquois NWR	Watson
Northern Pintail	16	4	Batavia WWTP	Watson et al
Green-winged Teal	9	1	Small Boat Harbor	Morgante
**	16	10	Iroquois NWR	Watson
Redhead	9	4	Small Boat Harbor	Morgante
Ring-necked Duck	5	1	Sinking Ponds	Holmes
H	9	4	Small Boat Harbor	Morgante
н	15	23	Tifft NP	Watson
11	16	32	Iroquois NWR	Watson
Greater Scaup	9	40	Small Boat Harbor	Morgante
Lesser Scaup	9	20	Small Boat Harbor	Morgante
II .	16	45	Batavia WWTP	Watson
H .	20	5	Alfred	Brooks
Surf Scoter	20	1	Allegany SP	Baird
H	26	1	Tifft NP	Sharon
White-winged Scoter	13	14	Wilson	Watson
Black Scoter	9	1	Small Boat Harbor	Morgante
**	3	2	Newfane	S&T O'Donnell
Long-tailed Duck	13	23	Wilson	Watson
"	16	1	Batavia WWTP	Watson
Hooded Merganser	16	14	Batavia WWTP	Watson
"	20; 21	2; 1	Alfred	Brooks
Red-br. Merganser	24	1000	Hamburg Town Park	Morgante
Ruddy Duck	15	1	Tifft NP	Watson
11	16	278	Batavia WWTP	Watson
**	16	10	Iroquois NWR	Watson et al
Red-throated Loon	24	1	Somerset	D'Anna
Common Loon	7	1	Beaver I. SP	Sharon
H	9 - 28	1	Allegany SP	Baird
H	13 -29	4 rpts	Throughout WNY	Several observers
Horned Grebe	20	1	Alfred _.	Brooks
Red-necked Grebe	1	61	Somerset	D'Anna

	<u>Species</u>	<u>April</u>	Number	Location	Observer(s)
	11	5	135	Yates	S&T O'Donnell
	п	13	2	Wilson	Watson
	Dcrested Cormorant	9	120	Buffalo	Morgante
	11	15; 20	170; 352	Strawberry I.	Watson
	"	26	2	Bethany	Beattie
	American Bittern	16 F	1	Iroquois NWR	Watson
	Great Blue Heron	15	14 (6 n)	Strawberry I.	Watson
	"	15	23	Motor I.	Watson
*	Great Egret	1 F	2	Beaver I. SP	Sharon
	"	7; 27	4; 11	Motor I.	Hess
	**	13	10	Navy I.	Lazarczyk et al
	n .	13	8	Motor I.	S&T O'Donnell
		13 - 29	41 max	Motor I.	Watson
	11	17 - 29	3 rpts	Throughout WNY	Several observers
	11	28	22 (21 n)	Motor I.	Watson
*	Green Heron	19 F	1	Salamanca	Baird
	"	23	1	Sinking Ponds	Holmes
	11	27	1	Lancaster	Morgante
	11	28	1		Baird
	Plack or Night Haran		1 4, 12	Allegany SP Motor I.	Watson
	Black-cr. Night-Heron	15; 20	4; 13		Turisk
	**	20	1	Times Beach NP	
	11	27	1	Tifft NP	Watson
		29	1	Buckhorn I. SP	Lazarczyk et al
	Turkey Vulture	5	62	Highland-on-the-Lake	Andrle
	Osprey	4 - 28	2 max	Allegany SP	Baird
	11	5	11	Highland-on-the-Lake	Andrle
		9 - 27	11 recs	Throughout WNY	Many observers
	Bald Eagle	4	2	Allegheny Res.	Baird
	"	13	1	Iroquois NWR	Hess
	**	13	2 (n)	Navy I.	Lazarczyk, Watson
	11	13	l	Hamburg	M&W Zebehazy
	11	16	1 (n)	Iroquois NWR	Watson
		18	1 imm	Tonawanda	Galas
	"	29	1 (n)	Navy I.	Watson et al
	Northern Goshawk	9	1	Allegany SP	Baird
	"	19	1 imm	<u>Wilson</u>	DiTommaso
*	Broad-winged Hawk	14 F	4	Hamburg Hawk Watch	Rew et al
	11	17 - 21	5 recs	Throughout WNY	Several observers
	11	19	85	Pomfret	Moshers
*	Swainson's Hawk	19	1	Wilson	DiTommaso
	Rough-legged Hawk	5	1	Highland-on-the-Lake	Andrle
	11	5; 9	1; 1	Bethany	Beattie
	"	10	1	Stockton	Mosher et al
	H	10	1	Chautauqua	Mosher et al
	11	18	3	Hamburg Hawk Watch	Watson
*	Golden Eagle	9	1 imm	Hamburg Hawk Watch	Morgante
	Merlin	18 F	1	Hamburg Hawk Watch	Watson
*	Virginia Rail	15 F	1	Tifft NP	Watson
	"	16	1	Iroquois NWR	Watson
*	Sora	14 F	1	Tifft NP	DiTommaso et al

	<u>Species</u>	<u>April</u>	Number	Location	Observer(s)
	American Coot	16	47	Iroquois NWR	Watson
	Sandhill Crane	6	4	Somerset	D'Anna
*	Whooping Crane – from Wis consin Breeding Program	-6	3	Ripley Hawk Watch	Randell, DeFrancisco, Free-borough et al
	Greater Yellowlegs	1	5	Hartland	D'Anna
	11	16	8	Iroquois NWR	Watson
	**	19 - 29	3 rpts	Throughout WNY	Several observers
*	Lesser Yellowlegs	17 F	5	Hartland	D'Anna
	**	29	2	Iroquois NWR	Rew, Horbett
*	Solitary Sandpiper	28 F	1	Allegany SP	Baird
*	Spotted Sandpiper	18 F	1	Tifft NP	DiTommaso
*	Pectoral Sandpiper	17 F	24	Hartland	D'Anna
	11	29	1	Iroquois NWR	Rew, Horbett
	Wilson's Snipe	1	1	Somerset	D'Anna
	11	6	2	Lancaster	Morgante
	H	13 - 28	3 rpts	Throughout WNY	Several observers
	Bonaparte's Gull	12	200	Woodlawn Beach SP	Turisk
	TI.	13	1700	Robert Moses plant	Turisk
	· n	24	300	Hamburg Town Park	Morgante
*	Caspian Tern	13 F	8	Wilson	Lazarczyk, Watson
	н	24	3	Dunkirk	Lazarczyk et al
*	Common Tern	9 F	20	Buffalo	Morgante
	H .	15	2	Motor I.	Watson
	n .	20	20	Times Beach NP	Turisk
*	Black Tern	29 F	8	Iroquois NWR	Rew, Horbett
	Long-eared Owl	13	1 (n)	Amherst SP	Watson et al
	"	23	1	Amherst SP	Lazarczyk et al
	Short-eared Owl	3; 17	3; 4	Shelby	S&T O'Donnell
	н	5	3	Porter	S&T O'Donnell
	Nor. Saw-whet Owl	8	1	Wilson	Potter, D'Anna
*	Chimney Swift	21 F	3	Lakeside MP, Hamburg	Andrle
*	Yellow-b. Sapsucker	1 F	1	Tonawanda	Hess
	11	5	1	Wilson-Tuscarora SP	Potter
*	Eastern Wood-Pewee	16	2	Ripley	Galas et al
	Eastern Phoebe	1	1	Colden	K&J Landau
	п	1	1	Alfred	Brooks
	n e	3	1	Alabama	S O'Donnell
*	White-eyed Vireo	22 F	1	Allegany SP	Baird
	Blue-headed Vireo	17	1	Beaver Meadow Aud. C.	Turisk
	11	17	2	Allegany SP	Baird
	11	18 - 29	3 recs	Southern Tier	Mosher; Brooks
	Common Raven	4	1	Ward	Brooks
	11	10	2	Alfred	Brooks
	11	12	1	Hamburg Hawk Watch	Zebehazy
	"	17	1	Beaver Meadow Aud. C.	Turisk
	II .	20	1	Allegany SP	Baird
*	Purple Martin	29 F	2	Grand I.	Watson et al
*	N. Rough-w. Swallow	<u>5</u> F	1	Allegany SP	LeBlanc
	11	9	4	Buffalo	Morgante
	11	10 - 28	6 recs	Throughout WNY	Several observers

	<u>Species</u>	<u>April</u>	Number	Location	Observer(s)
*	Bank Swallow	24 F	2	Hamburg Town Park	Morgante
*	Cliff Swallow	24 F	1	Hamburg Town Park	Morgante
	11	28	1	Beaver I. SP	Sharon
	11	29	2	Buckhorn I. SP	Lazarczyk, Watson et al
oķ	Barn Swallow	<u>1 F</u>	1	Hamburg Hawk Watch	DiTommaso et al
	11	9	1	Somerset	D'Anna
	TI .	12	1	Sinking Ponds	Holmes
	Carolina Wren	3	1	Eden (f)	Andrle
	n .	7	1	Bethany	Beattie
	11	18	1	Niagara Falls	S&T O'Donnell
	"	19	1	Orchard Park	Morgante
*	House Wren	<u>16 F</u>	1	Tifft NP	DiTommaso et al
	"	24	1	Hamburg	Morgante
	"	27	1	Tifft NP	Watson
	Winter Wren	7	1	Wilson-Tuscarora SP	Potter
	Ħ	8	1	Deveaux Woods SP	S O'Donnell
	#	9	1	Allegany SP	Baird
	11	13;18;23	1; 1; 1	Ward	Brooks
	11	14	1	Amherst SP	Watson
*	Ruby-cr. Kinglet	19 F	1	Alfred	Brooks
	11	23	3	East Aurora	Holmes
	11	27	3	Tifft NP	Watson
*	Blgr. Gnatcatcher	22 F	1	Allegany SP	Baird
	H	27	3	Tifft NP	Watson
	11	29	3 rpts	Throughout WNY	Several observers
	Eastern Bluebird	1; 7; 8	4; 3; 1	Bethany	Beattie .
	11	6	1	Alfred	Brooks
*	Townsend's Solitaire	12;13;14	1; 1; 1	Wilson	Potter, D'Anna
	"	13	1	Wilson	Lazarczyk, Watson et al
	Hermit Thrush	6 F	1	Forest Lawn Cem.	Hess
	"	13; 30	1; 2	Ward	Brooks
	11	16 - 29	4 rpts	Throughout WNY	Several observers
	Northern Mockingbird	5	1	Sinking Ponds	Holmes
	n	9	1	Somerset	D'Anna
	Brown Thrasher	19	1	Andover	Brooks
	n	19	1	Salamanca	Baird
	n	20;21;23	1; 1; 1	Sinking Ponds	Holmes
	H	23 - 29	5 rpts	Throughout WNY	Several observers
	American Pipit	3	11	Oakfield	S&T O'Donnell
*	Nashville Warbler	27 F	1	Goat I.	Roberson
	"	30	1	Beaver I. SP	Sharon
*	Yellow Warbler	28 F	1	Allegany SP	Baird
		29	1	Beaver I. SP	Watson
	11	29	1	Grand I.	Watson et al
	11	29	1	Buckhorn I. SP	Lazarczyk, Watson et al
*	Blthr. Green Warb.	30 F	1	Blasdell	Turisk
*	Pine Warbler	<u>7 F - 10</u>	1	Orchard Park	Vigyikan
	11	<u>9; 10</u>	1; 1	Allegany SP	LeBlanc
	11	<u>12;</u> 30	1; 1	Blasdell	Turisk
	11	16 - 29	8 rpts	Throughout WNY	Many observers

	<u>Species</u>	<u>April</u>	Number	Location	Observer(s)
*	Palm Warbler	22 F	1	Wilson	Potter
	11	24	1	Sinking Ponds	Holmes
	**1	29	12	Buckhorn I. SP	Lazarczyk, Watson et al
*	D. p. hypochrysea	13; 14	1; 1	Amherst SP	Salembier
*	Black-and-white Warb.	30 F	1	Tifft NP	Sharon
*	La. Waterthrush	17	2	Allegany SP	Baird
	11	19 - 29	3 rpts	Throughout WNY	Several observers
*	Eastern Towhee	3 F	1	Pomfret	Moshers
	11	16	1	Woodlawn Beach SP	Turisk
	11	17 - 30	6 rpts	Throughout WNY	Several observers
	Field Sparrow	4	1	Salamanca	Baird
	n	9	1	Andover	Brooks
	11	9	1	Somerset	D'Anna
	Vesper Sparrow	18	1	Hamburg Hawk Watch	Watson et al
*	Savannah Sparrow	3 F	1	Pomfret	Moshers
	11	3	3	Somerset	S&T O'Donnell
	**	6	2	Somerset	D'Anna
	Fox Sparrow	2 - 27	10 rpts	Throughout WNY	Many observers
	n e	3	8	Pomfret	Moshers
	n	4	8	Allegany SP	Baird
	Swamp Sparrow	7	1	Wilson	Potter, D'Anna
	n	15	2	Tifft NP	Watson
	"	16	4	Batavia WWTP	Watson et al
	White-thr. Sparrow	1 - 30	3 max	Eden (f)	Andrle
	"	2 - 28	6 rpts	Throughout WNY	Several observers
	White-cr. Sparrow	3	1	Yates	S&T O'Donnell
	Rusty Blackbird	6	1	Wilson	D'Anna, Potter
	11	15	2	Tifft NP	Watson
	"	29	2	Buckhorn I. SP	Lazarczyk et al
	Purple Finch	2	5	Colden	K&J Landau
	"	4 - 30	3	Blasdell (f)	Turisk
	**	19	1	Orchard Park	Morgante
	11	19; 30	3; 2	Bethany	Beattie
	Pine Siskin	1 - 29	3 max	Wilson (f)	Potter, D'Anna
	11	13	4	Wilson	Watson et al
	11	19	2	Orchard Park	Morgante

Species, subspecies, and hybrids previously recorded this year:137Species, subspecies, and hybrids recorded for this month:045Total for the year 2005:182

Statisticians' Note: If any observer wishes to know the status of their verification report, please contact the Statisticians and we will give them the reasons for our decision. Please mail reports for each month not later than the FIFTH day of the following month to the Compiler: Bruce Chilton 88 Pryor Avenue, Tonawanda, NY 14150; Email: BChi314159@aol.com.

White-eyed Vireo photographed by Tim Baird at France Brook Road in Allegany State Park on April 22nd.



The most unusual early arrival was the White-eyed Vireo found by Tim Baird on France Brook Road on April 22. In his 20 minute study of the bird Tim got all the field marks including the "white eye." This earliest ever Whiteeyed Vireo is ten days early. The next closest early record was April 25,1998 at the Tonawanda WMA. The earliest ever Northern Rough-winged Swallow was observed flying over Red House Lake at Allegany State Park on the 5th by Tom LeBlanc. The previous early record observed in Yates on April 6, 1991. Warm weather at the end of March brought in our third earliest record of Barn Swallow that is only bettered by records on March 27, 1991, and March 29, 2003. The House Wren on the 16th is only bettered by records on April 13, 2003; April 14, 1992; and April 15, 2001. Although it is some times difficult to distinguish migrant from wintering Pine Warblers, all birds after March 25th are likely migrants, because they are all not found at wintering locations. The Pine Warbler that showed up at Paul and Nancy Vigyikan's suet feeder in Orchard Park on March 7th was six days early; yet, there are five earlier record that are probably migrants. The Sandhill Crane on the 6th is our fourth earliest record. The Golden Eagle on the 9th is eclipsed by eleven earlier records.

Breeding birds: This April, Alec Humann found our first ever nesting Merlins in Buffalo, and after a 59 year absence Bald Eagles returned to the Niagara River to nest at the north end of Navy Island.

I would like to acknowledge the following sources of information in writing The Month.

Beardslee, C. S. and Mitchell H. 1965. *Birds of the Niagara Frontier Region*. Bulletin of the Buffalo Society of Natural Sciences, vol. 22.

National Weather Service, Buffalo, New York.
Randell, R. G. May 14, 2005. Letter to Bruce Chilton.
Stilwell, David. U. S. Fish and Wildlife Service Field Supervisor.
May 5, 2005, Letter to Leonard De Franciso, Coordinator Ripley Hawk Watch.

Suggs, David and Pawlicki J. Custodian of BOS Noteworthy
Data Base 1964-2002. (compiled by DiTomasso et. al.)
Suggs, David et. al. 2002. Seasonal Checklist of the Birds - The
Niagara Frontier Region. Buffalo Ornithological Society, Inc.
Sullivan T. U. S. Fish and Wildlife Service. June 16, 2005, email.

Hamburg Hawk Watch Spring 2005 Report

by Jim Landau

The National Weather Service in Buffalo accurately states that March in Western New York began in the grip of deep winter, with the heaviest general snowfall of the winter leaving 6 to 10 inches over the area. (In fact, the final days of February saw the beginnings of that snow, which prevented our hardiest watchers from getting a jumpstart on our "official" dedicated season coverage of March 1 through May 15.) March was also consistently very cold and dry, with an unusually long period of continuous below freezing temperatures from the $8 - 16^{th}$. This pattern finally reversed during the final week of the month with some real spring-like conditions, ending with a balmy 68 on the month's final day, but leaving us with nine "no count" days due to weather. All of March's expected raptors showed up with clockwork-like predictability. March 30 and 31 logged our biggest flights of the month, with just under 1000 raptors for each day.

April included two major storms but also the longest stretch of sunny spring weather in many years. Snowfall from the huge first storm on the 2-3rd and a similar one on the 22-24th provided the area with the highest April snowfall total in 15 years, and over half of the month's precipitation. Sunshine was also a major weather factor during the month with 60% of the possible sunshine being recorded, enough to make it the sunniest April in Buffalo in 35 years. There was a remarkable stretch of 15 out of 16 sunny days from the 4th through the 19th and indeed, that period produced the bulk of our April flights, perhaps owing to the attendant thermal activity. All three of this season's Golden Eagles were also reported within that window, as was the season's biggest flight day (on the 8th), which saw a total of 1713 raptors. Another strong flight of 1671 raptors was recorded on the 19th, perhaps in advance of the approaching weather change.

May was the driest month in modern history for Buffalo. It began somewhat cool and unsettled but turned summery during the second week, with the official airport temperature reaching into the 80s on the 10th. Rainfall was scarce during the month with a total of just 0.6 inch. Sunshine was plentiful with 66% of the possible being recorded and winds were relatively light during the month. Unfortunately those winds were prevailing northwesterly, which is not the quarter that favors a strong hawk flight at the hawk watch. While we know that there is an immature Broadwinged Hawk flight late in the season, those wind conditions did not help to steer them our way this year.

Taken as a whole the Spring 2005 season at Hamburg could be described as respectable, albeit one with few "thrills." 42 Bald Eagles, a season high for the watch, continues a steady upward trend for the species. All the other expected raptor species tallied more or less in keeping with previous recent years (see table below). Overall 13,141

	hours	в۷	TV	os	BE	NH	SS	СН	NG	RS	BW	RT	RL	GE	AK	ML	PG	UR	TOTAL	days	Birds/Hr.	accip's.	buteos	falcons	eagles
Feb	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			0	0	0	0
Mar	149.08	0	2682	1	11	32	88	61	2	274	0	853	16	0	25	1	1	51	4098			151	1143	27	11
Apr	310.5	0	4610	78	21	40	368	45	0	23	2222	412	24	3	65	2	3	24	7940			413	2681	70	24
May	85.75	0	546	30	10	4	69	18	0	2	281	103	2	0	5	0	2	31	1103			87	388	7	10
2005	396.25	0	7838	109	42	76	525	124	2	299	2503	1368	42	3	95	3	6	106	13141	63	33.1	651	4212	104	45
																				-					
Feb	7.5	-	6	0		1	0	0	0		0	30	$\overline{}$				0		40			0	32	0	0
Mar	137.92		3902		12				0	230	0	576		-				27	4980			110	846	39	12
Apr	178.78		3331	74	-					33	1475	423		_	32							298	1982	38	12
May	73	0	484	13	16	22	67	6	0	7	282	138	2	1	4	0	0	15	1057	-		73	429	4	17
2004	415.7	2	7723	91	39	104	395	85	1	270	1757	1167	95	2	74	4	3	126	11938	73	28.7	481	3289	81	41
Feb	12.16	0	17	0	0	0	0	3	0	0	0	70	0	0	0	0	0	0	90			3	70	0	0
Mar	157.80	0	4789	3	12	21	141	53	1	198	0	1091	12	1	23	2	2	28	6377			195	1301	27	13
Apr	162.80	0	3602	124	1		629	-			4671	5 72	16	3		_	3					709	5276	77	15
May	74.25	0	481	24	5	14	119	27	0	1	327	116	1	0	3	0	2	13	1133			146	445	5	5
2003	394.80	0	8872	151	29	101	889	160	1	216	4998	1779	29	4	94	8	7	73	17411	75	44.1	1050	7022	109	33
Feb	12.20	0	17	0	0	0	0	3	0	0	0	70	0	0	0	0	0	0	90] 3	70	0	0
Mar	118.80	0	5 798	2	7	13	89	38	2	192	0	5 81	9	1	25	0	0	20	6777			129	782	25	8
Apr	164.20	0	2448	65	8	43	442	76	0	24	925	479	11	0	38	5	2	76	4642			518	1439	45	8
May	46.30	0	242	36	8	9	80	12	0	2	207	93	1	0	12	2	0	24	728			92	303	14	8
2002	341.50	0	8505	103	23	65	611	129	2	218	1132	1223	21	1	75	7	2	120	12237	66	35.8	742	2594	84	24

Summary of the Hamburg Hawkwatch for 2002-2005.

individuals raptors were logged, our second highest season total.

Any hawk watch that relies on volunteer coverage has a long list of people to thank and Hamburg is no exception. This coordinator wishes to acknowledge the following "Hawk Watch Heroes" for their considerable contributions of time and effort, week in and week out; Bruce Chilton, Mike Galas, Mike Hamilton, Fran Rew, Bill Watson, and Mike Zebehazy. Thanks also to Bob Andrle, Lewis Crowell, Bob and Donna Deleon, Don Harris, Doug Happ, Sharon Sisti, Roberta Vallone, Nancy and Paul Vigyikan for filling in the gaps in coverage throughout the spring. Thanks as well to the many birders and friends who stopped by to provide support. All weather data was obtained from the National Weather Service website. Anyone with questions, comments, or clarifications regarding this year's watch or with interest in next spring's watch, please contact Jim Landau at 9195 State Road, Colden, NY 14033, by phone at (716) 941-3869, or by e-mail: kjlandau@localnet.com

Spring 2005 Report Ripley Hawk Watch

by Len DeFrancisco and Gil Randell

Spring always seems to come late at the Ripley Hawk Watch. Cold northerly winds off Lake Erie frequently keep the watch locked in winter until May. This year the rest of the world seemed to emulate the Ripley chill, and the migration and Spring seemed later than usual. Although heavy snow on April 2nd and 3rd closed the watch, bad

weather shut us down only nine days after March 15th: two days in March, two in April and two in May.

The importance of the migratory corridor where the Ripley Hawk Watch is located is documented by the raptor records of the Ripley Hawk Watch and the recent radar documentation of significant numbers, millions annually, of night-migrating passerines. This year, exciting corroboration of the corridor's importance occurred in our sighting on April 6th of three migrating juvenile Whooping Cranes, the first-ever sighting of Whooping Cranes in New York State. We coordinated our sighting of the cranes with US Fish and Wildlife Service; USFWS reported to us that about 14 hours after our sighting of the cranes, a satellite transmitter fitted to one of the birds reported a roosting location for them near the Ripley Hawk Watch. New York State Audubon in its Important Bird Areas of New York (2nd edition: Albany, 2005) also observes that the Ripley Hawk Watch "has reported the highest number of Sandhill Cranes on any migration flyway in the northeast (33 in 2003, 59 in 2004)." Our site recorded 35 Sandhill Cranes this year seen on six different days.

Resident Bald Eagles continue to be seen at the site. Sorting out resident from migrating eagles is a rich and welcome challenge. Volunteers documented 19 sightings of resident eagles on 11 different days. Our resident/migrant challenge was made even more interesting this year by a pair of resident Northern Goshawks. Resident Goshawks visited our hillside site just about every day from late April on, allowing our regular volunteers good looks, often at display flights.

The first migrating Bald Eagle was observed on March 15th. Migrating Bald Eagles totaled 61; migrating Golden Eagles, 4; a total of 65 migrating eagles. Sightings of resident and migrant eagles together totaled 84, very close to last-year's total of 85 eagle sightings.

2005 saw another record number of Turkey Vultures (10,598), exceeding last year's record (10,157) by 441 birds. Osprey numbers (128), although up somewhat from last year were still down compared to 2003 (191); Sharpshinned Hawk numbers (1,285) up a bit from last year's lows (1,057) but still down significantly compared to 2003 (1,735); American Kestrels, down sharply again (from 289 to 192). The Kestrel decline over the last two years is a 47% drop in abundance (359 in 2003 to 192 in 2005). Broadwinged Hawk numbers (8,077) were up from last year (7,019); Rough-legged Hawk numbers (37), although down a bit from last year's (41) were still nearly three times the number for 2003 (13). Our overall total for raptors (22,508), exceeded last year's total (20,689) by 1,819 birds.

The big Broad-winged Hawk days were April 19th and 27th. On April 19, visitors from Erie, Pennsylvania, and western New York were treated to the sight of 2,140 Broadwinged Hawks, many in a two-and-one-half mile long stream. On April 27, we recorded 2,102 broad-wings in both kettles and streams, with many birds coming through at low altitude, close to the observers. On April 6, one of the two Merlins we recorded that day perched for 10 to 15 minutes in the top of a dead spruce just 100 meters west of our site.

We observed a Black Vulture April 4th and a Raven April 28th. Large numbers of Tundra Swans (896 on seven separate days) were observed this year. Four American Bitterns migrating in a group were also noteworthy birds. In addition to the three Whooping Cranes, other non-raptor migrants observed at the watch included Double-crested Cormorants, Common Loons, Canada Geese, several species of ducks, a number of gull species, Great Blue Herons, Green Herons, a Great Egret, Killdeer, Spotted Sandpipers, Solitary Sandpipers, Lesser Yellow-legs, Snipe, Woodcock, Turkeys, Ruffed Grouse, Ruby-throated Hummingbirds, Belted Kingfishers, Pileated and Red-bellied Woodpeckers, Yellow-shafted Flickers, Yellow-bellied Sapsuckers, Horned Larks, Tree Swallows, Rough-winged Swallows, Barn Swallows, Crows and Blue Jays in large flocks, Chickadees, Tufted Titmouses, Carolina Wrens, House Wrens, Northern Shrike, Gray Catbirds, Wood Thrushes, Eastern Bluebirds, Black-throated Green and Yellow Warblers, Common Yellowthroats, Red-winged Blackbirds, Rusty Blackbirds, Common Grackles, Starlings, Eastern Meadowlarks, Bobolinks, Baltimore Orioles, Cardinals, Goldfinches, Purple Finches, Cardinals, a male Evening Grosbeak, Eastern Towhees, Fox Sparrows, Song Sparrows, Chipping Sparrows, White-throated Sparrows, Savannah Sparrows and Field Sparrows.

The core group of Ripley Hawk Watch volunteers included coordinator Len DeFrancisco, Mel Freeborough (whose early morning work was most appreciated), Gil and Jann Randell, Tom Wasilewski, Eileen and Bill Jowett, Bill Dietz and Bob Sundell. It was good to have Mel Freeborough back after a year's absence. Mike Ceci, Terry Mahoney, Don Eno and Dave Feliciano fit us into their busy schedules when they could.

We're grateful to the Roger Tory Peterson Institute for allowing us the use of their portable radios for supplemental weather information and communication. The radios made coordination between our five main sites possible when the flight broadened out and we had qualified observers to work more than one site.

We appreciated the assistance of a group of excellent Amish birders and hawk watchers from Holmes County, Ohio, who gave us early notice of the Broad-winged Hawk flight. They were our only source of information for the migration to the immediate west of us.

TABLE 1. Summary of Ripley Hawk Watch for Spring - 2005

Species	FEB	MAR	APR	MAY	TOTAL
Black Vulture	0	0	1	0	1
Turkey Vulture	0	4,427	5,426	745	10,598
Osprey	0	6	70	52	128
Bald Eagle	0	12	33	16	61
Northern Harrier	0	85	128	10	223
Sharp-sh. Hawk	0	194	826	265	1,285
Cooper's Hawk	0	29	68	25	122
N. Goshawk	0	0	3	4	7
Red-sh. Hawk	0	150	18	0	168
Broad-w. Hawk	0	0	6,808	1,269	8,077
Red-tailed Hawk	4	789	521	207	1,521
Rlegged. Hawk	7	15	13	2	37
Golden Eagle	0	2	1	1	4
Am. Kestrel	0	65	99	28	192
Merlin	0	1	6	2	9
Peregrine Falcon	0	2	3	3	8
UID Raptor	0	10	50	7	67
Count TOTALS	11	5,787	14,074	2,636	22,508
Hour TOTALS	1.5	99.25	155	69	324.75

Concerns about a wind-turbine project proposed for the area of the hawk watch continued to trouble our enjoyment of the migration. The US Fish and Wildlife Service, the New York State Department of Environmental Conservation, the Hawk Migration Association of North America and other national and international conservation organizations support the Ripley Hawk Watch in questioning the location of this project.

Comments or questions about this report or the Ripley Hawk Watch should be directed to Len DeFrancisco (716/665-4999) or Gil Randell (716/753-2333 or e-mail janngil@cecomet.net).

Report of the 2005Annual B.O.S. April Bird Count

Date: April 10, 2005 Weather: Terry Yonker, Compiler: Mike Hamilton

Weather Synopsis

Weather became a major factor in early migration on this count day. A deep low pressure area was located in the northern plains with a cold front trailing to the southwest through northern Texas and a warm front lifting northward from the Dakotas to New England. The warm front passed through the count area during the late morning passing Buffalo airport around 11 am. Attending the passage of the warm front was a vigorous squall line that moved through the count area from west to east with strong, gusty winds, intense lightning, and in some areas, marble-sized hail. As a result of the passage of the warm front, temperatures rose quickly, winds shifted from the east to the south, and sunshine greeted many counters during the afternoon.

Greater Buffalo International Airport

Sunrise: 6:28 AM EDT Sunset: 8:02 PM EDT

TIME	WEATHER	TEM P	DEW PT	PRESSURE	DIR/WIND	REMARKS
12:00 am	Mostly Cloudy	54	50	30.25	Calm	
3:00 am	Light Fog	50	49	30.23	E5	
6:00 am	Light Fog	50	48	30.23	E8	
9:00 am	Cloudy	57	50	30.21	E12	Heavy squall at 11 AM
12:00 pm	Mostly Cloudy	57	52	30.18	SE20,gust 26	Warm front passage
3:00 pm	Mostly Cloudy	71	57	30.09	S7	
6:00 pm	Mostly Cloudy	73	56	30.02	SW12	
9:00 pm	Mainly Clear	63	53	30.01	S 9	

Compilation: The following is a list of species recorded on the count together with the number of individuals tabulated. Bold face names indicate species for which acceptable written verification forms were received. **F** represents first and **L** last dates for the spring migration, * first date for the year. Where a species was recorded in three or fewer sections, the section numbers are given in parentheses.

Geese-Herons						
Snow Goose	2	(16,17)	Black Scoter		4	(1, 3, 11)
Canada Goose	17523		Long-tailed Duck		3379	
Mute Swan (adults)	7		Bufflehead		2716	
Tundra Swan	6		Common Goldeneye		509	
Wood Duck	318		Hooded Merganser		234	
Gadwall	40		Common Merganser		556	
American Wigeon	193		Red-breasted Merganser		5972	
American Black Duck	23		Ruddy Duck		205	(2, 10, 13)
Mallard	1154		unspecified waterfowl		13	(10, 20, 22)
Mallard x Black Duck	2	(3)	Ring-necked Pheasant	*	13	
Blue-winged Teal	60		Ruffed Grouse	*	15	
Northern Shoveler	201		Wild Turkey		198	
Northern Pintail	138		Red-throated Loon		3	(3)
Green-winged Teal	135		Common Loon		53	
Canvasback	32		Pied-billed Grebe		67	
Redhead	16	(10, 11, 21)	Horned Grebe		52	
Ring-necked Duck	846		Red-necked Grebe		237	
Greater Scaup	474		Double-crested Cormorant		845	
Lesser Scaup	154		American Bittern	*F	1	(7)
unspecified scaup	107	(3, 4, 26)	Great Blue Heron		163	
Surf Scoter	5	(8, 16)	Great Egret		13	(9, 20)
White-winged Scoter	411		Black-crowned Night-Heron		222	(2, 9, 11)
Vultures - Cranes						
Turkey Vulture	948		Sharp-shinned Hawk		83	
Osprey	28		Cooper's Hawk		27	
Bald Eagle	22		Northern Goshawk		1	(24)
Northern Harrier	41		Red-shouldered Hawk		27	

Broad-winged Hawk Red-tailed Hawk Rough-legged Hawk unspecified buteos American Kestrel Merlin Plovers – Terns	*F	2 405 37 6 116 1	(12, 24) (3, 10, 20) (5)	Peregrine Falcon Virginia Rail Sora Common Moorhen American Coot Sandhill Crane	*F	6 2 1 1 98 2	(4, 8, 11) (7, 12) (11) (10) (6)
Killdeer Greater Yellowlegs Lesser Yellowlegs Pectoral Sandpiper Wilson's Snipe American Woodcock Little Gull Bonaparte's Gull	10	361 41 17 14 92 42 8	(4, 5, 13) (4, 5) (2, 3, 20)	Ring-billed Gull Herring Gull Iceland Gull Lesser Black-backed Gull Great Black-backed Gull unspecified gulls Caspian Tern Common Tern		19561 909 1 1 139 10 5 38	(2) (3) (10)
Rock Pigeon Mourning Dove Eastern Screech-Owl Great Horned Owl Barred Owl Short-eared Owl Belted Kingfisher Red-bellied Woodpecker Yellow-bellied Sapsucker Downy Woodpecker Hairy Woodpecker Northern Flicker	-	923 379 7 18 3 2 92 141 153 374 133 688	(12, 28) (3)	Pileated Woodpecker Eastern Phoebe Blue-headed Vireo Blue Jay American Crow Common Raven Horned Lark Purple Martin Tree Swallow N. Rough-winged Swallow Barn Swallow	*F *F	32 297 1 615 2548 24 87 8 1017 26 15	(24)
Black-capped Chickadee Tufted Titmouse Red-breasted Nuthatch White-breasted Nuthatch Brown Creeper Carolina Wren Winter Wren Golden-crowned Kinglet Ruby-crowned Kinglet Blue-gray Gnatcatcher	*F *F	1264 167 39 264 137 23 37 529 41 3	(5)	Eastern Bluebird Hermit Thrush American Robin Gray Catbird Northern Mockingbird Brown Thrasher European Starling American Pipit Cedar Waxwing		154 36 5274 2 24 6 8005 21 68	(5, 22)
Warblers - House S Yellow-rumped Warbler Pine Warbler Louisiana Waterthrush Eastern Towhee American Tree Sparrow Chipping Sparrow Field Sparrow Vesper Sparrow Savannah Sparrow Fox Sparrow Song Sparrow Swamp Sparrow White-throated Sparrow White-crowned Sparrow	*	7 2 3 14 194 261 98 3 143 80 2067 128 332 13	(24, 26) (24) (5, 27, 28)	Dark-eyed Junco unspecified sparrows Northern Cardinal Red-winged Blackbird Eastern Meadowlark Rusty Blackbird Common Grackle Brown-headed Cowbird Purple Finch House Finch Pine Siskin American Goldfinch House Sparrow unspecified birds		2870 1 801 6484 89 286 3601 1096 247 1024 17 837 1233 2	(20)

SUMMARY INFORMATION:

Total Species Observed: 143 Total Individual Birds Observed: 118,010 Number of Observers: 263

COMPARATIVE INFORMATION: Associated charts, available from Michael Hamilton, compare this year's records with those for 1996-2005 and those for 1935-2005. A chart listing totals for each species per section for 2005 is also available. In addition the following notes are added:

INDIVIDUAL SPECIES SINCE 1935:

Great Egret, 13 (6.5 x the ave.); Bald Eagle, 22 (7 x the ave.); Peregrine Falcon, 6 (18 x the ave.); Yellow-bellied Sapsucker, 153 (7 x the ave.); Highest counts:

Common Raven, 24 (12 x the ave.); Winter Wren, 37 (3 x the ave.); White-throated Sparrow, 332 (6 x the ave.)

Lowest counts:

Rare count sightings: Mallard x Black Duck hybrid), 2 (1st sighting)

INDIVIDUAL SPECIES IN LAST DECADE

Great Egret, 13 (2 x the ave.); Bald Eagle, 22 (2 x the ave.); Peregrine Falcon, 6 (6 x ave.); Yellow-bellied Sapsucker, 153 (2 x the ave.); Common Highest counts:

Raven, 24 (2 x the ave.); Winter Wren, 37 (2 x the ave.); White-throated Sparrow, 332 (3 x the ave.)

Lowest counts: Tundra Swan, 6 (14% of ave.); Blue-winged Teal, 60 (58% of ave.); Lesser Scaup, 154 (10% of ave.); Ring-necked Pheasant, 13 (48% of ave.);

> American Kestrel, 116 (64% of ave.); Ring-billed Gull, 19,561 (56% of ave.); Herring Gull, 909 (30% of ave.); Rock Pigeon, 923 (70% of ave.); American Robin, 5274 (72% of ave.); European Starling, 8005 (60% of ave.); Rusty Blackbird, 286 (47% of ave.); total individuals, 118010 (72% of

ave.)

Rare count sightings: Mallard x Black Duck hybrid), 2 (1st sighting); Common Moorhen, 2 (2nd sighting);

NOTEABLE SPECIES AVERAGE CHANGES (entire count period / last decade):

INCREASES: Wood Duck, 144/347; Gadwall, 26/65; Northern Shoveler, 43/158; Green-winged Teal, 84/194; Ring-necked Duck, 509/1038; Lesser Scaup, 777/1506; White-winged Scoter, 105/509; Long-tailed Duck, 1012/2529; Bufflehead, 1006/3109; Hooded Merganser, 124/231; Ruddy Duck, 76/349; Wild Turkey, 71/258; Red-throated Loon, 2/9; Common Loon, 31/74; Red-necked Grebe, 32/187; Double-crested Cormorant, 141/896; Great Blue Heron, 168/386; Great Egret, 2/7; Black-crowned Night-Heron, 47/151; Turkey Vulture, 260/987; Osprey, 8/28; Bald Eagle, 3/9; Sharp-shinned Hawk, 30/88; Cooper's Hawk, 12/25; Broad-winged Hawk, 27/177; American Coot, 185/412; Greater Yellowlegs, 14/33; Little Gull, 3/10; Bonaparte's Gull, 4535/14657; Great Black-backed Gull, 60/193; Caspian Tern, 7/34; Mourning Dove, 751/1601; Red-bellied Woodpecker, 20/84; Yellow-bellied Sapsucker, 23/71; Pileated Woodpecker 11/25; Eastern Phoebe, 128/244; Common Raven, 2/11; Tree Swallow, 687/1589; Northern Rough-winged Swallow, 10/50; Barn Swallow, 19/48; Tufted Titmouse, 31/126; Red-breasted Nuthatch, 21/55; Carolina Wren, 4/14; Winter Wren, 11/20; Ruby-crowned Kinglet, 15/37; Hermit Thrush, 8/19; Northern Mockingbird, 6/22; Brown Thrasher, 2/4; Yellow-rumped Warbler, 7/20; Chipping Sparrow, 50/184; Swamp Sparrow, 39/91; White-throated Sparrow, 58/127; Northern Cardinal, 373/732; Rusty Blackbird, 283/605; Purple Finch, 99/183

DECREASES: Tundra Swan, 94/43; American Black Duck, 284/58; Northern Pintail, 1164/367; Canvasback, 401/115; Redhead, 133/32; Common Goldeneye, 911/420; Common Merganser, 1161/453; Ring-necked Pheasant, 91/29; Pectoral Sandpiper, 48/12; Horned Lark, 197/95; Vesper Sparrow, 62/11; Snow Bunting, 20/3; Eastern Meadowlark, 405/155; Red Crossbill, 6/2; Common Redpoll, 121/14; Pine Siskin, 91/13; Evening Grosbeak, 487/170

OBSERVERS (Section compilers are printed in **bold** face.):

Section 1: Art Hannah, Lynne Landon, Terry Yonker

Brian Ahara. John Black, Brad Clements, Maggie Smiley, Katherine Stoltz Section 2:

Bill Broderick, Ken Cohen, Willie D'Anna, Dean Di Tommaso, Betsy Potter, Vicki Rothman Section 3:

Section 4: Donna V. De Leon, Robert L. De Leon, Marie Johnson, Alice McKale

Section 5: Donald Brasure, William Burch, Sally Castren, Morgan Jones, Susan O'Donnell, Tom O'Donnell, Peter Yoerg

Jerry Chapple, Nina Chapple Section 6:

Barbara Byron, Richard Byron, Ed Fuchs, Dennis Gralak, Mike Hamilton, Marg Partridge, Jim Rozanski Section 7:

Section 8: Doug Happ, Richard Kajtoch, Brian Lewandowski, Mike Zebehazy

Thomas Bearss, Paul Benham, Olive Burch, Michael Galas, Sylvia Galas, Ron Hacker, Sue Hacker, Debbie Milleville, Susan O'Donnell, Tom Section 9:

O'Donnell, Gerry Rising, Joe Stein, Marlene Szuromi

Section 10: Ed Crohn, Tim Horst, Jim Pawlicki, Donald Roberson, Richard Salembier, Mary Ann Stegmeier, John Welte, Martha Welte, Peter Yoerg, Paul

Ziebarth, Virginia Ziebarth

Section 11: Barbara Henderson, Alec Humann, Peter Yoerg

Marion Bee, Greg Coniglio, Melissa Coniglio, Paul Fuhrmann, Linda Holmes, Mahlon Miller, Nancy Miller, Mark Morgante, Mike Morgante, Gail Section 12:

Seamans

Section 13: Doug Beattie, Tad Gerace, Elaine Dart, Eileen Hull, Robert Hull, Rita Kautz, Aron Kehlenbeck Sr., Dolores Seamans, Gail Seamans, Virginia Tiede

Bob Andrle, Ken Brandes, Joanne Dobler, Fred Harrington, TimmGoff, Mark Leous, Patty Madigan, Sandy Radigan, Sue Saunders, Nancy Vigikan, Section 14:

Paul Vigikan, Marge Vogel, Barbara Walker

Section 15: Bill Bogacki, Ed Ratajczak, Dennis Russell, Sally Uzunov Section 16:

Robert Andrle, Thomas Connare, Audrey Horbett, Frances Rew

Section 17: John Filor, Chris Marcello, Robert Wagner

Section 18: Bruce Chilton, Michael Desha

Ron Andrews, Faye Clancy, Barbara Cronk, Dora Lilly, Joan MacEwan, Louise Mills, Cindy Moyles, Sean Phelan, Teresa Rork, Linda Roth, Elaine Section 19:

Smith, Marian Smith, Max Smith, James Talbott, Millie Thayer, Ann Vaclavik, Ann Voss

William Baker, Karen Brisley, Kenneth Brisley, Paul Farver, Joanne Goetz, Thomas Goetz, Joe Gula, Carol Hardenburg, Peg Longer, Dale Section 20:

Loscher, Terry Mahoney, Jane McMaster, Dick Miga, Terry Mosher, David Neveu, Lucille Neveu, Bob Peterson, Beverly Ruska, John Ruska, Audrey

Schafer, Mary Shearman, Fran Smith, Jeanine Smith, Mary Sm,ith, Kathy Sauter, Ted Taft, Jordan Whitney

Section 21: Julie Heilman, Mike Lyons, Jessie Nelson, Joanne Nelson, Bill O'Brien, Linda O'Brien, Jean Pigman, Joyce Rose, Bob Sundell

Ann Beebe, Jim Berry, Seth Berry, Anita Cooney, Dave Cooney, Len De Francisco, Mike Lyons, Gil Randell, Jann Randell, Archie Richardson, Section 22:

Joyce Rose, Bob Sundell

Section 23: Len Di Francisco, Julie Heilman, Carol Miller, Jean Pigman, Bruce E. Robinson, Bruce J. Robinson, Tom Simmons, Bob Sundell

Section 24: Tim Baird, Tom LeBlanc

Section 25: (No count)

Doris Burton, Frances Hunt, Mary Jordan, Bruce Smalley, Robert Smalley, Denton Willett Section 26:

Section 27: Russell Allen, H. M. Bateman, Doris Burton, Jim Horn, Helen Link, Marie Paxhia

Charlotte Alderson, Russell Allen, Dan Babcock, Ellen Baker, H. M. Bateman, Carol Behn, Wayne Brewster, Don Brink, Lorna Brink, Betsy Brooks, Section 28:

> Debbie Bucholz, Doris Burton, Gerry Cartledge, Mary Lou Cartledge, Dale Coats, Ruth Coats, Carla Coch, Diane Converso, Jim Copenheaver, Paulette Copenheaver, Tina Cornell, Karol Doty, Audrey Dunham, Anne Eisenhardt, Peter Finlay, Terry Finlay, John Gradoni, Gerri Hill, Ralph Hills, Jim Horn, Norman Ives, Betty Kellogg, Wayne Kellogg, Sue Lang, Woodie Lang, Cathy MacDonald, Peter MacDonald, Marion McClure, Mary Ormsby, Lyle Palmiter, Thelma Palmiter, Sean Phelan, Vivian M. Pitzrick, Dan Rase, Peggy Rase, Dan Ramsey, Evelyn Ramsey, Nicole Ramsey, Ona Reynolds, Ernest Rositzke, Nancy Rouse, Jim Smith, Maureen Soule', Terah Soule', Wilma (Mrs. Bruce) Taggart, Bruce Taggart, Wilma


Taggart, Abbey Timbrook, Tim Timbrook, Linda Travers, Cindy Vance, Gerry Vance, Barbara Ware, Suzanne Wood

Buffalo Ornithological Society **Buffalo Museum of Science** 1020 Humboldt Parkway Buffalo, NY 14211-1293

Return Service Requested

Non. Profit Org. U.S. Postage **PAID** Buffalo, NY Permit No. 412

Albert R. Mann Library Acquisitions Division-Serials Cornell University Ithaca, NY 14853-4301



EE-EE00+55841

BOS website http://www.bosbirding.org/



Buffalo-Niagara Region Dial-a-Bird: 716-896-1271

July - August Calendar

July 31: Canadian shoreline of Lake Erie for shorebirds. Leader: Mike Hamilton (881-6709). Meet at 7:00 AM at Vermont and Busti near the Peac Bridge to carpool. We will be going to Rock Point PP + others, Rock Point charges \$10.00 Canadian for entry, so bring Canadian money. We will consolidate the group into as few cars as possible at park entrance.

August 21: BOS August Shorebird Count. 6AM. The count will cover 10 reaches of the north shore of Lake Erie from the Peace Bridge to Port Maitland. Teams of two or more will be assigned each reach. Contact Terry Yon ker or Lynne Landon at (716) 745-9129 or email: TerryYonker@cs.com

August 28: Sunday. Canadian shoreline of Lake Erie for shorebirds and other early migrants. Leader: Mike Hamilton (881-6709). Meet at 7:30 Al at Vermont and Busti to carpool. See July 31 note above.

The PROTHONOTARY



Published Monthly by the

JUL 2725 ITHACA, NY 14853

BUFFALO **O**RNITHOLOGICAL SOCIETY

Volume 71, No. 6 June, 2005

THE MONTH: May

by Gerry Rising

This May's weather was most unusual. It was very dry: the total rainfall recorded at the airport, 0.6 in., the least in history there and 2.75 in. below normal. Only in 1934 and 1877 when the records were kept at the lakefront was it drier. It was also sunny, the sun appearing on every single day and 2/3 of the possible sunshine recorded. That would seem to make the month hard to criticize but it did have limitations. Despite all those sunny days, I found it a cold May. Records bear this out: the temperature average, 53.5 °F was 3.5° below average. On only one day, May 10th, did the temperature reach 80° and nighttime temperatures in the 30s were recorded on half of the first 18 days. Also, there were 12 days when the mostly mild winds had a northerly component and only 9 when the winds were substantially southern. Birders will correctly interpret that weather as providing no significant waves or dropouts of birds.

It was still a generally good month for birding and happily one of the best migration nights occurred on the 14th/ 15th to produce an excellent (8th highest) May Count on the 15th.

Late records with dates (see "Noteworthy Records" or May Count for locations and observers): Snow Goose 27, Pintail 21, Ring-necked Duck 21, Red-throated Loon 21, Red-necked Grebe 21, Rough-legged Hawk 21, Merlin 15, Iceland Gull 21, Lesser Black-backed Gull 28, Glaucous Gull 22, Pine Warbler 21, Lapland Longspur 5, Pine Siskin 31.

The only early record: Black-bellied Plover 3.

Rarities: Eurasian Wigeon 3,14; Golden Eagle 5; San-

50 The Month son) 15; Sedge Wren by Gerry Rising 52 **Noteworthy Records** by Bruce Chilton 60 **May Count** by Robert DeLeon

BOS Calendar

dhill Crane 1,5,9,15,27; Forster's Tern (out of sea-20,27,30; Yellow-throated Warbler 15; Worm-eating Warbler 6,15; Kentucky Warbler 11,15,21; Claycolored Sparrow 8-31.

A few comments extracted and edited from verification reports: "At Times Beach I saw 5 ducks coming in from the Buffalo waterfront. They landed right in front of the blind, maybe 20 yards out. The group (all males) consisted of 1 Gadwall, 1 Blue-winged Teal, 2 American Wigeon and 1



Merlins photographed by John Humann near the Nardin Montessori school building on West Ferry Street between Elmwood and Delaware in Buffalo on July 11th (a,b) and Apil 15th (c). Clockwise from topleft: (a) fledgling Merlin at nest, (b) adult leaving nest, and (c) adults courting. As of July 14th, three young had fledged.

The Prothonotary is published monthly by the Buffalo Ornithological Society, Buffalo Museum of Science, Buffalo, NY 14211. Send subscriptions and address changes to the Corresponding Secretary, Karen Landau, S-9195 State Road, Colden, NY 14033. The regular subscription rate is \$20/year. Back issues are available from the Treasurer for \$2/issue.

Please mail correspondence to: Jack Skalicky 178 N Main, Suite K55 Salt Lake City, UT 84103-2075 [Email] skalicky@biochem.utah.edu Ed. Consultants: Robert Andrle

> Gerry Rising William Watson

Production: Audrey Horbett Eileen Hull

Society Officers:

President: Terry Yonker V. President: Lynne Landon Thomas O'Donnell Treasurer: Rec. Secretary: Donna DeLeon Corr. Secretary: Karen Landau Statisticians: Robert Andrle Frances Rew Librarian: Audrey Horbett Archivist: Audrey Horbett Council: 2003-2005 Mike Hamilton Tom LeBlanc Mike Morgante 2004-2006 Bob DeLeon Mike Desha Jim Landau 2005-2007 Mike Galas Jerry Lazarczyk Gail Seamans

Eurasian Wigeon."--Mike Morgante. (We can thank Bob Andrle, Paul Maclennan, et al. for these Times Beach improvements.) "We were on the road berm both looking at a raptor flying across a hayfield towards the edge of a woodlot. Based on the rapid beating of wings, long tail and pointed wings, I said to Seth, 'Falcon!'"--Jim and Seth Berry. "I have observed this breeding pair of Merlins' courtship behavior including flight displays, constant and loud calling, nest inspection, food offerings from the male to the female and copulation. The stick nest is located near the top of a white pine about 50 feet high -- likely an old crow nest."--Alec Humann. "At first glance I thought the three birds could have been Great Blue Herons. Immediately putting up my binoculars I recognized them as Sandhill Cranes."--Bill Watson. "The [Forster's Tern] made a graceful arching

dive, splashed into the

water, emerged with a small fish and flew off to the south-east."--Richard Byron.

"I had excellent looks at this bird, somewhat surprising because this [Sedge Wren] is typically a real skulker, even when singing."-- Mike Morgante. "Betsy [Potter] found this [Worm-eating Warbler] early in the morning as she was doing her daily survey of the yard with our friend, Marg."--Willie D'Anna. "The [Kentucky Warbler] sang intermittently beginning about 7:20 a.m. giving its typical melodious and rolling churry, churry, churry song."--Alec Humann. "I first heard the Chipping Sparrow-like song of this bird. After searching I saw a foraging brownish-olive [Worm-eating Warbler] with distinctly black and tan striped head."--Tim Baird. "The [Yellow-throated Warbler] obligingly flew from the locust into the largely bare branches of a white ash. I was thankful that the white ash is late to leaf out."--Terry Mosher. "The shape of the [Yellow-breasted Chat's] bill, wings, body and long tail that it quickly flicked as foraged close to the ground looked to me more like a catbird than a warbler."--Bill Watson.



Clay-colored Sparrow photographed by Willie D'Anna near his home in the Town of Wilson on May 8, 2005.

"Betsy heard a buzzy song that she thought might be a Clay-colored Sparrow. I could not hear it so we followed her ears to bird."--Willie D'Anna. "Upon looking up I saw several sparrow-like birds at the front of a large flock. My first reaction was that this might be a group of Bobolinks, but then upon seeing several adult males with their black heads and hearing the songs and call notes, I realized that this must be a late flock of Lapland Longspurs."--Mike Morgante. "After watching a Merlin fly over, I noticed a flock of about 75 birds that I guessed were pipits. They were mostly pipits but with them were at least 12 Lapland Longspurs, most males in gorgeous breeding plumage."--Willie D'Anna.

I salute the observers who provided excellent reports, many of them accompanied by superb photographs.

NOTEWORTHY RECORDS

Underlined common names, dates or localities indicate that an acceptable, detailed written verification according to the *Date Guide to Birds of Western New York and Adjacent Ontario* (Seventh Edition - Revised 2001) has been received and placed in the permanent files of the Buffalo Ornithological Society.

- \ast Indicates first record for the year.
- F Indicates first record for the migration.
- L Indicates last record for the migration.
- (f) Indicates record from feeding station. (n) Indicate nest(s).
- PDBA Indicates Previously Documented Breeding Area.

Species	May	Number	Location	Observer(s)
Snow Goose	<u>27</u>	1	Somerset	Morgante
Eurasian Wigeon	3F	1	Dunnville, Ont.	Watson et al
11	14	1	Times Beach NP	Morgante
Northern Shoveler	3	4	Dunnville, Ont.	Watson
Northern Pintail	3	4	Dunnville, Ont.	Watson
11	29	1	Tonawanda WMA	Pawlicki
Green-winged Teal	3	7	Dunnville, Ont.	Watson
11	20	1	Yates	Pawlicki, Horst
Redhead	21	12	Tonawanda WMA	Morgante, D'Anna, Potter
11	29	4	Tonawanda WMA	Watson, Pawlicki
Ring-necked Duck	21	2	Iroquois NWR	Morgante, D'Anna, Potter
"	30	2	Batavia WWTP	Yoerg, Henderson
Surf Scoter	1L	4	Olcott	D'Anna, DiTommaso
Long-tailed Duck	20	1	Barker	Pawlicki
n .	21L	2	Somerset	Morgante, D'Anna, Potter
Red-br. Merganser	3; 25	32; 8	Rock Point PP	Watson
Ruddy Duck	22	1	West Lincoln	Yoerg, Henderson
11	30	35	Batavia WWTP	Yoerg, Henderson
Red-throated Loon	21	2	Somerset	D'Anna, Morgante et al
Common Loon	1	1	Bush Hill SF	Yoerg, Henderson
Red-necked Grebe	<u>21</u>	1	Somerset	D'Anna, Morgante et al
Dcrested Cormorant	3	120 (38 n)	Reef Lighthouse, Bflo.	Watson
11	16; 27	367(158 n); 195 (80 n)	Strawberry I.	Watson
11	25	640	Mohawk I.	Watson
**	27	29 (14 n)	Motor I.	Watson
American Bittern	8	1	Iroquois NWR	S&T O'Donnell
11	21	1	Tifft NP	K&J Landau et al
Great Egret	2 - 27	5 rec; 42 max	Motor I.	Watson
66	2	3	Beaver I. SP	Hess
11	14 - 31	2 max	Tonawanda	Hess
11	20; 25	2; 1	Times Beach NP	Andrle; Hess
Black-cr. Night-Heron	2; 16; 27	19; 8; 15	Motor I.	Watson
11	19	23 (8 n)	Niagara Falls	Watson
Turkey Vulture	9; 19; 26	82; 73; 31	Hamburg hawkwatch	Watson
Osprey	1	1	Hartland	S&T O'Donnell
11	1; 3; 12	2; 1; 1	Sinking Ponds	Holmes
"	7	1	Orchard Park	Holmes
11	9	3	Hamburg hawkwatch	Watson
"	24		Ft. Niagara SP	Landon, Hannah
	29	2	Tonawanda WMA	Watson et al
Bald Eagle	5	12	Somerset	D'Anna D'T
,	6	1 imm	Lackawanna	DiTommaso

	<u>Species</u>	May	Number	Location	Observer(s)
	11	10	1 imm	Evangola SP	DiTommaso
	**	10	1 imm	Tifft NP	Watson
	11	14	1 imm	Pt. Gratiot	Watson, Pawlicki
	11	19; 27	1 ad; 2 ad & 2		Watson
		19, 21	yg	radvy 1.	watson
	11	26	1 imm	Arcade	Morgante
	11	29	2	Iroquois NWR	Pawlicki
	Red-shouldered Hawk	1	1 (n)	Bush Hill SF	Yoerg
	H	12	1	Sinking Ponds	Holmes
	Ħ	29	1	Ward	Brooks
	Broad-winged Hawk	1	71	Hamburg hawkwatch	Watson, Lazarczyk
	"	9; 19	11; 2	Hamburg hawkwatch	Watson
	Rough-legged Hawk	3	1	Dunnville	Watson
	"	10	2 imm	Evangola SP	DiTommaso
	44	<u>21L</u>	1	Iroquois NWR	Morgante
	Golden Eagle	5	1	Somerset	D'Anna
	Merlin	5	1	Hartland	D'Anna
	"	7	1	Somerset	D'Anna
	Ħ	14	1	Mina	Berry
	Virginia Rail	1	1	Tifft NP	Lazarczyk, Watson
	"	7	1	Sinking Ponds	Holmes
	Sora	1; 6	1; 1	Tifft NP	Morgante; Watson
	Common Moorhen	8; 29	4; 3	Tonawanda WMA	S&T O'Donnell; Watson
	Sandhill Crane	1	1	Golden Hill SP	D'Anna
	"	5	1		D'Anna
	H	9	3	Somerset Homburg Howle Wotch	Watson
	11	27	2	Hamburg Hawk Watch Hartland	D'Anna
샤	Black-bellied Plover	3F; 8	1	Dunnville, Ont.	Watson et al; Yoerg, Hender-
	"				son
		25	1	Rock Point PP	Watson
		27	3	Somerset	Morgante
	11	30	1	Batavia WWTP	Yoerg, Henderson
*	Semipalmated Plover	8F	1	Tonawanda WMA	S&T O'Donnell
	11	14	10	Yates	D'Anna et al
	Upland Sandpiper	22	1	West Lincoln	Yoerg, Henderson
	11	30	2	Tillman WMA	Yoerg, Henderson
*	Whimbrel	22F	2	Rock Point PP	Yoerg, Henderson
	11	29	1	Tonawanda WMA	Pawlicki, Salembier
	"	29	9	Fort Erie	Yoerg, Henderson
	Ruddy Turnstone	22; 25	6; 3	Rock Point PP	Yoerg, Henderson; Watson
	11	30	10	Batavia WWTP	Yoerg, Henderson
*	Red Knot	25F	2	Rock Point PP	Watson
	Semipalm. Sandpiper	21	3	Squaw I.	Landon
	11	22	1	Rock Point PP	Yoerg, Henderson
*	Least Sandpiper	14F	35	Yates	D'Anna et al
	11	20	30	Somerset	Morgante
*	Dunlin	5F	3	Hartland	D'Anna
	"	8	10	Long Beach CA	Yoerg, Henderson
	"	22; 25	100; 25	Rock Point PP	Yoerg, Henderson: Watson
	"	30	60	Batavia WWTP	Yoerg, Henderson
	Short-b. Dowitcher	24	5	Newstead	Morgante
	"	25	7	Long Beach CA	Watson
	Bonaparte's Gull	3	1100	Fort Erie	Watson
	11	3	150	Beaver I. SP	Lazarczyk
	Iceland Gull	1	1	Somerset	D'Anna et al

	<u>Species</u>	May	<u>Number</u>	Location	Observer(s)
	tt.	10	1	Wilson	Potter, D'Anna
	11	<u>21L</u>	1	Olcott	D'Anna et al
	Lesser Black-b. Gull	<u>20</u>	1	Fort Niagara SP	D'Anna
	"	28L	1	Olcott	D'Anna
	Glaucous Gull	21	1	Olcott	D'Anna, Morgante et al
	"	22 <u>L</u>	1	Wilson	D'Anna et al
	Caspian Tarn	1	4	Sturgeon Pt.	Andrle
	Caspian Tern	8	3		Landon
	11	8	1	Ft. Niagara SP	
	***		1	Lowbanks, Ont.	Yoerg, Henderson
	Diagle Tame	25	16	Rock Point PP	Watson
	Black Tern	18	1.5	Machias Tananada WMA	DeSha
	**	21	15	Tonawanda WMA	Morgante, D'Anna, Potter
	**	26	14	Iroquois NWR	Sharon
	11	29	5.	Tonawanda WMA	Watson. Pawlicki
		29	10	Iroquois NWR	Pawlicki
	11	30	5	Iroquois NWR	Yoerg, Henderson
*	Black-billed Cuckoo	11F	1	Tifft NP	Pawlicki, Lazarczyk
	**	30	1	Tillman WMA	Yoerg, Henderson
*	Yellow-billed Cuckoo	28F	1	Orchard Park	Morgante
	H	29	1	Chestnut Ridge Pk	Morgante
	"	29	1	Fort Erie	Yoerg, Henderson
	Long-eared Owl	17; 28	1; 3	Amherst SP	Morgante; Pawlicki et al
	Nor. Saw-whet Owl	27	1	Cherry Creek	Watson
*	Common Nighthawk	18F	1	Lancaster	Morgante
	"	19	1	Hamburg hawkwatch	Watson
	11	26	2	Wilson	Potter, D'Anna
	**	26	1	Tifft NP	Andrle, Bogacki
	11	29	2	Tonawanda WMA	Watson, Pawlicki et al
*	Ruby-t. Hummingbird	8F	1	Eden (f)	Andrle
	"	10	1	Colden	K&J Landau
	Red-headed Wdpkr.	8	1	Sturgeon Pt.	Andrle
	" upki.	11	1	Beaver I. SP	Sharon
	11	14	1	Pt. Gratiot	Watson, Pawlicki
	11	22	3	Fort Erie	
	"		1		Yoerg, Henderson
	**	30	2	Times Beach NP	Andrle
n!e		31	2	Ft. Niagara SP	Landon
*	Eastern Wood-Pewee	14	1	Lake Erie SP	Pawlicki, Watson
. t.		14F	1	Pt. Gratiot	Pawlicki, Watson
*	Acadian Flycatcher	10F	1	Wilson	Potter, D'Anna
		21	1	Iroquois NWR	Morgante, D'Anna, Potter
	**	29	1	Chestnut Ridge Pk	Morgante
	Alder Flycatcher	26	6	Eagle	Morgante
	11	28	1	Alfred	Brooks
	Willow Flycatcher	18	2	Eagle	Morgante
米	Least Flycatcher	6F	1	Tifft NP	DiTommaso
	H .	7	1	Somerset	D'Anna
	11	7	1	Wilson	Potter, D'Anna
	n .	7	1	Brant	Morgante, Neveu
*	Gr. Cr. Flycatcher	3F; 29	1; 1	Goat I.	Roberson
	"	7	1	East Aurora	Holmes
	11	7	1	Wilson	Potter, D'Anna
	11	7	1	Orchard Park	Morgante, Neveu
	"	7	i	Amherst SP	Yoerg, Henderson
*	Eastern Kingbird	5F	3	Somerset	D'Anna, Morgante
	Lastom Ringona	51		Joineroot	2 min, morganic

	<u>Species</u>	May	<u>Number</u>	Location	Observer(s)
	11	7	2 .	Evangola SP	Morgante, Neveu
	White-eyed Vireo	14	1; 1	Tifft NP	Sharon
*	Yellow-thr. Vireo	6F	1	Ft. Niagara SP	Landon
*	Warbling Vireo	2F	1	Goat I.	Roberson
	"	3	1	Wilson	Potter
*	Philadelphia Vireo	11 F	1	Amherst SP	Yoerg
	"	19	1	Ft. Niagara SP	Landon
*	Red-eyed Vireo	5F	1	Colden	K&J Landau
	11	11	2	Amherst SP	Yoerg
	Common Raven	8; 21; 28	1; 1; 2	Alfred	Brooks
	11	11	2	<u>Eagle</u>	Morgante
	"	24	1	Bennington	Morgante
	11	29	2	Ward	Brooks
	11	31	2	Andover	Brooks
	Purple Martin	1 - 31	2 max	Grand I.	Lazarczyk et al
	Cliff Swallow	27	18 (38 n)	Buckhorn I. SP	Watson
	11	31 .	15	Andover	Brooks
	Red-br. Nuthatch	12	1	Tifft NP	Watson
	11	14	2	Pt. Gratiot	Pawlicki, Watson
	Carolina Wren	7	1	East Aurora	Holmes
	**	7	1	Youngstown (f)	Landon
	11	7; 8	-1; 1	Goat I.	Roberson
	11	11; 30	1; 1	Times Beach NP	Hess; Andrle
	**	13	1	Tifft NP	Watson
	11	21	1	Golden Hill SP	D'Anna, Morgante et al
	11	28	1	Orchard Park	Morgante
	Winter Wren	1	1	Chestnut Ridge Pk	Morgante
	H	1	1	Tifft NP	Morgante
	11	8	1	Wilson	S&T O'Donnell
	11	12	2	Machias	DeSha
*	Sedge Wren	20F; 27	1; 1	Somerset	Morgante
	**	30	2	Tillman WMA	Yoerg, Henderson
*	Marsh Wren	1F; 14	2; 4	Tifft NP	Morgante
	H .	6; 10	1; 1	Tifft NP	Watson
	"	6	4	Machias	DeSha
	Ruby-cr. Kinglet	26	1	Eagle	Morgante
	"	27L	1	Somerset	Morgante
	Blgr. Gnatcatcher	1; 14	1; 4	Tifft NP	Morgante
2 0	Veery	6F; 10	1; 2	Tifft NP	DiTommaso, Watson
*	Gray-cheeked Thrush	10F	1	Forest Lawn Cem.	Hess
	"	11	2	Tonawanda	Hess
	11	17	1	Ft. Niagara SP	Landon
	"	21	1	Wilson	D'Anna
	11	28	2	Amherst	Pawlicki
*	Swainson's Thrush	10F	1	Wilson	D'Anna, Potter
	**	11	1	Amherst SP	Yoerg
X:	Wood Thrush	3F	1	Wilson	Potter
	11	5	1	Tonawanda	Hess
	American Pipit	5	60	Hartland	D'Anna
	11	5	74	Lakeside Mem Pk	Andrle, Rew
	11	5; 21L	25; 2	Somerset	Morgante; Morgante et al
	11	18	1	Eagle	Morgante
*	Blue-winged Warbler	6F	1	Wilson-Tuscarora SP	Potter
	**	7	1	Evangola SP	Morgante, Neveu

	<u>Species</u>	May	<u>Number</u>	Location	Observer(s)
	Golden-wing. Warbler	21	1	Newfane	Morgante, D'Anna, Potter
	11	22	1	Shelby	S&T O'Donnell
	11	30	1	Shelby	Yoerg, Henderson
: :	Brewster's Warbler	22F	1	Lockport	Sowinski
		27	1	Stockton	Watson, Pawlicki
*	Tennessee Warbler	10F	1	Amherst SP	Sowinski
	11	10F	1	Wilson	D'Anna, Potter
	H.	13	1	Tifft NP	Watson
*	Orange-cr. Warbler	7F	1	Tifft NP	Sharon
	"	8	1	Wilson-Tuscarora SP	S&T O'Donnell
	n	9; 10	1; 1	Wilson	Potter
	n .	16; 17	1; 1	Four Mile Creek SP	Potter, D'Anna
	"	18	1	Goat I.	Roberson
	11	22L	1	Wilson-Tuscarora SP	D'Anna, Potter
*	Northern Parula	8F	4	Rock Point PP	Yoerg, Henderson
	"	12	2	Wilson	Potter
*	Chestnut-s. Warbler	3F	1	Amherst SP	Sowinski
	"	7	1	Evangola SP	Morgante, Neveu
	11	7	2	Amherst SP	_
*	Magnalia Warhlar	/ 10E	$\frac{2}{2}$	Wilson	Yoerg
•	Magnolia Warbler	10F	2		D'Anna, Potter
	11	11	1	Tifft NP	Watson
40		11	1	Amherst SP	Yoerg
*	Cape May Warbler	6F	1 2	Ft. Niagara SP	Landon
	"	6F; 10	1; 2	Wilson	Potter; D'Anna, Potter
	"	8	l	Four Mile Creek SP	Potter, D'Anna
		18; 19L	1; 1	Buffalo	Yoerg
*	Blthr. Blue Warbler	6F; 19	2; 1	Ft. Niagara SP	Landon
		6F	1	Wilson	Potter
	11	7	2	Evangola SP	Morgante, Neveu
	11	7	2	Amherst SP	Yoerg
*	Blackburnian Warbler	2F	1	Niagara Falls AFB	Lazarczyk
	Pine Warbler	1 - <u>19</u>	1	Wilson	Potter, D'Anna
	11	<u>21</u>	1	Olcott	Morgante et al
	11	<u>21</u>	1	Wilson	Morgante et al
*	Prairie Warbler	6F; 10	1; 1	Tifft NP	DiTommaso; Sharon
	Palm Warbler	14	10	Lake Erie SP	Pawlicki, Watson
	11	22L	1	Rock Point PP	Yoerg, Henderson
*	Bay-breasted Warbler	8F	1	Goat I.	Potter, D'Anna
	11	12	1	Tifft NP	Watson, DiTommaso
*	Blackpoll Warbler	10F	1	Wilson	D'Anna, Potter
	n .	17	2	Goat I.	Roberson
*	Cerulean Warbler	14F	2	Royalton	D'Anna et al
	n	14F	2	Tonawanda Ind. Res.	D'Anna et al
	II	14F	2	Tifft NP	Sharon, Morgante, Yoerg, Henderson
	n .	19	1	Amherst	Pawlicki
	Black-and-white Warb.	5	1	Wilson	Potter, D'Anna
sį:	American Redstart	5F; 6	1 1	Tifft NP	
*			1; 1		DiTommaso; Watson
	Prothonotary Warbler	26F	2	Tonawanda WMA	Sharon Dawlicki Salambian
		29	2	Tonawanda WMA	Pawlicki, Salembier
ş!a		30	1	Tonawanda WMA	Yoerg, Henderson
*	Worm-eating Warbler	6F	l	Wilson	Potter, D'Anna
*	Ovenbird	6F	1	Wilson-Tuscarora SP	Potter
	,,	6	I	Tifft NP	Sharon

	Species	May	<u>Number</u>	Location	Observer(s)
	n .	7	1	Evangola SP	Morgante, Neveu
*	Northern Waterthrush	3F	1	Sinking Ponds	Holmes
	u .	5	1	Wilson	D'Anna, Potter
	#	5	1	Tifft NP	Sharon
	La. Waterthrush	1; 8	1; 2	Chestnut Ridge Pk	Morgante
	"	29	1	Colden	J Landau
*	Kentucky Warbler	11F	1	Tifft NP	DiTommaso, Watson,
	"	21	1	Wil E CD	Humann et al
		21	1	Wilson-Tuscarora SP	Welte
	Mourning Warbler	18	1	Tifft NP	Sharon
	"	18	2	Eagle	Morgante
	"	21	l	Ward	Brooks
	"	21; 28	1; 1	Somerset	Potter, Morgante et al; Morgante
*	Common Yellowthroat	6F; 10	1; 1	Tifft NP	Watson, Sharon
	11	6F	1	Wilson-Tuscarora SP	Potter
	11	7	1	Sinking Ponds	Holmes
*	Hooded Warbler	6F	1	Tifft NP	Sharon
	11	7	1	Evangola SP	Morgante, Neveu
*	Wilson's Warbler	7F	1	Tifft NP	Sharon
	11	10	1	Wilson	D'Anna, Potter
	11	30L	3	Tillman WMA	Yoerg, Henderson
*	Canada Warbler	10F	1	Wilson	D'Anna, Potter
	11	14	1	Lake Erie SP	Watson, Pawlicki
*	Yellow-br. Chat	12F	1	Tifft NP	Watson, Sweeney
	11	30; 31	1; 1	Wilson	D'Anna, Potter
	11	30	1	Tillman WMA	Yoerg, Henderson
*	Scarlet Tanager	10F	1; 3	Tifft NP	Watson; Sharon
	11	10F	1	Wales Center	Lazarczyk, Rising
	**	10F	2	Wilson	D'Anna, Potter
	**	10F	1	Buffalo	Yoerg
	H	12	1	Mansfield	Lazarczyk
*	Clay-col. Sparrow	8F - 31	1	Wilson	D'Anna, Potter
	Vesper Sparrow	1	1	Yates	D'Anna et al
		10; 17	1; 1	Wilson	D'Anna, Potter
	11	21	1	Newfane	Morgante, D'Anna, Potter
	H	29	1	Ashford	K&J Landau
	Grasshopper Sparrow	27	2	Somerset	Morgante
	"	29	1	Tillman WMA	Pawlicki, Salembier
	11	30	2	Tillman WMA	Yoerg, Henderson
	H	31	1	Andover	Brooks
*	Lincoln's Sparrow	6F	1	Four Mile Creek SP	D'Anna
		7	3	Evangola SP	Morgante, Neveu
	H	21L	2	Tifft NP	Pawlicki et al
	Lapland Longspur		12	Hartland	D'Anna
	11	<u>5</u> <u>5</u>	85	Somerset	Morgante
> {<	Rose-br. Grosbeak	4F	1	Tifft NP	Watson
	11	4F	1	Eden (f)	Andrle
	11	6	3	Colden	K&J Landau
	11	6	1	Wilson	Potter
	11	6; 17	2; 1	Ft. Niagara SP	Landon
햐	Indigo Bunting	10F	1	Eden (f)	Andrle
	"	11	2	Colden	K&J Landau
	11	11	1	Wilson	Potter
캬	Bobolink	5F	2	Somerset	D'Anna, Morgante

	<u>Species</u>	May	<u>Number</u>	Location	Observer(s)
	II	7	1	Evangola SP	Morgante, Neveu
캬	Orchard Oriole	8F	1	Times Beach NP	Andrle et al
	н	17	1	Wilson	D'Anna, Potter
	11	20	3	Barker	Pawlicki, Horst
	н	20; 27	4; 1	Somerset	Morgante
	н	21	1	Olcott	D'Anna
	п	21	1	Wilson	Morgante, D'Anna, Potter
	· tt	21	1	Newfane	Morgante, D'Anna, Potter
	-11	21	2	Barker	Morgante, D'Anna, Potter
	tt	22	2	Rock Point PP	Yoerg, Henderson
	11	25	1	Rock Point PP	Watson
*	Baltimore Oriole	5F	1	Colden	K&J Landau
	· · ·	5F	1	Wilson	Potter
	"	7	6	Evangola SP	Morgante, Neveu
	11	7	2	Amherst SP	Yoerg
	Pine Siskin	14	1	Silver Creek	Watson, Pawlicki
	**	21	1	Wilson	Morgante, D'Anna, Potter
	tt .	31	2	Youngstown (f)	Landon

Species, subspecies, and hybrids previously recorded this year:

Species, subspecies, and hybrids recorded for this month including the May Count:

Total for the year 2005:

255

Statisticians' Note: If any observer wishes to know the status of their verification report, please contact the Statisticians and we will give them the reasons for our decision. Please mail reports for each month not later than the FIFTH day of the following month to the Compiler: Bruce Chilton 88 Pryor Avenue, Tonawanda, NY 14150; Email: BChi314159@aol.com.

ERRATA, VOL. 71, No.5 May, 2005;

Page 40: Add: Broad-winged Hawk 9,10 1 Allegany State Park LeBlanc Page 41: Delete: * Eastern Wood-Pewee 16 2 Ripley Galas

APRIL 10, 2005 BIRD COUNT:

Page 47: 1. Replace Weather Synopsis with the following:

Weather Synopsis

Weather on count day this year was tranquil compared to the stormy April Bird Count of 2004. A weak cold front passed through the count area during the previous 12 hours, but the air was of Pacific origin and thus moderated. This resulted in clear skies and warmer than normal temperatures throughout the day despite the light and occasionally brisk winds from the north and northeast.

Greater Buffalo International Airport

				1	
	Sunrise:	6:42 AM EDT	Sunset:	7:52 PM EDT	
TIME	WEATHER	TEMP	DEW PT	PRESSURE	DIR/WIND
12:00 am	Mostly Clear	46	29	30.08	E7
3:00 am	Mainly Clear	43	29	30.05	E5
6:00 am	Mainly Clear	39	27	30.08	N3
9:00 am	Mostly Sunny	48	25	30.14	NE7
12:00 pm	Mostly Sunny	60	30	30.15	NE13
3:00 pm	Mostly Sunny	65	29	30.11	VR3
6:00 pm	Partly Sunny	65	34	30.10	NE12
9:00 pm	Mainly Clear	56	32	30.13	NE6

2. Add one (1) Northern Harrier changing the total to 42.

Page 48:1. Delete the *F indication after Rough-legged Hawk and American Coot and insert the *F indication after Broadwinged Hawk and Common Moorhen.

- 2. Add two (2) Lesser Black-backed Gulls seen in Section 6 changing the total to 3.
- 3. In the data listing, those species for which an acceptable written verification form was received were incorrectly identified by underlining. They should have been identified using **bold-faced** font. Therefore replace the underlined name with a bold-faced name for the following species: **Broad-winged Hawk**, **Merlin**, **Common Moorhen**, **Blue-headed Vireo**, **Common Raven**, **Blue-gray Gnatcatcher**, **Pine Warbler** and **Louisiana Waterthrush**.
- 4. Change the number of individuals observed from 118,010 to 118,013.

69 th Buffalo Ornithological Society May Bird Count

Compiled by Robert DeLeon, May 15, 2005

Weather Synopsis*

During the late evening before the count an active cold front swept through the BOS Study Area from the west ending a period of moderate showers and a few thunderstorms. NEXRAD radar showed a strong movement of birds northward across the study area, especially the Canadian count sections, just behind the rain shield and the front. The morning of the count began with light fog in many locations followed by mostly sunny skies, cool temperatures, and brisk, gusty southwest winds by midday.

Greater Buffalo International Airport

(weather data provided by National Weather Service, Buffalo, NY)

Sunrise: 5:53 AM EDT Sunset: 8:32 PM EDT

TIME	WEATHER	TEMP	DEW PT	PRESSURE	DIR/WIND	REMARKS
12:00 am	Cloudy	58	58	29.69	S7	
3:00 am	Cloudy	49	49	29.73	SW10	Light Fog
6:00 am	Mainly Clear	48	48	29.76	SW9	Light Fog
9:00 am	Cloudy	53	50	29.79	SW18G26	
12:00 pm	Partly Sunny	53	46`	29.83	SW21G28	
3:00 pm	Partly Sunny	55	44	29.85	SW20G26	
6:00 pm	Mostly Sunny	53	42	29.86	SW15G26	
9:00 pm	Mainly Clear	47	42	29.88	SW12	
12:00 pm	•			•		

Compilation

The following is a list of species seen on the count followed by the total number observed. Where a species was recorded in three or fewer sections, the section numbers appear in parentheses. Boldface names indicate species for which acceptable written verifications were received. F and L represent the first and last dates for the spring migration. * represents the first record for the year.

Species Loons-Ducks Common Loon Pied-billed Grebe Double-crested Cormorant American Bittern Great Blue Heron Great Egret Green Heron Black-crowned Night-Heron	No. 32 13 2921 1 500 44 57 208	(10) (8,9,11) (2,11,9)	American Wigeon American Black Duck Mallard Blue-winged Teal Northern Pintail Canvasback Redhead Ring-necked Duck Lesser Scaup White-winged Scoter	7 2 940 24 2 1 4 4 32 37 463	(11) (8) (6) (9) (10) (1,11) (7,9,13) (3,4)
		(2,11,9)	White-winged Scoter Long-tailed Duck Bufflehead	463 12	(3,4) (3,4) (8,11,21)
Canada Goose Mute Swan Wood Duck	4017 6 313	(1,2,5)	Common Goldeneye Hooded Merganser Common Merganser	3 29 28	(19)

^{*}The weather synopsis was provided by Terry Yonker.

5 11	1641			-	(10.00.00.
Red-breasted Merganser	1641	(10)	Barred Owl	5	(19,20,23)
Ruddy Duck	11	(13)	Chimney Swift	471	
waterfowl species	6		Ruby-throated Hummingbird	182	
Raptors-Coots			Belted Kingfisher	66	
Osprey	22		Red-headed Woodpecker	7	
Bald Eagle	17		Red-bellied Woodpecker	152	
Northern Harrier	20		Yellow-bellied Sapsucker	60	
Sharp-shinned Hawk	28		Downy Woodpecker	288	
	27		Hairy Woodpecker	116	
Cooper's Hawk			Northern Flicker	263	
Red-shouldered Hawk	17		Pileated Woodpecker	35	
Broad-winged Hawk	22		Eastern Wood Pewee	13	
Red-tailed Hawk	207		*Yellow-bellied Flycatcher F		(20)
Rough-legged Hawk	1	(27)		1	
American Kestrel	53		Acadian Flycatcher	3	(14,22)
Merlin	2	(11)	*Alder Flycatcher F	1	(16)
Peregrine Falcon	2	(11)	*Willow Flycatcher F	20	
hawk species	3		Least Flycatcher	94	
Ring-necked Pheasant	26		unidentified empidonax	10	
Ruffed Grouse	11		Eastern Phoebe	208	
Wild Turkey	117		Great Crested Flycatcher	130	
Virginia Rail	5		Eastern Kingbird	235	
Sora	2	(2,9)	White-eyed Vireo	2	(6,10)
	5	(2,9)	Yellow-throated Vireo	4	(1,3,13)
Common Moorhen		(5.10.11)	Blue-headed Vireo	47	(, , , , , , , , , , , , , , , , , , ,
American Coot	10	(5,10,11)	Warbling Vireo	174	
Sandhill Crane	1	(4)	Philadelphia Vireo	10	
Plovers-Terns			•	221	
Semipalmated Plover	64		Red-eyed Vireo		
Killdeer	409		Blue Jay	2212	
Greater Yellowlegs	6	(4,5)	American Crow	2200	
Lesser Yellowlegs	73	(4,5)	Common Raven	23	
	4		Horned Lark	18	
unidentified yellowlegs			Purple Martin	404	
Solitary Sandpiper	29		Tree Swallow	2873	
Spotted Sandpiper	128	(5 .40)	No. Rough-winged Swallow	1338	
*Upland Sandpiper F	3	(7,10)	Bank Swallow	745	
*Ruddy Turnstone F	3	(5,13,21)	Cliff Swallow	221	
*Semipalmated Sandpiper F	15		Barn Swallow	2950	
*Sanderling F	1	(6)	Chickadees-Waxwings		
Least Sandpiper	189			025	
*White-rumped Sandpiper F	5	(1,4)	Black-capped Chickadee	925	
Pectoral Sandpiper	6	(1,10)	Tufted Titmouse	154	
Dunlin	63		Red-breasted Nuthatch	78	
*Short-billed Dowitcher F	20		White-breasted Nuthatch	190	
Wilson's Snipe	5		Brown Creeper	24	
American Woodcock	12		Carolina Wren	22	
*Wilson's Phalarope F	2	(1)	House Wren	420	
unspecified shorebirds	73	(1)	Winter Wren	11	
•	463		Marsh Wren	26	
Bonaparte's Gull			Golden-crowned Kinglet	34	
Ring-billed Gull	39444		Ruby-crowned Kinglet	51	
Herring Gull	4714		Blue-gray Gnatcatcher	70	
Great Black-backed Gull	94		Eastern Bluebird	144	
Iceland Gull	3	(1,3)		71	
Caspian Tern	123		Veery		
Common Tern	388		Swainson's Thrush	9	
Black Tern	36	(5,10)	Hermit Thrush	21	
*Forster's Tern F	2	(20,21)	Wood Thrush	224	
Doves-Swallows			American Robin	4927	
	1157		Gray Catbird	812	
Rock Pigeon	1157		Northern Mockingbird	19	
Mourning Dove	1444	(5.10.00)	Brown Thrasher	36	
Black-billed Cuckoo	7	(7,13,20)	European Starling	5137	
Eastern Screech-Owl	4		American Pipit	141	
Great Horned Owl	4	(12,19,26)	Cedar Waxwing	136	
			*		

			Daltima and Oviala	1120
Warblers			Baltimore Oriole Purple Finch	1129 164
Blue-winged Warbler	110		House Finch	486
*Golden-winged Warbler F	5	(3,11,28)	Pine Siskin	9 (3,28)
Tennessee Warbler	44		American Goldfinch	2734
Orange-crowned Warbler	6		Evening Grosbeak	2 (19,26)
Nashville Warbler	101		House Sparrow	1458
Northern Parula	28		House Sparrow	1430
Yellow Warbler	2574			
Chestnut-sided Warbler	265		Total Species Observed:	-207- 205
Magnolia Warbler	154		Total Individual Birds Obs	served: 119,305
Cape May Warbler	19			
Black-throated Blue Warbler	116		Notable Count Highs: 205	
Yellow-rumped Warbler	668		The number of species $\frac{206}{100}$ is	the 8 th largest observed on the
Black-throated Green Warbler	163		May count since it started in 19	35. The number of individuals
Blackburnian Warbler	122		(119,287) is the largest total on	
Pine Warbler	26	(10.00)	individual species were recorde	· · · · · · · · · · · · · · · · · · ·
Prairie Warbler	8	(18,28)	Double-crested Cormorant (292	
Palm Warbler	93		Vulture (779), Red-breasted Me	
Bay-breasted Warbler	42		(17), Wild Turkey (117), Ring-	
Blackpoll Warbler	11	(7.2.1)		(35), Blue Jay (2212), Common
Cerulean Warbler	8	(5,24)	Raven (25), Golden-crowed Kit	•
Black-and-white Warbler	120			oler (2574), Palm Warbler (93),
American Redstart	242			A number of species also were
Ovenbird	172		recorded at their second highes	•
Northern Waterthrush	29	(2.1)		C
Kentucky Warbler	1	(24)		
*Mourning Warbler F	7		Notable Species:	
Common Yellowthroat	508		Yellow-throated Warbler, sixth	record on the May count and
Hooded Warbler	105			nd Gull (3), third record on May
Wilson's Warbler	9 7		•	w. Worm-eating warbler, third
Canada Warbler	1	(24)		entucky Warbler, 11 th record on
Worm-eating Warbler Yellow-throated Warbler	1	(24)	the May count.	·
warbler species	2	(20)		
*	4		Notable Count Lows:	
Tanagers-Sparrows	0.0		Due to the large overall numbe	rs of individuals, few species
Scarlet Tanager	93		were recorded in very low num	bers: Vesper Sparrow (1) was
Eastern Towhee	121		lowest number ever recorded o	· · · · · · · · · · · · · · · · · · ·
Cl. t. c.	1210		Nighthawk was not observed for	or the first time since 1945.
Chipping Sparrow	1210	(2.20)		
Clay-colored Sparrow	4	(3,28)	Observers (Section compliers	s in boldface.)
Field Sparrow	172	(4)		
Vesper Sparrów	1	(4)		Hannah, Lynne Landon, Terry
Savannah Sparrow	177	(7.10.21)	Yonker	
*Grasshopper Sparrow F	7 8	(7,10,21)		Benham, John Black, Kayo Roy,
Fox Sparrow	1280	(9,19,28)	Maggie Smiley, Katherine Stol	
Song Sparrow	9		Section 3: Edward Crohn, Bets	· ·
Lincoln's Sparrow	106		•	Ewald, Jerrold J. Farrell, Barbara
Swamp Sparrow White-throated Sparrow	152		Henderson, Patricia Kornacker	
White-crowned Sparrow	638			Vicki Rothman, Timothy Simon,
Dark-eyed Junco	256		Mary Ann Stegmeier, Coleen V	
Northern Cardinal	822			nno, Kim Zahno, Paul Ziebarth
Rose-breasted Grosbeak	729			Willie D'Anna, Julie Eberhart,
Indigo Bunting	105		Neal Gordon, Jim Pawlicki, Bi	
Bobolink	595			Burch, Jim Rozanski, Liz Wells
Red-winged Blackbird	5382		Section 6: Jerry Chappell, Go	_
Eastern Meadowlark	128		Section 7: Barbara Byron, Ric	
Rusty Blackbird	5	(3,12)		nja Mansfield, Marg Partridge
Common Grackle	3498	(5,12)	Section 8: Doug Happ, Mike A	•
Brown-headed Cowbird	814		Section 9: Tom Bearss, Pat Bo	
Orchard Oriole	14		Galas, Koll Hacket, Sue fiacke	er, Jerry Lazarczyk, Scott Meier,

Debra Milleville, Susan O' Donnell, Thomas O'Donnell, **Gerry Rising,** Joe Stein

Section 10: Donna DeLeon, Robert L. DeLeon

Section 11: Sally Castren, Barbara Henderson, Alec Humann, Marie Johnson, Alice McKale, Susan O' Donnell, Thomas O'Donnell, Joyce Vana

Section 12: Marion Bee, Greg Coniglio, Melissa Coniglio, Joe DiDomenico, Paul Fuhrmann, Wayne Gall, Linda Holmes, Mahlon Miller, Nancy Miller, Mike Morgante, Gail Seamans Section 13: Doug Beattie, Sharon Beattie, Elaine Dart, Tad Gerace, Charles Graney, Aron Kehlenbeck, Tyler Kehlenbeck, Zeke Kehlenbeck, Jane Mason, Marc Mason, Max Mason, David Muller, Joe Salvador, Paula Stone, Donald Thurau, Anita Wierzba

Section 14: Ken Brandes, Bill Dobler, Joanne Dobler, Tim Goff, Fred Harrington, Mark Leous, Glenna Leous, Patty Madigan, Sandy Radigan, Sue Saunders, Paul Vigyikan, Nancy Vigyikan, Marg Vogel, Barb Walker

Section 15: William Bogacki, Ed Ratajczak, Dennis Russell Section 16: Patricia Andrle, Robert Andrle, Thomas Connare, Audrey Horbett, Francis Rew

Section 17: Chris Marcello

Section 18: Bruce Chilton, Mike Desha, Pattie Kaiser, Jim Landau

Section 19: Ron Andrews, Doris Burton, Faye Clancy, Barbara Cronk, Dora Lilly, Bob Smalley, Ann Vaclavik, Denton Willett

Section 20: William Baker, Karen Brisley, Ken Brisley, Chris Budniewski, Ray Budniewski, Sylvia Clark, Paul Farver, Joanne Goetz, Tom Goetz, Joe Gula, Carol Hardenburg, Peggy Langer, Terry Mahoney, Jane McMastrer, Richard Miga, Judy Mosher, Terry Mosher, David Neveu, Lucille Neveu, Bob Peterson, Beverly Ruska, John Ruska, Audrey Schafer, Jeanine Smith, Marvin Smith, Kathy Sooter, Ted Taft, Jordan Whitney Section 21: Barbara Carlson, Don Carlson, Julie Heilman, Ranjit Laha, Mike Lyons, Jessie Nelson, Joanne Nelson, Linda O'Brien, William O'Brien, Anne Schettine, Linda Seleen, William Seleen, Bob Sundell, Kirk Vamstrom

Section 22: Ann Beebe, Jim Berry, Seth Berry, Doug Carson, Nacy Karp, Normal Karp, Ranjit Laha, Linda O'Brien, Bob Sundell

Section 23: Lee Anderson, Anita Cooney, David Cooney, Julie Heilman, Ranjit Laha, Ruth Lundin, Steven Maggio, Jean Pigman, Bob Shaul, Mary Shaul, Thomas Simmons, Bob Sundell

Section 24: Tim Baird

Section 25: Tim Baird, Stephan W. Eaton, Jeff Reed, James Van Scoy, Regina Van Scoy

Section 26: Lisa Andrus, Doris Burton, Mary Jordan, Bob Smalley

Section 27: Russell Allen, H. M. Bateman, Doris Burton, Jim Horn, Norman Ives, Helen Link, Marie Paxhia, Wilma Sanford Section 28: Russell Allen, Dan Babcock, Ellen Baker, Carol Behn, Wayne Brewster, Don Brink, Lorna Brink, Betsy Brooks, Debbie Bucholtz, Doris Burton, Mary Lou Cartledge, Carla Coch, Diane Converso, Jim Copenheaver, Tina Cornell, Elsie Cushing, Val Cushing, Karol Doty, Audrey Dunham, Anne Eisenhardt, Jamie Eisenhardt, Peg Eisenhardt, Peter Finlay, Terry Finlay, John Gradoni, Edie Greenleaf, Pat Halse, Geri Hills, Ralph Hills, Sue Lange, Woodie Lange, Barry Lash, Martha Lash, Kathleen MacDonald, Marion McClure, Mary Ormsby, Lyle Palmiter, Thelma Palmiter, Sean Phelan, Vivian

Pitzrick, Dan Ramsey, Evelyn Ramsey, Nicole Ramsey, Dan Rase, Peggy Rase, Ona Reynolds, Nancy Rouse, Jim Smith, Maureen Soule, Terah Soule, Conner Stephens, Wilma Taggart, Tim Timbrook, Linda Travers, Mary Trouslot, Cindy Vance, Gerry Vance, Barbara Ware, Mary Lu Wells, Suzanne Wood

Total number of observers: 266

Verification report submission

Rare and out of normal season birds, that is those requiring a verification report as per the BOS "Verification Date Guide", are not added to the count unless a verification report is submitted. This year and every other year several species were not recorded because the appropriate verification reports were not submitted. The count compliers wish to thank those people who took the time to complete verification reports. Those who sent verification reports directly to us include: Willie D'Anna and Betsy Potter-D'Anna, Neal Gordon, Jim Pawlicki, William Watson, Terry Mosher, Bob Sundell, and Tim Baird,

Count Compilers: Robert L. DeLeon and Donna V. DeLeon

Buffalo Ornithological Society Buffalo Museum of Science 1020 Humboldt Parkway Buffalo, NY 14211-1293

Return Service Requested

Non. Profit Org.
U.S. Postage
PAID
Buffalo, NY
Permit No. 412

Albert R. Mann Library Acquisitions Division-Serials Cornell University Ithaca, NY 14853-4301



BOS website http://www.bosbirding.org/



Buffalo-Niagara Region Dial-a-Bird: 716-896-1271

July – August Calendar

July 31: Canadian shoreline of Lake Erie for shorebirds. Leader: Mike Hamilton (881-6709). Meet at 7:00 AM at Vermont and Busti near the Peac Bridge to carpool. We will be going to Rock Point PP + others, Rock Point charges \$10.00 Canadian for entry, so bring Canadian money. We will consolidate the group into as few cars as possible at park entrance.

August 21: BOS August Shorebird Count. 6AM. The count will cover 10 reaches of the north shore of Lake Erie from the Peace Bridge to Port Maitland. Teams of two or more will be assigned each reach. Contact Terry Yon ker or Lynne Landon at (716) 745-9129 or email: TerryYonker@cs.com

August 28: Sunday. Canadian shoreline of Lake Erie for shorebirds and other early migrants. Leader: Mike Hamilton (881-6709). Meet at 7:30 AN at Vermont and Busti to carpool. See July 31 note above.

The PROTHONOTARY



Published Monthly by the

SEP 2 0 2005 ITHACA, NY 14853

A. R. MANN LIBRARY

BUFFALO ORNITHOLOGICAL SOCIETY

Volume 71, No. 7 July, 2005

THE MONTH: June

by Joe Thill

Following a very dry May, the month of June began with increasing heat and humidity. The weather for Buffalo and adjacent suburbs in June was warm, the warmest June in 39 years in Buffalo and environs as summer heat and humidity baked Western New York for most of the month. Indeed only a week-long cool spell at mid-month kept it from being the warmest June on record as two long warm periods provided the most persistent heat wave that the region had experienced in several years. The average temperature of 71.8 °F at Buffalo was six degrees above normal for the month making it the fourth warmest June on record; three record high temperature readings on the 9th, 26th and 27th were the hottest in 10 years while three daily minimum temperatures were recorded on June 12th through 28th. Rainfall was sparse during June with over two-thirds of the monthly total of 3.27 inches falling in just two hours in an overnight deluge between June 9th and 10th. Those two inches of badly needed rainfall fell at the airport with violent thunder storms causing flooding and other property damage in the areas south and east of Buffalo. There followed a change at mid-month bringing a week of cool, cloudy unsettled conditions and temperatures in the high sixties as the month drew to a close. Only 0.06 inch of rain fell during the last twelve days at Buffalo. Even those thunderstorms were restricted to areas well south and east of the city and most areas became parched once again by month's end. Lake Erie did not get its usual cooling and its tempera-

65 The Month by Joe Thill

66 Bald Eaglets Banded67 Noteworthy Records

by Bruce Chilton

70 Whip-poor-will Outing by Bill Burch

71 Field Sparrow Fledgling
by Bill Watson

71 Treasurer's Report by Tom O'Donnell

72 BOS Calendar

ture warmed to 71 °F by the end of June. Winds were not a factor in June; the usual southwest flow was largely absent so Buffalo did not get its usual cooling effect from Lake Erie this year.

The heat and humidity notwithstanding, our local birdwatchers continued to give a good account of themselves well into the month of June as the Noteworthy Records in this issue of The Prothonotary will attest. They reported a seemingly endless flight of warblers and other passerine migrants; records accepted for publication in June totaled 79 species including six requiring written verification. It was indeed an exciting month afield.

On June 2nd, Bill Watson, Jim Pawlicki and earlier, Willie D'Anna observed a Clay-colored Sparrow in full song on the front lawn of a rural residence on Lake Road in the Town of Wilson, Niagara County. It was subsequently seen and identified there by a number of observers in full song with its low mono-pitched buzzes and its diagnostic head stripes. On June 4th a second Clay-colored Sparrow was reported by Mike Morgante who located at least one




Figure: Two Cattle Egrets photographed by Barry Cherriere of Hamilton, Ont. on June 28th in Dunnville, Ontario near Rock Point Provincial Park.

Prothonotary is published bird of this species, also monthly by the Buffalo Ornithological Society, Buffalo Museum of Science. Buffalo, NY 14211. Send subscriptions and address changes to the Corresponding Secretary, Karen Landau, S-9195 State Road, Colden, NY 14033. The regular subscription rate is \$20/year. Back issues are available from the Treasurer for \$2/issue.

Please mail correspondence to: Jack Skalicky 178 N Main, Suite K55 Salt Lake City, UT 84103-2075 [Email] skalicky@biochem.utah.edu Ed. Consultants: Robert Andrle Gerry Rising

William Watson Audrey Horbett Production: Eileen Hull

Society Officers:

President: Terry Yonker Lynne Landon V. President: Thomas O'Donnell Treasurer: Rec. Secretary: Donna DeLeon Corr. Secretary: Karen Landau Statisticians: Robert Andrle Frances Rew Librarian: Audrey Horbett Archivist: Audrey Horbett Council: Mike Hamilton 2003-2005 Tom LeBlanc Mike Morgante Bob DeLeon 2004-2006 Mike Desha Jim Landau 2005-2007 Mike Galas Jerry Lazarczyk Gail Seamans

in full song in a conifer grove on Keller Road in the Town of Yorkshire, Cattaraugus County.

Earlier in the month, Mike Morgante's field studies in the Southern Tier counties in June continued to yield interesting records. On June 4th, he located one and possibly two Pine Warblers, both singing males in a mature stand of pine trees in the Erie County Forest in the Town of Sardinia, Erie County. On June 18th Morgante located a singing male of this species in an open area adjoining Chestnut Ridge Park, Erie County. Other records of interest include a Cattle Egret observed on June 22nd in near breeding plumage by Watson and Pawlicki at Rock Point Provincial Park on the northeast shore of Lake Erie in the Province of Ontario. Field Note: The birds were feeding mainly on insects and cattle dung.

Other sightings of interest in June include

Peter Yoerg's and Barbara Henderson's discovery on June 5th of a Yellow-throated Warbler in full song in Allegany State Park where until recently this species was classified as an uncommon summer resident. More recently, Jim Pawlicki and Richard Salembier discovered four Yellow-throated Warblers, two adults and two fledglings, in a stand of mixed conifers and deciduous hardwood trees at Red House Lake in this Cattaraugus County park. On June 10th Mike Morgante, in the course of his field surveys in various locations in the Town of Eagle, Wyoming County, heard several bird songs with repeated buzzes (zee zee, zee zee) he immediately recognized as the call note of a Prairie Warbler, a species with which he is very familiar having seen it and witnessed its song over the past five years.

During the course of surveying [Somerset] "private property" on June 20th, Mike Morgante discovered two "wren-sized" birds he identified as Sedge Wrens. At Tillman Wildlife Management Area he discovered other individuals of this species on the 26th and 27th. These are described by Sibley as "one of several species of small secretive birds that spend most of their time hiding in dense tall grass." Morgante found the birds singing and making short flights in a close area. His observations in the Somerset private property area and in the Tillman Wildlife Management Area in the Town of Clarence, Erie County were from habitats described as grassy meadows.

On June 27th, Bill Watson, Jim Pawlicki and Eric Lobato also observed two Sedge Wrens in tall grass at the Tillman Wildlife Management Area. The two birds were studied 5 to 20 yards apart, with the observers closely scanning plumage and other field marks that confirmed their identification.

Other sightings in June include a Worm-eating Warbler reported by Tim Baird who first witnessed two birds of this elusive species interacting during the BOS May 2005 Bird Count on the Allegany Indian Reservation in Salamanca. Baird lost sight of these birds but a single bird of this species was subsequently seen again by Peter Yoerg and Barbara Henderson who were attracted to its "almost constant singing". They briefly noted the warbler's buffy head, throat and breast as well as diagnostic black head stripes.

Finally, following a long hiatus in sightings, reports of small egrets in our study area are hopefully on the increase. On the morning of June 22nd, Jim Pawlicki and Bill Watson observed a Cattle Egret "mainly walking, feeding and picking flies off cows in a grassy and weedy farm field about three miles east of Rock Point Provincial Park near Dunnvllle, Ontario. The bird was described as about the size and shape of a Green Heron but with longer legs and neck extension. Watson opines that yet another Cattle Egret seen by him and others again near Rock Point Provincial Park on August 7th and 22nd was probably the same bird he observed last year near Dunnville, Ontario.

Seven Bald Eaglets Banded In Genesee County

On May 12th biologists from the New York State Department of Environmental Conservation banded seven eaglets on Iroquois National Wildlife Refuge (NWR) and Oak Orchard State Wildlife Management Area (WMA) in Genesee County. Each of two nests on Iroquois NWR had two eaglets while the nest on Oak Orchard WMA, located east of the refuge, had three, a rare occurrence. Eagles can lay one to three eggs with two being the average. The eaglets were between 3 ½ - 5 weeks old and appeared healthy.

Bald eagles have been nesting on Iroquois NWR since 1986 – the result of a successful statewide bald eagle restoration project started in the late 1970's. In 2000 the second nest was discovered on the refuge, and the one on Oak Orchard was discovered in 2001. Statewide there are between 80-90 active bald eagle nests.

NOTEWORTHY RECORDS

Underlined common names, dates or localities indicate that an acceptable, detailed written verification according to the *Date Guide to Birds of Western New York and Adjacent Ontario* (Seventh Edition - Revised 2001) has been received and placed in the permanent files of the Buffalo Ornithological Society.

- * Indicates first record for the year.
- F Indicates first record for the migration.
- L Indicates last record for the migration.
- (f) Indicates record from feeding station. (n) Indicate nest(s).
- PDBA Indicates Previously Documented Breeding Area.

<u>Species</u>	<u>June</u>	<u>Number</u>	Location	Observer(s)
American Wigeon	12	1	Buffalo	Morgante
"	19	1	Clarence	Pawlicki, Salembier
Northern Shoveler	4	2	Batavia WWTP	Watson
Lesser Scaup	4	2	Batavia WWTP	Watson
Hooded Merganser	4	1	Batavia WWTP	Watson
11	18	4	Alfred	Brooks
Common Merganser	21	7	Sheridan	Watson
11	24	1	Buckhorn I. SP	Watson
Red-br. Merganser	4	2	Oak Orchard WMA	Watson
Ruddy Duck	4	33	Batavia WWTP	Watson
Common Loon	4	2	Wilson	D'Anna, Potter
**	11; 12	1; 1	Buffalo	Morgante, Hamilton; Morgante
Dcrested Cormorant	2; 3; 20	99; 127; 65	Strawberry I.	Watson
"	2	22 ad, 9 n	Motor I.	Watson
**	3	206	Reef Lighthouse	Watson
**	7; 22	600; 510	Mohawk I., Ont	Watson
**	24	58 ad,26 n	Buckhorn I. SP	Watson
Great Egret	1 - 30	2 max	Tonawanda	Hess
"	2	10 ad,14 yg	Motor I.	Watson
**	3; 17	1; 2	Times Beach NP	Watson; Andrle
**	3	1	Strawberry I.	Watson
H .	3; 14	1; 2	Grand I.	Lazarczyk; Lazarczyk, Pawlicki
**	4	1	Alfred	Brooks
tt .	12	1	Buffalo	Morgante
11	20; 28	10; 15 yg	Motor I.	Watson
Cattle Egret	22	1	Dunnville, Ont	Watson, Pawlicki
Black-cr. Night-Heron	3	1	Tifft NP	Watson
"	7; 22	1; 7	Port Colborne, Ont	Watson, Pawlicki
Osprey	. 4	2	Iroquois NWR	Watson
11	4	2	Tonawanda WMA	Watson
11	5	2 (n)	Allegany SP	Yoerg, Henderson
ш	10	1	Tillman WMA	Sharon
Bald Eagle	4	2 ad, 2 yg	Oak Orchard WMA	Watson
"	4	2 ad, 2 yg	Iroquois NWR	Watson
***	12	2 yg	Tonawanda WMA	Yoerg, Henderson
tt	14	1 ad	Sinking Ponds	Holmes
tt .	20	4	Silver Creek	Lazarczyk, Watson
tt .	21	1 ad, 3 imm	Sheridan	Lazarczyk, Watson
tt	24	1 ad, 2 yg	Buckhorn I. SP	Watson
Red-shouldered Hawk	5; 19	2; 1	Ward	Brooks

<u>Species</u>	<u>June</u>	<u>Number</u>	Location	Observer(s)
H	12	1	Alfred	Brooks
н	28	1	Allegany Ind Res	Pawlicki, Salembier, Baird
Broad-winged Hawk	2	1	Alfred	Brooks
11	5	1	Wilson	D'Anna
11	5	1	Allegany SP	Yoerg, Henderson
11	5; 19	1; 1	Ward	Brooks
11	28	2	Allegany SP	Pawlicki, Salembier
11	29	3	Colden	J Landau
Virginia Rail	12	4	Tonawanda WMA	Yoerg
II	20	3	Tifft NP	J Landau, Andrle, Bogacki
Common Moorhen	4	2	Oak Orchard WMA	Watson
"	4	2	Batavia WWTP	Watson
11	8; 12	1; 4	Tonawanda WMA	Hess; Yoerg
Upland Sandpiper	7	1, ¬	Colden	J Landau
	12	3	Tillman WMA	Yoerg
11	25	1	Somerset	D'Anna, Potter
11	26; 27	4	Tillman WMA	Morgante; Pawlicki et al
Puddy Turnstone	20, 27 7L		Rock Point PP, Ont	Watson
Ruddy Turnstone	7L 7L	4	Rock Point PP, Ont	Watson
Sanderling Locat Sandning		3		
Least Sandpiper	22L	2	Rock Point PP, Ont	Watson, Pawlicki Watson
White-r. Sandpiper	7		Rock Point PP, Ont	
American Woodcock	2	1 ad, 2 yg	Tonawanda	Watson
Bonaparte's Gull	7	3	Rock Point PP, Ont	Watson
	21	l	Dunkirk Harbor	Watson, Lazarczyk
Great Black-b. Gull	30	6	Niagara Falls NY	Watson
Caspian Tern	2 - 22	5 recs;24 max		Watson, Lazarczyk
"	12	l	Buffalo	Morgante
	25	1	Times Beach NP	Andrle et al
Common Tern	3	146	Buffalo Harbor	Watson
Black Tern	4; 8	10; 4	Iroquois NWR	Watson; Hess
	4	5	Oak Orchard WMA	Watson
"	12	2	Tonawanda WMA	Yoerg
Barred Owl	17	1	Randolph	DeSha
11	23	1	Allegany SP	Sharon
Red-headed Wdpkr.	2; 17	2; 2	Times Beach NP	Andrle
11	19	1	West Seneca	Morgante, Wells, Hamilton
Olive-s. Flycatcher	5	1	Cherry Creek	Pawlicki, Horst
Yellow-b. Flycatcher	3L	1	Tifft NP	Watson
Acadian Flycatcher	5; 19	4; 1	Allegany SP	Yoerg, Henderson
11	7	2	Nine Mile Creek SF	DeSha
11	18	1	Chestnut Ridge Pk	Morgante
H	28	1	Allegany SP	Pawlicki, Salembier
Yellow-thr. Vireo	7	1	Eden	Andrle
11	12	2	Tillman WMA	Yoerg
11	27	2 ad, 5 yg	Tillman WMA	Pawlicki, Watson
0	28	3	Allegany Ind Res	Pawlicki, Salembier, Baird
Common Raven	5 - 30	7 recs; 4 max	Allegany Co.	Brooks
Cliff Swallow	3; 25	1; 1	Times Beach NP	Watson; Andrle
11	24	40 ad, 3 yg	Buckhorn I. SP	Watson
Carolina Wren	23	1	Alfred	Brooks

Species	<u>June</u>	<u>Number</u>	Location	Observer(s)
n .	25	1	East Aurora	Morgante
11	25	1	Elma	Morgante
Winter Wren	4	2	Sardinia	Morgante
11	5; 19	1; 1	Allegany SP	Yoerg, Henderson
n	18	1	Chestnut Ridge Pk	Morgante
n .	28	2	Allegany Ind Res	Pawlicki, Salembier, Baird
Sedge Wren	20	2	Somerset	Morgante
"	26	1	Tillman WMA	Morgante
п	27	2	Tillman WMA	Pawlicki, Watson et al
Golden-cr. Kinglet	17; 29	2; 1	Royalton	Pawlicki
Swainson's Thrush	2	2	Wilson	Watson, Pawlicki
н	4L	1	Wilson	D'Anna
Hermit Thrush	5; 19; 26	1; 1; 1	Ward	Brooks
"	18	1	Chestnut Ridge Pk	Morgante
Golden-wing. Warbler	11	1	Pendleton	Potter, D'Anna
Nashville Warbler	10; 20	1; 1	Andover	Brooks
"	11	1	Pendleton	Potter, D'Anna
Blthr. Blue Warbler	2	1	Wilson	Potter
"	5	1	Cherry Creek	Pawlicki, Horst
	5; 19	4	Allegany SP	Yoerg
"	28	1	Allegany Ind Res	Pawlicki, Salembier, Baird
Yellow-thr. Warbler	5	1	Allegany SP	Yoerg
"	28	2 ad, 2 yg	Allegany SP	Pawlicki
Pine Warbler	4	2 ad, 2 yg	Sardinia Sardinia	Morgante
"	<u>18</u>	1	Chestnut Ridge Pk	Morgante
Prairie Warbler	1; 20	3; 4	Andover	Brooks
"	4	1	Alfred	Brooks
11	4	6	Yorkshire	Morgante
11	5	1	Cherry Creek	Pawlicki, Horst
11	5; 26	1; 2	Allegany SP	Yoerg, Henderson; DeSha
11	10	6	Eagle Eagle	Morgante
Bay-breasted Warbler	4	1	Alfred	Brooks
"	5L	1	Ward	Brooks
Blackpoll Warbler	5	2	Allegany SP	Yoerg, Henderson
"	5	1	Alfred	Brooks
11	6L	1	Wilson	Potter
Cerulean Warbler	4	1	Iroquois NWR	Watson
"	5; 19	7; 6	Allegany SP	Yoerg, Henderson
11	12	3	Tonawanda WMA	Yoerg
11	28	8	Allegany Ind Res	Pawlicki, Salembier, Baird
Black-and-white Warb.	7; 11	1; 1	Alfred	Brooks
"	28	10	Allegany Ind Res	Pawlicki, Salembier, Baird
Prothonotary Warbler	8; 12	1; 4	Tonawanda WMA	Hess; Yoerg
Worm-eating Warbler	19	1, 7	Allegany Ind Res	Yoerg
Northern Waterthrush	8; 12	1; 1	Tonawanda WMA	Hess; Yoerg
La. Waterthrush	5; 17	1; 1	Royalton	Watson et al
" watertinush	19	3	Allegany Ind Res	Yoerg, Henderson
Mourning Warbler	5 - 30		Throughout WNY	Many observers
Canada Warbler	11; 12	4; 3	Alfred	Brooks
n	19	1	Ward	Brooks
	19	1	ward	DIOURS

<u>Species</u>	<u>June</u>	<u>Number</u>	Location	Observer(s)
**	19	1	Allegany Ind Res	Yoerg, Henderson
11	28	2	Allegany Ind Res	Pawlicki, Salembier, Baird
Yellow-br. Chat	2; 13	1; 1	Wilson	Potter, D'Anna; Potter
11	10	1	Eagle	Morgante
11	12 - 26	1	Tillman WMA	Yoerg et al
Clay-col. Sparrow	2	1	Wilson	Watson, Pawlicki
11	4	2	Yorkshire	Morgante
11	5; 18; 22	1; 1; 1	Wilson	D'Anna
Vesper Sparrow	2	1	Andover	Brooks
Grasshopper Sparrow	4; 7; 9	1; 1; 2	Andover	Brooks
11	5	1	Royalton	Watson
11	10	1	Eagle	Morgante
11	11	1	Pendleton	Potter, D'Anna
11	12; 27	4; 6	Tillman WMA	Yoerg; Watson
11	19	3	Clarence	Pawlicki et al
"	19	1	Lancaster	Pawlicki
11	20	3	Somerset	Morgante
Orchard Oriole	12	1	Porter	D'Anna, Potter
11	20	2	Somerset	Morgante
11	20; 29	1; 1	Wilson	Potter; D'Anna
11	27	2 ad, n(yg)	Rock Point PP, Ont	Pawlicki, Watson
Pine Siskin	14 - 18	l	Eden (f)	Andrle

Species, subspecies, and hybrids previously recorded this year:

Species, subspecies, and hybrids recorded for this month:

Total for the year 2005:

256

258

Statisticians' Note: If any observer wishes to know the status of their verification report, please contact the Statisticians and we will give them the reasons for our decision. Please mail reports for each month not later than the FIFTH day of the following month to the Compiler: Bruce Chilton 88 Pryor Avenue, Tonawanda, NY 14150; Email: BChi314159@aol.com.

Whip-poor-will Outing: June 10, 2005 by Bill Burch

This 15th annual outing began with a 7 p.m. dinner at the Lotus Garden in Port Colborne, Ontario. Present were 14 BOS members and guests, and 12 from the Bert Miller Nature Club of Stevensville, Ontario. We greeted long-time birder Helen Sherk, whose name is associated with Sherkston Beach and other landmarks in the area.

After lingering over dinner we had to skip the Minor Road meadows (missing three or four field birds) and go directly to Wilson Road. We were a little early and this may have helped the tally along the mile of that road. Lynne Landon's list (mostly heard) is admirable: Alder and Willow Flycatcher, Veery, Wood Thrush, Eastern Towhee, Robin, Yellow Warbler, Common Yellowthroat, Song and Swamp Sparrow, Catbird, Black-billed Cuckoo (4), Mourning Dove, Woodcock, Tree Swallows, Chimney Swifts (at Lotus Garden) and finally a Little Brown Bat.

The warm night brought out fireflies in great numbers so we could see ten at a time in the weeds across the road as we stood and waited for the calling to begin. The first calls were a series of impressively loud ones coming at 9:15 p.m. from a Whip-poor-Will west of us. The calls went unanswered, but we could hear others calling from deep in the Wainfleet Bog to the east. At 9:45, after many of our group had departed, the bog nearby began to resound with loud calling. The speculation was whether it was six, nine or eleven Whip-poor-wills calling at one time. It was like the finale of a fireworks display and it quickly died down. Only distant calls remained as we left at 10 p.m.

Our Canadian birding friend, Bob Chambers, who is recovering from a spinal tumor operation, was present. He can now move with the aid of a walker. He and his wife, who does the driving, remained in their minivan.

An Early Field Sparrow Fledgling

by Bill Watson

On June 17, 2005, while Atlasing block 2078D I found a begging fledgling Field Sparrow in a four foot high Cottonwood about 15 or 20 yards west of Arnold Road and 150 yards north of Royalton Center Road in the Town of Royalton. June 17th date ties the early fledgling date in "The Atlas of Breeding Birds in New York State" and establishes an early fledgling record for the BOS study area.

The bird was at a minimum distance of about 15 yards and viewed with 10x40 Zeiss binoculars. It had the size and shape of an adult Field Sparrow, a high short grayish pink triangular bill, a brownish dark cap, brownish gray face, light thin eye ring, light throat, light gray breast, and a belly that was had gray streaks that were best seen on the breast. The back, dorsal wings, and tail were dark brown, and the legs and feet were a dirty bubble gum pink.

The fledgling Field Sparrow was continuously begging during the entire study period of about ten or fifteen minutes. At the same time two competing adult Field Sparrows were singing. During this time the fledgling was not observed being fed, although it did fly to another tiny Cottonwood about ten feet to the south.

Fledgling Field Sparrows are poorly documented in both the Buffalo Ornithological Society territory and in New York State. "A nest with four eggs was found near St. Catharines, Ontario, on May 13, 1962 (Dorst *et. al.*)" (Beardlee and Mitchell 1965). Even if we assume the maximum incubation period of thirteen days and the nestling period of twelve days these Field Sparrows should have fledged by May 28th. Hopefully the data gathered in Atlas 2000 will be incorporated into the revision of *Birds of the Niagara Frontier Region* and we will soon have a more realistic dates for eggs, nestlings, and fledglings for the 189 species and two named hybrids that breed in the BOS study area.

Buffalo Ornithological Society Annual Treasurer's Report 2003-2004

By Tom O'Donnell


Checking account - ope	ening balance	\$ 7,557.46**
**Distributed:	General Fund (General Operating Exp. (Peregrine Project (2004 Banquet (Map Project (M.L. Emerson Bequest Prothonotary Fund Donation: Art Schaffner	\$ 6,746.62 \$ 3,254.90 \$ 94.20 \$ 1,200.00 \$ 181.70 \$ 2,015.82 \$ 785.84 \$ 25.00
Income:		
Dues: General F Prothe Dona Checking Accou Seasonal Checkli Date Guide Sales Name Tag Sales	onotary Fund tions nt Interest ist Sales	\$ 1075.00 \$ 2775.00 \$ 616.00 \$ 12.58 \$ 78.00 \$ 24.00 \$ 12.00 \$ 10.00
Transfer from In	ursement endling Donations v. Acct. for Special Projects	\$ 47.00 \$ 2086.00
Total Income		\$ 6,735.58
	al Bulk Mail Permit	\$ 150.00
Printi	Postage Acct. ng 9/03-8/04 ge & Supplies otal	\$ 360.00 \$ 2056.70 \$ 212.54 \$ 2,779.24
		A. A. A.
Membership Cor Grand Island Pro Statistician Expe April Count Exp	perty Tax nses	\$ 34.90 \$ 155.38 \$ 65.01 \$ 29.63 \$ 60.94
October Count E Treasurer Expens Speaker Honorar	ses ium	\$ 78.60 \$ 50.00
	ical Society Dues nce Donation Meeting Room	\$ 30.00 \$ 300.00 \$ 13.70
Special Project Fund Gr	otal General Fund ants	\$ 94.20 \$ 938.36 \$ 2086.00
Transfer A/M/W donation	ons to Inv. Acct.	\$ 47.00 \$ 5,850.60
Transfer of \$300	.00 to 2004 Banquet	
Checking account - clo	sing balance	\$ 8,442.44**
**Distributed:	General Fund (General Operating Exp. (2004 Banquet (Map Project (M.L. Emerson Bequest Prothonotary Fund Donation: Art Schaffner	\$ 7,635.84 \$ 3,938.32 \$ 1,500.00 \$ 181.70 \$ 2,015.82 \$ 781.60 \$ 25.00
Axtell/McVey/Wendlin	g Fund value as of 10/12/04	\$ 44,169.63

Buffalo Ornithological Society Buffalo Museum of Science 1020 Humboldt Parkway Buffalo, NY 14211-1293

Return Service Requested

Non. Profit Org.
U.S. Postage
PAID
Buffalo, NY
Permit No. 412

Albert R. Mann Library Acquisitions Division-Serials Cornell University Ithaca, NY 14853-4301



BOS website http://www.bosbirding.org/



Buffalo-Niagara Region Dial-a-Bird: 716-896-1271

September – October Calendar

September 11: Sunday. Tifft Nature Preserve and Times Beach for warble and shorebirds. Leader: Bill Bogacki (674-5781). Meet at 8:00 AM in the Tifft N. P. parking lot. This is a half-day trip.

September 14: BOS Meeting at 7:30 PM at Cummings Room of the Buffalo Museum of Science. Members' Night. Bring along your favorite stories and or slides on a carousel to share with the other members.

September 28: BOS Meeting at 7:30 PM in the Cummings room of the Buffal Museum of Science. Michael Hamilton will present the results of the 2005 Annual Buffalo Ornithological Society April Count focusing on species abundance changes from 1935 to the present. Dr. Robert DeLeon will interpret the result of the 2005 Annual BOS May Count in comparison with the years of data in the Buffalo Ornithological Society May Count data base.

October 9: BOS Annual October Count. As the counts are among the most important things we do and generate extremely valuable data available to anyone with interest in the health and status of the birds in our area, all BO members are encouraged, actually expected, to participate. To do so, please contact: Mike Hamilton at 881-6709 or mhsr@wzrd.com.

October 12: BOS Meeting at 7:30 PM in the Cummings room, Buffalo Museum of Science. Tim Baird, past President of the New York State Orni thological Association, will present A Year with Nature in Western New York, a 42 minute slide presentation with music and audience interaction.

October 26: BOS Meeting at 7:30 PM in the Cummings room of the Buffalo Museum of Science. Jean Irons, 1995-2004 president of the Ontario Field Ornithologist, will discuss the Carden Alvar, a globally rare grassland habit located northeast of Toronto. This informative and entertaining presentatio features wildflowers, butterflies, and grassland birds.

The PROTHONOTARY



Published Monthly by the

BUFFALO
ORNITHOLOGICAL
SOCIETY

Volume 71, No. 8 August, 2005

THE MONTH: July

by Mike Zebehazy

Summer heat and humidity continued to bake Western New York for July 2005. The month was consistently warm and humid and seasonably sunny with very little rain following the pattern of last month. This was the warmest July in 50 years with an average temperature of 75 °F and the warmest June-July ever. 25 days were in the 80's, 12 days were at least 86 and four consecutive days in the 90's included two record highs on the 13th and 14th. Nights were especially warm with 11 nights in the 70's including an eight day stretch from the 12th to the 19th, the longest ever in records at the airport.

Rainfall was relatively sparse during the month and was highly variable across the area. Only a few scattered thunderstorms occurred with one general beneficial rain on the 27th. The rainfall total of 1.82 inches was well below normal at the airport and continued the relatively dry year so far with annual shortfall of over four inches. Sunshine totaled 65% of the possible, close to the normal of 67%.

The month began with a normal first week that included a very warm and humid holiday. Conditions soon turned steamy, though, with intense heat and humidity prevailing during the second week. Isolated thunderstorms brought local flooding to portions of north Buffalo and Kenmore late on the 13th. The heat eased only slightly during the third week before a sharp cold front finally brought relief during the last few days of the month with seasonably warm but less humid conditions. The front brought widespread severe weather south of Buffalo late on the 26th and a general rain on the 27th.

73 The Month

by Mike Zebehazy

75 Noteworthy Records
by Bruce Chilton

78 2003-06 BOS Budgets
by Tom O'Donnell

79 Strawberry Is. Eagles by Bill Watson

BOS Calendar

The Fall shorebird migration increased dramatically with sixteen shorebird species noted this month.

On July 6th Bill Watson spotted an early Whimbrel at Rock Point PP in Dunnville, ON with a number of more

common shorebirds. On the 17th another of this species was observed by Peter Yoerg at the Canal Road sod farms in Dunnville.

On July 19, while engaging in Ontario Breeding Bird Atlas work Kayo Roy and Brian Ahara discovered a rare American Avocet at the Kraft Foods Sewage Ponds (formerly known as the St. David's Sewage Ponds) in St. David's, ON. Roy noted that this location is a legendary area where numerous provincial rarities have been recorded. This fenced and gated sewage pond is out of bounds to visitors but the Avocet could easily be seen from the gate area as it fed in the east pond. Bill Watson and Jim Pawlicki found the bird at the same location on July 20 but it was no longer present on July 21.

On July 28, Dean DiTommaso and others found a White-rumped Sandpiper in the company of Semipalmated Sandpipers. According to DiTommaso, the bird was somewhat larger and with longer primary extension that went well beyond the end of the tail while the many Semipalmateds had an obviously shorter wing profile with the primaries extending to but not past the end of the tail. Although the characteristic white band across the upper tail was not seen, DiTommaso notes that this species can be separated from similar species by size and shape. Semipalmated and



Long-tailed Ducks photographed by Willie D'Anna on July 28th at Rock Point Provincial Park, Ontario.

The Prothonotary is published monthly by the Buffalo Ornithological Society, Buffalo Museum of Science, Buffalo, NY 14211. Send subscriptions and address changes to the Corresponding Secretary, Karen Landau, S-9195 State Road, Colden, NY 14033. The regular subscription rate is \$20/year. Back issues are available from the Treasurer for \$2/issue.

Please mail correspondence to: Jack Skalicky 178 N Main, Suite K55 Salt Lake City, UT 84103-2075 [Email] skalicky@biochem.utah.edu Ed. Consultants: Robert Andrle

Gerry Rising
William Watson
Audrey Horbett
Eileen Hull

Society Officers:

Production:

President: Terry Yonker V. President: Lynne Landon Treasurer: Thomas O'Donnell Rec. Secretary: Donna DeLeon Corr. Secretary: Karen Landau Statisticians: Robert Andrle Frances Rew Librarian: Audrey Horbett Archivist: Audrey Horbett Council: 2003-2005 Mike Hamilton Tom LeBlanc Mike Morgante 2004-2006 Bob DeLeon Mike Desha Jim Landau 2005-2007 Mike Galas Jerry Lazarczyk Gail Seamans

Western Sandpipers are smaller, have a shorter wing profile and have partial webbing between the toes, a feature lacking in White-rumped Sandpipers (as is clearly visible in the photos that accompanied the report). Baird's Sandpiper is similar in size and shape but is browner, lacks flank markings, and has a bill that is usually somewhat less drooped and thinner at the tip.

The number of Great Egrets in the area continued to increase with Watson noting 22 from the Route 77 overlook at the Tonawanda WMA on July 16 and observing an amazing 41 on July 19 as they were flushed by DEC workers on Motor Island in the Niagara River.

Merlins have been big news this month. This falcon species has been reported more and more regularly locally and there are very few reports of breeding birds outside of the Adirondacks. According to an early Atlas 2000 report

by Tom Salo of Region 4, "The first fully documented nesting by Falco columbarius in New York occurred on the shore of Spitfire Lake, Franklin County in 1992. In less than ten years, breeding "bullet birds" spread to four Federation reporting regions and seven counties in the northern part of the state. The extent of this expansion is now being documented by Atlas 2000. During 2000-2001, Merlins were found in 36 blocks with nesting confirmed in 17."

Now, Western New York has reports of two successful nestings. Mike Morgante reported two birds in the Elmwood Avenue neighborhoods between West Ferry and Bidwell Parkway. These are birds likely involved with the successful nesting in this vicinity. A Dial-a-bird report noted that on July 15, 3 Merlins fledged from the nest on private property on the west side of Buffalo (photos are posted on the Genesee Birds listserv and in *The Prothonotary*, vol 71, no 6).

Initially this was thought to be the first breeding record ever for Merlin in the Niagara Frontier. Tim Baird reported another nesting pair in Salamanca and included the following anecdote. Ms. Connie Bierfelt of Salamanca found a

down-covered bird of prey sitting in her backyard on Broad Street in Salamanca, NY in late June of 2005. The bird was taken to Dr. Seleen at the Jamestown Veterinary Hospital on June 25, 2005. Ms. Bierfilt thought it was an American Kestrel that was from a nest in a Norway Spruce behind her house. Dr. Seleen kept the bird and raised it. When it feathered out he realized that it was not a Kestrel and informed Ms. Bierfilt that it was a Merlin. She subsequently informed me. I visited the nest area on July 28, 2005. There was no activity in the supposed nest tree, but birds were heard calling nearby. She said the birds have been here since April and have been very vocal in her back yard. (Interestingly, she also said they were present last year. I did not see a nest in the tree she thought [they were in], but there was a nest in a tree about 50 feet away. By July 28, the other young had apparently fledged. The birds were seen in the immediate area by me on the 28th (one) and 29th (two). One bird on the 29th perched in the tree where Ms Bierfilt thought they nested. One of the birds that I observed on 29 July (near the nest site) was calling frequently. I believe this might have been a fledged young. The other bird seen on that date sat preening in the top of a dead tree and was seen in strong flight; this possibly was an adult (female?). Baird included a photo of the bird raised by Dr. Seleen.

Continuing the Merlin theme, Peter Yoerg noted their return, for at least the eighth consecutive year, at the University of Buffalo Main Street campus, "Merlinville".

Peregrine Falcons are now regular sights in downtown Buffalo; over Lafayette Square, the ballpark, and the Liberty and Statler Buildings. Unlike Peregrine Falcons, the advance of the Merlin, once known only as a rare migrant, has occurred without direct assistance from breeding or relocation programs.

Finally, on a more casual note, on July 9 Mike Morgante made this report about a promising location in the southern tier: I biked the full length of the new McGee trail (rails-totrails) from Cattaraugus through Little Valley to Salamanca (~12 miles one way) this morning with Steve Taylor. Steve is keeping a list of birds identified from the trail. About one mile from the start of the trail in town of Cattaraugus, we heard Black-throated Blue Warbler and Winter Wren singing while watching some very agitated Mourning Warblers along the trail. The trail passes some emergent marsh and wet grassy areas just west of Little Valley that held numerous Swamp Sparrows and Red-winged Blackbirds. The tall wet grasses reminded me of the habitat the Sedge Wrens took up for residence at Tillman WMA. Just east/south of Little Valley, a pond with a lot of exposed shoreline/mud held a Solitary Sandpiper. Little Valley Creek, which runs along the trail for much of the distance between Little Valley and Salamanca was "completely dry" in most sections. Steve couldn't believe this turnabout as he watched a family of 7 Common Mergansers here in stream full conditions only 3 weeks ago. There were 2 singing Carolina Wrens near the end of the trail in Salamanca.

NOTEWORTHY RECORDS

Underlined common names, dates or localities indicate that an acceptable, detailed written verification according to the *Date Guide to Birds of Western New York and Adjacent Ontario* (Seventh Edition - Revised 2001) has been received and placed in the permanent files of the Buffalo Ornithological Society.

- * Indicates first record for the year.
- F Indicates first record for the migration.
- L Indicates last record for the migration.
- (f) Indicates record from feeding station. (n) Indicate nest(s). (nestlg) Indicate nestling(s).
- PDBA Indicates Previously Documented Breeding Area.

	<u>Species</u>	July	Number	Location	Observer(s)
	Mute Swan	15	10	Fort Erie (Ont)	Watson, Pawlicki
	II .	31	8	Fort Erie (Ont)	Watson, Hamilton et al
	American Wigeon	23	4	Oak Orchard WMA	D'Anna et al
	"	28	1	Rock Point PP (Ont)	D'Anna et al
	Redhead	4	4	Tonawanda WMA	Yoerg
	Long-tailed Duck	<u>28</u>	2	Rock Point PP (Ont)	D'Anna et al
	"	<u>31</u>	1	Dunkirk Harbor	DiTommaso
	Common Goldeneye	$\overline{28}$	1	Rock Point PP (Ont)	D'Anna et al
	Common Merganser	15	11	Morgan's Point (Ont)	Watson, Pawlicki
	"	31	17	Fort Erie (Ont)	Watson, Hamilton et al
	Red-br. Merganser	6	3	Fort Erie (Ont)	Watson, Pawlicki
	Ruddy Duck	16	72	Batavia WWTP	Watson, Pawlicki
	Common Loon	28	1	Morgan's Pt. (Ont)	D'Anna et al
	11	31	1 imm	Allegany SP	Baird
	Dcrested Cormorant	5 - 23	8 recs: 308 ma	nx Niagara River	Watson
	**	6; 31	700; 1100	Mohawk I. (Ont)	Watson
:	Least Bittern	16	1	Iroquois NWR	Pawlicki, Watson
	11	17; 23	1; 1	Iroquois NWR	D'Anna et al
	Great Egret	2; 4; 31	2; 2; 4	Tonawanda WMA	Yoerg, Henderson
	11	4	1	Times Beach NP	Andrle
	**	8; 19	3 ad, 20 nstlg; 4		Watson
	11	15	2	Fort Erie (Ont)	Watson, Pawlicki
	11	16	22	Tonawanda WMA	Watson, Pawlicki
	11	16 - 20	1	Tonawanda	Hess
	**	29	3	Tifft NP	Andrle
	**	29	1	Buffalo Harbor	Morgante
	Black-cr. Night-Heron	2	2	Tonawanda WMA	Yoerg
	"	10	1	Lancaster	Morgante
	**	15; 31	1; 1	Port Colborne (Ont)	Watson
	**	31	1	Wilson	D'Anna
	Osprey	2; 4	3 (n)	Tonawanda WMA	Yoerg
		3 - 8	1 ad, 1 n	Allegany Reservoir	Hess
	11	3 - 8	2 ad, 2 n	Allegany SP	Hess
	11	8	1	Buckhorn I. SP	Watson, Damato
	н	16	2 ad,3 nstlg	Tonawanda WMA	Watson, Pawlicki
	11	16	2	Oak Orchard WMA	Pawlicki, Watson
	**	16	1 ad,2 nstlg	Iroquois NWR	Watson
	11	31	3 (n)	Tonawanda WMA	Yoerg, Henderson
	Bald Eagle	2	1	Grand I.	Lazarczyk
	"	2 - 14	1 nstlg	Navy I. (Ont)	Watson et al
	11	2; 31	1 ad, 1 imm	Tonawanda WMA	Yoerg, Henderson
	н	10	1 imm	Woodlawn Beach SP	DiTommaso
	11	13	1 imm	Lackawanna	DiTommaso

<u>Species</u>	July	<u>Number</u>	Location	Observer(s)
tt	16	1 nstlg	Iroquois NWR	Watson
11	21	1	Hanover	Moshers
Merlin	28; 29	1; 2	Salamanca	Baird
11	<u>29</u>	3	UB south campus	Yoerg
11	<u>30</u>	2	Buffalo	Morgante
Peregrine Falcon	25 ; 28	2; 2	Buffalo	Morgante
Virginia Rail	2; 4	30; 7	Tonawanda WMA	Yoerg
Common Moorhen	2; 4	4; 9	Tonawanda WMA	Yoerg
11	16	1 ad, 6 yg	Batavia WWTP	Watson
Black-bellied Plover	24F	4	Dunnville (Ont)	Yoerg, Henderson
Semipalmated Plover	15F	1	Woodlawn Beach SP	DiTommaso
"	17	1	West Lincoln (Ont)	Yoerg, Henderson
**	17	1	Rock Point PP (Ont)	Yoerg, Henderson
* American Avocet	19; 20	1	St. David's (Ont)	Roy; Watson
Greater Yellowlegs	16; 17	2; 4	Oak Orchard WMA	Watson; D'Anna, DiTommaso
11	17; 24	1; 1	Rock Point PP (Ont)	Yoerg, Henderson
Lesser Yellowlegs	2; 4	1; 1	Tonawanda WMA	Yoerg
11	6	1	Fort Erie (Ont)	Watson, Pawlicki
н	6; 15	8; 8	Rock Point PP (Ont)	Watson, Pawlicki
11	9	1	Wilson-Tuscarora SP	D'Anna
11	16	18	Oak Orchard WMA	Watson
Solitary Sandpiper	9F	1	Little Valley	Morgante
11	15	1	Fort Erie (Ont)	Watson, Pawlicki
11	16; 31	2; 9	Oak Orchard WMA	Watson, Yoerg et al
11	16;17;31	3; 1; 2	Tonawanda WMA	Watson, D'Anna et al
Whimbrel	<u>6F</u>	1	Rock Point PP (Ont)	Watson
66	17	1	Dunnville (Ont)	Yoerg, Henderson
Ruddy Turnstone	28F	2	Rock Point PP (Ont)	D'Anna et al
11	31	3	Rock Point PP (Ont)	Watson, Hamilton et al
11	31	1	Oak Orchard WMA	Yoerg, Henderson
Sanderling	17F	1	Wainfleet (Ont)	Yoerg, Henderson
"	17F; 24	5; 15	Rock Point PP (Ont)	Yoerg, Henderson
Semipalm. Sandpiper	15F	2	Morgan's Point (Ont)	Watson, Pawlicki
11	15; 31	10; 50	Rock Point PP (Ont)	Watson; Watson, Hamilton et al
"	17	1	Iroquois NWR	D'Anna, DiTommaso
n .	17; 24	10; 1	Wainfleet (Ont)	Yoerg, Henderson
"	17; 24	20; 40	Rock Point PP (Ont)	Yoerg, Henderson
***	28	375	Rock Point PP (Ont)	D'Anna et al
Least Sandpiper	2F; 4; 10	1; 5; 5	Tonawanda WMA	Yoerg; D'Anna, Potter
***	5	5	Beaver I. SP	Sharon
	6	12	Long Point CA (Ont)	Watson, Pawlicki
***	6; 15	13; 46	Rock Point PP (Ont)	Watson, Pawlicki
**	16	2	Batavia WWTP	Watson
**	17; 24	40; 1	Wainfleet (Ont)	Yoerg, Henderson
"	17; 24	20; 20	Rock Point PP (Ont)	Yoerg, Henderson
White-r. Sandpiper	28F	1	Rock Point PP (Ont)	DiTommaso, D'Anna et al
Baird's Sandpiper	31F	2	Rock Point PP (Ont)	Watson, Hamilton et al
Pectoral Sandpiper	6F; 15	1; 2	Rock Point PP (Ont)	Watson, Pawlicki
* Stilt Sandpiper	16F	4	Rock Point PP (Ont)	Watson, Pawlicki
11	17. 20	1	Tonawanda WMA	D'Anna et al
**	17; 20	1; 4	Rock Point PP (Ont)	Yoerg, Henderson; DiTommaso
11	24	3	Wainfleet (Ont)	Yoerg, Henderson
11	28	1	Rock Point PP (Ont)	D'Anna et al
	31	1	Oak Orchard WMA	Yoerg, Henderson

<u>Species</u>	July	<u>Number</u>	Location	Observer(s)
Short-b. Dowitcher	6F	1	Morgan's Point (Ont)	Pawlicki, Watson
n .	15	2	Rock Point PP (Ont)	Watson, Pawlicki
n e	17	16	Tonawanda WMA	D'Anna et al
н	17	16	Oak Orchard WMA	D'Anna, DiTommaso
	17	5	Iroquois NWR	D'Anna, DiTommaso
11	20	43	Rock Point PP (Ont)	DiTommaso
Caspian Tern	6	4	Fort Erie (Ont)	Watson, Pawlicki
" Caspian Tern	15	7 ad, 3 imm	Rock Point PP (Ont)	Watson
11	17	2	Tonawanda WMA	D'Anna et al
11	29	1	Tifft NP	Andrle
"	29	3	Buffalo Harbor	
11	31	14	Dunkirk Harbor	Morgante DiTommaso
Dlook Town				
Black Tern	2; 4	2; 15	Tonawanda WMA	Yoerg
11	16	2	Beaver I. SP	Sharon
	16	5	Iroquois NWR	Watson, Pawlicki
Whip-poor-will	24	3	Wainfleet (Ont)	Yoerg, Henderson
Red-headed Wdpkr.	4; 10	1; 1	Times Beach NP	Andrle
Common Raven	7	2	Allegany SP	Hess
	7	2	Andover	Brooks
	9; 17	2; 2	Alfred	Brooks
"	10	2	Ward	Brooks
Cliff Swallow	1	40, 45 n	Tonawanda I.	Watson
"	2	14, 35 n	Buckhorn I. SP	Watson
**	10	3 ad, 2 yg	Times Beach NP	Andrle
11	14	2, 28 n	Buckhorn I. SP	Watson
Carolina Wren	9	2	Salamanca	Morgante
11	10	1	Times Beach NP	Andrle
**	23	1	Eden	Andrle
**	23	2	Orchard Park	Morgante
Winter Wren	3 - 8	5	Allegany SP	Hess
tt.	9	1	Cattaraugus	Morgante
Ħ	18	1	Salamanca	Baird
Sedge Wren	20	1	Iroquois NWR	Chilton
Ħ	21	1	Buckhorn I. SP	Chilton
Swainson's Thrush	7	1	Allegany SP	Hess
Hermit Thrush	29	1	Alfred	Brooks
Nashville Warbler	3 - 8	2	Allegany SP	Hess
n	11	1	Andover	Brooks
Pine Warbler	10	1	Erie County Forest	Yoerg, Henderson
Prairie Warbler	2; 7; 17	2; 2; 2	Andover	Brooks
"	10	6	Yorkshire	Yoerg, Henderson
Cerulean Warbler	3 - 8	2	Allegany SP	Hess
"	18	3	Salamanca	Baird
Black-and-white Warb.	4	1	Almond	Brooks
"	18	2	Salamanca	Baird
La. Waterthrush	3 - 8	3	Allegany SP	Hess
	12	1	Pomfret	Mosher et al
Canada Warbler	18	2	Salamanca	Baird
Vacnar Sparrau	2	1		Andrle et al
Vesper Sparrow		2	Cambria	
Crossbarran	10	2 4 mags 2 may	Ashford	Yoerg, Henderson
Grasshopper Sparrow	7 - 20	4 recs;3 max	Andover	Brooks Vacas Handarson
Henslow's Sparrow	4	1	Lancaster	Yoerg, Henderson
	5	1	Lancaster	Morgante
Orchard Oriole	16	2	Rock Point PP (Ont)	Pawlicki, Watson

* Red Crossbill	10	1	Ward	Brooks
Species, subspecies, and	258			
Species, subspecies, and	006			
Total for the year 2005:	264			

<u>Number</u>

July

Species

Statisticians' Note: If any observer wishes to know the status of their verification report, please contact the Statisticians and we will give them the reasons for our decision. Please mail reports for each month not later than the FIFTH day of the following month to the Compiler: Bruce Chilton 88 Pryor Avenue, Tonawanda, NY 14150; Email: BChi314159@aol.com.

Location

Observer(s)

ACTUAL & PROPOSED BUDGETS FOR THE YEARS 2003 - 2006 FOR THE BUFFALO ORNITHOLOGICAL SOCIETY

Following is the budget and actual for the BOS fiscal year 2003-2004 and the proposed budgets for 2004-2005 and 2006. The 2004-2005 budget is for 15 months due to the transition to a fiscal year ending on 12/31. 2006 will be the first year with the BOS on a calendar year. Although the Society must vote on the 2004-2005 budget only, it is helpful to anticipate future needs and/or the spreading of expenses over more than one year. To this end the 2006 preliminary budget is included as a guide only and will need to be revised and voted on next year.

INCOME:		2003	2003-2004		2006
		Budget	Actual	P. Budget	P. Budget
	Opening Balance:	4316.64	4316.64	4901.62	2375.69
	2003-2004 Dues:	3800.00	3850.00	3800.00	3800.00
	Date Guide Sales	0.00	24.00	0.00	0.00
	Special Membership Premiums	500.00	616.00	500.00	500.00
	Misc. Income	20.00	34.58	20.00	20.00
	Seasonal Checklist Sales	150.00	78.00	50.00	50.00
	Total Income:	8786.64	8919.22	9271.62	6745.69

EXPENSE:			,	
General operating expenses	1000.00	888.36	1250.00	1000.00
Contributions	200.00	0.00	200.00	200.00
Speakers Fund (reimbursable expense for travel, lodging)	100.00	50.00	100.00	100.00
Vaughn Lecture Series (support)	100.00	0.00	100.00	100.00
Prothonotary	3000.00	2779.24	3750.00	3000.00
Meeting Room contribution to Science Museum	300.00	300.00	300.00	300.00
2009 Banquet Fund (reserved)	1500.00	**	345.93	645.93
R. Exp. for Delegates to An'l Meeting of NYS Ornithological Soc.	0.00	0.00	0.00	0.00
Young People's Weekend	100.00	0.00	100.00	100.00
BOS Graphics Coordination and Update	300.00	0.00	300.00	0.00
Section Map Project	400.00	0.00	400.00	0.00
BOS Seasonal Checklist	0.00	0.00	0.00	0.00
Beardslee & Mitchell update (support for reimbursable expense)	0.00	0.00	50.00	50.00
Total expense:	7000.00	4017.60	6895.93	5495.93
Ending bank balance (general operating contingency):	1786.64	4901.62	2375.69	1249.76

Submitted by the Budget Committee: Thomas O'Donnell, Lynne Landon, Terry Yonker, Gerry Rising, Mike Hamilton 2/9/05 Adopted at 2/9/05 meeting.

^{**2004} Banquet: Income \$1,298.00; Expense\$2,452.07; Reserve \$1,500.00= Remaining Balance \$345.93

Strawberry Island Bald Eagles

by Bill Watson

On February 6, 2004, I counted six Bald Eagles on Strawberry Island in the Niagara River. While this year on February 7, 2005 (12:20-12:40 PM EST) I found only two Bald Eagles at this location. Even more surprising was the observation of one Bald Eagle carrying a stick and later, a pair's half-hearted attempt at copulation.

Was this a pair of eagles attempting to establish a breeding territory? Were Bald Eagles going to return as breeders to the Niagara River after a 59 year absence?

"The Niagara Frontier in the early part of the nineteenth century was a favored haunt of the eagle. Especially was this true of the immediate vicinity of the Falls. Before the building of the bridge connecting Goat Island with the mainland, the birds nested on the island, but have not done so since that time. However, Alexander Wilson, who visited the region shortly thereafter stated in explanation of the picture in his book: 'In the background is seen a distant view of the celebrated cataract of Niagara, a noted place of resort for these birds, as well on account of the fish procured there, as for the numerous carcasses of squirrels, deer, bear, and various other animals, that, in their attempts to cross the river, above the falls, have been dragged into the current, and precipitated down that tremendous gulf; where among the rocks that bound the rapids below, they furnished a rich repast for the Vulture, the Raven, and the Bald eagle...' "In describing nesting locations it is stated in reference to the Niagara River: "...a nest on Navy Island, Ontario, which was in use in 1946, and which we believe contained eggs on March 16 when an adult sat closely and apparently turned eggs..." (Beardslee and Mitchell 1965).

February 9 (9:35-10:00 AM): Only one eagle was on Strawberry Island and it left at 9:40.

February 10 (12:16-12:40 PM): At 12:19, 12:31, and 12:35 the smaller male was circling the cormorant colony trees carrying various sticks between three and five feet in length in its talons; however, the female ignored his attempts to entice her to start building a nest, and sat on a branch in the southern part of the cormorant colony, and other than turning her head she was motionless the entire study period.

February 12 (12:15-12:55 PM): Both Bald Eagles were carrying sticks as they circled the trees of the island. After the female landed in the tree her stick fell to the ground. At 12:30 an eagle was carrying a stick that was estimated to be at least twelve feet long that also fell to the ground. The male again brought sticks to northern most tree in the cormorant colony at 12:34 and 12:46, the last stick he carefully arranged on an old cormorant nest with his bill.

February 15 (11:28-11:50 AM): The two birds simply sat in the trees with no activity.

February 17 (2:52-3:15 PM): The eagles were in southern part of the southern most tree with little activity other than preening of the female.

February 21 (10:32-11:30 AM): Only the female was observed in the tree south of the cormorant colony for the entire study period. A King Eider feeding between the island and me was an unexpected bonus!

February 23 (9:03-9:34 AM): An eagle landed in the trees at 9:21 and was still there at the end of the observation

February 24 (8:58-10:00 AM): There was a bonanza of stick carrying activity with the male carry sticks on seven occasions and even left two of them at the same location. The female carrying sticks on three occasions, but then she indulged in a bizarre behavior. She would remove large sticks about ten or twelve feet long from their location near the top of the tree and slowly hover down to the ground with them! Was she building a nest on the ground? Or was she of the opinion that Strawberry Island was not a preferred nest site? If this was the case, Peter Nye (NYS-DEC) and I shared her concern. Bald Eagles are sensitive to human disturbance. The Sheridan Drive boat launch is only.7 miles from Strawberry Island, as is Buffalo, while Tonawanda is less than 0.5 miles to the east. Strawberry Island shallows are a very popular fishing area, and picnickers and recreational boaters also frequent the island.

During March the nest was studied on nine days for a total of 193 minutes. On March 3 (10:15-10:50 AM) a Bald Eagle flew over Strawberry Island at 10:20 and again at 10:40. On March 9 (11:02-11:40 AM) an eagle sat in one of the trees from 11:30-11:40, while on March 24 (6:45-6:50 PM) a roosting bird was observed. No eagles were observed on March 5, 16, 23, 27, 30, and 31.

Curiously, on the morning of February 20 Peter Yoerg found a nest on Navy Island and two adult Bald Eagles. He observed the male bringing a thin stick about five feet long to the nest, while the female was perched near the nest trying to break off a branch with her bill. He also observed the male bringing to the nest what appeared to be nesting material (Yoerg, 2005). It is possible that the Strawberry Island and Navy Island eagles were the same pair, and the observed behavior at Strawberry Island was simply exuberant stick carrying behavior at a foraging-roosting site.

In conclusion, on February 10, 12, and 24, Bald Eagles were observed carrying sticks on 16 occasions. Generally the male was a very active participant carrying sticks 11 times, while the female was passive and only observed carrying sticks four times (two of these times she was dismantling the foundation of the nest and twice she was bringing sticks into the trees). She would often sit still in the tree as the male circled with sticks. After she dismantled the nest foundation by removing two large twelve-foot long sticks and hovering down to the ground with them, stick carrying behavior ceased.

Acknowledgements: I would like to thank Mitchell and Marjorie Harwitz for sharing their observations between 12:00 and 12:30 on March 5th and Jerry Lazarczyk for assisting with observations.

Literature Cited: Beardslee, C. S. and Mitchell. 1965. *Birds of the Niagara Frontier Region*. Bulletin of the Buffalo Society of Natural Sciences, vol. 22.


Yoerg, P. 2005. Personal Communications.

Buffalo Ornithological Society Buffalo Museum of Science 1020 Humboldt Parkway Buffalo, NY 14211-1293

Return Service Requested

Non. Profit Org.
U.S. Postage
PAID
Buffalo, NY
Permit No. 412

Albert R. Mann Library Acquisitions Division-Serials Cornell University Ithaca, NY 14853-4301



14853+0099-99 CO5i

BOS website http://www.bosbirding.org/



Buffalo-Niagara Region Dial-a-Bird: 716-896-1271

October - November Calendar

October 22: Saturday not Sunday. Lake Ontario Plain Field Trip for fall migrants. Leader: Willie D'Anna (731-4348 or dannapotter@wzrd.com). Meet at 8 a.m. at Tops Market in Wright's Corners. This is on the east side Route 78 at Route 104.

October 26: BOS Meeting at 7:30 PM in the Cummings room of the Buffalc Museum of Science. Jean Irons, 1995-2004 president of the Ontario Field Ornithologist, will discuss the Carden Alvar, a globally rare grassland hal tat located northeast of Toronto. This informative and entertaining presentation features wildflowers, butterflies, and grassland birds.

November 9: BOS Meeting at 7:30 PM in the Cummings room of the Buffal Museum of Science. Marty Schlabach and David Carson of Cornell University will present Of Birds and Poetry: Alexander Wilson's 1804 Expedition to Niagara Falls with power point and slides.

November 20: Sunday. Niagara River joint trip with Rochester GOS, for gulls and waterfowl. Meet at 9:00 AM at Fort Niagara State Park in the paring lot just outside the old fort. Since this trip will mostly be in Canada, it suggested that you bring at least two forms of ID including photo ID and proof of citizenship, such as birth certificate, passport, or voter registration card. Non-citizens should bring passports. Leaders: BOS Mike Hamilton (881-6709 or mhsr@wzrd.com) and GOS Bob Spahn (585-671-5690 or RSPAHN@prodigy.net).

The PROTHONOTARY



Published Monthly by the

NOV BUFFALO **O**RNITHOLOGICAL SOCIETY

Volume 71, No. 9 September, 2005

A T. M. LETTY

8 2005

THE MONTH: August

by Jerry Lazarczyk

The summer of 2004 was one of the coolest and cloudiest ever recorded in WNY and the Northeast while the summer of 2005 was one of the hottest. This summer will also be remembered for the number and strength of hurricanes.

August was warm and wet. Summer heat and humidity continued for the first part of the month with temperatures above 80 °F for all but two of the first 21 days. The last half of the month featured moderate summer conditions except for record rainfall from the remains of Hurricane Katrina on the 31st. The average temperature of 72.8 °F made it the ninth warmest on record. Temperatures were above normal on 26 of the 31 days: 21 days saw temperatures in the 80s, 9 of which reached at least 85 °F with 1 90 degree reading on the 4th. The month started uncomfortable with minimum temperatures from the mid-60s to low 70s for 12 of the first 14 days.

A thunderstorm brought some relief from dry conditions on the 1st. The next significant rain came with thunder-storms on the 12th and the 19th. The month finished with the remains of Katrina bringing 3 inches of rain during the 13th and 31st. This brought flooding to streets and poorly drained areas, but area creeks remained within their banks. The month totaled 5.92 inches of rain, the 8th wettest on record and the wettest since 1979.

Sunshine totaled 63% of total possible for the month. The Lake Erie temperature remained above normal and did not fall to 75°F until the 18th. Overall, it was another great month for pools, beaches and air conditioners.

A Piping Plover seen first by Jim Pawlicki then Bill

81 The Month by Jerry Lazarczyk 82 Alexander Wilson Talk by Bill Watson 83 **Noteworthy Records** by Bruce Chilton Lake Erie Field Trips 87 by Michael Hamilton

BOS Calendar

Watson at Rock Point Provincial Park on August 18th was exceptional: only 11 have been previously recorded. Historic records indicate that this species nested on the northern shore of Lake Erie until 1939, since

then excluded by human activity.

An exceptional 4 Merlins at the South UB Campus and 1 at Dunnville, Ontario, highlighted the month. This species nested in Buffalo during 2005 (see Prothonotary 71, issues 6 and 8). Recent records have no June sightings and only 1 sighting in July and 8 in August. Historic records considered the Pigeon Hawk, (the Merlin's former name) rare in WNY and very exceptional outside migration. However, a report of a nest was noted in 1939.

An Eared Grebe reported by Bill Watson and Jim Pawlicki at the Batavia Waste Water Treatment Plant on August 15th is also exceptional. Other than a single record from July 1980 at Erie Beach, all other records for the past 8 years are from that treatment area. Beardsley and Mitchell consider the species "irregular very rare" dating from the first record on Nov. 14, 1948. The first preserved specimen which presumably met its death by falling over the Falls was collected Feb. 6, 1950 below the Falls.

The very rare for early August Peregrine Falcon sightings were made in Buffalo by Brendan Klick and at Oak Orchard by Willie D'Anna. These continue to document



Wilson's Phalarope photographed by Willie D'Anna on August 20th, 2005 at Goose Pond, Oak Orchard WMA.

Prothonotary is published monthly by the Buffalo Ornithological Society, Buffalo Museum of Science. Buffalo, NY 14211. Send subscriptions and address changes to the Corresponding Secretary, Karen Landau, S-9195 State Road, Colden, NY 14033. The regular subscription rate is \$20/year. Back issues are available from the Treasurer for \$2/issue.

Please mail correspondence to: Jack Skalicky 178 N Main, Suite K55 Salt Lake City, UT 84103-2075 [Email] skalicky@biochem.utah.edu Ed. Consultants: Robert Andrle Gerry Rising William Watson Production: Audrey Horbett

Eileen Hull

Society Officers	:
President:	Terry Yonker
V. President:	Lynne Landon
Treasurer:	Thomas O'Donnell
Rec. Secretary:	Donna DeLeon
Corr. Secretary:	Karen Landau
Statisticians:	Robert Andrle
	Frances Rew
Librarian:	Audrey Horbett
Archivist:	Audrey Horbett
Council:	
2003-2005	Mike Hamilton
	Tom LeBlanc
	Mike Morgante
2004-2006	Bob DeLeon
	Mike Desha
	Jim Landau
2005-2007	Mike Galas
	Jerry Lazarczyk
	Gail Seamans

the recovery trend of the species since the days of widespread DDT use. Historic records document sightings near Letchworth Park and throughout WNY.

A rare August Pine Warbler was first reported by Jim Pawlicki then Bill Watson from Palmer Pond State Forest. Mike Morgante also found 2 Pine Warblers in Birdsong Park in Orchard Park. Recent records include only 4 verified August sightings while August historic records have only 1 report of this rare breeder in the BOS region.

Several Long-tailed Ducks were recorded from Rock Point Provincial Park on Mike Hamilton's Field Trip. They also saw a Whimbrel on the east side of Morgan Point. Susan O'Donnell reported another Whimbrel from Iroquois. The Seasonal Checklist of the Birds lists Whimbrel as rare in August.

Although there are 43

August records between 1965 and 2003 for Western Sandpiper, it is still considered a rare visitor to our region. Brendan Klick saw 1 on August 14 at Woodlawn Beach and Dean DiTommaso possibly the same bird there on August 22. Both were juveniles and were distinguished from Semipalmated Sandpipers by their red scapulars among other characteristics.

I thank Bill Watson, Bob Andrle and David Suggs (BOS Noteworthy Records Database custodian) for help in preparing this article. Recent records are taken from that database and historic records from Beardsley and Mitchell.

Marty Schlabach and David Corson to Lecture on Alexander Wilson

By William Watson

Marty Schlabach and David Corson of Cornell University will present, "Of Birds and Poetry: Alexander Wilson's 1804 Expedition to Niagara Falls" at the Buffalo Museum of Science at 7:30 pm on November 9.

Although birders may be familiar with the name Wilson, from the names Wilson's Storm-petrel, Wilson's Plover, Wilson's Phalarope, Wilson's Snipe, and Wilson's Warbler, few know the achievements of this American ornithologist.

Alexander Wilson was born in Paisley, Scotland, in 1766. When he was 28 he immigrated to Philadelphia, where he met the naturalist William Bartram, who encouraged him to write a book about the birds of North America. Between 1808 and 1813 he wrote the first eight volumes of his American Ornithology, a monumental work which influenced ornithologists in both America and Europe, including John James Audubon.

It is the trip to Niagara Falls from Philadelphia that will be the focus of this lecture. The speakers have noted: "Although most commonly known today as 'the Father of American Ornithology', Alexander Wilson was also an indefatigable traveler and poet. In the late fall of 1804 he traveled, by foot and then by boat, from Philadelphia to Niagara Falls. Walking from Philadelphia, he passed through the Finger Lakes, and then, by storm-tossed boat, crossed Lake Ontario to Fort Niagara, and thence to "the thundering tumult" that was his destination. Wilson subsequently described his mighty adventures, his vivid impressions of the landscape, and the flora and fauna observed, in an epic poem entitled, The Foresters. On the 201st anniversary of this remarkable journey, we will use Wilson's art and his poetry as the basis for exploring both his contributions as an ornithologist and his historic visit to western New York."

David Corson is currently the Curator of History of Science Collections, Division of Rare and Manuscript Collections at the Cornell University Library. Martin Schlabach is the director of the Comstock Library of Entomology on the Ithaca campus of Cornell University and also the Frank A. Lee Library at the New York State Agricultural Experiment Station in Geneva, New York.

NOTEWORTHY RECORDS

Underlined common names, dates or localities indicate that an acceptable, detailed written verification according to the *Date Guide to Birds of Western New York and Adjacent Ontario* (Seventh Edition - Revised 2001) has been received and placed in the permanent files of the Buffalo Ornithological Society.

- * Indicates first record for the year.
- F Indicates first record for the migration.
- L Indicates last record for the migration.
- (f) Indicates record from feeding station. (n) Indicate nest(s).

PDBA - Indicates Previously Documented Breeding Area.

<u>Species</u>	August	Number	Location	Observer(s)
Mute Swan	23; 31	6; 6	Fort Erie (Ont)	Yoerg
Blue-winged Teal	14; 15	4; 4	Oak Orchard WMA	Klick; Watson
Northern Shoveler	15	5	Batavia WWTP	Watson, Pawlicki
**	28	1	Iroquois NWR	S&T O'Donnell
Northern Pintail	20	1	Tonawanda WMA	D'Anna et al
Green-winged Teal	6	1	Windmill Pt. (Ont)	D'Anna (OFO)
11	15	9	Batavia WWTP	Watson, Pawlicki
Long-tailed Duck	<u>6</u>	2	Rock Point PP (Ont)	D'Anna (OFO)
"	<u>14; 22</u>	2; 5	Rock Point PP (Ont)	Yoerg
**	<u>18; 28</u>	3; 3	Rock Point PP (Ont)	Watson (BOS)
Hooded Merganser	14	1	Times Beach NP	Klick
Common Merganser	6	8	Morgan's Pt. (Ont)	D'Anna (OFO)
**	6	15	Fort Erie (Ont)	D'Anna (OFO)
11	13	18	Niagara Falls	Klick
**	28	16	Rock Point PP (Ont)	Watson et al (BOS)
Red-br. Merganser	6	1	Rock Point PP (Ont)	D'Anna (OFO)
**	21	1	Mohawk Pt. (Ont)	Watson
Ruddy Duck	12	1	Tonawanda WMA	T O'Donnell
11	15	95	Batavia WWTP	Watson
Eared Grebe	15	1	Batavia WWTP	Watson, Pawlicki
Dcrested Cormorant	15	44	Batavia WWTP	Watson
11	18; 28	337; 220	Reef Lighthouse	Watson
11	23	681	Buckhorn I. SP	Watson
11	28	350	Rock Point PP (Ont)	Watson et al (BOS)
American Bittern	14	1	Tonawanda WMA	S&T O'Donnell
Great Egret	14	47	Iroquois wetlands complex	Klick
"	15	5	Times Beach	Yoerg, Henderson
**	20	2	Oak Orchard WMA	D'Anna, Yoerg
11	25	1	Tifft NP	Watson, Pawlicki
11	31	1	Beaver I. SP	Lazarczyk
Green Heron	9	14	Tonawanda WMA	S&T O'Donnell
Black-cr. Night-Heron	· 25	11	Tifft NP	Watson
Osprey	3	1	Grand I.	Lazarczyk
11	8 - 16	1	Sinking Ponds	Holmes
11	18	1	Times Beach NP	Andrle
11	24	1	Amherst	Pawlicki
11	28	1	Long Beach CA (Ont)	Watson et al
"	28	3	Iroquois NWR	Yoerg
11	31	1	Fort Erie (Ont)	Yoerg
Bald Eagle	28	1	Bliss	Junkin
Red-shouldered Hawk	25	1	Tifft NP	Pawlicki, Watson
11	28	1	Bliss	Junkin
Broad-winged Hawk	2; 12	1; 1	Alfred	Brooks

	Species	August	<u>Number</u>	Location	Observer(s)
	11	11	1	Palmer Pond SF	Watson, Pawlicki
	"	11	1	Phillips Creek SF	Pawlicki, Watson
	"	22	1 (juv)	Iroquois NWR	M Coniglio
	Merlin	<u>2 - 25</u>	7 recs; 4 max	UB south campus	Yoerg
	"	<u>29</u>	1	Dunnville (Ont)	Rew, K&J Landau
	Peregrine Falcon	<u>15</u>	3	Buffalo	Klick
	"	<u>20;</u> 28	1 imm; 1 imm	Oak Orchard WMA	D'Anna; Yoerg
	"	$\frac{\underline{\underline{\underline{\underline{u}}}}}{22}$	1	Grand I.	S O'Donnell
	Virginia Rail	7	1	Iroquois NWR	Yoerg, Henderson
	"	20	1	Oak Orchard WMA	Yoerg
	Black-bellied Plover	6; 18	10; 54	Dunnville (Ont)	D'Anna (OFO); Watson
	"	28	80	Dunnville (Ont)	Watson et al (BOS)
	**	28	14	Jaeger Rocks (Ont)	Watson, Pawlicki
	11	14 - 31	10 other recs	WNY and Ont.	Several observers
*	Amer. Golden-Plover	28F	4	Dunnville (Ont)	Watson et al (BOS)
	"	29	6	Dunnville (Ont)	Rew, K&J Landau
	"	31	13	Porter	D'Anna, Potter
	"	31	3	Wilson	Potter, D'Anna
	Semipalmated Plover	14; 18	15; 24	Rock Point PP (Ont)	Yoerg, Henderson; Watson
	"	15	16	Batavia WWTP	Watson
	"	7 - 29	6 other recs	WNY and Ont.	Several observers
*	Piping Plover	18F	1	Rock Point PP (Ont)	Watson et al
	Greater Yellowlegs	14	2	Iroquois NWR	Klick
	"	15	2	Batavia WWTP	Watson, Pawlicki
	"	20	1	Oak Orchard WMA	D'Anna et al
	H	21	1	Long Beach CA (Ont)	Watson
	11	28	1	Jaeger Rocks (Ont)	Watson
	**	31	10	Fort Erie (Ont)	Yoerg
	Lesser Yellowlegs	15	40	Oak Orchard WMA	Watson
	**	18; 29	36; 8	Rock Point PP (Ont)	Watson; Rew, K&J Landau
	Solitary Sandpiper	7; 20	8; 10	Oak Orchard WMA	Yoerg, Henderson
	11	20	4	Oak Orchard WMA	D'Anna et al
	"	20	3; 4	Tonawanda WMA	D'Anna et al; Yoerg
*	Willet	14F	1	Woodlawn Beach SP	Klick
	Whimbrel	6	1	Dunnville (Ont)	D'Anna (OFO)
	"	28	1	Iroquois NWR	S O'Donnell
	"	28	1	Morgan's Pt. (Ont)	Watson
	Ruddy Turnstone	14	1	Long Beach CA (Ont)	Yoerg, Henderson
	"	14; 22	3; 3	Rock Point PP (Ont)	Yoerg, Henderson; Yoerg
	"	15	1	Batavia WWTP	Watson, Pawlicki
	11	18; 29	7; 3	Rock Point PP (Ont)	Watson, Pawlicki; Rew, K&J Landau
	Red Knot	14F; 22	1; 2	Rock Point PP (Ont)	Yoerg, Henderson; Yoerg
		18; 29	1; 5	Rock Point PP (Ont)	Watson, Pawlicki; Rew, K&J Landau
	"	28	1	Jaeger Rocks (Ont)	Watson, Pawlicki
		31	1	Fort Erie (Ont)	Yoerg
	Sanderling	14;16;31	17; 6; 40	Woodlawn Beach SP	Klick;Morgante;Morgante
	11	14; 22	8; 5	Rock Point PP (Ont)	Yoerg, Henderson; Yoerg
	11	28	6	Jaeger Rocks (Ont)	Watson
	11	29	11	Rock Point PP (Ont)	Rew, K&J Landau
		31	31	Dunkirk Harbor	Moshers, Gula
	Semipalm. Sandpiper	16; 27	4; 4	Woodlawn Beach SP	Morgante
	11	29	28	Rock Point PP (Ont)	Rew, K&J Landau
*		29	13	Lowbanks (Ont)	Rew, K&J Landau
	Western Sandpiper	14F; 22	1; 1	Woodlawn Beach SP	Klick; DiTommaso

Species	August	<u>Number</u>	Location	Observer(s)
11	22	1	Rock Point PP (Ont)	Yoerg
Least Sandpiper	21	45	Long Beach CA (Ont)	Watson
"	25	31	Tifft NP	Watson
11	15 - 29	6 other recs	WNY and Ont.	Morgante
White-r. Sandpiper	14; 22	1; 2	Rock Point PP (Ont)	Yoerg
" Sandpiper	18	1, 2	Woodlawn Beach SP	DiTommaso
11	31	4	Porter	D'Anna, Potter
Baird's Sandpiper	14; 15	1; 1	Oak Orchard WMA	Klick; Pawlicki, Watson
"	14; 21	1; 1	Long Beach CA (Ont)	Yoerg, Henderson; Watson
11	15; 16	3; 2	Woodlawn Beach SP	Yoerg, Henderson; Morgante
11	18; 22	9; 4	Rock Point PP (Ont)	Watson; Yoerg
11	18; 22	3; 3	Woodlawn Beach SP	DiTommaso
11	22	3, 3 1	Wainfleet (Ont)	
11	27	3	Oak Orchard WMA	Yoerg D'Anna et al
11	31	2	Dunkirk Harbor	
Dagtaral Candnings				Moshers, Gula
Pectoral Sandpiper	7; 14	18; 18	Oak Orchard WMA	Yoerg, Henderson; Klick
***	14	30	Rock Point PP (Ont)	Yoerg, Henderson
"	15; 28	28; 3	Oak Orchard WMA	Watson; Yoerg
"	16; 27	1; 2	Woodlawn Beach SP	Morgante
	18	58	Rock Point PP (Ont)	Watson, Pawlicki
	29	6	Rock Point PP (Ont)	Rew, K&J Landau
Stilt Sandpiper	14; 15	2; 12	Oak Orchard WMA	Klick; Watson
	14; 21	1; 2	Long Beach CA (Ont)	Yoerg, Henderson; Watson
	20; 28	2; 1	Oak Orchard WMA	Yoerg
	22	4	Rock Point PP (Ont)	Yoerg
"	28	1	Morgan's Pt. (Ont)	Watson et al (BOS)
Short-b. Dowitcher	14; 15	7; 4	Oak Orchard WMA	Klick; Pawlicki, Watson
	18; 29	22; 5	Rock Point PP (Ont)	Watson; Rew, K&J Landau
	20	4	Oak Orchard WMA	D'Anna et al
**	20	4	Tonawanda WMA	D'Anna et al
Wilson's Snipe	14	6	Oak Orchard WMA	Klick
11	14	1	Tonawanda WMA	S&T O'Donnell
Wilson's Phalarope	20F	1	Oak Orchard WMA	Potter et al; Yoerg
Bonaparte's Gull	13	85	Niagara Falls	Klick
**	14;16	4; 70	Woodlawn Beach SP	Klick; Morgante
11	15	2	Batavia WWTP	Pawlicki, Watson
11	25; 31	51; 225	Woodlawn Beach SP	Watson; Morgante
"	28	150	Jaeger Rocks (Ont)	Watson
11	29	11	Rock Point PP (Ont)	Rew, K&J Landau
Caspian Tern	28	200	Mohawk I. (Ont)	Watson
"	31	250	Jaeger Rocks (Ont)	Yoerg
11	14 - 29	8 other recs	WNY and Ont.	Several observers
Forster's Tern	18F; 23	3; 4	Jaeger Rocks (Ont)	Watson, Pawlicki; Yoerg
**	18F; 27	2	Woodlawn Beach SP	DiTommaso
11	27	3	Woodlawn Beach SP	Morgante
Black Tern	14	5	Iroquois NWR	Klick
Common Nighthawk	12F; 28	1; 10	Amherst	Pawlicki
"	13	1	Buffalo	Yoerg
**	26	8	Amherst SP	Morgante
"	28	2	Lockport	S O'Donnell
11	29; 30	1; 2	Tonawanda	Hess
- 0	31	1	Niagara Falls	T O'Donnell
Red-headed Wdpkr.	16	1	Lakeside Mem. Pk.	Andrle
11	20; 25	1; 1	Times Beach NP	Watson, Andrle; Watson, Pawlicki

<u>Species</u>	August	Number	Location	Observer(s)
**	23	2	Fort Erie (Ont)	Yoerg
11	31	1	Erie Beach (Ont)	Yoerg
Yellow-b. Flycatcher	19	1	Amherst	Pawlicki
Acadian Flycatcher	8	1	Sinking Ponds	Holmes
Philadelphia Vireo	24F	1	Wilson-Tuscarora SP	Pawlicki
" Timaderpina vireo	31	1	Goat I.	Roberson
Common Raven	11	1	Phillips Creek SF	Watson, Pawlicki
"	21	2	Andover	Brooks
Bank Swallow	7	2000	Tonawanda WMA	DiTommaso
Cliff Swallow	1	14 + 28n	Tonawanda I.	Watson
" Swallow	6	14 + 2011	Rock Point PP (Ont)	D'Anna (OFO)
11		0 od 125 va		Moshers
**	18	8 ad+35 yg	North Harmony Tonawanda I.	
Carl Carly	24	22 + 25n		Watson
Carolina Wren	3; 20; 28	1; 1; 1	Times Beach NP	Hess; Watson; Andrle
**	8	1	Sinking Ponds	Holmes
	18	1	Fort Erie (Ont)	Watson, Pawlicki
Winter Wren	18	3	Ward	Brooks
Blgr. Gnatcatcher	17	1	Wilson	Potter
"	28	1	Orchard Park	Morgante
Blue-winged Warbler	25F	1	Tifft NP	Sharon
Brewster's Warbler	19	1	Wilson	Potter, D'Anna
Tennessee Warbler	19F	1	Wilson	Potter
11	31	1	Goat I.	Roberson
Nashville Warbler	17F	1	Wilson	D'Anna, Potter
Yellow Warbler	29	1	Goat I.	Roberson
11	28	2	Orchard Park	Morgante
Chestnut-s. Warbler	19	1	Wilson	Potter
11	28	1	Orchard Park	Morgante
Magnolia Warbler	19F	1	Wilson	Potter
**	31	3	Goat I.	Roberson
Cape May Warbler	17F; 19	1; 3	Wilson	D'Anna, Potter; Potter
Blthr. Blue Warbler	24F	2	Wilson-Tuscarora SP	Pawlicki
Yellow-r. Warbler	17F	1	Wilson	Potter
ff .	18	4	Rock Point PP (Ont)	Watson, Pawlicki
Blackburnian Warbler	19F	2	Wilson	Potter
H .	28	1	Orchard Park	Morgante
Pine Warbler	11	1	Palmer Pond SF	Watson, Pawlicki
11	<u>28</u>	2	Orchard Park	Morgante
Bay-breasted Warbler	<u>1</u> 9F	1	Wilson	Potter
"	20	1	Times Beach NP	Watson
**	24	1	Wilson-Tuscarora SP	Pawlicki
Blackpoll Warbler	17F	1	Wilson	Potter
"	20	1	Times Beach NP	Andrle
**	24	1	Amherst	Pawlicki
Ħ	31	1	Goat I.	Roberson
Black-and-white Warb.	8	1	Alfred	Brooks
mack-and-write warb.	20F	1	Times Beach NP	Watson
11	29	1	Goat I.	Roberson
Ovenbird	29 24F	1		
Northern Waterthrush		1	Amherst Crassent Peach (Ont)	Pawlicki
" watermrush	6F	1	Crescent Beach (Ont)	D'Anna (OFO)
Mourning Worklan	8	1	Sinking Ponds	Holmes
Mourning Warbler	19F	1	Wilson	Potter
	20	1	Oak Orchard WMA	D'Anna et al
Hooded Warbler	20F	1	Amherst	Pawlicki

<u>Species</u>	<u>August</u>	Number	Location	Observer(s)
11	22	1	Alfred	Brooks
Wilson's Warbler	27F	1	Wilson	D'Anna, Potter
Canada Warbler	19F	1	Amherst	Pawlicki
11	28	1	Orchard Park	Morgante
**	30	1	Colden	J Landau
Dark-eyed Junco	27F	1	Wilson	Potter, D'Anna
Bobolink	14	200	Oak Orchard WMA	S&T O'Donnell
п	28	1	Orchard Park	Morgante
Eastern Meadowlark	7	14	Alfred	Brooks
Common Grackle	24	<u>693</u>	Amherst	Pawlicki
Orchard Oriole	3; 13L	1; 1	Wilson	Potter, D'Anna
Purple Finch	4	1	Wilson (f)	D'Anna

Species, subspecies, and hybrids previously recorded this year:

Species, subspecies, and hybrids recorded for this month:

O05

Total for the year 2005:

Statisticians' Note: If any observer wishes to know the status of their verification report, please contact the Statisticians and we will give them the reasons for our decision. Please mail reports for each month not later than the FIFTH day of the following month to the Compiler: Bruce Chilton 88 Pryor Avenue, Tonawanda, NY 14150; Email: BChi314159@aol.com.

July 31 and August 28 Lake Erie Shorebird Field Trip Reports

by Michael Hamilton

On July 31 fifteen of us checked out shorebird habitat along the north shore of Lake Erie from Fort Erie to Rock Point Provincial Park with stops at Rose Hill, Stonemill and Prospect Point S. Roads, Morgan's Point, Rock Point and the sod farms along Canal Bank Rd. Our search was aided by lower lake levels this year exposing more feeding area for shorebirds.

Our most productive stop was at Rock Point where there were good shorebird numbers including 12 species: Baird's (2, spotted by Jim Pawlicki), Least, Semipalmated, Pectoral, and Spotted Sandpipers; Rudy Turnstones (2), Sanderlings, Short-billed Dowitchers (3), Lesser Yellowlegs,



Least
Sandpiper
photographed
by Melissa
Coniglio on
August 3rd,
2005 at
Batavia
WWTP

Killdeers, Semipalmated Plovers and one Black-bellied Plover. Five more Black-bellies were seen at one of the few remaining sod farms along Canal Bank Rd. (most of the former sod fields have been converted to growing soy beans and the few remaining sod fields along the south side of Poth Rd. are brown).

A breeding plumaged Bonaparte's Gull was noted at Stonemill Rd., 2 Caspian Terns (one with a fish) and a Cedar Waxwing at Morgan's Point, a Belted Kingfisher near Port Maitland and a Rose-breasted Grosbeak along the way.


On August 28, with stops at Rose Hill and Stone Mill Roads, Prospect Point Road S., Morgan Point, Rock Point Provincial Park, sod farms along Canal Bank Rd., and Poth Road we had 14 species of shorebirds numbering approximately 300 individuals. We had great looks at a juvenile Whimbrel, spotted by Bill Watson from Harbourview Road, just east of Morgan Point, with feet that looked diseased but turned out to be caked with mud and grass, giving it a club-footed look. At the bay just east of Grabell Point we had good looks and much discussion regarding a juvenile Stilt Sandpiper. Our most productive stop was at Rock Point PP where there were many Semipalmated, Least and Spotted Sandpipers, Lesser Yellowlegs, Sanderlings, Semipalmated Plovers, several Pectoral and One Baird's Sandpiper, spotted by Jim Pawlicki, and 3 Rudy Turnstones. At the one remaining sod farm on Canal Bank Road we had approximately 85 Black-bellied Plovers and at least two, probably more, American Golden Plovers. Off Poth Road there was a big concentration of Killdeer.

Other birds of interest were several Long-tailed Ducks at Rock Point, Blue-winged Teal and Common Mergansers at Bertie Bay Road and a huge mixed flock of terns and gulls rising and falling like smoke around Mohawk Island. Buffalo Ornithological Society Buffalo Museum of Science 1020 Humboldt Parkway Buffalo, NY 14211-1293

Return Service Requested

Non. Profit Org.
U.S. Postage
PAID
Buffalo, NY
Permit No. 412

Albert R. Mann Library Acquisitions Division-Serials Cornell University Ithaca, NY 14853-4301



LEGG EE-EEGG+EEBAL

BOS website http://www.bosbirding.org/



Buffalo-Niagara Region Dial-a-Bird: 716-896-1271

November – December Calendar

November 9: BOS Meeting at 7:30 PM in the Cummings room of the Buffal Museum of Science. To celebrate the 201st anniversary of Alexander Wilson's epic foot Journey from Philadelphia to Niagara Falls Marty Schlabad and David Corson of Cornell University will present the lecture "Of Birds and Poetry: Alexander Wilson's 1804 Expedition to Niagara Falls" with power point and slides. This will be followed by the election of Officers.


November 20: Sunday. Niagara River joint trip with Rochester GOS, for gulls and waterfowl. Meet at 9:00 AM at Fort Niagara State Park in the par ing lot just outside the old fort. Since this trip will mostly be in Canada, it i suggested that you bring at least two forms of ID including photo ID and proof of citizenship, such as birth certificate, passport, or voter registration card. Non-citizens should bring passports. Leaders: BOS Mike Hamilton (881-6709 or mhsr@wzrd.com) and GOS Bob Spahn (585-671-5690 or RSPAHN@prodigy.net).

December 3: Saturday. Niagara River for Gulls. Meet at 8:00 AM near the Peace Bridge at Vermont and Busti. Bring passport or appropriate identification for customs. Bad weather dates December 4, 10, and 11. Call: Peter Yoerg (716-834-6313 or morning of trip 838-6163).

December 14: Buffalo Ornithological Society Annual Holiday Celebration at 7:30 PM in the Cummings Room of the Buffalo Science Museum. Please bring a treat to share and enjoy an evening of birding friendship.

TO THE REPORT OF THE PERSON OF

The PROTHONOTARY



Published Monthly by the

BUFFALO

ORNITHOLOGICAL

SOCIETY

Volume 71, No. 10 October, 2005

A.R MANN LIBRARY

2005

THE MONTH: September

by Tim Baird

I hate weather you can't complain about. Many areas of the United States have had a tough go of it in the weather department recently, but western New York is not one of them. If a warm, dry summer is to your liking, this one was a delight, and it flowed nicely into September. According to the National Weather Service, this was Buffalo's warmest June to September period in history.

September's average temperature of 66.0° Fahrenheit was 4.5° above normal making September the tenth warmest in 135 years of weather records for Buffalo. The temperature reached 80° or better on six days in the month topping out at 85° on the 13th. September increased the total to four consecutive months of top ten temperature records. Only September 30th was cooler than normal with the month's minimum temperature for Buffalo dropping to 43°. Temperature is heavily dependent on cloud cover and 73% of possible sunshine was well above September's normal 53%. Twenty days were categorized as mostly sunny.

All the sun and warmth would lead one to expect a dry month, but Buffalo's September rainfall was actually 1.05 inches above normal totaling 4.89 inches. This inconsistency can be explained by the fact that nearly all of the rain fell during two events; September 16th, and 25th--26th. The month had a soggy start when the remnants of Hurricane Katrina brought tropical moisture on the final day of August. However, by mid-month, September itself had only received 0.7 inches of rain. One to two inches of rain drenched the area on the 16th during the passage of a cold front. Leftovers from Hurricane Rita brought another bout of tropical moisture to western New York with up to three

inches of rain falling on the 25th and 26th in the Buffalo area.

A powerful cold front passing through western New York early on the 29th reminded the region of the impending season. This front brought a brief

fall of heavy rain and strong winds with a recorded peak gust of 67 miles per hour at the Buffalo Airport. The strong winds damaged trees leading to many power outages in the area, but the weather quieted behind the front and the last day of September was calm and seasonably cool.

With the exception of the 29th, September's winds were described by the National Weather Service as "on the light side through the month". They also reported Lake Erie's temperature "remained well above normal for most of the month, but did slide to 65 degrees on the final day, just a degree above its long term norm for September 30th."

September lived up to its solar calendar position as a mostly summer month. September's weather brought congenial conditions for our birds and the birders who pursue them.

The seasonal transition of summer birds to winter birds is well underway in September. Our summer residents are inclined to leave nesting territories and mix with permanent residents and migrants arriving from more northern regions. All of this activity makes for good birding.



American Avocet photographed by Paul Hess on September 9th, 2005 at Iroquois NWR.

89 The Month

91

by Tim Baird
Wisconsin Tower Kill

by Andy Paulios
Noteworthy Records
by Bruce Chilton

96 BOS Calendar

The Prothonotary is published monthly by the Buffalo Ornithological Society, Buffalo Museum of Science, Buffalo, NY 14211. Send subscriptions and address changes to the Corresponding Secretary, Karen Landau, S-9195 State Road, Colden, NY 14033. The regular subscription rate is \$20/year. Back issues are available from the Treasurer for \$2/issue.

Please mail correspondence to: Jack Skalicky 178 N Main, Suite K55 Salt Lake City, UT 84103-2075 [Email] skalicky@biochem.utah.edu Ed. Consultants: Robert Andrle

Gerry Rising William Watson

Proth. Production: Audrey Horbett

Eileen Hull

Society Officers:

Thomas O'Donnell President: V. President: Michael Morgante Treasurer: Gerald Lazarczyk Donna DeLeon Secretary: Robert Andrle Statisticians: Frances Rew Archivist: Audrey Horbett Council: 2004-2006 Bob DeLeon Mike Desha Jim Landau 2005-2007 Mike Galas Jerry Lazarczyk Gail Seamans 2006-2008 Douglas Beattie Lynne Landon

Most waterfowl are not in a hurry to leave their summer homes at this season as food is still readily available. However, Morgante, Lazarczyk, and Watson et. al. through visits to the Batavia Waste Water Treatment Plant provided good numbers of some duck species including American Wigeon, Northern Shoveler, Green-winged Teal, and Ruddy Duck. Eared Grebes were documented at Batavia with Morgante finding two on the 3rd, and Watson et. al. observing three and two on the 17th and 27th respectively. Long-tailed Ducks made an early appearance at Rock Point Provincial Park. Yoerg and Henderson saw four on September 1st, and at least one was still there on the 21st as observed by Watson.

The O'Donnells found a Northern Bobwhite at Iroquois National Wildlife Refuge feeding along the berm of a road on the 11th. The bird responded vocally

to imitations of its call. This species is a new addition to the BOS region for 2005, but it is considered a probable release from captivity.

Elizabeth Wells

Several reports of Great Egrets reached an impressive 87 counted by Burch and Nutting at Tonawanda Wildlife Management Area on the 7th.

The southern tier continues to provide good sightings of Bald Eagles. Neveu found four in Great Valley and another in Salamanca on the 24th. Yoerg continues to monitor Merlin at the UB South Campus with two to three birds found there during several dates spanning the month. The Atlas 2000 project will show an interesting change in nesting behavior for Merlin. There were no documented nests for Merlin in the first New York State Breeding Bird Atlas (1980-1986); however Atlas 2000 has documented over 35 nests within the state. This includes at least two locations in the BOS region.

Shorebirds were well represented in the region, particularly in the hotspots north of the Canadian border. Young and Henderson found impressive numbers of Black-bellied Plover at Dunnville, Ontario with a maximum of 44 on the

25th. The same location hosted 30 American Golden-Plover on September 8th seen by Yoerg, and he found an additional 30 on the same date at Wainfleet, Ontario. Hess found and photographed an American Avocet at Iroquois National Wildlife Refuge on September 9th. Watson added Buffbreasted Sandpiper to the BOS list for 2005 finding two on the 21st at Moulton, Ontario.

Good numbers of Forster's Tern were observed at Beaver Island State Park during the month with a maximum of 22 reported by Sharon on the 15th.

D'Anna *et. al.* observed and D'Anna photographed a Northern Saw-whet Owl in Wilson on September 25th, an early date for migration.

Submitted bird records for September show a good passerine mix. The weather conditions apparently fostered a leisurely passage of insectivores through the area early in the month. Foraging flocks dominated by a good variety of vireos and warblers were common.

In spite of all the pleasant weather, few reports of flycatchers were sent in. An Olive-sided Flycatcher seen on the 19th by Salembier at Tillman Wildlife Management Area is a bit late for a first observation for the fall migration. Perhaps the extended summer influenced them to tarry to our north.

Andrle's report of a White-eyed Vireo at Tifft Nature Preserve on the 27th stated that this bird "still retained the juvenile dark iris". This infrequent species is always an exciting find as our region lies at the northern extent of its range.

From the north, Philadelphia Vireos were observed in passage by many birders with a maximum of 4 seen by Salembier on the 19th in Amherst State Park. Our summer resident vireos were in the mix, though not commonly reported. A lingering Yellow-throated Vireo was observed by Baird in Allegany State Park on September 11th.

Thrushes are a family that requires careful observation by birders for identification. Those who have good ears and knowledge of their flight calls have an advantage as the thrushes frequently call at night during migration. Finding a Gray-cheeked Thrush in passage is always notable. Several reports for Gray-cheeked Thrush include an estimated 15-25 heard by Yoerg over Buffalo on the night of September 16th which he described as "a great migrant night".

This month would not be nearly as exciting without the wood warblers. Not only are we invaded by a significant variety of these species, many come in subdued or altered plumage to sweeten the challenge of identification. Reports show 25 warbler species noted this month across western New York.

Now increasingly rare, single Golden-winged Warblers were observed on the 9th and 27th by Sharon in Beaver Island State Park. Tennessee Warblers were noted regularly throughout the month, with Beattie reporting the daily maximum of six on the 28th and 29th in Bethany. Orange-crowned Warblers were seen throughout the month starting with a single bird on the 4th observed by Salembier and Pawlicki in Amherst State Park and reaching a maximum of 4 on the 17th reported in Bethany by Beattie.

Roberson observed the first Northern Parula for the month on the 3rd at Goat Island. Yellow Warblers tend to make an early exit from our region, but D'Anna and Potter found 2 on the 18th in Wilson. Migrants arriving from the boreal forests including Cape May, Bay-breasted, and Blackpoll Warblers were reported by several observers in the region. The latter two are perhaps the most "confusing fall warblers".

A late Louisiana Waterthrush responded to 'pishing' by Baird in Allegany State Park on the 18th. Beattie found late Mourning Warblers in Bethany with 4 on the 28th and 2 more on the 30th. He added a late Hooded Warbler at the same location on the 19th.

Like Gray-cheeked Thrushes, the Lincoln Sparrow is another passage species that requires a good look to confirm due to its similarity to some of its more common relatives. Unlike most of our sparrows, this species is usually observed as single birds, which was the case for our reports. They include a first record on the 9th by Sharon at Beaver Island State Park and ending with a single bird on the 28th in Amherst State Park by the Salembiers.

D'Anna et. al. found two Clay-colored Sparrows in Wilson on the 18th. D'Anna noted several characteristics separating this species from the very similar Chipping Sparrow including its shape with a noticeably longer tail. D'Anna also reported two more significant sparrow finds in the Town of Wilson on September 18th, an increasingly scarce Vesper Sparrow and an early White-crowned Sparrow.

At the risk of criticism for anthropomorphism, I would speculate that the birds enjoyed western New York's September as much as the birders did.

News from the Internet: Nocturnal Migrant Towerkill in Madison, Wisc. on the Nights of September 13-14 and 7-8, 2005

While searching the internet for a short article that would complement this issue of the Prothonotary, I stumbled onto a website (http://my.execpc.com/CE/5F/idzikoj/passerines/towerkill.htm; see photographs) documenting a substantial bird kill during September, 2005 in Madison Wisconsin. Nearly 200 migrant warblers, thrushes, and vireos were recovered from the base of a communication tower during the morning of September 14th. The following account was written by Andy Paulios.

Dead nocturnal migrant birds were found on the ground around the Madison Channel 15 transmitting tower (approx. 1000 ft. tall) on the morning of the 14th. A cold front had passed on the 13th three hours before the onset of migration that night. The skies were clear with good visibility and the birds had a tailwind. Another, possibly larger kill was reported anecdotally from the morning of the 8th under conditions of moderate rain during peak nocturnal migration.

The night of the 13th and morning of the 14th was shaping up to be another high migration event. I arrived at the site on the morning of the 14th at approximately 7:00 AM. Upon reaching the wooded section of the playground I immediately started to notice dead birds. I was astounded to reach the northernmost ball field and see numerous dead birds and a few live, injured birds on the field from a distance. I then began walking a series of semi-circular transects from the outfield into the infield and covered the entire field very thoroughly. Towards the end of the field I was joined by Carrie Morgan and Mike Foy. Together we proceed to collect dead birds in a systematic manner on the lower fields and under the tower. All told we thoroughly covered all the baseball fields and the intervening areas to our satisfaction. Crows began to scavenge dead birds on the lower field at 8:00AM and probably took 20-50 dead birds before we could get out there. There were probably many more dead birds north of the tower and east of the tower that we either couldn't see in the woods or we couldn't get to because we didn't search north of the tower.

Totals: Red-eyed Vireo, 18 + 2 wounded; Philadelphia Vireo, 4; Swainson's Thrush, 1; Veery? – unsure of ID/mangled, 1; Golden-winged Warbler, 5; Tennessee Warbler, 16; Nashville Warbler, 1; Chestnut-sided Warbler, 5; Magnolia Warbler, 7; Palm Warbler, 2; Cape May Warbler, 6; Black-throated Blue Warbler, 2; Blackburnian Warbler, 1; Black-throated Green Warbler, 1; Blackpoll Warbler, 3; Bay-breasted Warbler, 3; Black-and-white Warbler, 21; American Redstart, 13; Northern Waterthrush, 1; Ovenbird, 54; Common Yellowthroat, 3; Rose-breasted Grosbeak. 2; Total: 175. Of note are the relatively large number of Golden-winged Warblers found at the site. 5 individuals represents almost 1% of the total GWWA picked up at communication towers in the eastern U.S. since monitoring has begun.

Towerkills of this magnitude usually occur in September, the month of peak fall migration under conditions of light rain, mist or fog often when birds begin migrating behind a cold front and then hit that front as they fly south. The poor visibility drives them lower, well below the 1000 ft height of the taller towers and they are then attracted to its lights. The migrants circle the lights, hitting the tower itself or its guy wires. These taller towers (500-1000 ft.) are tall enough to kill birds on clear nights as the bottom of the migrating swarm is often below 1000 ft., but normally not in numbers such as was seen this night.

Kills can occur in April and May as well when birds are returning north. It is a mystery why such a kill occurred at this tower under benign conditions. Is this tower causing such kills on a regular basis during peak migration and these have been missed due to lack of continuous monitoring? Another possibility is an unusually large number of migrants were making landfall at dawn in the vicinity of this tower and hit the guy wires. There was no fog reported on the official weather observation record for that night but perhaps a local heavy ground fog contributed to this event.

NOTEWORTHY RECORDS

Underlined common names, dates or localities indicate that an acceptable, detailed written verification according to the *Date Guide to Birds of Western New York and Adjacent Ontario* (Seventh Edition - Revised 2001) has been received and placed in the permanent files of the Buffalo Ornithological Society.

- * Indicates first record for the year.
- F Indicates first record for the migration.
- L Indicates last record for the migration.
- (f) Indicates record from feeding station. (n) Indicate nest(s).
- PDBA Indicates Previously Documented Breeding Area.

	<u>Species</u>	September	Num	ber <u>Location</u>	Observer(s)
	Mute Swan	8	7	Pt. Colborne (Ont)	Yoerg
	American Wigeon	3	8	Batavia WWTP	Morgante
	11	17; 27	20; 3	Batavia WWTP	Watson, Lazarczyk
	Northern Shoveler	3; 17,27	175; 156,75	Batavia WWTP	Morgante; Watson et al
	Northern Pintail	3; 27	8; 7	Batavia WWTP	Morgante; Watson
	*1	4	3	Wilson	D'Anna
	Green-winged Teal	3; 17; 27	50; 5; 18	Batavia WWTP	Morgante; Watson; Watson
	**	3	12	Wilson	Ewald, D'Anna
	**	25	2	Sinking Ponds	Holmes
	Lesser Scaup	17; 27	1; 8	Batavia WWTP	Watson
	n .	21	3	Rock Point PP (Ont)	Watson
	**	21	8	Fort Erie (Ont)	Watson
	White-winged Scoter	3F	4	Wilson	Ewald, D'Anna
	Long-tailed Duck	1; 17; 25	4; 2; 2	Rock Point PP (Ont)	Yoerg, Henderson
	**	<u>21</u>	1	Rock Point PP (Ont)	Watson
	Common Merganser	26	71	Sheridan	Neveu
	Ruddy Duck	3; 17; 27	60; 66; 114	Batavia WWTP	Morgante; Watson; Watson
*	Northern Bobwhite probable release	11	1	Iroquois NWR	S&T O'Donnell
	Common Loon	3F	3	Wilson	Ewald, D'Anna
	Eared Grebe	3	2	Batavia WWTP	Morgante
	"	17; 27	3; 2	Batavia WWTP	Watson et al
	Dcrested Cormorant	3; 17	100; 113	Batavia WWTP	Morgante; Watson
	"	7	65	Tonawanda WMA	Burch, Nutting
	"	14	140	Strawberry I.	Watson
	**	20 .	748	Buckhorn I. SP	Watson
	"	21	186	Reef Lighthouse	Watson
	Great Egret	3	2	Times Beach NP	Andrle et al
	"	7	<u>87</u>	Tonawanda WMA	Burch, Nutting
	"	15; 23	3; 1	Tifft NP	Watson
	"	18 - 21	2	Tifft NP	Andrle, Bogacki
	"	27	12	Iroquois NWR	Watson
	Black-cr. Night-Heron	16; 26	1; 1	Tifft NP	Watson
	"	17	1	Oak Orchard WMA	Watson
	***	21	1	Port Colborne (Ont)	Watson
	Osprey	I	2	Rock Pt. PP (Ont)	Yoerg
	II .	9	I	Reinstein Woods NP	Andrle
	H	16	I	Tifft NP	Watson
	11	17	I	Tonawanda WMA	Watson, Lazarczyk
	11	22	1	Buffalo	Yoerg

<u>Species</u>	<u>September</u>	<u>Number</u>	Location	Observer(s)
Bald Eagle	8	1 imm	Cold Spring	Baird
n	8	1 juv	Pt. Colborne (Ont)	Yoerg
n	17	1 juv	Wainfleet (Ont)	Yoerg, Henderson
n .	17	1	Dunnville (Ont)	Yoerg, Henderson
11	24	2 ad, 2 juv	Great Valley	Neveu
**	24	1 ad	Salamanca	Neveu
11	26; 28	1 juv	Sheridan	Neveu
11	27	1	Batavia WWTP	Watson
Red-shouldered Hawk	17	1	Batavia WWTP	Watson, Lazarczyk
"	18	2	Allegany SP	Baird
Broad-winged Hawk	4	2	Orchard Park	Morgante
"	24	1	Rock Point PP (Ont)	S&T O'Donnell
Merlin	<u>3</u> - 30	5 recs; 3 max	UB south campus	Yoerg
"	<u>5</u> - 30	1	Pt. Colborne (Ont)	Yoerg
Peregrine Falcon	30	1	Black Rock Canal	D'Anna
Black-bellied Plover	1; 6; 25	34; 20; 44	Dunnville (Ont)	Yoerg; Yoerg, Henderson
Amer. Golden-Plover	8	3	Crystal Beach (Ont)	Yoerg
" "	8	30	Wainfleet (Ont)	o e e e e e e e e e e e e e e e e e e e
11			· · · · · · · · · · · · · · · · · · ·	Yourg Voorg Hondorson
**	8; 17; 25 21	30; 6; 1	Dunnville (Ont)	Yoerg; Yoerg, Henderson
11		3	Moulton (Ont) Dunkirk Harbor	Watson
	28	1		Neveu
American Avocet	9	1	Iroquois NWR	Hess
Semipalmated Plover	3	2	Batavia WWTP	Morgante
"	8	1	Cold Spring	Baird
	21	3	Long Beach (Ont)	Watson
Lesser Yellowlegs	3	1	Batavia WWTP	Morgante
	11; 17	2; 1	Times Beach NP	Andrle
	27	1	Batavia WWTP	Watson
Red Knot	l	9	Rock Point PP (Ont)	Yoerg
White-r. Sandpiper	l	10	Rock Point PP (Ont)	Yoerg
"	8	1	Crystal Beach (Ont)	Yoerg
	17	3	Dunnville (Ont)	Yoerg, Henderson
Baird's Sandpiper	1	3	Dunnville (Ont)	Yoerg
"	1; 8	2; 1	Long Beach CA (Ont)	Yoerg
Dunlin	25F	1	Rock Point PP (Ont)	Yoerg, Henderson
Stilt Sandpiper	21	1	Morgan's Pt. (Ont)	Watson
Buff-br. Sandpiper	21	2	Moulton (Ont)	Watson
Caspian Tern	3	1	Tifft NP	Andrle
"	3	1	Buffalo River	K&J Landau
"	7; 9	2; 13	Beaver I. SP	Lazarczyk; Hess
"	21	8	Rock Point PP (Ont)	Watson
Forster's Tern	7 - 29	6 recs; <u>22</u> max		Sharon
11	22	<u>21</u>	Beaver I. SP	Hess
Nor. Saw-whet Owl	<u>25</u>	1	Wilson	D'Anna et al
Common Nighthawk	3; 12	1; 4	Tonawanda	Hess
Ruby-t. Hummingbird	1 - 24	12 recs; 3 max	Throughout WNY	Many observers
Red-headed Wdpkr.	3	1	Times Beach NP	Andrle
Yellow-b. Sapsucker	14 - 28	6 recs; 2 max	Throughout WNY	Several observers
"	30	8	Amherst SP	Salembier
Yellow-b. Flycatcher	24	1	Wilson	D'Anna et al

<u>Species</u>	<u>September</u>	<u>Number</u>	Location	Observer(s)
Gr. Cr. Flycatcher	1	1	Goat I.	Roberson
11	19L	1	Amherst SP	Salembier
White-eyed Vireo	<u>27</u>	1	Tifft NP	Andrle, Bogacki
Yellow-thr. Vireo	11L	1	Allegany SP	Baird
Philadelphia Vireo	3-15	18 recs; 4 max	BOS area:WNY,Ontario	Many observers
Common Raven	11	1	Allegany SP	Baird
Horned Lark	11	18	Royalton	S&T O'Donnell
11	28; 29	20; 50	Goat I.	Roberson
Bank Swallow	17L	1	Batavia WWTP	Lazarczyk, Watson
Cliff Swallow	17L	1	Batavia WWTP	Lazarczyk, Watson
Red-br. Nuthatch	15F	1	Buckhorn I. SP	Watson
Carolina Wren	3-18	17 recs; 2 max	Throughout WNY	Many observers
Winter Wren	8	1	Wilson	D'Anna, Potter
11	20	2	Beaver I. SP	Sharon
11	24	1	Wilson	Watson et al
11	28	1	Iroquois NWR	T O'Donnell
Golden-cr. Kinglet	26F	2	Beaver I. SP	Sharon
Ruby-cr. Kinglet	12	1	Beaver I. SP	Sharon
n	28	2	Bethany	Beattie
Blgr. Gnatcatcher	8	1	Wilson	Potter
Veery	18L	1	Wilson	D'Anna
Gray-cheeked Thrush	4F	1	Amherst SP	Salembier
tt	8 - 26	8 recs; 2 max	WNY & Ontario	Several observers
"	16	<u>20</u>	Buffalo	Yoerg
Swainson's Thrush	2F	1	Wilson	Potter
***	11	1 .	Allegany SP	Baird
"	17	3	Rock Point PP (Ont)	Yoerg, Henderson
Hermit Thrush	23F	1	Wilson	Potter, D'Anna
American Pipit	8F	2	Long Beach CA (Ont)	Yoerg
Ħ	24	1	Wainfleet (Ont)	S&T O'Donnell
Blue-winged Warbler	8	1	Cold Spring	Baird
**	19L	1	Colden	J Landau
Golden-wing. Warbler	9; <u>27L</u>	1; 1	Beaver I. SP	Sharon
Tennessee Warbler	8 - 29	10 recs; 6 max	BOS area:WNY,Ontario	Several observers
Orange-cr. Warbler	13 - 28	6 recs; 4 max	Bethany	Beattie
"	30	1	Bethany	Dart, Beattie
Nashville Warbler	1F	1	Goat I.	Roberson
"	3 - 30		Throughout WNY	Several observers
Northern Parula	3F; 18	1; 1	Goat I.	Roberson et al
11	11	1	Allegany SP	Baird
**	16	1	Wilson	Potter
Yellow Warbler	3	3	Goat I.	Roberson et al
	17	1	Rock Point PP (Ont)	Yoerg, Henderson
11	18L	2	Wilson	D'Anna, Potter
Cape May Warbler	8 - 24		BOS area:WNY,Ontario	Several observers
Pine Warbler	4	3	Orchard Park	Morgante
"	8F	1	Goat I.	Roberson
**	8; 17	1; 2	Rock Point PP (Ont)	Yoerg, Henderson
11	14	I	Bethany	Beattie
	18; 27	<i>-</i> 1; 1	Amherst SP	Salembier

<u>Species</u>	September	<u>Number</u>	Location	Observer(s)
11	28	1	Sheridan	Neveu
Palm Warbler	4F;12;29	1; 2; 1	Goat I.	Roberson
**	8; 17	1; 1	Rock Point PP (Ont)	Yoerg, Henderson
Bay-breasted Warbler	8; 15; 18	2; 2; 1	Goat I.	Roberson
11	16	1	Tifft NP	Watson
Blackpoll Warbler	8-26	8 recs; 3 max	Throughtout WNY and On	t Several observers
Black-and-white Warb.	3-23	6 recs; 2 max	Throughtout WNY and On	t Several observers
La. Waterthrush	<u>18</u>	1	Allegany SP	Baird
Mourning Warbler	28	4	Bethany	Beattie
"	30L	2	Bethany	Dart, Beattie
Hooded Warbler	8	1	Wilson	Potter, D'Anna
**	11; 19L	1; 1	Bethany	Beattie
Wilson's Warbler	2	1	Randolph	Baird
Clay-col. Sparrow	25	2	Wilson	Watson, D'Anna et al
Vesper Sparrow	18	1	Wilson	D'Anna
Lincoln's Sparrow	9F	1	Beaver I. SP	Sharon
11	15	1	Buckhorn I. SP	Watson
"	15	1	Wilson	D'Anna
"	15	1	Amherst SP	Salembier
**	16 - 28	5 recs;1 each	Throughout WNY	Several observers
White-thr. Sparrow	3F	1	Williamsville	Salembier
"	8	2	Wilson	Potter, D'Anna
**	11 - 28	9 recs; 20 max	Throughout WNY	Several observers
White-cr. Sparrow	<u>18F</u>	1	Wilson	D'Anna
	27	1	Amherst SP	Salembier
**	30	2	Bethany	Beattie
Dark-eyed Junco	15	1	Buckhorn I. SP	Watson
H	29	1	Goat I.	Roberson
Bobolink	3	3	Batavia WWTP	Morgante
Baltimore Oriole	3L	1	Golden Hill SP	Salembier

Species, subspecies, and hybrids previously recorded this year:

270 002

Species, subspecies, and hybrids recorded for this month:

002

Total for the year 2005:

<u>272</u>

Statisticians' Note: If any observer wishes to know the status of their verification report, please contact the Statisticians and we will give them the reasons for our decision. Please mail reports for each month not later than the FIFTH day of the following month to the Compiler: Bruce Chilton 88 Pryor Avenue, Tonawanda, NY 14150; Email: BChi314159@aol.com.

BOS Region 2005 Christmas Bird Counts:

- Dec. 17: Saturday. St. Bonaventure CBC. Compiler: Regina M. VanScoy (716 925-7109 or vanscoy1@juno.com).
- **Dec. 17: Saturday. Beaver Meadow CBC.** Compiler: Paul Fehringer (585) 457-3228 or fehringer@buffaloaudubon.org.
- Dec. 17: Saturday. Wilson-Lake Plains CBC. Compiler: Garner Light (772-5110 or garnerlight@hotmail.com).
- Dec. 18: Sunday. BOS Buffalo, NY Count. Compiler: Bill Bogacki (674-5781).
- Dec. 18: Sunday. Jamestown CBC. Compiler: Bob Sundell (bird.central@madbbs.com or 716-484-2197).
- Dec. 18: St. Catharines CBC. Compiler: Marcie Jacklin (mjacklin@brocku.ca or 905-892-3108).

- Dec. 27: Tuesday. Oak Orchard CBC. Compiler: Gail Seamans (585-937-5105 or gails@netacc.net).
- Dec. 27: Tuesday. Niagara Falls ON-NY CBC. Contact Willie D'Anna (751-3637 or dannapotter@wzrd.com) to work on the NY side. Contact Kayo Roy (905-892-4433 or kayoroy@niagara.com) to work on the Canadian side.
- Jan. 1: Sunday. Dunkirk-Fredonia CBC. Compiler: Joanne Goetz (goetz@netsync.net or 716-673-1627) and Paul Farver (716-792-9042).
- Jan. 1: Sunday. Port Colborne CBC. Compiler: Drew Campbell (drew.campbell@gm.com or voice mail at 1-800-539-2329). Meet at McDonald's (corner of Highway 3 and 58 in Port Colbourne) at 8 AM.
- Jan. 2: Monday. Hamburg East Aurora CBC. Compiler: Mike Zebehazy 662-6987 or zebs@adelphia.net

Buffalo Ornithological Society Buffalo Museum of Science 1020 Humboldt Parkway Buffalo, NY 14211-1293

Return Service Requested

Non. Profit Org.
U.S. Postage
PAID
Buffalo, NY
Permit No. 412

Albert R. Mann Library Acquisitions Division-Serials Cornell University Ithaca, NY 14853-4301



BOS website http://www.bosbirding.org/



Buffalo-Niagara Region Dial-a-Bird: 716-896-1271

December - January Calendar

Christmas Bird Counts are tabulated at the bottom of Page 95.

Dec. 3: Saturday. Niagara River for Gulls. Meet at 8:00 AM near the Peace Bridge at Vermont and Busti. Bring passport or appropriate identification for customs. Bad weather dates December 4, 10, and 11. Call: Peter Yoerg (716-834-6313 or morning of trip 838-6163).

Dec. 14: Buffalo Ornithological Society Annual Holiday Celebration at 7:30 PM in the Cummings Room of the Buffalo Science Museum. Please bring a treat to share and enjoy an evening of birding friendship.

Jan. 11: BOS Meeting at 7:00 PM in the Cummings room of the Buffalo Museum of Science. Mike Hamilton will present details of the Buffalo Ornithological Society October 9th Count and discuss abundance trends in the Cummings Room of the Buffalo Science Museum. This discussion will be followed by a BOS business meeting.

Jan. 15: Sunday. Waterfowl Count of the New York State Ornithological Association. This is the target date, but any date between Saturday, Jan 14, and Sunday, Jan 22, inclusive is acceptable. However, the best count of shifting flocks is attained if everyone uses the target date, weather permitting. Contact the Compiler: Jim Landau at 941-3869 or kjlandau@localnet.com.

January 25: BOS Meeting at 7:00 PM in the Cummings room of the Buffalo Museum of Science. Mike Morgan, Wildlife Ecologist for Audubon New York, will discuss Coordinating Grassland Bird Conservation in New York. He will talk about various aspects of grassland management, monitoring, and private lands conservation; as well as briefly discuss the link between this current effort and his master's research, and how that experience (funded in part by BOS) helped prepare him for this role of coordinating Audubon New York's new grasslands program.

The PROTHONOTARY



Published Monthly by the

DEC 2 0 20 5

A.R MANN LIPPSPY

BUFFALO ORNITHOLOGICAL SOCIETY

Volume 71, No. 11 November, 2005

THE MONTH: October

by Bill Watson

During October the record breaking long summer of 2005 continued during the first week, but abruptly changed to a more autumnal pattern the last three weeks. The average temperature was 52.7 °F (2.0 degrees above normal) with all of the excess occurring in the first week when the temperature was an anomalous 12 °F above normal. During the last three weeks of the month, late fall conditions prevailed with seasonal temperatures and an earlier than usual gloomy cloudy period. Sunshine totaled only 37%, well below the normal 50% for October. Total precipitation was 2.64 inches, 0.55 inches less than normal; however, over half of that fell from the 22nd to the 25th of the month. On average October was mild, cloudy, and drier than normal.

Winds were moderate this month, and, other than the 44 mph WSW peak gusts on the 19th, there were no strong winds to bring the usual jaegers and rare gulls close to Woodlawn and Athol Springs on Lake Erie. The only jaegers of the month were found on the south shore of Lake Ontario at Wilson.

The unseasonably warm weather (with temperatures 12°F above average) at the beginning of the month slowed migration for a number of species. The 18 species of warblers seen on the BOS October 9th Count is the highest since 1987. If the decline in warblers continues from their non-normalized high in the 1970s, we may never see again as many warbler species and as many individual warblers on the October Count as in 2005. The late Mourning Warbler found near Tug Hill Road in New Albion in Section 17 was an excellent find. The only two later records for this species are on October 18, 1992, in Alfred and on the Octo-

97 The Month
by Bill Watson
99 Noteworthy Records
by Bruce Chilton
104 October Count 2005
by Michael Hamilton

BOS Calendar

108

ber 11, 1992 Count in Section 18. Other late birds requiring a written verification report were an *empidonax* flycatcher in Allegany State Park, Caspian Terns in Port Colborne Harbor (2) Dunkirk Harbor (3) and Sunset Bay, all on Lake Erie, and a remarkable five juvenile Buff-breasted Sandpipers in "a freshly ploughed field on the west side of Four Mile Creek Road in Saint David's, Ontario." This find by Kayo Roy and Brian Ahara is the latest ever in the BOS archives. The previous latest documented record was a single Buff-breasted Sandpiper at the Batavia Waste Water Treatment Plant on October 7, 1994.

While birding on the east side of Francis Road in the Town of Bethany, Doug Beattie observed "a streamline, tan colored" warbler "with no distinguishing markings except very vivid dark eye line and head stripe." Spring Worm-eating Warblers are very rare, but in fall they are almost non-existent! The only other records of fall Worm-eating Warblers were September 8 at Lakeside Cemetery, Hamburg, September 28 at Forest Lawn Cemetery, Buffalo, both in 1975, and September 4, 1942, at Delaware Park, Buffalo, which makes this sighting the latest ever and only our fourth fall record.

The October Count also had unusually early birds requiring written verification reports: Brant along Lake Ontario at Wilson Harbor (4) and Shadigee (10); Rednecked Grebe at Wilson Harbor (2) and Four Mile Creek S.



Bathing American Pipits photographed by Willie D'Anna on October 1st, 2005 near his home in Wilson, NY.

The Prothonotary is published monthly by the Buffalo Ornithological Society, Buffalo Museum of Science, Buffalo, NY 14211. Send subscriptions and address changes to the Corresponding Secretary, Karen Landau, S-9195 State Road, Colden, NY 14033. The regular subscription rate is \$20/year. Back issues are available from the Treasurer for \$2/issue.

Please mail correspondence to: Jack Skalicky 178 N Main, Suite K55 Salt Lake City, UT 84103-2075 [Email] skalicky@biochem.utah.edu Ed. Consultants: Robert Andrle

Gerry Rising
William Watson

Proth. Production: Audrey Horbett Eileen Hull

Society Officers:

Thomas O'Donnell President: V. President: Michael Morgante Treasurer: Gerald Lazarczyk Donna DeLeon Secretary: Statisticians: Robert Andrle Frances Rew Archivist: Audrey Horbett Council: 2004-2006 Bob DeLeon Mike Desha Jim Landau 2005-2007 Mike Galas Jerry Lazarczyk Gail Seamans 2006-2008 Douglas Beattie Lynne Landon Elizabeth Wells

Countryside Gravel Pit near Dayton; American Tree Sparrow at Lakeside Beach S. P. (4) and four more at three other undisclosed locations. At the end of Lorraine Road in Port Colborne, Ontario, Doug Happ and Mike Zebehazy had the good fortune to spot four very rare Hudsonian Godwits. There was a total of 16 written verification reports for the October Count which are the most that I recall. The 198 Brant counted at Wilson on October 8th by D'Anna and Ewald is an unprecedented early number. Although the Seasonal Checklist of the Birds: The Niagara Frontier Region shows none in the first half of October, they have appeared in ten of the October Counts since 1935. They are "fairly common" the last half of October, and only recently (1999) have comparable numbers appeared as early as October 18th. One has to wonder what the cause of this apparent shift in

migration pattern might be, or if it is only a bias caused by better telescopes or better observers living closer to Lake Ontario.

On the 30th Mike Morgante found a probable Greater White-fronted X Canada Goose hybrid at Countryside Sand and Gravel Ponds off Route 62 in the Town of Dayton, Cattaraugus County. This is the first record of this hybrid in the BOS study area. At his website Confusing Domestic Geese (and hybrids) http://www.birds.cornell.edu/crows/domgeese.htm Kevin McGowan points out that Graylag Geese and other domestic geese hybridize with Canada Geese and "closely resembles the 'Greater White-fronted X Canada Goose hybrid' pictured in the Sibley Guide to Birds, but [are] probably far more frequently encountered than that presumably rare hybrid" Greater White-fronted X Canada Goose. His photos and discussion should be carefully studied before making a decision on this hybrid. Also size is important, and this natural hybrid should generally be smaller than most Canada Geese. There was also a Cackling Goose at the same time and location.

On the 29th Mike found three Cackling Geese at Ringneck Marsh on Iroquois National Wildlife Refuge. Unlike most of us who attempt to find these Geese by their smaller size, he "first noticed these birds by their lighter body color ... among the few thousand of Canada Geese." In one sentence of his detailed report he wrote: "The geese were not only considerably smaller in size, but their necks were much shorter and their bills were stubby, much smaller than the Canada Geese." This is the seventh year in a row that the Richardson's subspecies of Cackling Goose has been documented in the fall in the BOS study area (and with the exception of 2004 they have been documented each fall at Ringneck Marsh.)

Historically (before 1965) about three-fourths of our Eurasian Wigeon records occur in spring and only a quarter or less occur as fall migrants. This makes the very rare Eurasian Wigeon found at Ring-neck Marsh on Iroquois NWR on the 29th an even more outstanding record. Other records worthy of mention were the ten day late Barn Swallow at Batavia Waste Water Treatment Plant on October 29, the two day late Pine Warbler on the 16th, and the 34 day late Baltimore Oriole on the 25th.

Although there are four Red-throated Loon records on past October Counts, the only non-count record earlier than the three at Wilson on the 16th are two observed at Somerset October 9, 2000. The 82 Pied-billed Grebes counted by Dave Neveu at Celeron on Chautauqua Lake are only bettered by the 92 Pied-billed Grebes at Iroquois NWR on September 16, 1971.

The immature Golden Eagle at Iroquois NWR on the 29th is only our ninth fall record and fifth October record of this seldom seen fall migrant. As with Eurasian Wigeon and Worm-eating Warbler, the majority of our migrant Golden Eagle records are in spring rather than in fall. Historically, 92% of our migrant records are seen in spring and only 8% are seen in the fall.

The October 2nd Northern Saw-whet Owl banded in Wethersfield, Wyoming County, by Dave and Sandy Junkin was 16 days early. They banded 28 of these owls in October. A Northern Saw-whet Owl they banded on October 13, 2003, turned up at Long Point Observatory in Port Rowan, Ontario, on October 17, 2005. This year on the 28th they recovered an owl banded at Timiskaming Bird Observatory in Northern Ontario.

Baltimore Oriole is another species whose late fall and winter status is changing. The Baltimore Oriole at the D'Anna-Potter residence in Wilson on October 21st and 25th is the latest fall record in 29 years. Between 1950 and 1963 we have six winter records for this species. From 1964 to 1976 there are five October birds, two in November, but only four in winter. Strangely, from 1977 to 2004 there are zero October, November, and wintering Baltimore Orioles records. It's puzzling as to why there were abundant late Baltimore Orioles from 1950 to 1976 and then none from 1977 to 2004.

(continued on page 103)

NOTEWORTHY RECORDS

Underlined common names, dates or localities indicate that an acceptable, detailed written verification according to the *Date Guide to Birds of Western New York and Adjacent Ontario* (Seventh Edition - Revised 2001) has been received and placed in the permanent files of the Buffalo Ornithological Society.

- * Indicates first record for the year.
- F Indicates first record for the migration.
- L Indicates last record for the migration.
- (f) Indicates record from feeding station. (n) Indicate nest(s).

PDBA - Indicates Previously Documented Breeding Area.

	<u>Species</u>	<u>October</u>	Number	<u>Location</u>	Observer(s)
*	Hybrid Gr. WF x Canada G. [Probable]	30	1	Dayton	Morgante
	Snow Goose	2	1 wh, 1 blu	Iroquois NWR	Yoerg, Henderson
	Cackling Goose	29	3	Iroquois NWR	Morgante
	11	30	1	Dayton	Morgante
	Brant	<u>8F</u>	198	Wilson	D'Anna, Ewald
	-01	12	10	Dunkirk Harbor	Neveu
		27; 29	21; 1	Wilson	D'Anna et al; Watson et al
	Mute Swan	2	1	Pt. Breeze	S&T O'Donnell
	0	29	2	Wilson	Watson, D'Anna et al
	0	30	1	North Collins	Morgante
	Gadwall	24; 27	7; 44	Celeron	Neveu
	0	30	8	Dayton	Morgante
	Eurasian Wigeon	29	1	Iroquois NWR	Morgante
	American Wigeon	8	85	Wilson	D'Anna, Ewald
	11	29	100	Iroquois NWR	Morgante
	Blue-winged Teal	7	1	Batavia WWTP	Watson
	Northern Shoveler	7; 29	228; 447	Batavia WWTP	Watson; Morgante
	H.	27	9	Celeron	Neveu
	Northern Pintail	7; 29	35; 18	Batavia WWTP	Watson; Morgante
	11	8	55	Wilson	D'Anna, Ewald
	Green-winged Teal	7; 29	17; 35	Batavia WWTP	Watson; Morgante
	H.	8	20	Wilson	D'Anna, Ewald
	Canvasback	29F	10	Batavia WWTP	Morgante
	Redhead	16F	44	Wilson	D'Anna, Ewald
	11	24; 27	24; 120	Celeron	Neveu
	Ring-necked Duck	8F	4	Wilson	D'Anna, Ewald
	н	27	52	Celeron	Neveu
		28; 30	61; 101	Dayton	Neveu
	H	30	60	Dayton	Morgante
	Greater Scaup	8F;16;29	5; 35; 7	Wilson	D'Anna, Ewald; Watson et al
	Lesser Scaup	8; 16	15; 101	Wilson	D'Anna, Ewald
	H	29	26	Batavia WWTP	Morgante
	Surf Scoter	8F; 16	22; 2	Wilson	D'Anna, Ewald
	11	23	12	Golden Hill SP	Yoerg, Henderson
	н	29; 30	19; 13	Wilson	Watson et al; D'Anna, Potter
	White-winged Scoter	8; 16	196; 232	Wilson	D'Anna, Ewald
	Ш	25	22	Times Beach NP	Andrle
	н	29	119	Wilson	Watson et al
	Black Scoter	16F	1	Wilson	D'Anna, Ewald

<u>Species</u>	October	Number	Location	Observer(s)
11	29	7	Wilson	Watson et al
Long-tailed Duck	29	133	Wilson	Watson et al
Bufflehead	16; 29	4; 11	Wilson	D'Anna, Ewald; Watson et al
11	29	16	Batavia WWTP	Morgante
Common Goldeneye	29F	9	Wilson	Watson et al
Hooded Merganser	25	12; 10	Times Beach NP	Andrle
Common Merganser	29	23	Batavia WWTP	Morgante
Red-br. Merganser	29	605	Wilson	Watson et al
Ruddy Duck	7; 29	212; 430	Batavia WWTP	Watson; Morgante
"	24; 27	10; 46	Celeron	Neveu
11	28; 30	88; 72	Dayton	Neveu
11	30	62	Dayton	Morgante
Wild Turkey	23; 26	100; 100	Chautauqua County	Lazarczyk
Red-throated Loon	16F	3	Wilson	D'Anna, Ewald
"	23	1	Barker	Yoerg, Henderson
**	29	18	Wilson	Watson et al
11	30	90	Wilson	D'Anna, Potter
Common Loon	8; 16	57; 61	Wilson	D'Anna, Ewald
"	23	40	Golden Hill SP	Yoerg, Henderson
11	26	15	Silver Creek	Neveu
**	29; 30	34; 134	Wilson	Watson et al; D'Anna, Potter
Pied-billed Grebe	27	<u>82</u>	Celeron	Neveu
Horned Grebe	23	10	Golden Hill SP	Yoerg, Henderson
"	28; 30	1; 1	Dayton	Neveu
Red-necked Grebe	8F, 16	4; 2	Wilson	D'Anna, Ewald
"	23		Golden Hill SP	Yoerg, Henderson
**	27	9	Wilson	D'Anna et al
11	29	2	Wilson	Watson
Eared Grebe	7	3	Batavia WWTP	Watson
II	29	2	Batavia WWTP	Morgante
Dcrested Cormorant	4	691	Buckhorn I. SP	Watson
"	7	38	Batavia WWTP	Watson
Great Egret	13	1	Times Beach NP	Andrle
"	29; 30L	2; 1	Iroquois NWR	Morgante; S&T O'Donnell
Turkey Vulture	25, 302	10	Times Beach NP	Andrle
"	26	30	Barcelona Harbor	Neveu
Osprey	8	1	Wilson	D'Anna, Ewald
Bald Eagle	7 - 28	12 recs;2 max	Throughout WNY	Many observers
Rough-legged Hawk	16F	1	Fort Erie (Ont)	S&T O'Donnell
"	30	1	Dayton	Morgante
11	30	1	Ellington	Morgante
11	30	1	Cherry Creek	Morgante
Golden Eagle	29	1 imm	Iroquois NWR	Morgante
Merlin	8	1	Batavia WWTP	S&T O'Donnell
11	14;23;26	4; 2; 4		
Peregrine Falcon	6	1	UB south campus Wethersfield	Yoerg S&D Junkin
n	8	6	Wilson	D'Anna, Ewald
Virginia Rail	0 10; 12L	1; 1	Sinking Ponds	
Common Moorhen	7	1, 1	Batavia WWTP	Holmes Watson
"	7	3	Iroquois NWR	
	1	3	Troquois IN W.K	Watson

Species	<u>October</u>	<u>Number</u>	Location	Observer(s)
American Coot	24; 27	500; 600	Celeron	Neveu
Black-bellied Plover	4	3	Somerset	Watson et al
11	22	2	Somerset	D'Anna (BOS)
Amer. Golden-Plover	22L	1	Somerset	D'Anna (BOS)
Semipalmated Plover	4	1	Somerset	Watson et al
"	22	1	Somerset	D'Anna (BOS)
Greater Yellowlegs	2	1	Oak Orchard WMA	Yoerg, Henderson
"	7	1	Batavia WWTP	Watson
n	13 - 25	1 - 3	Times Beach NP	Andrle et al
n	30	1 - 3	Times Beach NP	
Lassar Vallaudags		2	Batavia WWTP	Yourg, Henderson
Lesser Yellowlegs	2 7			Yoerg, Henderson
11		3	Oak Orchard WMA	Watson
	13	2	Times Beach NP	Andrle
Spotted Sandpiper	16		Fort Erie (Ont)	S&T O'Donnell
Sanderling	12; 28	9; 6	Dunkirk Harbor	Neveu
"	30	2	Dunkirk Harbor	Morgante, Yoerg
Pectoral Sandpiper	22	4	Somerset	D'Anna (BOS)
Dunlin	4	5	Somerset	Watson et al
"	8	2	Hanover	Neveu
"	12	2	Dunkirk Harbor	Neveu
"	22	2	Somerset	D'Anna (BOS)
Wilson's Snipe	7	4	Oak Orchard WMA	Watson
Jaeger species	27	3	Wilson	D'Anna et al
tt .	29	7	Wilson	Watson, D'Anna et al
Caspian Tern	<u>8</u>	1	Wilson	D'Anna
Black Tern	18L	8	Iroquois NWR	Burch
Nor. Saw-whet Owl	<u>2</u> - 31	12 recs;6 max	Wethersfield	S&D Junkin
Chimney Swift	5	6	Lancaster	Morgante
Ruby-t. Hummingbird	5L	1	Wilson	Potter
Northern Shrike	30	1	Niagara Co.	S&T O'Donnell
Red-eyed Vireo	12L	1	Sinking Ponds	Holmes
Common Raven	23	1	Allegany SP	Baird
п	19	1	Cold Spring	Baird
n .	22; 31	2; 1	Alfred	Brooks
H	30	5	Ward	Brooks
Horned Lark	28	11	Pomfret	Neveu
и	29	16	Wilson	Watson et al
Purple Martin	8	1	Batavia WWTP	Morgante
Barn Swallow	3	1	Wilson	D'Anna
· ·	7	6	Batavia WWTP	Watson
п	<u> 29L</u>	1	Batavia WWTP	Morgante
Carolina Wren	1 - 31	10 recs; 2 max (10th	Throughout WNY & Ont	Several observers
House Wren	7	1	Bethany	Beattie
Winter Wren	8	1	Hanover	Neveu
II	10; 12	2; 1	Sinking Ponds	Holmes
11	16, 12	1	Rock Point PP (Ont)	S&T O'Donnell
11	23	1	Silver Creek	Neveu
Marsh Wren	23	3	Iroquois NWR	Yoerg, Henderson
Ruby-cr. Kinglet	8	13	Hanover	Neveu
			Silver Creek	Neveu
Eastern Bluebird	8	23	Silver Cleek	reveu

<u>Species</u>	<u>October</u>	<u>Number</u>	Location	Observer(s)
11	30	20	Tillman WMA	S&T O'Donnell
Swainson's Thrush	11L	2	Tonawanda	Hess
11	11L	1	Wilson	D'Anna
Northern Mockingbird	8	1	Hanover	Neveu
American Pipit	1	50	Wilson	D'Anna
n - F	2	30	Clarence Turf Farm	Yoerg, Henderson
11	19	40	Cold Spring	Baird
11	30	30	Iroquois NWR	S&T O'Donnell
Tennessee Warbler	6	2	Bethany	Beattie
Orange-cr. Warbler	2; 4	1; 1	Wilson	D'Anna, Potter
11	8	2	Pomfret	Mosher
11	8; 10	4; 2	Bethany	Beattie
11	16	1	Rock Point PP (Ont)	S&T O'Donnell
Nashville Warbler	16	1	Wilson	Potter, D'Anna
11	16	1	Rock Point PP (Ont)	S&T O'Donnell
11	16	1	Allegany SP	Yoerg, Henderson
11	17L	1	Beaver I. SP	Sharon
Northern Parula	16L	2	Rock Point PP (Ont)	S&T O'Donnell
Magnolia Warbler	15L	1	Beaver I. SP	Sharon
Blthr. Blue Warbler	16L	1	Rock Point PP (Ont)	S&T O'Donnell
Blackburnian Warbler	5L	1	Wilson	Potter
Pine Warbler	1 <u>6</u>	1	Rock Point PP (Ont)	S&T O'Donnell
Palm Warbler	16	1	Rock Point PP (Ont)	S&T O'Donnell
II	17	1	Beaver I. SP	Sharon
Bay-breasted Warbler	1	1	Wilson	D'Anna, Potter
Worm-eating Warbler	6	1	Bethany	Beattie -
Ovenbird Ovenbird	8L	2	Tifft NP	Sharon
Scarlet Tanager	8L	1	Tifft NP	Sharon
Eastern Towhee	16	3	Allegany SP	Yoerg, Henderson
Amer. Tree Sparrow	29	4	Wilson	Watson, D'Anna et al
Vesper Sparrow	1	1	Wilson	D'Anna
Savannah Sparrow	10	1	Sinking Ponds	Holmes
"	13L	1	Wilson	D'Anna
Fox Sparrow	16; 23	4; 2	Allegany SP	Yoerg, Henderson; Baird
"	19	1	Cold Spring	Baird
11	23	1	Wilson (f)	Potter, D'Anna
11	25	3	Tonawanda	Watson
11	29	1	Times Beach NP	Andrle
Lincoln's Sparrow	8	1	Iroquois NWR	S&T O'Donnell
"	9	1	Carrollton	Baird
11	9	1	Allegany SP	Baird
11	13L	1	Times Beach NP	Andrle
11	13L	1	Wilson	D'Anna
Snow Bunting	24F; 27	9; 11	Barcelona Harbor	Neveu
11	29	3	Batavia WWTP	Morgante
t1	30	75	Wilson	D'Anna, Potter
Rose-br. Grosbeak	8	1	Tifft NP	Sharon
Indigo Bunting	1	1	Wilson	D'Anna
Rusty Blackbird	2F	3	Iroquois NWR	Yoerg, Henderson
11	20	30	Lancaster	Morgante
	20	30	Lancaster	Worganic

<u>Species</u>	<u>October</u>	Number	Location	Observer(s)	
п	25	11	Tonawanda	Watson	
н	30	200	Tillman WMA	S&T O'Donnell	
Baltimore Oriole	21; <u>25L</u>	1	Wilson	Potter	
Pine Siskin	24	20	Wilson (f)	D'Anna	
11	27;29;30	50;30;105	Wilson	D'Anna et al	
Species, subspecies, and l	272				

Total for the year 2005:

Statisticians' Note: If any observer wishes to know the status of their verification report, please contact the Statisticians and we will give them the reasons for our decision. Please mail reports for each month not later than the FIFTH day of the following month to the Compiler: Bruce Chilton 88 Pryor Avenue, Tonawanda, NY 14150; Email: BChi314159@aol.com.

(continued from The Month)

Species, subspecies, and hybrids recorded for this month and October Count:

The following sources were used in this report:

Beardslee, C.S., and H.D. Mitchell. 1965. *Birds of the Niagara Frontier Region*. Bulletin of the Buffalo Society of Natural Sciences, vol. 22.

Hamilton, Michael. Report of the 70th Annual B.O.S. October Bird Count

McGowan, Kevin. *Confusing Domestic Geese (and hybrids)* http://www.birds.cornell.edu/crows/domgeese.htm

McLaughlin. National Weather Service. October 2005, Buffalo, New York.

Suggs, David. Custodian of the B. O. S. Noteworthy Records Data Base 1964 - 2003 compiled by Dean DiTommaso et al.

Suggs, David et. al. 2002. Seasonal Checklist of the Birds: The Niagara Frontier Region. Buffalo Ornithological Society, Inc.

BOS Region 2005 Christmas Bird Counts:

003

- **Dec. 17: Saturday. St. Bonaventure CBC.** Compiler: Regina M. VanScoy (716 925-7109 or vanscoy1@juno.com).
- **Dec. 17: Saturday. Beaver Meadow CBC.** Compiler: Paul Fehringer (585) 457-3228 or fehringer@buffaloaudubon.org.
- **Dec. 17: Saturday. Wilson-Lake Plains CBC.** Compiler: Garner Light (772-5110 or garnerlight@hotmail.com).
- Dec. 18: Sunday. BOS Buffalo, NY Count. Compiler: Bill Bogacki (674-5781).
- **Dec. 18: Sunday. Jamestown CBC.** Compiler: Bob Sundell (bird.central@madbbs.com or 716-484-2197).
- **Dec. 18: St. Catharines CBC.** Compiler: Marcie Jacklin (mjacklin@brocku.ca or 905-892-3108).
- Dec. 27: Tuesday. Oak Orchard CBC. Compiler: Gail Seamans (585-937-5105 or gails@netacc.net).
- Dec. 27: Tuesday. Niagara Falls ON-NY CBC. Contact Willie D'Anna (751-3637 or dannapotter@wzrd.com) to work on the NY side. Contact Kayo Roy (905-892-4433 or kayoroy@niagara.com) to work on the Canadian side.
- **Jan. 1: Sunday. Dunkirk-Fredonia CBC.** Compiler: Joanne Goetz (goetz@netsync.net or 716-673-1627) and Paul Farver (716-792-9042).
- Jan. 1: Sunday. Port Colborne CBC. Compiler: Drew Campbell (drew.campbell@gm.com or voice mail at 1-800-539-2329). Meet at McDonald's (corner of Highway 3 and 58 in Port Colbourne) at 8 AM.
- Jan. 1: Sunday. Hamburg East Aurora CBC. Compiler: Mike Zebehazy 662-6987 or zebs@adelphia.net

Report of the 70th Annual B.O.S. October Bird Count

Date: October 9, 2005 Compiler: Mike Hamilton Weather Synopsis: Terry Yonker

Weather Synopsis

On Count Day the BOS Study Area experienced cloudy skies and moderate temperatures. Winds were generally out of the North for most of the day. Most sections remained precipitation free, but light drizzle was common during the evening hours.

Buffalo-Niagara International Airport

Sunrise: 6:22 AM EST Sunset: 5:43 PM EST

TIME	WEATHER	TEMP	DEW PT	PRESSURE	DIR/WIND	REMARKS
Midnight	Cloudy	48	38	30.00	NE12	
3:00 am	Cloudy	48	39	30.00	NE12	
6:00 am	Partly Cloudy	46	39	30.02	N9	
9:00 am	Cloudy	46	40	30.06	N8	
Noon	Cloudy	48	41	30.06	NE8	
3:00 pm	Cloudy	50	43	30.06	NE8	
6:00 pm	Cloudy	48	44	30.08	NE9	
9:00 pm	Light Drizzle	49	47	30.11	NE8	

Compilation: The following is a list of species recorded on the count together with the number of individuals tabulated. Bold face names indicate species for which acceptable written verifications were received. F represents first and L last dates for the fall migration, * first date for the year. Where a species was recorded in three or fewer sections, the section numbers are given in parentheses ().

GEESE - HERON	S						
Snow Goose		16		Long-tailed Duck	F	7	
Canada Goose		14,996		Bufflehead	F	1	(17)
Brant		14	(3,5)	Hooded Merganser		14	,
Mute Swan		25	· , ,	Common Merganser		200	
Wood Duck		478		Red-breasted Merganser		229	# (i
Gadwall		37		Ruddy Duck		32	(8,13,17)
American Wigeon		306		unspecified waterfowl		27	(10,13,20)
American Black Duck		95		Ring-necked Pheasant		8	, , ,
Mallard		3,383		Ruffed Grouse		11	
Blue-winged Teal		119		Wild Turkey		165	
Northern Shoveler		301		Common Loon		55	
Northern Pintail		258		Pied-billed Grebe		156	
Green-winged Teal		122		Horned Grebe		10	
Redhead	F	5	(10)	Red-necked Grebe		4	(3,5)
Ring-necked Duck		19		Double-crested Cormorant		2,588	
Greater Scaup		513		Great Blue Heron		237	
Lesser Scaup		97	(3,6,7)	Great Egret		11	
Surf Scoter		40	(3,16)	Green Heron		8	(12,19,27)
White-winged Scoter		469	(3,5)	Blk-crowned Night-Heron		4	(9,11)
Black Scoter		3	(3,16)				
VULTURES - CRA	NES						
Turkey Vulture		415		Red-tailed Hawk		236	
Osprey		11		unspecified buteo		4	(22)
Bald Eagle		16		American Kestrel		65	, ,
Northern Harrier		35		Merlin		11	
Sharp-shinned Hawk		18		Peregrine Falcon		3	(10,11)
Cooper's Hawk		26		Common Moorhen	L	3	(2,11)
_							

4 (12,20)

Red-shouldered Hawk

American Coot

538

Balack-bellied Plover	PLOVERS - TERNS	S					
Semiplantaed Plover	Black-bellied Plover	3	(8,13)	Pectoral Sandpiper		26	(2,3,23)
Semipalmanded Plover 3 (6.14)	American Golden Plover	33		* *		10	(6,14)
Silloder	Semipalmated Plover	3		Buff-breasted Sandpiper	L		
Leser Yellowlegs	Killdeer	649		Wilson's Snipe		10	
Leser Yellowlegs	Greater Yellowlegs	29		American Woodcock		2	(17,19)
Spotted Sandpiper	Lesser Yellowlegs	11		jaeger species		2	
Sanderling	Spotted Sandpiper	7		Bonaparte's Gull			
Sanderling 16 Herring Gull 816 Semipalmated Sandpiper I. 22 (7.8) Great Black-backed Gull 56 Least Sandpiper I. (6) Caspian Tern 6 (7.16,20) Baird's Sandpiper L. (6) Caspian Tern 6 (7.16,20) Baird's Sandpiper L. (2) (20) Common Tern 4 (11,14) PIGE ONS - SWALL UWS Sock Pigeon 2,133 Eastern Wood-Pewee L. (2) (4) Mourning Dove 2,520 empidonax species L. (2) (4) Great Horned Owl 13 Blue-backed Vireo 94 (5) Great Horned Owl 7 Philadelphia Vireo L. (1) (1) Chimney Swift 286 Red-eyed Vireo L. (1) (1) Chimney Swift 286 Red-eyed Vireo 3,375 Yellow-bellied Sapsucker 54 Common Raven 15 (24,25,28) Pielloweblied Sapsucker 72 Tree Swallow 248 Yellow-belled Sapsucker 1 <td>Hudsonian Godwit*</td> <td></td> <td>(8)</td> <td></td> <td></td> <td></td> <td></td>	Hudsonian Godwit*		(8)				
Semipalmaned Sandpiper	Sanderling	16		Herring Gull			
White-rumped Sandpiper 1 (6) Caspian Tern 6 (7,16,20) Barid's Sandpiper L 2 (20) Common Tern 4 (11,14) PIGE ONS - SWALLOWS Rock Pigeon 2,133 Eastern Wood-Pewee L 2 (4) Mourning Dove 2,520 empidonax species 1 (24) Eastern Screech-Owl 12 Eastern Phoebe 94 (24) Great Horned Owl 13 Blue-leaded Vireo 2 1 (24) Barred Owl 7 Philadelphia Vireo L 1 (1) (2) (2) (2) (2) (2) (2) (2) (2) (2) (2) (2) (2) (2) (2) (2) (2) (2) <td< td=""><td>Semipalmated Sandpiper</td><td>L 22</td><td>(7,8)</td><td>Great Black-backed Gull</td><td></td><td>56</td><td></td></td<>	Semipalmated Sandpiper	L 22	(7,8)	Great Black-backed Gull		56	
Mylice-numped Sandpiper	Least Sandpiper	L 5	(13)	unspecified gulls		40	(3)
Baird's Sandpiper L 2 (20) Common Tern 4 (11,14) PIGEONS - SWALLOWS For Swall Common Tern 2 (4) Rock Pigeon 2,133 Eastern Wood-Pewee L 2 (4) Mourning Dove 2,520 empidonax species 1 (24) Eastern Screech-Owl 12 Eastern Phoebe 94 Great Horned Owl 13 Blue-headed Vireo 23 Barred Owl 7 Philadelphia Vireo L (1) Chimney Swift 286 Red-eyed Vireo 4 Belted Kingfisher 53 Blue Jay 1,588 Red-beltied Woodpecker 115 American Crow 3,375 Yellow-bellied Sapsucker 54 Common Raven 15 (24,25,28) Downy Woodpecker 349 Horned Lark 14 (5) Hairy Woodpecker 27 Tree Swallow 91 (2) Pileated Woodpecker 248 Swallow 91 (2) Pileated Woodpecker 1 (23) Pileated Woodpecker 1,921 Eastern Bluebird 25 Pileated Nuthatch 83 Swainson's Thrush 19 Red-breasted Nuthatch 83 Swainson's Thrush 19 Red-breasted Nuthatch 368 Hermit Thrush 115 Brown Creeper 1, 19 Gray-checked Thrush 15 Carolina Wren 1, 19 Gray Cathird 123 Carolina Wren 1, 19 Gray Cathird 123 Marsh Wren 6 Brown Thrasher 4 (11,20) Marsh Wren 6 Brown Thrasher 4 (11,20) Golden-crowned Kinglet 1,304 American Robin 3,962 Wak B L E R S Treessee Warbler L 1 (3) Pine Warbler L 1 (9) Chestmus-sided Warbler L 1 (3) Pine Warbler L 1 (9) Chestmus-sided Warbler 1 (7) Black-and-white Warbler L 1 (5) Cape May Warbler 1 (7) Black-and-white Warbler L (1,11) Cape May Warbler 1 (21) American Robatat L 1 (5) Cape May Warbler 1 (21) American Robatat L 1 (5) Cape May Warbler 1 (21) American Robatat L 1 (5) Cape M	White-rumped Sandpiper	1	(6)	Caspian Tern		6	
Rock Pigeon	• • •	L 2	(20)	Common Tern		4	(11,14)
Rock Pigeon							
Mourning Dove 2,520 Eastern Phoebe 94 Cape				F . W . I P			
Eastern Screech-Owl 12 Eastern Phoebe 94 Great Horned Owl 13 Blue-headed Virco 23 Sarred Horned Owl 13 Blue-headed Virco 1 (1) (L	2	
Barred Owl 13	_					1	(24)
Barred Owl							
Chimney Swift 286						23	
Belted Kingfisher 53 Blue Jay 1,588 Red-bellied Woodpecker 115 American Crow 3,375 Yellow-bellied Sapsucker 54 Common Raven 15 (24,25,28) Downy Woodpecker 349 Horned Lark 14 (5) Hairy Woodpecker 72 Tree Swallow 248 (5,7,16) Northern Flicker 248 Swallow 91 (5,7,16) Pileated Woodpecker 27 Barn Swallow 1 (2) TITS - WAXWING S Black-capped Chickadee 1,921 Eastern Bluebird 252 (3,4) Red-breasted Nuthatch 368 Hermit Thrush 1 2 (3,4) Red-breasted Nuthatch 368 Hermit Thrush 115 1 1 1 White-breasted Nuthatch 368 Hermit Thrush 15 1 2 (3,4) Brown Creeper 134 Wood Thrush 5 5 1 2 1 1 1 1				•	L		(1)
Red-bellied Woodpecker 115 American Crow 3,375 Yellow-bellied Sapsucker 54 Common Raven 15 (24,25,28) Downy Woodpecker 349 Horned Lark 14 (5) Hairy Woodpecker 72 Tree Swallow 248 7 Northern Flicker 248 Swallow 91 (5,7,16) Pileated Woodpecker 1 (23) 25 7 TITS - WAXWINGS Black-capped Chickadee 1,921 Eastern Bluebird 252 2 Tufled Titmouse 192 Gray-checked Thrush L 2 (3,4) Red-breasted Nuthatch 83 Swainson's Thrush 19 19 19 19 19 19 10 </td <td>•</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	•						
Yellow-bellied Sapsucker 54 Common Raven 15 (24,25,28) Downy Woodpecker 349 Horned Lark 14 (5) Hairy Woodpecker 72 Tree Swallow 248 Northern Flicker 248 Swallow 91 (5,7,16) Pileated Woodpecker 27 Barn Swallow 1 (2) TITS - WAX WINGS Black-capped Chickadee 1,921 Eastern Bluebird 252 Tufted Titmouse 120 Gray-cheeked Thrush L 2 (3,4) Red-breasted Nuthatch 83 Swainson's Thrush 19 115 15 Brown Creeper 134 Wood Thrush 5 5 16 15 16 17 16 17 17 17 18 <td< td=""><td>_</td><td></td><td></td><td>·</td><td></td><td></td><td></td></td<>	_			·			
Downy Woodpecker 349	•					·	
Hairy Woodpecker 72	•						
N. Rough-winged Swallow 91 (5,7,16)	*	349				14	(5)
Pileated Woodpecker		72				248	
Pileated Woodpecker 27	Northern Flicker	240				0.1	(5,7,16)
TITS - WAXWINGS Black-capped Chickadee 1,921 Eastern Bluebird 252 Tufted Titmouse 120 Gray-cheeked Thrush L 2 (3,4) Red-breasted Nuthatch 83 Swainson's Thrush 19 White-breasted Nuthatch 368 Hermit Thrush 115 Brown Creeper 134 Wood Thrush 5 Carolina Wren 21 American Robin 3,994 House Wren L 19 Gray Catbird 123 Winter Wren 66 Northern Mockingbird 27 Marsh Wren 6 Brown Thrasher 4 (11,20) Golden-crowned Kinglet 880 European Starling 33,662 Ruby-crowned Kinglet 1,304 American Pipit 287 unspecified kinglets 40 (3) Cedar Waxwing 589 WARB LERS Tennessee Warbler L 1 (23) Pine Warbler 6 (17) Orange-crowned Warbler 1 21 Bay-breasted Warbler L 1 (9) Orange-cr	Dilastad Was duralism					91	
TITS - WAX WINGS Black-capped Chickadec 1,921 Eastern Bluebird 252 Tufted Titmouse 120 Gray-checked Thrush L 2 (3,4) Red-breasted Nuthatch 83 Swainson's Thrush 119 White-breasted Nuthatch 368 Hermit Thrush 115 Smown Creeper 134 Wood Thrush 5 Carolina Wren L 19 Gray Catbird 123 Winter Wren 66 Northern Mockingbird 27 Marsh Wren 66 Brown Thrasher 4 (11,20) Golden-crowned Kinglet 880 European Starling 33,662 Ruby-crowned Kinglet 1,304 American Pipit 287 and the sum of	-		(02)	Barn Swallow		1	(2)
Black-capped Chickadee 1,921 Eastern Bluebird 252 Tufted Titmouse 120 Gray-cheeked Thrush L 2 (3,4) Red-breasted Nuthatch 83 Swainson's Thrush 19 White-breasted Nuthatch 368 Hermit Thrush 115 Brown Creeper 134 Wood Thrush 5 Carolina Wren 21 American Robin 3,994 House Wren L 19 Gray Catbird 123 Winter Wren 66 Northern Mockingbird 27 Marsh Wren 6 Brown Thrasher 4 (11,20) Golden-crowned Kinglet 880 European Starling 33,662 Ruby-crowned Kinglet 1,304 American Pipit 287 unspecified kinglets 40 (3) Cedar Waxwing 589 WA R B L E R S Tennessee Warbler L 1 (23) Pine Warbler 1 (17) Orange-crowned Warbler 12 Palm Warbler L 1 (9) Chestnut-s	unspec a woodpeckers	. 1	(23)				
Tufted Titmouse 120 Gray-cheeked Thrush L 2 (3,4) Red-breasted Nuthatch 83 Swainson's Thrush 19 White-breasted Nuthatch 368 Hermit Thrush 115 Brown Creeper 134 Wood Thrush 5 Carolina Wren 21 American Robin 3,994 House Wren L 19 Gray Catbird 123 Winter Wren 66 Northern Mockingbird 27 Marsh Wren 6 Brown Thrasher 4 (11,20) Golden-crowned Kinglet 880 European Starling 33,662 Ruby-crowned Kinglets 1,304 American Pipit 287 unspecified kinglets 40 (3) Cedar Waxwing 589 39,079 39,079 WARBLERS Tennessee Warbler L 1 (23) Pine Warbler 1 (17) Orange-crowned Warbler 12 Palm Warbler L 1 (9) Chestnut-sided Warbler 1 (7) Blackpo	TITS - WAXWING	S					
Tufted Titmouse 120 Gray-cheeked Thrush L 2 (3,4) Red-breasted Nuthatch 83 Swainson's Thrush 19 White-breasted Nuthatch 368 Hermit Thrush 115 Brown Creeper 134 Wood Thrush 5 Carolina Wren 21 American Robin 3,994 House Wren L 19 Gray Catbird 123 Winter Wren 66 Northern Mockingbird 27 Marsh Wren 6 Brown Thrasher 4 (11,20) Golden-crowned Kinglet 880 European Starling 33,662 Ruby-crowned Kinglets 1,304 American Pipit 287 unspecified kinglets 40 (3) Cedar Waxwing 589 39,079 39,079 WARBLERS Tennessee Warbler L 1 (23) Pine Warbler 1 (17) Orange-crowned Warbler 12 Palm Warbler L 1 (9) Chestnut-sided Warbler 1 (7) Blackpo	Black-capped Chickadee	1,921		Eastern Bluebird		252	
Red-breasted Nuthatch 83 Swainson's Thrush 19 White-breasted Nuthatch 368 Hermit Thrush 115 Brown Creeper 134 Wood Thrush 5 Carolina Wren 21 American Robin 3,994 House Wren L 19 Gray Catbird 123 Winter Wren 66 Northern Mockingbird 27 Marsh Wren 6 Brown Thrasher 4 (11,20) Golden-crowned Kinglet 880 European Starling 33,662 Ruby-crowned Kinglet 1,304 American Pipit 287 unspecified kinglets 40 (3) Cedar Waxwing 589 39,079 WARBLERS Tennessee Warbler L 1 (17) Orange-crowned Warbler 12 Palm Warbler 68 1 Nashville Warbler 21 Bay-breasted Warbler L 1 (9) Chestnut-sided Warbler 1 (7) Black-and-white Warbler L 1 (5) Cape	• •			Gray-cheeked Thrush	L		(3,4)
Brown Creeper 134 Wood Thrush 5 Carolina Wren 21 American Robin 3,994 House Wren L 19 Gray Catbird 123 Winter Wren 66 Northern Mockingbird 27 Marsh Wren 6 Brown Thrasher 4 (11,20) Golden-crowned Kinglet 880 European Starling 33,662 Ruby-crowned Kinglet 1,304 American Pipit 287 unspecified kinglets 40 (3) Cedar Waxwing 589 39,079 WARBLERS Tennessee Warbler 1 (23) Pine Warbler 1 (17) Orange-crowned Warbler 12 Palm Warbler 68 Nashville Warbler 68 Nashville Warbler 21 Bay-breasted Warbler L 1 (9) Chestnut-sided Warbler 1 (7) Black-and-white Warbler L 1 (5) Magnolia Warbler 1 (21) American Redstart L 2 (1,11)	Red-breasted Nuthatch	83					
Brown Creeper 134 Wood Thrush 5 Carolina Wren 21 American Robin 3,994 House Wren L 19 Gray Catbird 123 Winter Wren 66 Northern Mockingbird 27 Marsh Wren 6 Brown Thrasher 4 (11,20) Golden-crowned Kinglet 880 European Starling 33,662 Ruby-crowned Kinglet 1,304 American Pipit 287 unspecified kinglets 40 (3) Cedar Waxwing 589 39,079 39,079 WARBLERS Tennessee Warbler 1 (17) Orange-crowned Warbler 12 Palm Warbler 68 Nashville Warbler 68 Nashville Warbler 21 Bay-breasted Warbler L 1 (9) Chestnut-sided Warbler 1 (7) Black-and-white Warbler L 1 (5) Magnolia Warbler 1 (21) American Redstart L 2 (1,11)	White-breasted Nuthatch	368		Hermit Thrush		115	
Carolina Wren 21 American Robin 3,994 House Wren L 19 Gray Catbird 123 Winter Wren 66 Northern Mockingbird 27 Marsh Wren 6 Brown Thrasher 4 (11,20) Golden-crowned Kinglet 880 European Starling 33,662 Ruby-crowned Kinglet 1,304 American Pipit 287 unspecified kinglets 40 (3) Cedar Waxwing 589 WARBLERS Tennessee Warbler L 1 (23) Pine Warbler 1 (17) Orange-crowned Warbler 12 Palm Warbler 68 Nashville Warbler L 1 (9) Chestnut-sided Warbler 1 (7) Blackpoll Warbler L 5 Magnolia Warbler L 1 (5) Cape May Warbler 1 (21) American Redstart L 2 (1,11)	Brown Creeper			Wood Thrush			
House Wren L 19 Gray Catbird 123 Winter Wren 66 Northern Mockingbird 27 Marsh Wren 6 Brown Thrasher 4 (11,20) Golden-crowned Kinglet 880 European Starling 33,662 Ruby-crowned Kinglet 1,304 American Pipit 287 unspecified kinglets 40 (3) Cedar Waxwing 589 unspecified kinglets V 20 Pine Warbler 1 (17) Orange-crowned Warbler L 1 (23) Pine Warbler 1 (17) Orange-crowned Warbler 12 Palm Warbler 68 Nashville Warbler 21 Bay-breasted Warbler L 1 (9) Chestnut-sided Warbler 10 Black-and-white Warbler L 1 (5) Cape May Warbler 1 (21) American Redstart L 2 (1,11)	•			American Robin			
Winter Wren66Northern Mockingbird27Marsh Wren6Brown Thrasher4 (11,20)Golden-crowned Kinglet880European Starling33,662Ruby-crowned Kinglet1,304American Pipit287unspecified kinglets40 (3)Cedar Waxwing58939,079WARBLERSTennessee WarblerL1 (23)Pine Warbler1 (17)Orange-crowned Warbler12Palm Warbler68Nashville Warbler21Bay-breasted WarblerL1 (9)Chestnut-sided Warbler1 (7)Blackpoll WarblerL5Magnolia Warbler10Black-and-white WarblerL1 (5)Cape May Warbler1 (21)American RedstartL2 (1,11)	House Wren	L 19		Gray Catbird			
Marsh Wren6Brown Thrasher4(11,20)Golden-crowned Kinglet880European Starling33,662Ruby-crowned Kinglet1,304American Pipit287unspecified kinglets40(3)Cedar Waxwing58939,079W A R B L E R STennessee WarblerL1(23)Pine Warbler1(17)Orange-crowned Warbler12Palm Warbler68Nashville Warbler21Bay-breasted WarblerL1(9)Chestnut-sided Warbler1(7)Blackpoll WarblerL5Magnolia Warbler10Black-and-white WarblerL1(5)Cape May Warbler1(21)American RedstartL2(1,11)	Winter Wren			· · · · · · · · · · · · · · · · · · ·			
Golden-crowned Kinglet Ruby-crowned Kinglet I,304 Unspecified kinglets American Pipit American P	Marsh Wren						(11,20)
Ruby-crowned Kinglet 1,304 American Pipit 287 unspecified kinglets 40 (3) Cedar Waxwing 589 39,079 W A R B L E R S Tennessee Warbler L 1 (23) Pine Warbler 1 (17) Orange-crowned Warbler 12 Palm Warbler 68 Nashville Warbler 21 Bay-breasted Warbler L 1 (9) Chestnut-sided Warbler 1 (7) Blackpoll Warbler L 5 Magnolia Warbler 10 Black-and-white Warbler L 1 (5) Cape May Warbler 1 (21) American Redstart L 2 (1,11)	Golden-crowned Kinglet			European Starling			, ,
unspecified kinglets 40 (3) Cedar Waxwing 39,079 WARBLERS Tennessee Warbler L 1 (23) Pine Warbler 1 (17) Orange-crowned Warbler 12 Palm Warbler 68 Nashville Warbler 21 Bay-breasted Warbler L 1 (9) Chestnut-sided Warbler 1 (7) Blackpoll Warbler L 5 Magnolia Warbler 10 Black-and-white Warbler L 1 (5) Cape May Warbler 1 (21) American Redstart L 2 (1,11)				•			
WARBLERS Tennessee Warbler L 1 (23) Pine Warbler 1 (17) Orange-crowned Warbler 12 Palm Warbler 68 Nashville Warbler 21 Bay-breasted Warbler L 1 (9) Chestnut-sided Warbler 1 (7) Blackpoll Warbler L 5 Magnolia Warbler 10 Black-and-white Warbler L 1 (5) Cape May Warbler 1 (21) American Redstart L 2 (1,11)	•		(3)				
Tennessee Warbler L 1 (23) Pine Warbler 1 (17) Orange-crowned Warbler 12 Palm Warbler 68 Nashville Warbler 21 Bay-breasted Warbler L 1 (9) Chestnut-sided Warbler 1 (7) Blackpoll Warbler L 5 Magnolia Warbler 10 Black-and-white Warbler L 1 (5) Cape May Warbler 1 (21) American Redstart L 2 (1,11)	·		` '	_		39,079	
Orange-crowned Warbler Nashville Warbler 21 Bay-breasted Warbler L 1 (9) Chestnut-sided Warbler 10 Blackpoll Warbler Black-and-white Warbler L 1 (5) Cape May Warbler 1 (21) American Redstart L 2 (1,11)							
Nashville Warbler 21 Bay-breasted Warbler L 1 (9) Chestnut-sided Warbler 1 (7) Blackpoll Warbler L 5 Magnolia Warbler 10 Black-and-white Warbler L 1 (5) Cape May Warbler 1 (21) American Redstart L 2 (1,11)			(23)			1	(17)
Chestnut-sided Warbler1(7)Blackpoll WarblerL5Magnolia Warbler10Black-and-white WarblerL1(5)Cape May Warbler1(21)American RedstartL2(1,11)						68	
Magnolia Warbler10Black-and-white WarblerL1 (5)Cape May Warbler1 (21)American RedstartL2 (1,11)		21		•	L	1	(9)
Cape May Warbler 1 (21) American Redstart L 2 (1,11)		1	(7)	•	L	5	
	The state of the s	10			L	1	(5)
Black-throated Blue Warbler 20 Mourning Warbler L 1 (17)		1	(21)		L	2	(1,11)
	Black-throated Blue Warbler	20		Mourning Warbler	L	1	(17)

Blk-throated Green Warbler	L	27		unspecified warblers		3	(12,20)
Blackburnian Warbler		1	(20)				
TOWHEES - HOUS	E S P A	RROW	V S				
Eastern Towhee		54		Northern Cardinal		368	
American Tree Sparrow	F	8	(1,5)	Rose-breasted Grosbeak	L	3	(7,10,12)
Chipping Sparrow		1,030		Indigo Bunting	L	6	
Field Sparrow		124		Red-winged Blackbird		19,710	
Vesper Sparrow	L	5	(19,26)	Eastern Meadowlark		80	
Savannah Sparrow		47		Rusty Blackbird		427	
Fox Sparrow		21		Common Grackle		5,672	
Song Sparrow		1,126		Brown-headed Cowbird		278	
Lincoln's Sparrow		8		Purple Finch		111	
Swamp Sparrow		191		House Finch		570	
White-throated Sparrow		3,312		Pine Siskin		2	(28)
White-crowned Sparrow		722		American Goldfinch		1,501	
Dark-eyed Junco		2,139		Evening Grosbeak*		1	(28)
unspecified sparrows		110		House Sparrow		2,117	
				unspecified birds		10	(13)

Common Yellowthroat

28

Comparisons – Associated charts, available from Michael Hamilton, give comparative summary information for the most recent decade, for the full 69 counts and decade by decade since 1935. A chart listing totals for each species per section for 2004

is also available. In addition the following notes are of interest:

2.240

NOTES: First count record: Buff-breasted Sandpiper, 5.

Yellow-rumped Warbler

Second count record: Caspian Tern, 6 – first count record was in 1970; Mourning Warbler, 1 – first count record was in 1992.

First decade record: Baird's Sandpiper, 2; Caspian Tern, 6; Mourning Warbler, 1.

Second decade record: Husonian Godwit, 4.

Third decade record: White-rumped Sandpiper, 1; Philadelphia Vireo, 1; Indigo Bunting, 6.

Highest count since 1935 (x the average): Great Blue Heron, 237 (2.9); Osprey, 11 (3.7); Bald Eagle, 16 (8); Cooper's Hawk, 2 (3.7); Merlin, 11 (11); Peregrine Falcon, 3 (10); Baird's Sandpiper, 2 (12.5); Buff-breasted Sandpiper, 5 (71.4); Caspian Tern, 6(60); Red-bellied Woodpecker, 115 (8.8); Downy Woodpecker, 349 (2.2); Pileated Woodpecker, 27 (3.9); Blue-headed Vireo, 23 (4.6); Northern Rough-winged Swallow, 91 (9.1); Tufted Titmouse, 120 (5.7); Ruby-crowned Kinglet, 1304 (4.4); Mourning Warbler, 1 (33.3); Chipping Sparrow, 1030 (4.4); Indigo Bunting, 6 (15.4).

Lowest count since 1935: None

Highest count in past decade (x the average): Brant, 14 (7); Wood Duck, 478 (1.4); Blue-winged Teal, 119 (2.2); Northern Pintail, 258 (3.6); Great Blue Heron, 237 (1.6); Green Heron, 8 (2); Osprey, 11 (2.2); Bald Eagle, 16 (2.3); Cooper's Hawk, 2 (1.5); Merlin, 11 (2.8); Peregrine Falcon, 3 (3); Spotted Sandpiper, 7 (2.3); Hudsonian Godwit, 4 (4); Semipalmated Sandpiper, 4 (3.1); Baird's Sandpiper, 2 (10); Buff-breasted Sandpiper, 5 (5); Caspian Tern, 6 (6); Chimney Swift, 286 (5.3); Red-bellied Woodpecker, 115 (1.9); Yellow-bellied Sapsucker, 54 (3.9); Downy Woodpecker, 349 (1.5); Northern Flicker, 248 (1.8); Piliated Woodpecker, 27 (2.1); Eastern Phoebe, 94 (2); Blue-headed Vireo, 23 (1.8); Philedelphia Vireo, 1 (3.3); Northern Rough-winged Swallow, 91 (4.3); Black-capped Chickadee, 1921 (4.3); Tufted Titmouse, 120 (1.4); White-breasted Nuthatch, 368 (1.6); Brown Creeper, 134 (3); Carolina Wren, 21 (1.6); House Wren, 19 (2.7); Winter Wren, 66 (2.8); Golden-crowned Kinglet, 880 (2); Ruby-crowned Kinglet, 121 (3.6); Swainson's Thrush, 19 (3.2); Hermit Thrush, 115 (2.2); American Robin, 3994 (1.4); Gray Catbird, 123 (3); Tennessee Warbler, 1 (3.3); Orange-crowned Warbler, 12 (3); Nashville Warbler, 21 (3); Chestnut-sided Warbler, 1 (2.5); Magnolia Warbler, 10 (2); Black-throated Blue Warbler, 20 (3.3); Black-throated Green Warbler, 27 (4.5); Palm Warbler, 68 (4); Mourning Warbler, 1 (10); Common Yellowthroat, 28 (2.8); Eastern Towhee, 54 (2); Chipping Sparrow, 1030 (2.8); Field Sparrow, 124 (1.6); Fox Sparrow, 21 (4.2); Song Sparrow, 1126 (1.6); Swamp Sparrow, 191 (1.9); White-throated Sparrow, 3312 (1.9); Dark-eyed Junco, 2193 (2.2); Indigo Bunting, 6 (5).

Lowest count in past decade (% of the average): Ruddy Duck, 32 (6.6); Sharp-shinned Hawk, 18 (62%); Great Backbacked Gull, 56 (36.4%).

Sections and Observers: Names of section compilers are in boldface.

- 1. Fonthill, ON: David Cooper, Lynne Landon
- 2. Thorold, ON: Brian Ahara, Kayo Roy, Maggie Smiley, Alan Smith, John Stevens
- 3. Wilson, NY: Bill Broderick, Willie D'Anna, Brett Ewald, Betsy Potter
- 4. Middleport, NY: Donna DeLeon, Robert DeLeon
- 5. Oak Orchard, NY: Donald Brasure, Bill Burch, Morgan Jones, Susan O'Donnell, Thomas O'Donnell, Joyce Vanna
- 6. Port Maitland, ON: Jerry Chapple, Nina Chapple, George Thomas, Chauncey Wood, Sarah Wood
- 7. Lowbanks, ON: Barbara Byron, Richard Byron, Edward Fuchs, Mike Hamilton, Marg Partridge
- 8. Fort Erie, ON: Doug Happ, Mike Zebehazy
- 9. Grand Island, NY: Patricia Bogan, David Friedrich, Michael Galas, Ron Hacker, Sue Hacker, Susan O'Donnell, Thomas O'Donnell, **Gerry Rising**
- 10. Akron, NY: Ed Crohn, Don Roberson, James Rozanski, Mary Ann Stegmeier, Elizabeth Wells, John Welte, Martha Welte
- 11. Buffalo, NY: Randy Dievendorf, Alec Humann, Richard Salembier, Holly Sweeney, Roberta Vallone
- 12. Lancaster, NY: Marion Bee, Kurt Fox, Linda Holmes, Mahlon Miller, Nancy Miller, Mike Morgante, Gail Seamans
- 13. Batavia, NY: Doug Beattie, Elaine Dart, Tad Gerace, Charles Graney, Eileen Hull, Robert Hull, Aron Kehlenbeck, Zeke Kehlenbeck, **Jane Mason**, **Max Mason**, Ruth Salvador, Joe Salvador, Paula Stone, Don Thurau
- 14. Hamburg, NY: Ken Brandes, Tim Goff, Fred Harrington, Mark Leous, Bill Vigyikan, Nancy Vigyikan, Barbara Walker, Carolyn Wellington
- 15. Java, NY: Bill Bogacki, Dennis Russell
- 16. Angola, NY: Patricia Andrle, Robert Andrle, Audrey Horbett, Frances Rew
- 17. Cattaraugus, NY: John Filor, Jim Pawlicki, Tim Horst, Robert Wagner
- 18. Delavan, NY: Bruce Chilton, Jim Landau, Karen Landau
- 19. Fillmore, NY: Allegany County Bird Club: Ron Andrews, Faye Clancy, Barbara Cronk, James Fegley, Louise Mills, Ginny Norton, Sam Norton, John Raybuck, Michael Raybuck, Theresa Rork, Elaine Smith, Carol Stonemetz, James Talbott, Ann Vaclavik, Ann Voss, Denton Willet, Jean Wilson, Larry Wilson, Richard Wilson
- 20. Dunkirk, NY: Lake Erie Bird Club: Allen Benton, Marge Benton, Karen Brisley, Ken Brisley, Chris Budniewski, Ray Budniewski, Sylvia Clark, **Paul Farver**, Andrea Gestwicki, Joanne Goetz, Tom Goetz, Joe Gula, Carol Hardenberg, Margaret Langer, Terry Mahoney, Dick Miga, Terry Mosher, David Neveu, Lucille Neveu, Lucille Neveu, Bob Peterson,
- 21. Cherry Creek, NY: Jamestown Audubon Society: Julie Heilman, Jesse Nelson, Joanne Nelson, Bill O'Brien, Linda O'Brien, Dick Stineman, **Bob Sundell**
- 22. Sherman, NY: Jamestown Audubon Society: Ann Beebe, Jim Berry, Nancy Karp, Linda O'Brien, **Bob Sundell**, Kirk Vanstrom
- Frewsburg, NY: Jamestown Audubon Society: Len DeFrancisco, Paul Hedberg, Julie Heilman, Ruth Lundin, Jean Pigman, Mary Shaul, Tom Simmons, **Bob Sundell**
- 24. Salamanca, NY and Allegany State Park: Cattaraugus County Bird Club: Tim Baird
- 25. Allegany, NY: Cattaraugus County Bird Club: **Tim Baird**, Jeff Reed, James Van Scoy, Regina Van Scoy
- 26. Cuba, NY: Allegany County Bird Club: **Doris Burton**, Mary Jordan, Bruce Smalley, Robert Smalley
- 27. Bolivar, NY: Allegany County Bird Club: Doris Burton, Norman Ives, Helen Link, Marie Paxhia
- 28. Alfred, NY: Allegany County Bird Club: Russell Allen, Ellen Baker, Wayne Brewster, Don Brink, Lorna Brink, Betsy Brooks, Doris Burton, Diane Converso, Jim Copenheaver, Paulette Copenheaver, Tina Cornell, Paul Culley, Karol Doty, Marjorie Dugan, Edith Fransisco, John Gradoni, Geri Hills, Ralph Hills, Pat Hulse, Betty Kellog, Wayne Kellog, Barry Lash, Martha Lash, Marion McClure, Kathy McDonald, Mary Ormsby, Sean Phelan, Ann Pipal, Bob Pipal, Ona Reynolds, Ernest Rositzke, Lynn Rositzke, Nancy Rouse, Mary Shields, Peter Shields, Maureen Soule, Terah Soule, Wilma Taggart, Tim Timbrook, Linda Travers, Barbara Ware, Mary Lu Wells, Suzanne Wood

Total Number of Observers: 212

Buffalo Ornithological Society Buffalo Museum of Science 1020 Humboldt Parkway Buffalo, NY 14211-1293

Return Service Requested

Non. Profit Org.
U.S. Postage
PAID
Buffalo, NY
Permit No. 412

Albert R. Mann Library Acquisitions Division-Serials Cornell University Ithaca, NY 14853-4301



14853+0001 cos1

December – January, Calendar,

11 :11

BOS website http://www.bosbirding.org/



Buffalo-Niagara Region Dial-a-Bird: 716-896-1271 **Christmas Bird Counts are tabulated on page 103.**
Note: Correction of Date for Hamburg-East Aurora CBC:

Jan. 1: Sunday. Hamburg - East Aurora CBC. Compiler: Mike Zebehazy 662-6987 or zebs@adelphia.net

Jan. 11: BOS Meeting at 7:00 PM in the Cummings room of the Buffalo Museum of Science. Mike Hamilton will present details of the Buffalo Orn thological Society October 9th Count and discuss abundance trends in the Cummings Room of the Buffalo Science Museum. This discussion will be followed by a BOS business meeting.

Jan. 15: Sunday. Waterfowl Count of the New York State Ornithological Association. This is the target date, but any date between Saturday, Jan 14, and Sunday, Jan 22, inclusive is acceptable. However, the best count of shi ing flocks is attained if everyone uses the target date, weather permitting. Contact the Compiler: Jim Landau at 941-3869 or kjlandau@localnet.com.

Jan. 25: BOS Meeting at 7:00 PM in the Cummings room of the Buffalo Museum of Science. Mike Morgan, Wildlife Ecologist for Audubon New York, will discuss Coordinating Grassland Bird Conservation in New York He will talk about various aspects of grassland management, monitoring, an private lands conservation; as well as briefly discuss the link between this current effort and his master's research, and how that experience (funded in part by BOS) helped prepare him for this role of coordinating Audubon Ne York's new grasslands program.

THE WALL TO THE WA

The PROTHONOTARY



Published Monthly by the

A.R. MANN LIBRARY

FEB - 7 2086

ITHACA, NY 14853

BUFFALO ORNITHOLOGICAL SOCIETY

Volume 71, No. 12 December, 2005

THE MONTH: November

by Gerry Rising

The November 2006 averages hardly suggest this month's wild swings of weather. It extended a warm trend: its temperature average of 43.3° F 3° above long term records, continuing six months of above average temperatures. But that temperature ranged from 70° on the 6th to 14° on the 24th, making that Thanksgiving Day the coldest in 100 years. November precipitation of 5.7 inches was 1.8 inches above the norm with a substantial amount of that falling as snow, a total of 17.9 inches, over 10 of them recorded on the 25th. Next to the infamous November of 2000 it was the snowiest month in 15 years.

The month began mild but with significant south or southwest wind. The first freeze of Fall 2005 did not occur until the 16th, the latest in weather history. But that initiated an eleven day period of very cold and snowy weather beginning on the 16th and 17th with over an inch of lake-effect snow. That snow, however, rapidly disappeared and lawns reappeared. In fact the low temperatures only lasted until the 27th and the final three days saw temperatures rising to the high 60s on the 28th and 29th, again eliminating the snow cover.

How did this strange month of Buffalo-type weather affect local ornithology? Recall that Mark Twain told us, "If you don't like the weather in New England, just wait a few minutes." Let's see what the record tells us.

Waterfowl numbers seem quite high. Here are some maxima with the dates on which they were recorded: Snow

109 The Month
 by Gerry Rising111 Noteworthy Records
 by Bruce Chilton

115 Niagara River Field Trip
by Michael Hamilton

116 BOS Presidents Report by Terry Yonker

117 BOS Budget
by Thomas O'Donnell

18 BOS Calendar

Goose 66, 6th; Canada Goose 2000, 29th; Tundra Swan 418, 18th; Wood Duck 550, 11th; Northern Shoveler 592, 11th; scaup species 2000, 30th; Bufflehead 1300, 20th; Hooded Merganser 465, 29th; Ruddy Duck 445, 11th; Red-throated Loon 517, 12th; Common Loon 107, 6th; Double-crested Cormorant 1100, 3rd; American Coot 800, 10th —— many birds but no correlation that I can identify with weather.

Among rare birds: two Harlequin Ducks, one at Goat Island on the 26th, one in Dunkirk Harbor on the 27th and 30th; a Northern Gannet at Golden Hill State Park on the 5th; 3 Sandhill Cranes at Oak Orchard on the 11th; a Parasitic Jaeger at Golden Hill on the 5th; a Black-headed Gull on the 19th; a California Gull on the 11th and 12th; a Black-legged Kittiwake on the 5th; Cave Swallows a



Northern Saw-whet Owl photographed by Thomas LeBlanc at Allegancy State Park on November 12, 2005.



Franklin's Gull photographed by Willie D'Anna at Fort Erie, Ontario on November 11, 2005.

The Prothonotary is published monthly by the Buffalo Ornithological Society, Buffalo Museum of Science, Buffalo, NY 14211. Send subscriptions and address changes to the Corresponding Secretary, Karen Landau, S-9195 State Road, Colden, NY 14033. The regular subscription rate is \$20/year. Back issues are available from the Treasurer for \$2/issue.

Please mail correspondence to:
Jack Skalicky
178 N Main, Suite K55
Salt Lake City, UT 84103-2075
[Email] skalicky@biochem.utah.edu
Ed. Consultants: Robert Andrle
Gerry Rising

William Watson Proth. Production: Audrey Horbett Eileen Hull

Society Officers:

Thomas O'Donnell President: V. President: Michael Morgante Treasurer: Gerald Lazarczyk Secretary: Donna DeLeon Statisticians: Robert Andrle Frances Rew Archivist: Audrey Horbett Council: 2004-2006 Bob DeLeon Mike Desha Jim Landau Mike Galas 2005-2007 Jerry Lazarczyk Gail Seamans 2006-2008 Douglas Beattie Lynne Landon Elizabeth Wells

remarkable 42 on the 5th and 56 the next day (see below); a Selasphorus (probable Rufous) Hummingbird on the 27th; 3 Bohemian Waxwings on the 5th; and an Evening Grosbeak on the 13th.

David Junkin banded 23 Saw-whet Owls between November 1 and 14 in Bliss making his season total a quite remarkable 51 of these handsome little owls. Meanwhile Tom LeBlanc, Jordon Whitney, Michael Miecznikowski, Jr., and Jim Taft banded 31 in Allegany SP.

The Cave Swallow continues its enigmatic history here. Until recently this largely Mexican species reached its farthest northern location in Carlsbad Caverns, New Mexico. Then in 1999 a small group of them appeared at Point Pelee and since then in most autumns small groups of them migrated east along the north shore of Lake Erie, a few later recorded along the south shore of Lake

Ontario. But this year suddenly they appeared in large numbers. Our counts of 42 and 56 were eclipsed by a Hamlin Beach SP count of 112 on the 4th and then a monster 579 on the 6th. A total of about 800 were recorded in the Rochester area this month. And this year unlike all past years, the birds were flying west.

Weird. Why in the world did they first appear on the NORTH shore of Lake Erie? Why the huge increase in numbers? Why the direction switch? What was the cause? Your guesses are at least as good as mine as I have no idea. Hurricanes seem not to be the culprit as few other southern species were recorded in the north. Strong southwest winds were the rule this fall, but they too seem not to have brought other species. Is some joker traveling to the huge Carlsbad Cavern roost, capturing hundreds of these birds, sneaking them through Canadian customs and releasing them east of Windsor, Ontario? Surely not. Only one piece of evidence seems at least to suggest their spread: their numbers have exploded in Texas and New Mexico. Perhaps like our southern herons, these birds simply wander in the fall. But 800 of them?



Selasphorus sp [Rufous/Allens] Hummingbird photographed by Lorraine Sherman in Glenwood, NY (feeder) on November 27, 2005.

I always enjoy reading verification reports more for the comments than the ID features. Here are a few: "The tiny bills of the three Cackling Geese were about 1/3 the size of the Canada Geese."--Watson. "The three Eared Grebes were all in winter plumage. They were about 20% shorter in length than the 180 Ruddy Ducks in the same [Batavia WWTP] lagoon pond."--Watson. "One brief look...and I was shouting to the others, 'Gannet!'"--D'Anna. About the UB Main Street Hayes Hall merlin: "The original 'rooster' now in 8th winter is back."--Yoerg. "I spotted this bird naked eye and called out 'a probable jaeger' based on overall jizz."--Morgante. "I could not pick out any red there in the field but there appears to be perhaps a single red pixel in the distant digiscoped image that I took of the [California] gull."--D'Anna. "When [the Purple Martin] perched we saw a pale grayish collar and noticed that the crown and back were bluish."--D'Anna. The Purple Martin "was perched near European Starlings on the lighthouse."--Morgante. "I saw one group of six [possible Cave] swallows I did not count because one of that group...appeared to be a Tree Swallow."--D'Anna. "...this hummingbird species will remain the vexing female Rufous-Allen's Hummingbird," despite Dave Suggs' remarkably detailed report.

I hope that some of the excellent photos that accompanied these reports make these pages.

Book Sale: Thursday March 9th – Members Only 12pm– 6pm and Friday March 10th and Saturday March 11th – 10am - 3pm

This March, the Buffalo Museum of Science will be hosting its first used book sale in almost 20 years! The sale will include a large variety of used books on natural science topics. Spanning many scientific disciplines and many years there is sure to be something for everyone.

Proceeds from the sale will go to support the Research Library of the Buffalo Museum of Science.

Spring Cleaning? If you would like to donate any gently used books to the sale, please do so. We will gladly accept materials to enhance our sale. Feel free to drop them off at our front desk or call the Library for more information 896 5200 x321. Kathy Leacock, Curator of Collections

NOTEWORTHY RECORDS

Underlined common names, dates or localities indicate that an acceptable, detailed written verification according to the *Date Guide to Birds of Western New York and Adjacent Ontario* (Seventh Edition - Revised 2001) has been received and placed in the permanent files of the Buffalo Ornithological Society.

- * Indicates first record for the year.
- F Indicates first record for the migration.
- L Indicates last record for the migration.
- (f) Indicates record from feeding station. (n) Indicate nest(s).
- PDBA Indicates Previously Documented Breeding Area.

<u>Species</u>	<u>November</u>	<u>Nui</u>	<u>mber</u>	Location	Observer(s)
Snow Goose	6	66	Shadige	e	Watson, Pawlicki
11	11	1	Iroquois		Watson, Pawlicki
**	13	6	Dayton		Baird et al
•	15; 20	1; 1	Dayton		Neveu
**	27	1	Sinking	Ponds	Holmes
Canada Goose	29	<u>2000</u>	Dayton		Neveu
Cackling Goose	11	3	Iroquois	NWR	Watson et al
Brant	5	5	Golden	Hill SP	Watson et al
**	9	1	Wilson		D'Anna
Mute Swan	10	4	Cassada	ga	Neveu
Tundra Swan	5F	9	Golden	Hill SP	Morgante
**	12	24	Fort Eric	e (Ont)	Yoerg
11	18	418	Chautau	qua Lake	Neveu
"	24	123	Beaver l	I. SP	Sharon
"	27	25	Oak Orc	chard WMA	S&T O'Donnell
Wood Duck	4; 13	<u>187;</u> 100	Alexand	ler	Dart
"	11	<u>550</u>	Alexand	ler	Dart, Beattie et al
Gadwall	11	70	Iroquois	NWR	Watson
"	18	56	Celeron		Neveu
American Wigeon	1	37	South D	ayton	Neveu
"	8	27	Dayton		Neveu
"	11	104	Iroquois	NWR	Watson
"	20	14	South Pa	ark	Rew
American Black Duck	11	66	Batavia	WWTP	Watson, Pawlicki
Northern Shoveler	11	592	Batavia	WWTP	Watson, Pawlicki
"	20L	1	South Pa	ark	Rew
Northern Pintail	11	32	Batavia	WWTP	Watson
Green-winged Teal	5	17	Golden	Hill SP	Watson et al
"	7	30	Dayton		Neveu
"	11	14	Batavia	WWTP	Watson
"	11	27	Iroquois	NWR	Watson
Canvasback	30	50	Niagara	Falls	Lazarczyk
Redhead	2	4	Niagara	Falls	Watson
"	25	11	Dunkirk	Harbor	Neveu
Ring-necked Duck	1	50	South D	ayton	Neveu
"	8; 18	104; 47	Dayton		Neveu
11	10	43	LaSalle	Pk, Bflo.	D'Anna
Greater Scaup	2	300	Niagara	Falls	Watson, Lazarczyk
11	18	12	Barcelo	na	Neveu
Lesser Scaup	2	200	Niagara	Falls	Watson, Lazarczyk

	Species	November	Number	Location	Observer(s)
	н	11	30	Batavia WWTP	Watson
	Scaup species	30	2000	Grand I.	Lazarczyk
*	Harlequin Duck	26F	1	Goat I.	Pawlicki, Salembier
	11	27; 30	1	Dunkirk Harbor	Neveu
	Surf Scoter	3	8	Bird I. Pier	Watson, Yoerg
	11	5	11; 10	Golden Hill SP	Watson; Morgante
	11	20	3	Buffalo Harbor	Rew
	White-winged Scoter	3	8	Bird I. Pier	Watson, Yoerg
	"	5	38	Golden Hill SP	Watson et al
	11	6	14	Shadigee	Watson
	Black Scoter	3	6	Bird I. Pier	Watson, Yoerg
	11	5	20	Golden Hill SP	Morgante, Watson et al
	11	19	50	Wilson	D'Anna
	Long-tailed Duck	20	100	Fort Erie (Ont)	Morgante
	Bufflehead	18	38	Dayton	Neveu
	н	12; 19	32; 109	Sheridan	Neveu
	11	20	1300	Fort Erie (Ont)	Watson et al (BOS)
	Common Goldeneye	5	30	Golden Hill SP	Morgante
	"	8	34	Niagara Falls	Watson
	н	19	50	Sheridan	Neveu
	Hooded Merganser	18; 23	176; <u>596</u>	Celeron	Neveu
	"	11	106	Iroquois NWR	Watson, Pawlicki
	н	20; 29	66; 256	Dayton	Neveu
	п	19	66	Hanover	Neveu
	11	20; 29	120; 75	Allegany SP	Baird
	Common Merganser	6	278	Silver Creek	Neveu
	"	15;18;20;29	150;170;354;465	Dayton	Neveu
	Red-br. Merganser	25;27;30	64;75;67	Dunkirk Harbor	Neveu
	Ruddy Duck	1	105	South Dayton	Neveu
	"	10;18;23	42;137;127	Celeron	Neveu
	н	11	445	Batavia WWTP	Watson
	TI .	18	45	Chautauqua Lake	Neveu
	Red-throated Loon	5	12	Golden Hill SP	Morgante
	11	6	7	Shadigee	Watson
	ш	12	517	Wilson	D'Anna
	н	26	7	Somerset	Yoerg, Henderson
	Common Loon	5	38	Golden Hill SP	Watson et al
	"	6	107	Shadigee	Watson
	Pied-billed Grebe	3;10;18;23	85;192;31;21	Celeron	Neveu
	Horned Grebe	12; 19	16; 29	Sheridan	Neveu
	"	6	44	Hamburg	Morgante
	**	18	31	Barcelona	Neveu
	11	27; 30	49; 34	Dunkirk Harbor	Neveu
	Red-necked Grebe	5	3	Golden Hill SP	Watson et al
	"	6	2	Shadigee	Watson
	11	20	1	Ft. Niagara SP	S&T O'Donnell (BOS)
	11	23	2	Celeron	Neveu
	Eared Grebe	11	3	Batavia WWTP	Watson
*	Northern Gannet	5	1	Golden Hill SP	D'Anna, Morgante, Watson
	Dcrested Cormorant	3	1100	La Salle Park, Bflo.	Watson
	- Commonant			and I am, Dilo.	·······································

<u>Species</u>	November	Number	Location	Observer(s)
Great Blue Heron	5; 27; 30	9; 5; 8	Dunkirk Harbor	Neveu
11	6	11	Hanover	Neveu
Black-cr. Night-Heron	6; 20	2; 1	South Park, Bflo.	Rew, Walker; Rew
Turkey Vulture	1; 3; 7L	2; 1; 2	Lancaster	Morgante
"	6	1	Alfred	Brooks
Bald Eagle	1	1 ad	South Dayton	Neveu
"	2; 12	1 imm; 1 imm	· ·	Neveu
11	3; 28	1 imm; 1 imm	Sheridan	Neveu
n	6	1	Shadigee	Watson, Pawlicki
n	7; 8; 29	2 ad; 2 ad; 2 ad		Neveu
11	10	1 imm	Chautauqua	Neveu
**	19; 30	1 imm; 1 ad	Hanover	Neveu
11	28	1 imm	Dunkirk Airport	Neveu
	28	1 imm	Westfield	DeFrancisco
"	28	1 imm	Dunkirk Harbor	Moshers
"	29	10	Allegheny Reservoir	Baird
Paugh lagged Hawk			L. Ontario plain & Southern Tier	
Rough-legged Hawk	5 - 28	10 recs; 4 max	·	
Merlin	<u>2;9;14;23</u>	3; 4; 4; 3	UB south campus	Yoerg
Peregrine Falcon	3; 7	1; 2	Bird I. Pier	Yoerg
	13	l	Niagara Falls (Ont)	Yoerg
	<u>26</u>	1	Niagara Falls (Ont)	D'Anna et al
American Coot	3;10;18; 23	600; 800; 700; 700		Neveu
Sandhill Crane	11	3	Oak Orchard WMA	Pawlicki, Watson
Black-bellied Plover	5; 6L	1; 1	Somerset	Morgante; Watson et al
Killdeer	28 .	1	Alexander	Dart
Greater Yellowlegs	5	1	Somerset	Watson et al
"	7	2	Bird I. Pier	Yoerg
Spotted Sandpiper	<u>3; 7</u>	1; 1	Bird I. Pier	Watson
Sanderling	7	3	Bird I. Pier	Yoerg
"	10L	4	Dunkirk Harbor	Neveu
Dunlin	5; 6	6; 4	Somerset	Morgante; Watson et al
"	7	3	Bird I. Pier	Yoerg
Parasitic Jaeger	5	1	Golden Hill SP	D'Anna, Morgante et al
Franklin's Gull	6F; 7	1	La Salle Park, Bflo.	Morgante; Yoerg
"	10;11;19	1	Fort Erie (Ont)	D'Anna, Potter
"	12	1	Fort Erie (Ont)	Watson, Pawlicki
н	20	1	Jaeger Rocks (Ont)	Yoerg, Henderson
Little Gull	5F	1 ad	Golden Hill SP	Morgante
п	5F	1	Barcelona	Neveu
n	7	2	Bird I. Pier	Yoerg
11	12	1	Fort Erie (Ont)	Watson, Pawlicki
11	13	2	Queenston (Ont)	Yoerg
11	20 - 26	6 max	Fort Erie (Ont)	Yoerg, Henderson et al
"	21	1	Buffalo	Hess
Black-headed Gull	19	1	Fort Erie (Ont)	D'Anna et al
Bonaparte's Gull	19	7000	Fort Erie (Ont)	D'Anna, Potter
California Gull		1	Adam Beck Hydro (Ont)	D'Anna et al; Watson et al
	11;12	1		
Iceland Gull	11F	2	Niagara Falls	Potter D'Anna Pattar
"	19	2	Adam Beck Hydro (Ont)	D'Anna, Potter
	20	5	Adam Beck Hydro (Ont)	Watson et al (BOS)

	Species	<u>November</u>	<u>Number</u>	Location	Observer(s)
	11	26	1	Beaver I. SP	Lazarczyk
	Lesser Black-b. Gull	11F	4	Niagara Falls	D'Anna, Potter
	tt.	12	1	Niagara Falls	Watson, Pawlicki
	11	26	1	Goat I.	Pawlicki, Salembier
*	Black-leg. Kittiwake	<u>5</u>	1	Golden Hill SP	D'Anna, Morgante
	Common Tern	6	1	Buffalo	Morgante
	11	16	1	Tifft NP	Andrle
	Snowy Owl	29; 30	1	Porter	D'Anna, Potter
	Long-eared Owl	23;25;27	1; 1; 1	Amherst SP	Salembier
	Short-eared Owl	16; 25	1; 2	Porter	D'Anna; Sharon
	ti	28	3	Sheldon	D&S Junkin
	Nor. Saw-whet Owl	1 - 12	2 max	Allegany SP	LeBlanc et al
	tt	1 - 14	6 max(Nov. 5)		D Junkin
	Eastern Phoebe	19	1	Hanover	Neveu
	11	20	1	Evans	Andrle
	11	23L	1	Amherst SP	Salembier
	Northern Shrike	5 - 30	12 recs;2 max	Throughout WNY	Many observers
	Common Raven	1; 2	1; 1	Ward	Brooks
	11	8; 11	2; 2	Alfred	Brooks
	11	28	3	Alma	Beattie
	Horned Lark	5	20	Golden Hill SP	Morgante, Watson et al
	II	18;25;26	24;23;13	South Dayton	Neveu Neveu
	11	26	115	Villenova	Neveu
	Purple Martin	<u>5L</u>	1	Golden Hill SP	D'Anna, Morgante et al
	N. Rough-w. Swallow	13L	4	Niagara Falls (Ont)	Yoerg
*	Cave Swallow	5	42	Golden Hill SP	D'Anna, Morgante et al
	11	6	56	Wilson	D'Anna
	Selasphorus sp.[Rufous/Allen's]		1	Glenwood (f)	D&D Suggs
	Carolina Wren	6 - 19	10 recs;2 max	Throughout WNY	Several observers
	Ruby-cr. Kinglet	5	2	Amherst SP	Salembier
	"	8	1	Times Beach NP	Andrle
	Eastern Bluebird	6	11	Hanover	Neveu
	***	4 - 27		Throughout WNY	Several observers
	Hermit Thrush	5	3	Golden Hill SP	Morgante
	"	27	1	Wilson	Potter
	Wood Thrush	11;12;13L	1	Wilson	D'Anna et al
	Gray Catbird	27	1	Iroquois NWR	S&T O'Donnell
	Northern Mockingbird	5	1	Wilson	Pawlicki, Watson
	11	5	1	Somerset	Pawlicki, Watson
	11	6 - 27	1 - 3	South Park, Bflo.	Rew
	11	19	1	Eden	Andrle
	11	30	1	Alexander	Dart, Beattie
	American Pipit	6	14	Yates	Watson
	"	7; 18	5; 1	Dayton	Neveu
	n e	18	42	South Dayton	Neveu
*	Bohemian Waxwing	5	3	Golden Hill SP	Morgante
	Yellow-r. Warbler	6	2	Hanover	Neveu
	Chipping Sparrow	6; 8	1; 1	Times Beach NP	Morgante; Andrle
	Field Sparrow	6	1	Times Beach NP	Morgante Morgante
	Fox Sparrow	2	i	Hanover	Neveu
	1 on Sparrow			Tano vei	ricicu

<u>Species</u>	November	Number	Location	Observer(s)
H .	4	1	Fredonia	Neveu
··	5	1	Amherst	Pawlicki, Watson
	8	1	Times Beach NP	Andrle
**	8	1	Wilson (f)	Potter
11	24	1	Bethany	Beattie
···	25; 26	1; 1	Pomfret	Moshers
**	25 - 30	1	South Wales	Bee
Swamp Sparrow	27	1	Iroquois NWR	S&T O'Donnell
White-cr. Sparrow	15	1	Silver Creek (f)	Neveu
Snow Bunting	5	125	Somerset	Watson, Pawlicki
"	11	100	Batavia WWTP	Watson
H	20	180	Fort Niagara	Watson et al (BOS)
tt.	20	110	Rock Point PP (Ont)	Yoerg, Henderson
Red-w. Blackbird	18; 26	37; 7	South Dayton	Neveu
H	26	3	South Park, Bflo.	Rew
Eastern Meadowlark	6	1	Yates	Watson, Pawlicki
11	17	1	Buckhorn I. SP	Sharon
Rusty Blackbird	2; 8	200; 200	Alden	Wolfling
н	6	150	Buckhorn I. SP	S&T O'Donnell
Common Grackle	15	2	Silver Creek (f)	Neveu
ff.	21	1	Tonawanda	Hess
Brown-head. Cowbird	22	1 .	Niagara Falls (f)	Roberson
Purple Finch	18; 30	2; 2	Wilson (f)	Potter
* White-w. Crossbill	18F	1	Wilson (f)	Potter, D'Anna
Pine Siskin	6; 27; 28	50; 20; 20	Wilson	D'Anna, Potter
Evening Grosbeak	13F	1	Orchard Park	Morgante
				275

Species, subspecies, and hybrids previously recorded this year:275Species, subspecies, and hybrids recorded for this month:011Total for the year 2005:286

Statisticians' Note: If any observer wishes to know the status of their verification report, please contact the Statisticians and we will give them the reasons for our decision. Please mail reports for each month not later than the FIFTH day of the following month to the Compiler: Bruce Chilton 88 Pryor Avenue, Tonawanda, NY 14150; Email: BChi314159@aol.com.

November 20, 2005 BOS/GOS Niagara River Field Trip

By Mike Hamilton

Nine GOS birders lead by Bob Spahn joined about the same number of BOS birders at Old Fort Niagara lead by yours truly and birded along the Niagara River all the way to Fort Erie on a beautiful sunny day.

At Old Fort Niagara we had 3 Red-throated Loons, 1 Common Loon, a White-winged Scoter, a jaeger species, an interesting slightly darker mantled large gull which might have been a Greater Black-back/ Herring Gull hybrid and fly-over Snow Buntings.

At Lewiston there were about 20 Great Blue Herons and a couple of hundred Bonaparte's Gulls but no Little Gull. On the Canadian side at Sir Adam Beck several adult Iceland Gulls and at least two Thayer's Gulls. At the Enginee-

rium Building lots of gulls but nothing unusual. The same was true at the International Control Gates.

We then proceeded to Fort Erie to look for the Franklin's, Black-headed and Little Gulls, all of which had been seen the preceding week. There were an unusual number of gulls along the way and at Fort Erie, more than I have ever seen in that stretch, mostly Bonaparte's Gulls. The density was particularly high between the International Railway Bridge and Nichol's Marina. However, the only rarity we saw was an adult Little Gull. The trip fragmented at Fort Erie with different groups retracing different parts of the route in search of yet unseen rarities.

Buffalo Ornithological Society President's 2005 Annual Report

Terry L. Yonker

When I was first elected President of BOS, I proposed a set of goals for the Society. The following is a list of those goals and the actions that were taken to achieve them.

- 1. Revise our meeting format to include one program meeting and one business meeting per month. There was clear resistance to the change even though committees prospered under the change. The meeting format reverted to the old format in 2004.
- 2. Review our committee structure and make changes that improve functionality. A series of bylaw amendments were introduced in 2004 with the result being the consolidation of the Research and Data Acquisition Committees and the creation of a Finance Committee.
- 3. Improve communications within and outside the Society. We created an ad hoc Communications Committee chaired by Dave Suggs to review the phone tree, dialabird, and other forms of communication, including a website. A website was developed and is functional.
- 4. Improve research focus. Several projects were undertaken including the Bonaparte's Gull Study on the Niagara River and roosting study on Lake Ontario. New statistical techniques were employed by Bob Deleon and Brendan Klick to tease out important information on migration trends from past migration counts. A new Shorebird Count was established by Terry Yonker and Lynne Landon and has been conducted for the past five years. The traditional April, May and October counts continued to be ably led by Mike Hamilton and Bob Deleon. And finally we made bylaw changes to combine the Research and Data Acquisition Committees to promote additional research and data utilization.
- 5. Review and update field trip and program offerings. Our field trips continued and participation remained high. Programs were well attended and very informative thanks to the efforts of Bill Watson. Being planned are several out of study area field trips to Michigan, Nebraska, and downstate.
- 6. Review BOS status as a charitable, nonprofit, and tax exempt organization. This was accomplished and it was determined that BOS was currently in compliance with IRS and state charities regulations. Bylaws changes established a Finance Committee that will have responsibility for developing BOS budgets and managing the Axtell/McVey/Wendling Fund.
- 7. Investigate the feasibility of establishing a bird observatory within the Niagara River Corridor IBA. BOS established the Niagara Corridor Bird Observatory Committee, which has yet to meet. Efforts were made to include a bird observatory/ecology center in the settlement agreement with New York Power Authority without success. The Observatory Committee is now being reactivated.

Other highlights from the past four years include:

- 1. Preparation of an extensive response to the USFWS and DEC EIS opposing unlimited authority to control Double-crested Cormorants.
- 2. Long-term representation of BOS in settlement proceedings related to the licensing of the Robert Moses Power Plant.
- 3. Representation of BOS in the drafting of the Niagara River IBA Conservation Plan.
- 4. Complete Council review of the BOS Constitution and adoption of amendments to the Constitution by BOS.
- 5. Celebration of BOS's 75th Anniversary in 2004.
- 6. Initiative to publish a new book on the birds of Western New York by D'Anna and Morgante.
- 7. Publication of the Seasonal Checklist of Birds.
- 8. Initiative to sponsor the restoration of the Peterson films at the Roger Tory Peterson Institute

Business left uncompleted includes the establishment of a Niagara River Bird Observatory, a complete revision of the BOS Constitution including the establishment of a BOS Bird Records Committee, establishment of a standing Communications Committee, and changes in the purpose of the Council (possibly as a Board of Directors).

YOU'RE INVITED TO:

A Feathered Needle in a Haystack: A Fascinating Journey into the Re-Discovery of the Ivory-Billed Woodpecker

Tuesday, February 28th, 6:30 PM

Free Open to the Public

Buffalo Museum of Science Auditorium 1020 Humboldt Parkway (Best Street exit from Route 33)



Hope is the thing with feathers
that perches in the soul –
and sings the tunes without the words –
and never stops at all.

– Emily Dickinson

Ivory Billed Woodpeckers from the collection of the

peaker Ron Rohrbaugh, Director of Cornell University's Ivory-Billed Woodpecker Research Project, will take us behind the scenes of this very current continuing news story, the historic search for the Ivory-Billed Woodpecker in the Big Woods of Arkansas. Just when everyone thought this most regal of woodpeckers was gone for good, a persistent search involving thousands of volunteer hours reveals its existence. Ron will discuss the search and share the rich history and ecological saga of North America's largest woodpecker.

Reservotions not required.

Progrom presented by The Buffolo Audubon Society, Buffalo Museum of Science ond Buffalo Ornithologicol Society.

Further information at 896-5200 or www.buffalomuseumofscience.org



ACTUAL & PROPOSED BUDGETS FOR THE YEARS 2004 - 2007 FOR THE BUFFALO ORNITHOLOGICAL SOCIETY

Following is the budget and actual for the BOS fiscal year 2004-2005 and the proposed budgets for 2006 and 2007. The 2004-2005 budget is for 15 months due to the transition to a fiscal year ending on 12/31. 2006 will be the first year with the BOS on a calendar year. Although the Society must vote on the 2006 budget **only**, it is helpful to anticipate future needs and/or the spreading of expenses over more than one year. To this end the 2007 preliminary budget is included as a guide only and will need to be revised and voted on next year.

INCOME:		200	2004-2005		2007
		Budget	Actual*	P. Budget	P. Budget
	Opening Bank Balance:	4901.62	4901.62	4590.30	2589.37
	Dues:	3800.00	3790.00	3800.00	3800.00
	Date Guide Sales	0.00	53.00	0.00	0.00
	Special Membership Premiums	500.00	445.00	500.00	500.00
	Misc. Income	20.00	10.11	20.00	20.00
	Seasonal Checklist Sales	50.00	160.83	50.00	50.00
,	Total Income:	4370.00	4458.94	4370.00	4370.00

EXPENSE:				
General operating expenses	1250.00	476.74	1000.00	1000.00
Contributions	200.00	0.00	200.00	200.00
Speakers Fund (reimbursable expense for travel, lodging)	100.00	175.00	100.00	100.00
Vaughn Lecture Series (support)	100.00	100.00	100.00	100.00
Prothonotary	3750.00	3348.18	3250.00	3250.00
Meeting Room contribution to Science Museum	300.00	300.00	300.00	300.00
2009 Banquet Fund (reserved)	345.93	320.93	620.93	920.93
R. Exp. for Delegates to An'l Meeting of NYS Ornithological Soc.	0.00	0.00	0.00	0.00
Young People's Weekend	100.00	0.00	100.00	100.00
BOS Graphics Coordination and Update	300.00	0.00	0.00	0.00
Section Map Project	400.00	0.00	400.00	0.00
BOS, Seasonal Checklist	0.00	49.41	0.00	0.00
Beardslee & Mitchell update (support for reimbursable expense)	50.00	0.00	300.00	500.00
Total expense:	6895.93	4770.26	6370.93	6470.93
Ending bank balance (general operating contingency):	2375.69	4590.30	2589.37	488.44

Submitted by the Budget Committee: Thomas O'Donnell, Lynne Landon, Terry Yonker, Gerry Rising, Mike Hamilton, Jerry Lazarczyk Adopted at the 12/14/05 Meeting

^{*} Actual October 12, 2004 through December 14, 2005

Buffalo Ornithological Society Buffalo Museum of Science 1020 Humboldt Parkway Buffalo, NY 14211-1293

Return Service Requested

Non. Profit Org.
U.S. Postage
PAID
Buffalo, NY
Permit No. 412

Albert R. Mann Library Acquisitions Division-Serials Cornell University Ithaca, NY 14853-4301



February – March Calendar

Feb. 8: Meeting at 7:00 PM in the Cummings room of the Buffalo Museum of Science. John Black will discuss "The quantification of birds on weather radar"

Feb. 22: BOS Meeting at 7:00 PM in the Cummings room of the Buffalo Museum of Science.

Feb. 26: Sunday. Niagara County, New York, Owl Trip. Meet at 1:00 PM near the Toys R Us entrance at the Summit Park Mall on Williams Road just south of Niagara Falls Blvd. in the Town of Wheatfield. Leader: Chuck Rosenburg (434-9403, crosenburg@adelphia.net, cell phone: 622-3278).

February 28: Tuesday. At 6:30 PM at the Buffalo Museum of Science. The Search for the Ivory-billed Woodpecker. The Buffalo Audubon Society, The Buffalo Museum of Science and the BOS are sponsoring this event. This will be a celebration of the most exciting natural history event in over 100 years: the rediscovery of the Ivory-billed Woodpecker. Join Ron Rohrbaugh, Director of Cornell's Ivory-billed Woodpecker Research Project as he takes us behind the scenes in the historic search for the Ivory-billed Woodpecker in the Big Woods of Arkansas. Admission is FREE.

March 25: Saturday not Sunday. Lake Ontario Plain Field Trip for early spring migrants. Leader: Willie D'Anna 751-3637 or dannapotter@wzrd.com. Meet at 8 a.m. at Tops Market in Wright's Corners. This is on the east side of Route 78 at Route 104, north of Lockport.

BOS website http://www.bosbirding.org/



Buffalo-Niagara Region Dial-a-Bird: 716-896-1271

The PROTHONOTARY



Published Monthly by the

BUFFALO ORNITHOLOGICAL SOCIETY

Volume 72, No. 1 January, 2006

THE MONTH: December

by Mike DeSha

According to the National Weather Service in Buffalo, December reversed the warm trend that had been in place since May 2005 so that the temperature this month averaged 27.1 °F, about 2.5 degrees colder than normal (my emphasis). In Birds of the Niagara Frontier Region, Beardslee and Mitchell reported the average December temperature as 27.2 °F. It is perhaps not surprising that the average has shifted higher by 2.4 degrees since the publication of their book in 1965. The first three weeks of the month were cold. They averaged 7.5 degrees below normal but the milder weather of the following ten days averaged 8 degrees above normal, leaving barely enough snow on the ground for the Christmas holiday. The highest temperature of 46 °F occurred on December 28 and the lowest temperature of 0 °F occurred on December 13, which was one degree warmer than the record for this date.

The month was quite cloudy, with only 17% of possible sunshine and on 12 of the last 16 days no sun whatsoever was recorded. In Buffalo, no day this month received more than six inches of snow and the monthly total was about five inches below normal.

At least a trace of snowfall occurred on 18 of the first 21 days, but less than an inch for the last ten days of the month. The total snowfall of 20.3 inches was over 5 inches below normal for December. Lake effect snow events affecting the Southtowns and Southern Tier occurred during the first three weeks, but only on December 16 and 17 did the snow move northward to affect the Buffalo region, dropping 6.5 inches during the two-day period. (Meteoro-

The Month
by Mike DeSha

Noteworthy Records by Bruce Chilton

6 Peregrine Falcons
by Bill Burch

7 Prothonotary Index by Karen Landau

BOS Calendar

logical data provided by the National Weather Service Buffalo office.)

The cold days of early December drove the waterfowl away from Cattaraugus County where I live, as there were no Canada Geese and few other waterfowl found on the Cattaraugus County Bird Club's Christmas Count held on December 17. In contrast, waterfowl were varied and abundant on the Niagara River, Lake Erie at Dunkirk and Lake Ontario. On the 28th Peter Yoerg and Barbara Henderson spotted 4 white-phase and 2 of the rarer blue-phase Snow Geese at Lakeside Beach State Park. On the Christmas Bird Count of December 18, Jim Pawlicki and Willie D'Anna found a Trumpeter Swan in the Niagara River rapids above the falls at Niagara Falls, Ontario. The swan sported an "obvious field mark" in that it was tagged with a black-numbered yellow tag indicating that it had fledged at Wye Marsh, Ontario, in connection with the Ontario Trumpeter Swan Reintroduction Program. In addition to the obvious field mark, D'Anna wrote, "...this swan was identified by its very long sloping head profile formed by a long bill and forehead showing a virtually straight line with no noticeable concavity. ... There was no yellow in the black loral skin." Up to 175 Tundra Swans remained in the vicinity of Beaver Island State Park through the 17th.

On December 4, Bill Watson counted 175 Northern Shovelers at Batavia Waste Water Treatment Plant. On the same CBC that they found the Trumpeter Swan, D'Anna and Pawlicki found at least 5 Northern Shovelers on the Niagara River near the Dufferin Islands Creek outlet.



Immature male Surf Scoter photographed by Willie D'Anna at Fort Erie, Ontario on December 10, 2005.

The Prothonotary is published monthly by the Buffalo Ornithological Society, Buffalo Museum of Science, Buffalo, NY 14211. Send subscriptions and address changes to the Corresponding Secretary, Karen Landau, S-9195 State Road, Colden, NY 14033. The regular subscription rate is \$20/year. Back issues are available from the Treasurer for \$2/issue.

Please mail correspondence to: Jack Skalicky 178 N. Main Street #55 Salt Lake City, UT 84103-2075 [Email] skalicky@biochem.utah.edu Ed. Consultants: Robert Andrle

Gerry Rising William Watson

Proth. Production: Audrey Horbett Eileen Hull

Society Officers:

2006-2008

President: Thomas O'Donnell V. President: Michael Morgante Gerald Lazarczyk Treasurer: Donna DeLeon Secretary: Robert Andrle Statisticians: Frances Rew Audrey Horbett Archivist: Council: 2004-2006 Bob DeLeon Mike Desha Jim Landau 2005-2007 Mike Galas

Jerry Lazarczyk

Douglas Beattie

Lynne Landon Elizabeth Wells

Gail Seamans

D'Anna's photo included in his verification form shows a direct comparison of a Mallard with a female Shoveler and a male Shoveler in eclipse plumage, each significantly smaller than the Mallard.

Jerry Lazarczyk reported approximately 12,000 scaup species off Grand Island on December 23. I have just reread with greater interest the article in the January 2005 issue of *The Pro*thonotary about Scaup decline, which was very pessimistic. We can hope that the 12,000 scaup seen by Lazarczyk may be significant as an indication of possible recovery. In Bull's Birds of New York State, which also acknowledges a decline in numbers, the previous record maximum number of individuals on the Niagara River was reported as 6,000, so this sighting doubles the record number cited there.

Great Cormorants are seen regularly on the

Atlantic Coast in winter, but it is one of the rarer species to visit our area. Numbers seem to be increasing along the coast and it is being reported more frequently in the Hudson River area. There were no verified sightings of this species here until after the production of the Seasonal Checklist, which was closed to records after December of 2000. On December 4, Thomas Bartlett and his group from Ohio spotted an individual of this species feeding where the Niagara River enters Lake Ontario. In his verification, Bartlett reported that he is quite familiar with the species, having seen it in Maine, Nova Scotia, New Brunswick, and along the east coast. He described this individual as a, "Large, glossy black cormorant with whitish throat and white feathers in the flank area but not on the rump or vent area. The bird's neck appeared thicker and the overall plumage much darker than Double-crested Cormorants we had observed upriver earlier in the morning." Perhaps the range of this species is expanding into this region.

Merlins continue to roost at the University of Buffalo's Main Street Campus. Peter Yoerg visited the campus seven times between December 9 and December 27. On December 13, he counted a maximum of six individuals. Yoerg



Yellow Palm Warbler (D. p. hypochrysea) photographed by Willie D'Anna at Niagara Falls, Ont. on December 18, 2005.

and Henderson found a Peregrine Falcon in Buffalo. Fran Rew and Audrey Horbett saw an adult male Peregrine Falcon flying along the Niagara River at Fort Erie, Ontario.

An American Pipit, identified by Declan Troy and Ron Pittaway, flew over the Niagara River from the area of the Adam Beck Power Plant to the New York State side. Pittaway heard the "sharp double-noted 'tsip-it' call" and noted that it "lacked the Horned Lark's black underside of the tail that contrasts with its whitish belly."

In Birds of the Niagara Frontier Region, Beardslee and Mitchell wrote, "Most of the birds in our area in December are either permanent resident or winter visitant species. There are, however, always a few laggards that remain until more severe winter weather or a dwindling food supply force them to move farther south." Lagging was clearly the case with some Fox Sparrows as there were reports of their lingering well past the Verification Date Guide's December 2 date for last appearance of this species. I personally enjoyed two that showed up at my feeder on December 6 with one staying until December 11. Nancy Vigyikan reported a Fox Sparrow on her patio on December 11 and 12. The rusty tail and heavily striped breast of this large sparrow always make it a treat for me when it visits in the spring or fall. Richard Salembier spotted an Eastern Phoebe on December 24 at Amherst State Park in Williamsville. Again on the CBC of December 18, Vicki Rothman, Betsy Potter, Willie D'Anna and Jim Pawlicki saw a "Yellow" Palm Warbler hanging around the shoreline of the Niagara River south of the control gates in Niagara Falls, Ontario.

Writing for *The Prothonotary* is a new undertaking for me. Joseph Thill has retired from his spot in the rotation of writers for "The Month." I want to personally thank Joe for his years of service for *The Prothonotary*. I always enjoyed reading his "take" on the months' activities. I hope that I can carry on in his tradition.

Editors note: I want to thank Joe Thill for his many, many years of writing The Month and other articles for this newsletter. Although Joe will not be writing a "regular" Month article, he'll still be an occasional contributor to *The Prothonotary*, Thanks again Joe.

NOTEWORTHY RECORDS

MAR - | 2006

ITHACA, NY 14853

Underlined common names, dates or localities indicate that an acceptable, detailed written verification according to the *Date Guide to Birds of Western New York and Adjacent Ontario* (Seventh Edition - Revised 2001) has been received and placed in the permanent files of the Buffalo Ornithological Society.

- * Indicates first record for the year.
- F Indicates first record for the migration.
- L Indicates last record for the migration.
- (f) Indicates record from feeding station. (n) Indicate nest(s). PDBA Indicates Previously Documented Breeding Area.

				THAON, IVI LIGO
<u>Species</u>	<u>December</u>	Number	Location	Observer(s)
Snow Goose	5	1	Sinking Ponds	Holmes
II .	11	1	South Dayton	Neveu
"	28	4 white, 2 blue	Yates	Yoerg, Henderson
Mute Swan	28	4 ad	Lakeside Beach SP	Yoerg, Henderson
Tundra Swan	1	2	Celeron	Neveu
11	3	50	Fort Erie (Ont)	Yoerg, Henderson
11	3 - 17	6 recs;175 max	Beaver I. SP	Several observers
··	4	6	Batavia WWTP	Watson
п	23	96	Strawberry I.	Landau, Chilton; Watson
Gadwall	1	1	Celeron	Neveu
H	22	1	Dunkirk Harbor	Neveu
n	24	2	Beaver I. SP	Sharon
American Wigeon	4	3	Batavia WWTP	Watson
American Black Duck	4; 24	122; 1	Batavia WWTP	Watson; Watson, Pawlicki
н	22; 28	76; 3	Dunkirk Harbor	Neveu
Mallard	4	900	Batavia WWTP	Watson
Northern Shoveler	4	310	Batavia WWTP	Watson
Northern Pintail	4	2	Batavia WWTP	Watson
Green-winged Teal	4	8	Batavia WWTP	Watson
Redhead	7 - 31	10 max	Dunkirk Harbor	Neveu
Ring-necked Duck	17	3	Beaver I. SP	Sharon
Lesser Scaup	4	3	Batavia WWTP	Watson
Scaup species	17;23;25	1500; <u>12000</u> ; 3000		Lazarczyk
Harlequin Duck	3	1	Niagara-on-the-Lake (Ont)	· · · · · · · · · · · · · · · · · · ·
H	3 - 22;3	4 recs;1	Dunkirk Harbor	Neveu; Moshers
Surf Scoter	24	1	Bird I. Pier	Yoerg, Henderson
White-winged Scoter	9	1	Dunkirk Harbor	Neveu
Black Scoter	1 - 22	1	Dunkirk Harbor	Neveu
"	10	1	Dunkirk Harbor	Moshers
Long-tailed Duck	7; 10	1; 1	Dunkirk Harbor	Neveu; Moshers
"	18	2	Niagara River, Bflo	Landau, Chilton
Hooded Merganser	1	600	Celeron	Neveu
"	15	100	Dunkirk Harbor	Neveu
Common Merganser	10	1000	Dunkirk Harbor	Neveu
Red-br. Merganser	10; 15	1000; 252	Dunkirk Harbor	Neveu
Ruddy Duck	1	19	Celeron	Neveu
11	3; 7	1; 1	Dunkirk Harbor	Moshers, Neveu; Neveu
H	3	2	Fort Erie (Ont)	Yoerg, Henderson
11	4	135	Batavia WWTP	Watson
н	10; 16	1; 1	Beaver I. SP	Sharon
	10, 10	1, 1	Douver 1. Di	Dilaion

	Species	<u>December</u>	Number	Location	Observer(s)
	11	24	4	Bird I. Pier	Yoerg, Henderson
	Wild Turkey	24	62	Evans	Andrle
	Red-throated Loon	17	31	Wilson	D'Anna
	"	27	63	Four Mile Creek SP	D'Anna
	Common Loon	1	4	Chautauqua	Neveu
	"	3	2	Fort Erie (Ont)	Yoerg, Henderson
	11	8	2	Dunkirk Harbor	Neveu
	Pied-billed Grebe	8; 22	5; 5	Dunkirk Harbor	Neveu
	"	9	1	Black Rock Canal	Lazarczyk
	Horned Grebe	3	2	Fort Erie (Ont)	Yoerg, Henderson
	"	7 - 31	68 max	Dunkirk Harbor	Neveu Neveu
	Red-necked Grebe	3	1	Buckhorn I. SP	S&T O'Donnell
*	Great Cormorant	8	1	Niagara-on-the-Lake (Ont)	
	Great Blue Heron	3	14	Queenston (Ont)	S&T O'Donnell
	"	15	12	Dunkirk Harbor	Neveu
	Bald Eagle	3	1 imm, 1 ad	Dunkirk Harbor	Moshers, Neveu
	" Lagie	3	1 mmi, 1 ad	Lewiston	S&T O'Donnell
	n	3	1 ad	Sheridan	Neveu
	11	3; 10	2 ad; 1 imm	Silver Creek	Neveu
	11	3; 6	1 ad; 1 imm	Beaver I. SP	Sharon
	n .	8	1 ad, 1 mmin	Strawberry I.	Yoerg; Landau, Chilton
	Dough logged Howk	11	2	South Dayton	Neveu
	Rough-legged Hawk		1	Glenwood	
		15 28	1	Lakeside Beach SP	Lazarczyk Yoerg, Henderson
	11	28	1		Neveu
	Morlin		1 6 may	Dunkirk Airport	
	Merlin Paragrina Falson	<u>9 - 27</u>	6 max	UB south campus Buffalo	Yourg Handarson
	Peregrine Falcon	<u>24</u>	1000	Celeron	Yoerg, Henderson Neveu
	American Coot	1			Holmes
*	Durale Condainer	4; 5	1; 2	Sinking Ponds Niggers Folls (Ont)	
	Purple Sandpiper	3	2 5	Niagara Falls (Ont)	Yourg, Henderson
	Little Gull	8	2	Fort Erie (Ont) Bird I. Pier	Yoerg, Henderson
	11	24	1		Yoerg
	Denomentale Cull	1	17	Lewiston	S O'Donnell
	Bonaparte's Gull	13		Celeron	Neveu
	11	17	1000	Grand I.	Lazarczyk
	Jacland Cull		1000	Beaver I. SP	Lazarczyk
	Iceland Gull	24; 27	1; 1	Four Mile Creek SP	D'Anna
	Lesser Black-b. Gull	3	5	Adam Beck Hydro (Ont)	D'Anna et al
	"	3	1. 1	Niagara Falls (Ont)	Yoerg, Henderson
	Clausaus Cull	24; 28	1; 1	Beaver I. SP	Sharon
	Glaucous Gull	3	2	Niagara Falls (Ont)	D'Anna et al
	San array Orași	24; 27	1; 1	Four Mile Creek SP	D'Anna
	Snowy Owl	28	1	Yates	Yoerg, Henderson
	Short-eared Owl	24	4	Porter SD	S&T O'Donnell
	Eastern Phoebe	<u>24</u>	1	Amherst SP	Salembier
	Northern Shrike	4	1	Batavia WWTP	Watson
	П	23	1	Sinking Ponds	Holmes
	H	24	1	Porter	D'Anna
		27	100	Iroquois NWR	Morgante
	Horned Lark	24	100	Yates	S&T O'Donnell

<u>Species</u>	<u>December</u>	Number	Location	Observer(s)
n .	28	100	Somerset	Yoerg, Henderson
Tufted Titmouse	1 - 31	2	Eden (f)	Andrle
11	3 - 14	2	Franklinville (f)	DeSha
"	11	3	Silver Creek (f)	Neveu
"	14;17;20	1; 1; 1	Alden (f)	Wolfling
Carolina Wren	1 - 31	12 recs;2 max	Throughout WNY	Several observers
Winter Wren	16	2	Wilson	D'Anna
"	27	3	Four Mile Creek SP	D'Anna, Potter
Eastern Bluebird	4	2	Hanover	Neveu
"	10	3	Dunkirk Airport	Neveu
"	23; 24	4; 3	Sinking Ponds	Holmes; Morgante
"	24	3	Oak Orchard WMA	Watson, Pawlicki
"	24	5	Iroquois NWR	Watson, Pawlicki
Hermit Thrush	4 - 17	1	Wilson	Potter et al
· ·	27	2	Four Mile Creek SP	Potter
n .	28	1	Lakeside Beach SP	Yoerg, Henderson
American Robin	31	500	Wilson-Tuscarora SP	Lazarczyk
Gray Catbird	23	1	Sinking Ponds	Holmes
11	24	1	Hanover	Neveu
Northern Mockingbird	24	1	Deveaux Woods SP	S&T O'Donnell
u .	24	2	Joseph Davis SP	S&T O'Donnell
American Pipit	<u>22</u>	1	Adam Beck Hydro (Ont)	Pittaway
Yellow-r. Warbler	3	1	Buckhorn I. SP	S&T O'Donnell
Amer. Tree Sparrow	10	67	Dunkirk Airport	Neveu
"	25	40	Sinking Ponds	Holmes
Chipping Sparrow	8 - 30	4 recs;all 1	Bethany	Beattie
11	17	1	Sheridan	Neveu
Field Sparrow	11	3	Wilson	D'Anna, Potter
"	17	1	Sheridan	Neveu
Fox Sparrow	<u>6; 7 - 11</u>	2; 1	Franklinville (f)	DeSha
"	<u>17 - 31</u>	<u>l</u>	Orchard Park	M&W Zebehazy
67	<u>19; 20</u>	<u>1</u>	Orchard Park	Vigyikans
Swamp Sparrow	24; 25	1; 1	Sinking Ponds	Morgante; Holmes
"	24	1	Iroquois NWR	Watson, Pawlicki
"	24	1	Tonawanda WMA	Watson, Pawlicki
"	27	1	Four Mile Creek SP	D'Anna
White-cr. Sparrow	7	1	Lancaster (f)	Morgante
"	7	1	Eden (f)	Andrle
11	. 27	4	Porter	D'Anna, Potter
11	28	1	Bethany	Beattie
Lapland Longspur	22	2	Dunkirk Airport	Neveu
Snow Bunting	10	10	Dunkirk Airport	Neveu
"	19	16	Grand I.	Lazarczyk
II	24	1000	Yates	S&T O'Donnell
II	28	1000	Yates	Yoerg, Henderson
Brown-head. Cowbird	12	4	Tonawanda (f)	Hess
Pine Siskin	1	2	Franklinville (f)	DeSha
"	1 - 31	55 max	Wilson (f)	D'Anna, Potter
	18	1	Porter	Yoerg, Henderson
11		1	Iroquois NWR	Morgante

<u>Species</u>	<u>December</u>	<u>Number</u>	Location	Observer(s)
Species, subspecies, and	d hybrids previously re	ecorded this y	ear:	286
Species, subspecies, and	003			
Total for the year 2005:				<u>289</u>

Statisticians' Note: If any observer wishes to know the status of their verification report, please contact the Statisticians and we will give them the reasons for our decision. Please mail reports for each month not later than the FIFTH day of the following month to the Compiler: Bruce Chilton 88 Pryor Avenue, Tonawanda, NY 14150; Email: BChi314159@aol.com.

ADDENDA

NI - who we Cook onely	6/10	2002		DaErramaisaa
Northern Goshawk	6/19	1,1	Carroll	DeFrancisco
		2004		
Northern Shoveler	<u>12/21</u>	2	Batavia WWTP	Watson
		2005		
Northern Goshawk	5/22	1	<u>Westfield</u>	DeFrancisco
Northern Goshawk	7/6	1	Allegany SP	Hess
* Whooping Crane	4/6	3	Ripley HW	Sundell, Wasilewski
Piping Plover	8/21	1	Rockpoint PP	Andrle
American Avocet	8/6	1	Woodlawn Beach SP	Simon
Spotted Sandpiper	11/27	1	Niagara Falls, Ont.	Iron
Acadian Flycatcher	5/5	2	Mina	Berry
	7/3-7	1	Allegany SP	Hess
* <u>Dickcissel</u>	6/20	6	Somerset	Morgante

OUR PEREGRINE FALCONS HAVE A GOOD YEAR IN 2005

by Bill Burch

Our Hillsborough, New Brunswick, female peregrine is now seven years old and this is the seventh year for her and her mate in the Statler Towers nest box in Buffalo.

Last year the female fought an intruder while egg-laying, and so laid only two eggs, but these gave two fledglings. This year she laid five eggs. All hatched, but one chick died.

The four surviving chicks were banded June 3, at the age of three weeks. Three were males and one was female. Banding was done by Mark Kandel of the NYS Department of Environmental Conservation and Connie Adams, new Senior Wildlife Biologist of the DEC. Assisting them was Jim Landau of the BOS. (Kandel now has been transferred to the Allegany office of the DEC as Natural Resources Manager.)

The four young peregrines did well and were seen at least a month after fledging.

The peregrine pair on Goat Island in Niagara Falls also had a good year. They had three chicks, two females and one male. These fledged on July 22. Connie Adams watched them stooping on gulls and cormorants on August 1. This nest in the cliff is occupied by a female and her mate who took it over in 2003. She was hatched in Pittsburgh, PA, in 2001.

Gordon Bellerby

Gordon Bellerby died at his home in Niagara-on-the-Lake after some months of illness. He was, for many years, an active member of the Toronto Ornithological Club and lived in Toronto. After moving to Niagara-on-the-Lake he became interested in Niagara River gulls, became a very helpful gull expert, and took many birders on gull trips along the river. Gordon was a member of the Buffalo Ornithological Society since 1985.

Prothonotary Index 20	05.	Volume 71	Brant	71	3, 99, 104
· ·		volume / 1	Broad-winged Hawk Buff-breasted Sandpiper	71 71	48 105
by Karen Lando	ш		Bufflehead	71	104, 112
			Cackling Goose California Gull	71 71	31, 99, 111 4, 113
Author Baird, Tim	71	29-30, 89-91	Canada Goose	71	111
Burch, Bill	71	70	Caspian Tern	71	101, 105
Chartier, Allen DeFrancisco, Len	71 71	18-19 45-46	Cattle Egret Cave Swallow	71 71	67 114
DeLeon, Donna	71	60-63	Clay-colored Sparrow	71	6, 58, 62, 70, 95
DeLeon, Robert	71	60-63	Common Grackle Common Moorhen	71 71	87 48
Freer, Valerie Hamilton, Mike	71 71	26 47-49, 87, 104-107,	Common Raven	71	41, 48, 56, 61
		115	Dark-eyed Junco J.h.oreganus	71	15, 25
Iron, Jean	71	18-19	Double-crested Cormorant Eared Grebe	71 71	112 83, 92, 100, 112
Landau, Jim Landau, Karen	71 71	12, 17-18, 44-45 8-9	Empidonax species	71	105
Lazarczyk, Jerry	71	11-12, 81-82	Eurasian Wigeon Forster's Tern	71 71	53, 99 61, 93
O'Donnell, Thomas Paulios, Andy	71 71	71, 76, 117 91	Gadwall	71	3
Randell, Gil	71	45-46	Glaucous Gull Golden Eagle	71 71	55 6, 40, 54, 100
Rising, Gerry Roy, Kayo	71 71	35, 51-52, 109-110 18-19	Golden-winged Warbler	71	94
Skalicky, Jack	71	7, 27	Gray-cheeked Thrush	71	94 92
Thill, Joseph	71	1-2, 7, 65-66	Great Egret Greater White-fronted Goose	71 71	31
Watson, Bill	71	22, 27, 30, 37-38, 44,	Hoary Redpoll	71	6
		71, 79, 82, 97-98, 103	Hooded Merganser Hooded Warbler	71 71	112 6
Yonker, Terry	71	116	House Wren	71	42
Zebehazy, Mike	71	21-22, 73-74	Hudsonian Godwit Hybrid Gr. White-fronted x Canada Goose	71 71	105 99
Bird Counts			lceland Gull	71	55, 61
April Count 2005	71	47-49	Jaeger species	71	101
May Count 2005 October Count 2005	71 71	60-63 104-107	Kentucky Warbler Lapland Longspur	71 71	58, 62 58
Waterfowl Count 2005	71	12, 17-18	Lark Sparrow	71	5, 15, 34
Field Trips			Lesser Black-backed Gull Long-tailed Duck	71 71	55 75, 83, 92
Lake Erie Shorebirds 2005	71	87	Louisiana Waterthrush	71	48, 95
Lake Plains 2005 Niagara River BOS/GOS 2005	71 71	30 115	Merlin	71	24, 33, 48, 61, 76,
Northern Chautauqua County 2005	71	22	Mourning Warbler	71	84, 93, 113 105
Whippoor-will Trip 2005	71	70	Mute Swan	71	104
Articles		•	Northern Bobwhite Northern Gannet	71 71	92 112
BOS Actual & Proposed Budget 2003-6	71	78	Northern Goshawk	71	24, 32, 40
BOS Actual & Proposed Budget 2004-7 BOS President's 2005 Annual Report	71 71	117 116	Northern Rough-winged Swallow	71	41, 114
BOS Region 2005 Christmas Counts	71	95, 103	Northern Saw-whet Owl Northern Shoveler	71 71	6, 93, 101 3, 13, 23
BOS Treasurer's Report 2003-2004 Buffalo Museum of Science Book Sale	71 71	71 110	Orchard Oriole	71	59, 62
An Early Field Sparrow Fledgling	71	71	Osprey Palm Warbler <i>D.p.hypochrysea</i>	71 71	6 43
Hamburg Hawkwatch: Spring 2005	71 71	44-45 27	Parasitic Jaeger	71	113
Ivory-billed Woodpecker Rediscovered Many Thanks to Atlasers!	71	26	Peregrine Falcon Pied-billed Grebe	71 71	4, 33, 84, 113 100
Marty Schlabach & David Corson to	71	82	Pine Warbler	71	6, 42, 57, 69, 86, 102
Lecture on Alexander Wilson Nocturnal Migrant Towerkill in WI	71	91	Piping Plover Prairie Warbler	71 71	84 69
Prothonotary Index 2004 vol. 70	71	8-9	Purple Martin	71	114
Region 1 Breeding Bird Survey Routes Rick Vetter: Nat. History of Madagascar	71 71	35 27	Red-necked Grebe	71	53, 100, 104
Ripley Hawkwatch Results Spring 2005	71	45-46	Red-throated Loon Ross's Goose	71 71	32, 100 6, 23, 31
Rufous Hummingbird Update	71 71	18-19 7	Rough-legged Hawk	71	54
Scaup Decline and Research Seven Bald Eagles Banded:Genesee Co.	71	66	Ruddy Duck Rufous Hummingbird	71 71	24 4
Strawberry Island Bald Eagles	71	79	Sandhill Crane	71	33, 41, 54, 61, 113
Accepted Verification Reports & Unusual			Sedge Wren Selasphorus sp. (Rufous/Allen's)	71 71	6, 56, 69, 77 114
Numbers		- 6.00	Snow Goose	71	53
American Avocet American Black Duck	71 71	76, 93 13	Spotted Sandpiper	71 71	113 40
American Tree Sparrow	71	106	Swainson's Hawk Townsend's Solitaire	71	42
Baltimore Oriole Barn Swallow	71 71	103 42, 101	Tufted Duck	71	6
Black Scoter	71	13, 24, 32	Turkey Vulture Western Sandpiper	71 71	3 84
Black-bellied Plover	71	54	Whimbrel	71	76
Black-headed Gull Black-legged Kittiwake	71 71	6, 113 114	White-crowned Sparrow White-eyed Vireo	71 71	95 41, 94
Black-throated Gray Warbler	71	5	White-rumped Sandpiper	71	76
Blue-gray Gnatcatcher Blue-headed Vireo	71 71	48 48	Whooping Crane	71	41
Bohemian Waxwing	71	114	Wood Duck Wood Thrush	71 71	111 114
Bonaparte's Gull Boreal Owl	71 71	113 4, 14, 33	Worm-eating Warbler	71	57, 62, 69, 102
Dolear Owi	/ 1	т, 17, 55	Yellow-throated Warbler	71	6, 62, 69

Buffalo Ornithological Society Buffalo Museum of Science 1020 Humboldt Parkway Buffalo, NY 14211-1293

Return Service Requested

Non. Profit Org. U.S. Postage **PAID** Buffalo, NY Permit No. 412

Albert R. Mann Library Acquisitions Division-Serials Cornell University Ithaca, NY 14853-4301



March - April Calendar

BOS website http://www.bosbirding.org/



Buffalo-Niagara Region Dial-a-Bird: 716-896-1271 Feb. 28: Tuesday. At 6:30 PM at the Buffalo Museum of Science. The Search for the Ivory-billed Woodpecker. Join Ron Rohrbaugh, Director of Cornell's Ivory-billed Woodpecker Research Project as he takes us behind the scene in the historic search for the Ivory-billed Woodpecker.

Mar. 1 - May 15: Hamburg Hawkwatch at Lakeside Memorial Park (off Camp Rd. between Rt. 5 & 20). Generally 10 AM - 3 PM weather permitting. Contact Jim Landau: (941-3869 or kjlandau@localnet.com).

Mar. 8: Meeting at 7:30 PM at Buffalo Museum of Science. Sarah Musilli, Emily Caruana, and Mike Hurban: N. Saw-whet Owl migration.

Mar. 22: Meeting at 7:30 PM at the Buffalo Museum of Science. Heidi Kennedy will discuss Marsh Bird Monitoring in New York State.

Mar. 25: Saturday not Sunday. Lake Ontario Plain Field Trip for early spring migrants. Leader: Willie D'Anna 751-3637; dannapotter@wzrd.com. Meet at 8 a.m. at Tops Market in Wright's Corners. This is on the east side of Route 78 at Route 104, north of Lockport.

Apr. 2: Sunday. Oak Orchard Swamps Field Trip. Meet 8:00 am (daylight saving time) at Cayuga Pool parking lot along Route 77 in Iroquois NWR. Leader: Gail W. Seamans (585-937-5105 or Gails@netacc.net).

Apr. 9: Sunday. April Count. All BOS members should participate. Contact Coordinator: Mike Hamilton (881-6709 or mhsr@wzrd.com).

Apr. 12: Meeting at 7:00 PM in the Cummings room of the Buffalo Museum of Science. Jacalyn Perry will discuss bird rehabilitation.

Apr. 23: Sunday. Braddock Bay Trip. This annual trip to the Hawk Watch will be led by Mike Zebehazy (BOS) and Bob Spahn (GOS). Meet at the Tanning Bed at Main and Transit at 7:00 AM. The group will proceed to the parking lot at Braddock Bay (Monroe County) for a 9:30 AM rendezvous with the GOS. Contact Mike at zebs@adelphia.net or 662-6987.

Apr. 26: Vaughan Lecture will be presented by Kimberly Bostwick from Cornell, "When your wing is your musical instrument: the fascinating

story of the Club-winged Manakin."

The PROTHONOTARY



Published Monthly by the

BUFFALO
ORNITHOLOGICALCA, NY 14853
SOCIETY

A. R. MANN LIBRARY

Volume 72, No. 2 February, 2006

lowed with soaking rains which reached an inch in the Buf-

Sunshine for the month totaled 29 percent of the possi-

ble, close to the normal of 31 per cent. Although fairly lim-

January's first week. Five days were mostly sunny while 20

Lake Erie. In fact, some local shore ice in the western basin

develop a good ice cover in February if the pattern changes.

If not, it would be the third winter in the last nine with vir-

tually no ice on Lake Erie after just two occasions in the

The consistent mildness did not allow any ice to form on

ited, it was a vast improvement from December and

early in the month melted away. The lake could still

falo area causing area rivers to flood.

remained mostly cloudy.

THE MONTH: January

by Jerry Lazarczyk

It was the warmest January in 56 years for Buffalo. January will be remembered as one of the most benign and open winter months in history. Our normal sieges of cold and snow were almost absent and bare ground was the rule. A strong Pacific flow dominated our region and the entire nation in January. A new record of 13 straight days of no sun from December 24 through January 6 eclipsed a record, which stood since 1902 and was tied in 1920.

The average temperature of 34.9 °F was a remarkable 10.4 degrees above the norm, placing this month 4th warmest in the 136 years of record. Only 1932 (37.2 °F), 1880 (36.7 °F) and 1950 (35.0 °F) were warmer. Twenty-eight of the 31 days were on the mild side, many substantially so. The warmth was consistent, but only one record was established: the 50-degree reading on the 11th.

Precipitation was in the normal range at 3.67 inches. The vast majority of it fell as rain. Snowfall was pretty much restricted to the tail end of these rain events with minor coatings on the 14th, 18th and 25th, all of which melted off in a day or so.

The month started with a mild, overcast week with the 5th capping off a record 13-day stretch of sunless skies. After a brief cold shot on the 6-7th, temperatures soared into the 50's and lower 60's during the second week with ample sunshine bringing a taste of spring. Deep lows moving to our North on the 14th and the 17-18th brought some drenching rains that ended as snow. This shot of winter was short-lived however as temperatures bounced back into the

50's by the 20th. Winter made a brief return on the 25th with some wet snow but there were some heavy accumulations across higher elevations of the Southern Tier and ski areas. This was fol-

The Month

by Jerry Lazarczyk
Noteworthy Recor

Noteworthy Records
by Bruce Chilton

14 Swallow Hollow Trail

16 January Waterfowl Count 2006

by Jim Landau

17 Ripley Hawk Watch - 06 by Gil Randell

18 BOS Calendar



Northern Hawk Owl photographed by Willie D'Anna on January 15, 2006 near Lyndonville, NY.

The Prothonotary is published monthly by the Buffalo Ornithological Society, Buffalo Museum of Science, Buffalo, NY 14211. Send subscriptions and address changes to the Corresponding Secretary, Karen Landau, S-9195 State Road, Colden, NY 14033. The regular subscription rate is \$20/year. Back issues are available from the Treasurer for \$2/issue.

Please mail correspondence to: Jack Skalicky 178 N. Main Street #55 Salt Lake City, UT 84103-2075 [Email] skalicky@biochem.utah.edu Ed. Consultants: Robert Andrle

> Gerry Rising William Watson

Proth. Production: Audrey Horbett Eileen Hull

Society Officers:

President: Thomas O'Donnell V. President: Michael Morgante Treasurer: Gerald Lazarczyk Donna DeLeon Secretary: Statisticians: Robert Andrle Frances Rew Archivist: Audrey Horbett Council: 2004-2006 Bob DeLeon Mike Desha Jim Landau 2005-2007 Mike Galas Jerry Lazarczyk Gail Seamans Douglas Beattie 2006-2008 Lynne Landon Elizabeth Wells

The Northern Hawk Owl (formerly known as the American Hawk Owl then Hawk-Owl) was certainly the news of the month, if not the year. Not only did it draw fascinated birders from around the nation, it also created considerable controversy flaming media publicity thereby bringing even more visitors. Current records indicate that this species last recorded in our area in late December 1962 through early January 1963. Beardslee & Mitchell report sightings back to the late 1800's and consider this bird a sporadic rare Winter Visitant. The Northern Hawk Owl is a very exceptional visitor whose arrival was first noted January 7th when Paul Schnell, Anne Terninko and Mike Crane banded and released the owl in Yates, NY. The visit lasted at least through the end of the month.

"Clear thinking" photographers brought mice

to feed the Northern Hawk Owl, and with immediate results: the owl took the prey. Of course some of the commercially obtained mice escaped the owl and some found shelter in the homes of nearby rueful neighbors. TV coverage was general, focusing on the event. Newsprint attempted to be factual but also looked for the weird twist.

An exceptional sighting of a Varied Thrush by Mike Zebehazy in Hamburg was made on the January 1st Hamburg-East Aurora Christmas Bird Count. Only four individual Varied Thrushes are in the BOS Noteworthy Record Report database. This species is not mentioned in *Birds of the Niagara Frontier* by Beardslee & Mitchell, which covers from the late 1800's to 1965. In the "Birds of the Niagara Frontier Region Supplement" by Mitchell and Andrle, the Varied Thrush is mentioned as accidental very rare and lists two of the records in the BOS database.

Turkey Vulture is an exceptional visitor to WNY in January and only four recent January records are in the BOS database. No January records are mentioned in Beardslee & Mitchell. However, sharp-eyed Fran Rew verified the sighting while birding with Audrey Horbett who also saw the

vulture. Gerry Rising and Debbie Sharon also reported Turkey Vulture on different days and locations.

Trumpeter Swans, seen January 1st near Fort Erie, were documented by Fran Rew. The Trumpeters were reported in December, 2005 by Watson, then by D'Anna (twice) later that month. Trumpeter Swans are an exceptional sighting in January – four recent and no old records are found in the BOS database.

Eared Grebe was documented by Doug Beattie and Elaine Dart at the Batavia Waste Water Treatment Plant – a very rare species for this month. The BOS winter records contain only five individuals while Beardslee & Mitchell mention several winter records but no January sightings.

Harlequin Duck is a very rare find although numerous BOS winter records exist. Beardslee & Mitchell call the Harlequin Duck an irregular very rare, and transient and winter visitant, although several records are described.

An Eastern Phoebe was observed by Sal Salembier on January 2nd in Amherst State Park, fly-catching. This species is a very rare visitor in January – only one record exists in the BOS database. Beardslee & Mitchell makes no mention of the Eastern Phoebe in winter.

A first-basic plumage female Pine Warbler was discovered at Dufferin Islands by Dick Rosche. It continued to be seen well into January and was photo documented by Willie D'Anna and independently identified by Betsy Potter and Jerry Lazarczyk. Five January Pine Warblers are in the BOS database. The BOS Seasonal Checklist of Birds considers a January Pine Warbler very rare.

The Fox Sparrow is considered a very rare bird in January according to the BOS Seasonal Checklist of the Birds yet that is when Mike Zebehazy and others saw it. The BOS database has only 6 records for January. Beardslee & Mitchell consider the Fox Sparrow (formerly Eastern Fox Sparrow) an occasional very rare Winter Visitant and mentions only two January records.

(continued on page 15)



Trumpeter Swan photographed by Willie D'Anna on January 22, 2006 on the Niagara River, north of Fort Erie, Ontario.

NOTEWORTHY RECORDS

Underlined common names, dates or localities indicate that an acceptable, detailed written verification according to the *Date Guide to Birds of Western New York and Adjacent Ontario* (Seventh Edition - Revised 2001) has been received and placed in the permanent files of the Buffalo Ornithological Society.

- * Indicates first record for the year.
- F Indicates first record for the migration.
- L Indicates last record for the migration.
- (f) Indicates record from feeding station. (n) Indicate nest(s).

PDBA - Indicates Previously Documented Breeding Area.

<u>Species</u>	<u>January</u>	<u>Number</u>	Location	Observer(s)
Cackling Goose	15	1	Squaw I.	Landau, Landon
Mute Swan	1 - 22	9 recs;2 max	BOS territory	Many observers
Trumpeter Swan	1	2	Niagara R./Ft. Erie(Ont)	Rew et al
"	7	1 ad	Niagara Falls (Ont)	D'Anna, Potter
II .	7; 13	1; 2	Fort Erie (Ont)	J&K Landau; Watson
**	22	2	Niagara Falls (Ont)	Galas, Rising
11	22	1 imm+1 ad	Fort Erie (Ont)	D'Anna, Potter
Tundra Swan	1	6	Niagara R./Ft. Erie(Ont)	Rew et al
**	6	5	Salamanca	Baird
11	7; 13	35; 3	Fort Erie (Ont)	J&K Landau; Watson
"	22	40	Niagara Falls (Ont)	Rising, Galas
**	22	3	Navy I. (Ont)	Yoerg, Henderson
Gadwall	13; 28	14; 1	Niagara Falls (Ont)	Watson; Pawlicki, Salembier
**	22	4	Buckhorn I. SP	Yoerg, Henderson
American Black Duck	7 - 31	8 recs;35 max	BOS territory	Many observers
Northern Shoveler	1	1	Sinking Ponds	Holmes
Northern Pintail	13; 29	1; 2	Dufferin Is. (Ont)	Watson; Yoerg, Henderson
11	20	2	Salamanca	Baird
11	28	1	Niagara Falls (Ont)	Pawlicki, Salembier
Green-winged Teal	6	4	Goat I.	Sharon
Redhead	12	2	Niagara Falls, NY	Watson
**	13	161	Fort Erie (Ont)	Watson
11	22	10	Buckhorn I. SP	Yoerg, Henderson
Ring-necked Duck	7	2	Niagara Falls	D'Anna, Potter
"	13	2	Fort Erie (Ont)	Watson
"	22	6	Buckhorn I. SP	Yoerg, Henderson
Greater Scaup	13	<u>5200</u>	Fort Erie (Ont)	Watson
Lesser Scaup	17	10	Yates	Mason, Beattie
"	22	<u>424</u>	Fort Erie (Ont)	D'Anna
"	· 22	3	Buckhorn I. SP	Yoerg, Henderson
Harlequin Duck	21	1	Dunkirk Harbor	Neveu
White-winged Scoter	7; 8	12; 79	Shadigee	Watson
"	15	46	Ft. Niagara/Olcott	Yoerg, Henderson
"	29	11	Ft. Niagara SP	S&T O'Donnell
Long-tailed Duck	15; 22	2; 3	Grand I.	Lazarczyk; Lazar, Burch
Common Goldeneye	12	<u>1050</u>	Niagara Falls	Watson
Hooded Merganser	1	16	Dunkirk Harbor	Neveu
"	13	1	Chippewa (Ont)	Watson
"	13	35	Niagara Falls (Ont)	Galas, Seamans
"	15	42	Dunkirk Harbor	Rew, Horbett

<u>Species</u>	January	<u>Number</u>	Location	Observer(s)
H	22	6	Grand I.	Lazarczyk
Ruddy Duck	13; 22	1; 2	Niagara Falls (Ont)	Galas, Seamans; Galas Rising
11	22	2	Fort Erie (Ont)	D'Anna
Red-throated Loon	7	1	Somerset	J&K Landau, Rew
Pied-billed Grebe	1	5	Dunkirk Harbor	Neveu
11	11	1	Buckhorn I. SP	Watson
"	15	10	Dunkirk/Barcelona	Rew, Horbett
Horned Grebe	7; 8	7; 7	Shadigee	Watson; Galas, Rising et al
***	8	15	Yates	Morgante
**	31	1	Batavia WWTP	Dart, Beattie
Eared Grebe	31	1	Batavia WWTP	Dart, Beattie
Dcrested Cormorant	13	2	Fort Erie (Ont)	Seamans, Galas
66	28	1	Niagara Falls	D'Anna, Potter
Great Blue Heron	28	7	Strawberry I.	Watson
Turkey Vulture	<u>19</u>	1	Yates	Rew
**	<u>20</u>	1	Amherst	Rising
11	<u>22</u>	1	Porter	Sharon
Bald Eagle	6 - 29	18 recs	Throughout study area	Several observers
11	6 - 29	12 max	Allegheny Reservior	Baird
Red-tailed Hawk	8	1 white	Farnham	Neveu
"	22	17	South Dayton	Neveu
Rough-legged Hawk	2	1	Royalton	S&T O'Donnell
"	15	1	Randolph	Baird
**	16	1	Bethany	Beattie
11	22	2	Villenova	Neveu
H	22	1	Hanover	Neveu
11	22; 28	6; 3	South Dayton	Neveu; Rew, Walker
11	29	1	Shelby	S&T O'Donnell
Merlin	3 - 30	7 max	UB south campus	Yoerg
"	<u>13</u>	l	Niagara Falls (Ont)	Watson
Peregrine Falcon	20	2	Buffalo City Hall	Yoerg
American Coot	2; 3	2; 1	Buffalo	Galas, Rising et al
	11	5	Buckhorn I. SP	Watson
Little Gull	13; 29	1; 3	Lewiston (Ont)	Galas, Seamans: S&T O'Donnell
11	28	1	Niagara Falls	Potter, D'Anna
	29	3	Queenston (Ont)	Yoerg, Henderson
Bonaparte's Gull	8	<u>5000</u>	Beaver I. SP	Lazarczyk
Jacks of C. II	22	<u>6000</u>	Fort Erie & Grand I.	D'Anna, Potter
Iceland Gull	22. 20	3	Niagara Falls	D'Anna et al
**	22; 29	1; 1	Niagara Falls (Ont)	Yoerg, Henderson
**	28	l 1	Niagara Falls (Ont)	Pawlicki, Salembier
**	28	1	Queenston (Ont)	Pawlicki, Salembier
Losser Block b. Cull	29	1	Queenston (Ont)	Yoerg, Henderson
Lesser Black-b. Gull	12	8	Niagara Falls (Ont)	D'Anna et al
11	13	2. 4	Niagara Falls (Ont)	Watson Galas Pising: Yourg Handerson
11	22	3; 4	Niagara Falls (Ont)	Galas, Rising; Yoerg, Henderson
Glancona Gull	28	2	Niagara Falls (Ont)	Pawlicki, Salembier
Glaucous Gull	15.16	4	Niagara Falls	D'Anna et al
II .	15; 16	1; 1	Dunkirk Harbor	Rew, Horbett; J&K Landau
	22	1	Niagara Falls (Ont)	Yoerg, Henderson

<u>Species</u>	<u>January</u>	Number	Location	Observer(s)
н	28	1	Niagara Falls (Ont)	Salembier et al
Snowy Owl	7; 14; 15	1; 1; 1	Yates	Lazarczyk & Watson; S&T O'Donnell; D'Anna et al
**	15	1	Dunkirk Harbor	Rew, Horbett
Northern Hawk Owl	7 - 17	1	Yates	Many observers

This Northern Hawk Owl was very well documented with many verification reports and several beautiful photographs. The first birder to see and report the owl was Ben Winger on the 7th. Accepted verification reports and/or photos were received from (1) D'Anna, (2) Galas, (3) Lazarczyk, (4) Rising, (5) Watson, (6) Zebehazy. (Statisticians).

Long-eared Owl	6	1	Amherst SP	Salembier
Short-eared Owl	7 - 26	4 recs; 5 max	Porter	Several observers
Nor. Saw-whet Owl	2; 3; 20	1	Amherst SP	Salembier
Eastern Phoebe	2	1	Amherst SP	Salembier
Northern Shrike	= 1 - 28	9 recs;2 max	throughout WNY	many observers
American Crow	25	1000	Buffalo	Rising, Galas
Common Raven	1; 20	2; 1	Salamanca	Baird
"	15	2	Allegheny Reservoir	Baird
Horned Lark	7	200	Wilson	S&T O'Donnell
11	8	100	Yates	Morgante et al
11	16; 24	150; 25	Bethany	Beattie
E. a. alpestris	8	4	Wilson	J&K Landau, Rew
E. a. praticola	8	50	Wilson	J&K Landau, Rew
Carolina Wren	1 - 31	12 recs;2 max	Throughout WNY	Many observers
Winter Wren	1	1	Queenston (Ont)	D'Anna et al
Eastern Bluebird	1	11	E. Aurora	Galas, Rising et al
**	2	4	Shelby	S&T O'Donnell
11	2; 3	13; 8	E. Aurora/Hamburg	Lazarczyk, Galas
"	19	2	Hartland	Rew, Horbett
**	22	4	Hanover	Neveu
"	28	2	Eden	Andrle
Hermit Thrush	4	1	Tifft NP	Watson
11	6	1	Amherst SP	Salembier
11	15	1	Porter	Yoerg, Henderson
American Robin	7	350	Wilson	S&T O'Donnell
Varied Thrush	1	1	Hamburg	Zebehazy
Gray Catbird	1	1	Times Beach	Rew, Horbett
n	1; 10	2; 1	Sinking Ponds	Holmes
Ħ	11	2	Buckhorn I. SP	Watson
Northern Mockingbird	1	1	Wheatfield	M&S Galas
11	`8	1	Lewiston	S&T O'Donnell
**	22	1	Buckhorn I. SP	Lazarczyk
11	22	1	Niagara-on-the-Lake (Ont)	Galas, Rising
11	23	1	Porter	M&S Galas
Yellow-r. Warbler	8	2	Lake Erie SP	Neveu
Pine Warbler	<u>22, 29</u>	1	Niagara Falls (Ont)	D'Anna, Potter et al
Amer. Tree Sparrow	14	219	Yates	S&T O'Donnell
Chipping Sparrow	2; 16; 25	1; 1; 1	Bethany	Beattie
Field Sparrow	2; 3	1	Wilson (f)	D'Anna, Potter
H	16; 26	1; 1	Bethany	Beattie
Fox Sparrow .	1	1	Orchard Park (f)	Zebehazy
H	<u>11; 12</u>	1	Buffalo (f)	Yoerg, Henderson
Swamp Sparrow	1	2	Sinking Ponds	Holmes

<u>Species</u>	January	Number	Location	Observer(s)
11	20	1	Salamanca	Baird
White-thr. Sparrow	4	1	Tifft NP	Watson
"	6	3	Tonawanda (f)	Watson
н	11	10	Buckhorn I. SP	Watson
tt	11; 12	1	Buffalo (f)	Yoerg, Henderson
н	14	1	Porter	Galas, Rising
н	28	2	Times Beach NP	Andrle
White-cr. Sparrow	7	3	Dunkirk Airport	Neveu
tt .	14	1	Porter	Galas, Rising
Lapland Longspur	8	3	Bliss	Galas, Rising et al
11	8; 15	8; 23	Yates	D'Anna et al
**	14	3	Porter	Galas, Rising
Snow Bunting	8	300	Somerset	Watson
**	8	300	Yates	Galas, Rising
0	8	700	Wilson	J&K Landau, Rew
n e	13	26	Eden	Andrle
"	16	100	Bethany	Beattie
Red-w. Blackbird	1	1	Sinking Ponds	Holmes
**	1 - 30	16 max	South Park, Bflo.	Rew
Brown-head. Cowbird	31	5	Marilla	Holmes
Purple Finch	22	1	Williamsville	Salembier
Pine Siskin	2 - 31	17 max	Wilson (f)	D'Anna, Potter
н	21	1	Orchard Park (f)	Morgante
11	27	3	Colden	J&K Landau

Also seen in January: Canada Goose, American Wigeon, Mallard, Canvasback, Bufflehead, Common Merganser, Red-breasted Merganser, Ring-necked Pheasant, Wild Turkey, Northern Harrier, Sharp-shinned Hawk, Cooper's Hawk, American Kestrel, Ring-billed Gull, Herring Gull, Great Black-backed Gull, Rock Pigeon, Mourning Dove, Eastern Screech-Owl, Great Horned Owl, Belted Kingfisher, Red-bellied Woodpecker, Downy Woodpecker, Hairy Woodpecker, Northern Flicker, Pileated Woodpecker, Blue Jay, Blackcapped Chickadee, Tufted Titmouse, Red-breasted Nuthatch, White-breasted Nuthatch, Brown Creeper, Golden-crowned Kinglet, European Starling, Cedar Waxwing, White-throated Sparrow, Song Sparrow, Dark-eyed Junco, Northern Cardinal, House Finch, American Goldfinch, and House Sparrow.

Species, subspecies, and hybrids recorded for this month:

112

Total for the year 2006:

112

Statisticians' Note: If any observer wishes to know the status of their verification report, please contact the Statisticians and we will give them the reasons for our decision. Please mail reports for each month not later than the FIFTH day of the following month to the Compiler: Bruce Chilton 88 Pryor Avenue, Tonawanda, NY 14150; Email: BChi314159@aol.com.

Swallow Hollow Nature Trail Dedication

Friends of Iroquois National Wildlife Refuge, Inc would like to invite all interested persons to attend a Dedication Ceremony for the Swallow Hollow Nature Trail on April 15, 2006 at 10:30 AM. Meet at the trailhead on Knowlesville Road, just north of the Oak Orchard Creek.

This trail, which was closed due to unsafe conditions, is unique to Western New York in that nearly half of its length is composed of elevated boardwalk. The 1.3 mile trail traverses forested wetland, cattail marsh, and dry hemlock knolls.

Support for the trail reconstruction is being provided by the following organizations: The Margaret L. Wendt Foundation, National Fish and Wildlife Foundation Centennial Legacy Fund, Wild Birds Unlimited Pathways to Nature Conservation Fund, the U.S. Fish and Wildlife Service, Iroquois Job Corps, and the Friends of Iroquois National Wildlife Refuge, Inc. For more information: 585-948-5445.

Northern Saw-whet Owl, according to the BOS Seasonal Checklist, is a rare visitor to WNY in January. This is surprising considering the 20 January records in the BOS database (82 winter records). Beardslee & Mitchell mentions "a number of winter records 'in recent years' (circa 1965), especially on the Lake Ontario plain".

The Cackling Goose, a new species recently divided from the Canada Goose, was found for the second time in January in Erie County at the Squaw Island Park and documented by Jim Landau and Lynne Landon. The Cackling Goose was first reported in Erie County in January 2004 by the Suggs' in Evans, NY.


Greater Scaup numbering 5,200 were seen by Bill Watson near Ft. Erie. This number was exceeded only 6 times in BOS January records, all but one record in recent years. Klick counted 30,000 Greater Scaup in January of 1999. This far exceeds the maximum number of 6,168 reported in January of 1959 in Beardslee & Mitchell.

Lesser Scaup numbering 424 were reported by Willie D'Anna near Fort Erie. Only two January records exceeded D'Anna's count and both were in this millennium.

A January count of 1,050 Common Goldeneye was made by Bill Watson. That number was exceeded only four times in BOS January records. Beardslee & Mitchell only has two January records but a count of 4,938 in January of 1956 and 4,084 in 1957 far exceeded this year's count.

Bonaparte's Gull numbering 5,000 were seen by Lazarczyk at Beaver Island State Park and then 6,000 by Willie D'Anna at Ft. Erie and Grand Island. These numbers were exceeded numerous times in January in the boundary waters, especially by the late Mr. Bellerby at Niagara-onthe-Lake.

An American Crow count of 1,000 by Rising and Galas was exceeded by only 7 BOS winter records, including two counts of 7000 in January of 1971 at the West Seneca roost. Beardslee & Mitchell included a report of an 1884 winter



Lesser Black-backed Gull photographed by Willie D'Anna on January 1, 2006 at Goat Island.

roost on Goat Island and the Niagara Gorge, which contained countless numbers of Crows. Beardslee & Mitchell rarely use such an imprecise number in their book.

Seven Merlin (formerly Pigeon Hawk and Eastern Pigeon Hawk) at the UB campus were observed this January as opposed to a maximum of four Merlin last year. Beardslee & Mitchell consider the Merlin a sporadic very rare Winter Visitant, continuing that any record outside its normal migration period as very exceptional. Bill Watson verified a Merlin at Niagara Falls above the Falls on the island that has the Black-crowned Night Heron colony. The number of Peregrine Falcon (formerly known as Duck Hawk) records in the BOS database is so numerous that the BOS Seasonal Checklist ought to be updated.


I want to thank Dave Suggs for being especially responsive to my request for information from the BOS database and Bill Watson for his information, insights, suggestions, criticisms, and admonitions.

You're invited to the 15th Annual Vaughan Lecture: When Your Wing **Is Your Musical Instrument:** The Fascinating Story of the Club-winged Manakin Wednesday, April 26 7 p.m. • Free Open to the Public UFFALO



of Science Auditorium 1020 Humboldt Pkwy. Best Street Exit from Route 33.

Timberly S. Bostwick, Ph.D., Cornell University's curator of birds and mammals, will present the evolutionary processes that have aided in the sound production of the male species of the unique Club-winged Manakin. Her research has shown that not



Reservations not required for the lecture.

Pragram presented jointly by the Buffolo Museum of Science, the Buffolo Audubon Society and the Buffolo Ornithological Society. Supported in part by the William C. Voughon Endowment Fund.

Preceding the lecture, the museum will host the annual Bird 'n Buffet dinner at 5:30 p.m. Tickets are \$25 per person, with proceeds benefiting the Friends of Tifft Nature Preserve. Registration is required for the dinner.

> Further information available at 896-5200, Ext. 391

or- www.buffalomuseumofscience.org

January 2006 Waterfowl Count Summary by Jim Landau

Overview. The New York State Ornithological Association conducts an annual waterfowl count each January throughout the state's ten regions, to assist the New York State Department of Environmental Conservation in monitoring long-term population changes, bird conservation planning and environmental reviews. The Buffalo Ornithological Society has been participating in this effort since 1955. The region consists of the New York State portion of the BOS study area and includes the Niagara River and adjacent waters of Lakes Erie and Ontario. The count period this year was January 14 – 22, 2006, with the target date of Sunday, January 15. Final results of the state waterfowl count will be published in "The Kingbird" and posted on the NYSOA website at: http://www.nybirds.org/ProjWaterfowl.htm.

Weather. January started off with a mild but overcast week, with the 5th capping off a record 13-day stretch of sunless skies. After a brief cold shot on 6-7th temperatures soared into the 50s and lower 60s during the second week with ample sunshine bringing a taste of spring. Deep lows moving to our north on 14th and 17-18th brought some drenching rains, which ended as snow. The target date for the count of Sunday, January 15 was relatively calm, with temperatures averaged in the mid-teens and an average wind speed of 9 mph. Strong winds and localized lake effect resulted in some hazardous driving conditions during the evening of the 18th just south of the city. This shot of winter was short lived however as temperatures bounced back into the 50s by the 20th. Winter made a brief return on 25th with some wet snow but there were some heavy accumulations across higher elevations of the southern tier and ski areas. (Excerpted from the Monthly Weather Summary For Buffalo, Jan. 2006, National Weather Service website.)

Compilation. The table below lists the species, their accumulated tallies and trending patterns, if any. Where a species was recorded in three or fewer sections, the section numbers are given in parentheses.

Species	No.	Comments
Cackling Goose	1	(E)
Canada Goose	3560	variable
Mute Swan	4	(B, F, J)
Trumpeter Swan	2	rare (F)
Tundra Swan	170	variable (F, G)
Gadwall	33	low (E, F)
American Wigeon	10	variable (D)
Am. Black Duck	239	variable
Mallard	6328	variable
Northern Pintail	1	uncommon (E)
Canvasback	3081	low
Redhead	166	low
Ring-necked Duck	3	low (C, G)
Greater Scaup	8245	low
Lesser Scaup	425	record high (D, F)
Scaup species	10	

White-winged Scoter	51	variable
Long-tailed Duck	330	variable
Bufflehead	1078	variable
Common Goldeneye	2021	average
Hooded Merganser	72	average
Common Merganser	440	lowest since '96
Red-breasted Merganser	343	variable
Ruddy Duck	2	uncommon (F)
Red-throated Loon	1	uncommon
Pied-billed Grebe	11	average (D, I)
Double-crested Cormorant	96	high (I)
American Coot	8	lowest since '85 (G)
Total Species	27	average
TOTAL OF ABOVE	26737	lowest since '98

Notes. The January 2006 Waterfowl Count for our region was perhaps most noteworthy for comments on the lack of anticipated waterfowl. Gadwall, Canvasback, Ringnecked Duck and Greater Scaup all reported low. Common Mergansers were at their lowest since 1996. No Wood Ducks were counted, for the first time since 1988. Most sections were covered on the target date of January 15, which would seem to favor the factors of unusually mild weather and an ice-free Lake Erie as part of the answer for the low numbers. Common Goldeneye and Common Merganser continue a 4-year decline, and American Coot a 5year decline (and at their lowest since 1985). Two Trumpeter Swans on the Niagara River (an adult with yellow wing tag # 847 and an immature bird sticking close) represent only the second record on this count, the first being 6 individuals reported in 1999. Other bright spots for this year included a Cackling Goose and a Northern Pintail on Squaw Island, and a Red-throated Loon in the gorge below Niagara Falls. All in all, a concerted effort resulted in 26,737 individual birds and 27 species counted.

Participants

Participants						
Sect.	Compilers	Area(s) surveyed				
A	Roberta Vallone	Lake Ontario (Point Breeze to Olcott)				
В	Peter Yoerg	Lake Ontario (Olcott to Fort Niagara)				
С	Bob Deleon	Fort Niagara to Niagara Falls (NY)				
D	Mike Zebehazy	Niagara-On-The-Lake to Niagara Falls (ON)				
Е	Gerry Rising, Joe Thill	Buffalo Harbor to Goat Island (NY)				
F	Gerry Rising, Bill Broderick	Jaeger Rocks to Horseshoe Falls (ON)				
G	Bill Burch	Grand Island, NY				
H	Dave Suggs	Lake Erie (Buffalo Harbor to Silver Creek)				
I	Fran Rew	Lake Erie (Silver Creek to PA line)				
J	Bob Sundell	Jamestown & Chautauqua Lake				
K	Tim Baird	Olean & Salamanca				
L	Doris Burton	Allegany County				
M	Gail Seamans	Batavia				
N	Ed Ratajczak	Oak Orchard & Tonawanda WMAs				
О	Ed Ratajczak	Iroquois NWR				
Р	Bill Burch	Amherst, Clarence, Cheektowaga, Lancaster				
Q	Tom Connare	Delaware Park, Forest Lawn Cemetery				
R	Liz Wells	South Park, Cazenovia Park & Creek				

(January Waterfowl Count continued)

Participation in New York's Annual Mid-Winter Bald Eagle Survey

We are also requested by the DEC to report any Bald Eagle sightings during the waterfowl count, to be included in their annual mid-winter Bald Eagle Survey. They in turn contribute the New York State census to the national midwinter Bald Eagle Survey, coordinated by the Biological Resources Division of the U. S. Geological Survey. The following sightings were reported:

- 1/15/06 1 adult, 11:30 a.m. at Queenston, ON. 1 adult, 2:30 p.m. flying over the Niagara River, west side of Navy Island.
- 1/15/06 1 adult, 2:30 p.m. at Sturgeon Point (Evans, NY).
- 1/15/06 **3 adults**, **5 immatures**, 11:30 a.m. near the Allegheny Reservoir at one location. 3 definitive adult plumage, 5 immature (probable one 3.5 year and four 1-2.5 year).
- 1/16/06 1 adult, 3:30 p.m. at Countryside Gravel Pits, South Dayton, NY flying near nest.
- 1/17/06 1 immature, 3:35 p.m. on Navy Island in Niagara River.
- 1/17/06 1 adult, 2:15 p.m. 1 sub adult, 3 p.m. Both in Celoron, NY by Chautauqua Lake.
- 1/20/06, **1 adult**, 9:42 a.m. flying over Navy Island. **1** immature at 10:55 a.m. over Beaver Island SP (Grand Island, NY).
- 1/22/06 1 adult, Town of Angelica, NY.
- 1/23/06, **1 adult**, 12:45 p.m. flying from Navy Island to Buckhorn Island SP (Grand Island, NY).
- A total of 19 eagles were reported, with an impressive 8 eagles at one location at the same time. It should be noted that the sightings from Grand Island, NY on 1/20 and 1/23 are possibly the same individuals seen along the upper Niagara River on 1/15 and 1/17.

Acknowledgements. A big "Thank You!" is owed to all of the intrepid birders who braved the elements and participated in this years count:

Tim Baird, Tom Bearss, Bill Broderick, Bill Burch, Olive Burch, Doris Burton, Ken Cohen, Tom Connare, Willie D'Anna, Bob Deleon, Donna Deleon, Mike Desha, Joe DiDomenico, Steve Eaton, Mike Galas, Doug Happ, Barbara Henderson, Audrey Horbett, Mary Jordan, Jim Landau, Lynne Landon, Jerry Lazarczyk, Tom LeBlanc, Max Mason, Mike Morgante, Jim Pawlicki, Betsy Potter, Fran Rew, Gerry Rising, Don Roberson, Vickie Rothman, Jim Rozanski, Gail Seamans, Dave Suggs, Debbie Suggs, Bob Sundell, Roberta Vallone, Bill Watson, Liz Wells, Larry Wilson, Peter Yoerg, Terry Yonker and Mike Zebehazy. The compiler apologies to anyone who was inadvertently omitted. Please send any corrections or additions for updating.

Ripley Hawk Watch: 2006 Season

by Gil Randell

The Ripley Hawk Watch (RHW) formally begins its 2006 season on March 15th. Coordinated by Len DeFrancisco, the RHW has been affiliated with the Hawk Migration Association of North America (HMANA) since 1985. Between March 15 and May 15 the RHW will submit reports of the migrating hawks, eagles and vultures it observes to HMANA, where the reports can be viewed on the internet along with counts from dozens of other sites in North America at www.hawkcount.org. Data from the RHW also is published annually in HMANA's journal Hawk Migration Studies.

Spring brings thousands of hawks, eagles and vultures over the RHW site. In their journey north to their nesting areas, these raptors pass through the corridor between the Lake Erie shore and the Allegany Plateau a few miles south of the lake. Volunteers at the RHW observe, identify and count these magnificent migrants.

Since 1985, 21 species of raptors and vultures have been recorded. A one-day count of 15 species has been recorded and more than a quarter-of-a-million raptors have been officially counted since 1985.

Migrants begin passing over the RHW in February, with flights increasing during March, peaking in mid- to late-April, tapering off during May and usually ending by late May. In mid-April the RHW sometimes documents more than 5,000 raptors in one day. Most of the birds will be broad-winged hawks, but on a good day the RHW could report as many as 15 different species of raptors, including bald eagles, golden eagles, ospreys and peregrine falcons.

The RHW has reported a number of raptor rarities such as Swallow-tailed Kite, Black Vulture, Mississippi Kite, and Ferruginous and Swainson's Hawks. Non-raptor rarities include Whooping Cranes in 2005, the first such sighting in New York State, migrant Sandhill Crane, Great Egret, American Bittern and Common Loon. The New York State Audubon has noted that the RHW reports "the highest number of Sandhill Cranes on any migration flyway in the northeast."

The Ripley Hawk Watch is located on the south shore of Lake Erie about 4 miles west of Westfield, NY. There are four sites between the lake shore and the top of the escarpment, which is about three miles south of the lake shore. The active site can vary according to the concentration of migrants at any particular time. On occasion several sites will be manned. The sites include Shorehaven on Route 5 (about a mile east of Forsythe Road), Parker Road at the gravel pit (just north of Barber Road), Creamery Road (halfway up the vineyard, just south of Barber Road), and Creamery Road at the radio tower (at the intersection with Belson Road). Ripley Hawk Watch signs mark each site.

Visitors are welcome and should dress warmly and bring binoculars, field guides, sunscreen, a lawn chair and lunch. For more information, call Len DeFrancisco (716-665-4999) or Gil Randell (716-753-2333)

Buffalo Ornithological Society Buffalo Museum of Science 1020 Humboldt Parkway Buffalo, NY 14211-1293

Return Service Requested

Non. Profit Org.
U.S. Postage
PAID
Buffalo, NY
Permit No. 412

Albert R. Mann Library Acquisitions Division-Serials Cornell University Ithaca, NY 14853-4301



April - May Calendar

BOS website http://www.bosbirding.org/



Buffalo-Niagara Region Dial-a-Bird: 716-896-1271

BOS Grant Applications Due on April 30, 2006. Download application materials at www.bosbirding.org

Apr. 2: Sunday. Oak Orchard Swamps Field Trip. Meet 8:00 am (day-light saving time) at Cayuga Pool parking lot along Route 77 in Iroquois NWR. Leader: Gail W. Seamans (585-937-5105 or Gails@netacc.net).

Apr. 9: Sunday. April Count. All BOS members should participate. Contact Coordinator: Mike Hamilton (881-6709 or mhsr@wzrd.com).

Apr. 12: Meeting at 7:00 PM in the Cummings room of the Buffalo Museum of Science. Jacalyn Perry will discuss bird rehabilitation.

Apr. 23: Sunday. Braddock Bay Trip. This annual trip to the Hawk Watch will be led by Mike Zebehazy (BOS) and Bob Spahn (GOS). Meet at the Tanning Bed at Main and Transit at 7:00 AM. The group will proceed to the parking lot at Braddock Bay (Monroe County) for a 9:30 AM rendezvous with the GOS.Contact Mike at zebs@adelphia.net or 662-6987.

Apr. 26: Vaughan Lecture Series. Wednesday. 7:00 PM at Buffalo Museum of Science. Free. (see page 15 for announcement flyer)


May 7: Sunday. Chestnut Ridge Field Trip for Louisiana Waterthrush and early migrants. Meet at the main lodge at 8:30 AM. Leader Mike Morgante (667-9705 or)

May 10: BOS Meeting at 7:00 PM in the Cummings room of the Buffalo Museum of Science. Brendan Klick of Johns Hopkins University will discuss "Statistical Analysis of BOS Count Data."

May 13: Saturday not Sunday. Tifft Nature Preserve and Times Beach for warblers. Meet at the Tifft Nature Preserve parking lot (off Furman Blvd.) at 7:30 AM. Leader: Bill Bogacki (674-5781).

May 21: May Count. Coordinator: Robert DeLeon (626-0325 or rldeleon@yahoo.com) All BOS members should participate.

May 24: BOS Meeting at 7:00 PM in the Cummings room of the Buffalo Museum of Science. Program TBA.



Published Monthly by the

MAY 1 1 2006 **B**UFFALO ORNITHOLOGICAL ITHACA, NY 14853 SOCIETY

Volume 72, No. 3 March, 2006

A. R. MANN LIBRARY

THE MONTH: February

by Mike Zebehazy

"The badger peeps out of his hole on Candlemas Day, and, if he finds snow, walks abroad; but if he sees the sun shining he draws back into his hole."—German Proverb.

After one of the warmest Januaries in history, winter made its presence felt in February. The month began with a continuation of January's warmth with temperatures averaging over 12 degrees above normal for the first four days. A major storm moved up to our west on the 5th and was followed by the first of two major windstorms. This ushered in a week long period of wintry cold and daily light snowfalls, the most significant being the 3 to 6 inch fall off unfrozen Lake Erie across the metro area on the 13th. The average temperature of 27.8 °F was about two degrees above normal. The positive departure was mostly due to the mild first week and a couple of brief warm-ups during the month. Temperatures actually trended downwards through the month with the last few days the coldest since early December. Measurable snow fell on 17 days during the month, but all in small "nickel and dime" amounts as is typical for February. The total of 26.3 inches was the greatest for this month in 11 years. Snow cover was thin and sporadic though, covering the ground on only half the days.

The next major weather event of the month was another deep storm passing by to our north on the 17th. This led to the most dramatic weather of the month. Temperatures soared to record levels (61 °F) in the predawn hours before a sharp cold front crossed the area during the early morning

19 The Month by Mike Zebehazy

21 **Noteworthy Records** by Bruce Chilton

24 **BOS Owl Field Trip** by Chuck Rosenberg

24 **Times Beach Nature Preserve** by Gerry Rising

Treasurer's Report 04-5 25 by Tom O'Donnell


BOS Calendar 26

accompanied by damaging wind gusts. Temperatures plunged quickly. This led to a wintry last third of the month with daily light snowfalls. This included a 2 to 4 inch event off Lake Erie early on the 21st and rare heavy snow burst from Georgian Bay near midnight on 25-26th which

dropped 5 inches in a narrow strip near the airport. The month ended dry and cold with a touch of snow on the ground.

February started out very cloudy with only a few hours of sun during the first two weeks. The month's last half was much brighter but still brought the monthly total up to just 25 percent of the possible, some 11 points less than usual for February. Only one day was classified as mostly sunny. Lake Erie remained wide open for most of the month, but any hopes for a totally ice free winter were dashed by the extended cold period during the latter part of the month. Ice began to form rapidly during the last few days.

Merlins are in the news again this month. Peter Yoerg continued his yearly observations of this species at the University of Buffalo Main Street campus spotting as many as 7 birds at one time. Jerry Lazarczyk noticed a female Merlin at the corner of Sheridan Drive and Kenmore Avenue in Kenmore, NY. He almost dismissed it as an American Kestrel until he took a closer look. On February 1, Miley Miller, as well as several other Institute staff members, observed a Merlin on the grounds of the Roger Tory Peter-



The Prothonotary is published monthly by the Buffalo Ornithological Society, Buffalo Museum of Science, Buffalo, NY 14211. Send subscriptions and address changes to the Corresponding Secretary, Karen Landau, S-9195 State Road, Colden, NY 14033. The regular subscription rate is \$20/year. Back issues are available from the Treasurer for \$2/issue.

Please mail correspondence to: Jack Skalicky 178 N. Main Street #55 Salt Lake City, UT 84103-2075 [Email] skalicky@biochem.utah.edu Ed. Consultants: Robert Andrle

Gerry Rising William Watson

Proth. Production: Audrey Horbett Eileen Hull

Society Officers:

President: Thomas O'Donnell
V. President: Michael Morgante
Treasurer: Gerald Lazarczyk
Secretary: Donna DeLeon
Statisticians: Robert Andrle
Frances Rew
Archivist: Audrey Horbett

Archivist: Audrey Horbett

Council:
2004-2006 Bob DeLeon
Mike Desha
Jim Landau
2005-2007 Mike Galas
Jerry Lazarczyk
Gail Seamans
2006-2008 Douglas Beattie
Lynne Landon
Elizabeth Wells

son Institute in Jamestown, NY. They watched as it enjoyed an American Goldfinch meal.

Many observers, including Galas, Lazarczyk and Watson reported the continuing presence of the Northern Hawk Owl in Lyndonville. The bird was also regularly reported on Dial-a-Bird so one can conclude that it remained at the site throughout the month.

The biggest news of the month, however, has to be the Sage Thrasher (Oreoscoptes montanus) found on the east pier of the Welland Canal in Port Weller, Ontario. The bird was first identified by Ontario birder Brian Ahara on February 24 and later seen by many observers. It was well documented by BOS birders D'Anna, Galas, Landau, Lazarczyk, and Watson. According to ontbird_listserv reports, this bird was last seen on the morning of February 27. As one person reported, "The Thrasher

spent most of its time feeding and hopping on the ground within the grasses and underneath the sumacs that border the dirt road, and would occasionally fly up and perch on the sumacs and other low shrubs. It is generally quite wary and will flush, but with patience it afforded nice looks as it foraged on the ground at a distance, and oftentimes right on the dirt road."

This certainly qualifies, in my estimation, as a bird of the year candidate for the BOS study area by virtue of its rarity. This is only the second record for our area. Dan Salisbury first reported a Sage Thrasher in October of 1966, and, amazingly, that bird was found in Welland. Although these records are not of New York State birds, it is interesting to note the history of this species on this side of the Niagara. In New York State this species has been recorded only four times and not since 1973 (*Bull's Birds of New York State*, Emmanuel E. Levine, Ed., 1998).

Beardslee and Mitchell (*Birds of the Niagara Frontier Region*, 1965) have this to say about Sage Thrasher: "Possibly the most unusual record which we have for western New York is the occurrence of this species. On April 12, 1942, Dr. Gordon M. Meade noted a single individual in a

field near Braddock Bay, a short distance west of Rochester [BOS territory prior to 1955]. Fortunately it stayed in the vicinity while he returned for his collecting gun, and it was taken and preserved. It proved to be a female. This bird of the Southwest had never previously been reported, to our knowledge, as far east as the Mississippi River."

The following excerpts are from *The Birds of North* America: "Originally called the Mountain Mockingbird, the Sage Thrasher has a long, melodious song of great variety, reminiscent of a mockingbird's song, and is found mostly in shrub-dominated valleys and plains of the western United States." .. Casually recorded in portions of s. British Columbia, w. Washington, and w. Oregon east across s. Manitoba and Great Lakes region (w. and s. Ontario, Minnesota, Wisconsin, n. Illinois, Michigan) to Atlantic coastal region (mainly in fall; recorded from Massachusetts south to N. Carolina), and from e. Texas and ne. Arkansas east to nw. Florida. Accidental on Guadeloupe Is.?" (Reynolds, T. D., T. D. Rich, and D. A. Stephens. 1999. Sage Thrasher (Oreoscoptes montanus). In The Birds of North America, No. 463 (A. Poole and F. Gill, eds.). The Birds of North America, Inc., Philadelphia, PA.

Other species of note this month as reported via Dial-a Bird include Eastern Meadowlarks in the Town of Porter at the Fort Niagara exit from the Robert Moses Parkway; Evening Grosbeaks at the Allegany State Park Administration Building window feeder; Bald Eagles at Strawberry Island in the upper Niagara River, over Silver Creek, at the Iroquois NWR and Oak Orchard WMA where an adult was observed carrying a stick to a nest at Windmill Marsh; Rough-legged Hawks in the northwest corner of Cattaraugus County, in the Town of Dayton; Pine Warbler again at Dufferin Islands in Niagara Falls, Ontario where it has been frequently reported at the feeding area since early January; Harlequin Duck, a first winter male, moving around the Dunkirk Harbor vicinity; Little Gulls at the outflow from the treatment plant on Squaw Island in Buffalo; and two leucistic Red-tailed Hawks, one previously reported in southern Erie County on Lotus Point Road in the Town of Evans, and a second in Niagara County at Shunpike and Cambria-Lockport Roads



Mourning Dove photographed by Willie D'Auua on February 20, 2006 in Niagara Falls, Outario.

NOTEWORTHY RECORDS

Underlined common names, dates or localities indicate that an acceptable, detailed written verification according to the *Date Guide to Birds of Western New York and Adjacent Ontario* (Seventh Edition - Revised 2001) has been received and placed in the permanent files of the Buffalo Ornithological Society.

- * Indicates first record for the year.
- F Indicates first record for the migration.
- L Indicates last record for the migration.
- (f) Indicates record from feeding station. (n) Indicate nest(s).
- PDBA Indicates Previously Documented Breeding Area.

	<u>Species</u>	<u>February</u>	<u>Number</u>	Location	Observer(s)
	Mute Swan	1	2	Wilson	Rising, Galas
	н	4	2	Wilson	S&T O'Donnell
	11	4	4	Olcott	Yoerg, Henderson
	Tundra Swan	1	28	Grand I.	M&S Galas
	**	10; 24	54; 2	Beaver I. SP	Hess
	"	20	65	Strawberry I.	Watson
*	Wood Duck	20	3	Oak Orchard WMA	S&T O'Donnell
	Gadwall	19; 22	1	Dunkirk Harbor	Yoerg, Henderson; Watson, Pawlicki
	American Wigeon	4	3	Oak Orchard WMA	Yoerg, Henderson
	n	19; 22	1	Dunkirk Harbor	Yoerg, Henderson; Watson, Pawlicki
	Northern Pintail	4	6	Oak Orchard WMA	Yoerg, Henderson
	Ring-necked Duck	2	8	Bird I. Pier	Yoerg
	"	22	6	Dunkirk Harbor	Watson, Pawlicki
	Lesser Scaup	22	6	Dunkirk Harbor	Watson
	Harlequin Duck	19; 22	1	Dunkirk Harbor	Yoerg, Henderson; Watson, Pawlicki
	Long-tailed Duck	22; 23	1; 1	Dunkirk Harbor	Watson, Pawlicki: Moshers
	"	27	86	Lewiston	Lazarczyk
	Hooded Merganser	2; 3	3; 6	Oak Orchard WMA	Yoerg; Seamans, Galas
	"	12	2	Times Beach NP	Andrles
	"	19; 22	50; 4	Dunkirk Harbor	Yoerg, Henderson; Watson
	Ruddy Duck	<u>19</u>	2	Dunkirk Harbor	Yoerg, Henderson
	"	<u>22</u>	4	Dunkirk Harbor	Watson, Pawlicki
	"	<u>23</u>	4	Dunkirk Harbor	M&S Galas
*	Ruffed Grouse	12; 16	1; 1	Allegany SP	Baird
	Red-throated Loon	4	1	Shadigee	D'Anna
*	Common Loon	4	1	Olcott	Yoerg, Henderson
	Pied-billed Grebe	22; 23	8; 1	Dunkirk Harbor	Watson; M&S Galas
	Horned Grebe	4	9	Golden Hill SP	D'Anna
		4	9	Shadigee	D'Anna
	11	12	1	Fort Erie (Ont)	M&S Galas
	"	22	1	Dunkirk Harbor	Watson, Pawlicki
*	Red-necked Grebe	4	1	Golden Hill SP	Yoerg, Henderson
	Dcrested Cormorant	22	83	Dunkirk Harbor	Watson
	"	25	22	Port Weller (Ont)	Watson et al
	Great Blue Heron	6	1	Beaver I. SP	Lazarczyk
	"	11; 22	10; 12	Dunkirk Harbor	Moshers; Watson, Pawlicki
	"	13; 20	40; 19	Strawberry I.	Galas; M&S Galas
	Turkey Vulture	22	1	Aurora	Holmes
	Bald Eagle	2 - 22	7 recs; 6 max	Strawberry I.	Several observers
	"	20	7 ad, 2 imm	Strawberry I.	M&S Galas

	Species	February	Number	Location	Observer(s)
	tt.	3; 4; 20	1 ad;1 ad;1	Oak Orchard WMA	Galas et al
	H	3; 20	1 ad; 3	Iroquois NWR	Seamans, Galas; S&T O'Donnell
	11	3 - 26	7 recs; 2 max	WNY & Ft. Erie (Ont)	Several observers
*	Red-shouldered Hawk	5	1	Fort Erie (Ont)	J&K Landau
	Red-tailed Hawk	15; 23	1 leucistic	Farnham	Andrles
	Rough-legged Hawk	3	1	Somerset	Andrles
	11	4; 11	1; 2	Porter	S&T O'Donnell; D'Anna et al
	H	11	2	Dunkirk Airport	S&T O'Donnell
	Merlin	1	1	Jamestown	Miller et al
	H	1 - 22	8 recs;6 max	UB south campus	Yoerg
	H		1	Kenmore	Lazarczyk
	Peregrine Falcon	12 2	1	Downtown Buffalo	Yoerg
	American Coot	4	1	Buckhorn I. SP	S&T O'Donnell
	H	19	1	Olcott	Pawlicki, D'Anna
	н	22	46	Dunkirk Harbor	Watson
	Little Gull	1	1	Ft. Niagara	Rising, Galas
	"	1	1	Grand I.	M&S Galas
	11	4; 5	3; 1	Lewiston	S&T O'Donnell;J&K Landau
	H	20; 25	1; 1	Fort Erie (Ont)	D'Anna; Morgante
	Bonaparte's Gull	20	1000	Fort Erie (Ont)	D'Anna
	Iceland Gull	4	1	Niagara Falls (Ont)	J&K Landau
	"	5	2	Wilson	D'Anna
	H	20	4	N.Falls to Ft. Erie (Ont)	D'Anna
	11	23	i	Dunkirk Harbor	Moshers
	Lesser Black-b. Gull	2	1	Bird I. Pier	Yoerg
	"	20	1	Niagara Falls	D'Anna
	Glaucous Gull	5	1	Wilson	D'Anna
	11	19	2	Dunkirk Harbor	Yoerg, Henderson
	н	20	4	N.Falls to Ft. Erie (Ont)	D'Anna
	н	25	2	Niagara Falls (Ont)	Morgante
	Snowy Owl	2	1	Fort Erie (Ont)	Yoerg
	"	4	1	Wilson	D'Anna, Potter
	Northern Hawk Owl	4 - 26	1	Lyndonville	Galas, Lazarczyk, Watson
	Long-eared Owl	4; 18	1; 1	Golden Hill SP	Potter, D'Anna; Rosenburg
	Short-eared Owl	26	3	Porter	Rosenburg et al (BOS)
*	Red-headed Wdpkr.	22	1	Pt. Gratiot	Watson, Pawlicki
	"	23	2	Dunkirk	M&S Galas
*	Yellow-b. Sapsucker	1	1	Ft. Niagara	Galas, Rising
	" Sapsucker	19	1	Niagara Falls	S&T O'Donnell
	Ħ	23	2	Dunkirk	M&S Galas
	Northern Shrike	1; 9; 10	1; 1; 1	Beaver I. SP	Sharon; Sharon; Hess
	"	1, 9, 10	2	Fort Erie (Ont)	M&S Galas
	Н	12	1	· · · · ·	
	Common Raven	12	2	Ft. Niagara SP	Sharon
			2	Allegany SP	Baird
	Horned Lark	11;19;28	12; 3; 16	East Bethany	Beattie
		28	2	Bethany	Beattie
	Carolina Wren	1; 3	1; 1	Bethany	Beattie
		21	1	Eden	Andrles
	Winter Wren	11	l	Beaver I. SP	Sharon
	Eastern Bluebird	I	I	Bethany	Beattie

	Species	February	<u>Number</u>	Location	Observer(s)
	п	4	1	Oak Orchard WMA	Yoerg, Henderson
	п	19	4	Springville	J Landau
	Hermit Thrush	11	1	Four Mile Creek SP	D'Anna et al
	п	12	1	Times Beach NP	Andrles
	American Robin	5;11;23	12; 6; 20	Bethany	Beattie
	н	16; 22	10; 40	Sinking Ponds	Holmes
	Gray Catbird	12	1	Bethany	Beattie
	Northern Mockingbird	1	1	Wilson	Galas, Rising
	"	1	8	Porter	Galas, Rising
*	Sage Thrasher	25	1	Port Weller (Ont)	D'Anna, Galas, Landon, Lazarczyk, Watson
	Pine Warbler	12	1	Niagara Falls (Ont)	M&S Galas
	11	<u>20</u>	1	Niagara Falls (Ont)	D'Anna
	Chipping Sparrow	3 - 28	1	Bethany (f)	Beattie
	Field Sparrow	5	1	Pomfret	Moshers
	White-thr. Sparrow	12	3	Times Beach NP	Andrles
	"	22; 24	6; 3	Tonawanda	Watson
	Snow Bunting	11	12	Bethany	Beattie
	n .	28	5	East Bethany	Beattie
	Red-w. Blackbird	13;24;25	14	Tonawanda	M&S Galas et al
	11	20	21	Alabama	S&T O'Donnell
	п	22	1	Lancaster	Morgante
	11	24	1	Salamanca	Baird
	п	25	2	Niagara Falls (Ont)	Galas et al
*	Common Grackle	27F	1	Sinking Ponds	Holmes
	Brown-head. Cowbird	1	39	Porter	Galas, Rising
	n	1; 20; 22	1; 1; 4	Tonawanda (f)	Hess
	n .	3	30	Tonawanda	Watson
	n	20; 27	8; 7	Tonawanda	M&S Galas
	Purple Finch	20	2	Oak Orchard WMA	S&T O'Donnell
	Pine Siskin	1-28	6	Colden	J&K Landau
	"	4 - 28	1 - 5	Wilson (f)	Potter, D'Anna
	n .	19	2	Wilson	D'Anna, Pawlicki
	American Goldfinch	18	5	Tonawanda	Watson

Species, subspecies, and hybrids recorded for the year:112Species, subspecies, and hybrids recorded for this month:009Total for the year 2006:121

Statisticians' Note: If any observer wishes to know the status of their verification report, please contact the Statisticians and we will give them the reasons for our decision. Please mail reports for each month not later than the FIFTH day of the following month to the Compiler: Bruce Chilton 88 Pryor Avenue, Tonawanda, NY 14150; Email: BChi314159@aol.com.

BOS Owl Field Trip

by Chuck Rosenburg

February 26 was another cold and breezy day in western New York, with afternoon temperatures in the upper teens and moderate N and NW winds. Regardless, 25 hardy birders met at the Summit Mall in Wheatfield to brave the elements in search of owls and other noteworthy birds. The caravan of 11 vehicles traversed rural roads of Niagara and Orleans County, stopping at several locations known to harbor owls. In total, five species of owls and 21 other bird species were observed.

The caravan first stopped at the Niagara Falls airport to scan the broad open fields for raptors. The first of the day's 11 Northern Harriers was observed there. Another Northern Harrier and three Red-tailed Hawks were seen along Lockport Road. We observed a Great Horned Owl on-nest behind the Niagara-Orleans County BOCES facility. From there, the caravan proceeded generally north and east, observing an additional five Red-tailed Hawks, two Northern Harriers, and two American Kestrels. In addition, a Horned Lark was seen singing and displaying along Jacques Road in the Town of Newfane. Some observed a Ring-necked Pheasant along Hoffman Road, not far from a NYSDEC pheasant release site.

In the village of Barker, we were treated to an excellent view of a gray phase Eastern Screech-Owl peering out of a nest box entrance hole. Our gracious host noted that another E. Screech-Owl occupied a different nest box mounted at the driveway edge. We later learned that the second bird had popped its head out of the nest box entrance just as we pulled out of the driveway. A few in the group also observed a Sharp-shinned Hawk at this location. Enroute to the Town of Yates, we observed five American Robins along Lower Lake Road. At the well established Route 63 Northern Hawk Owl site, the owl performed wonderfully, swooping in and landing on a utility pole as the caravan approached. The entire group was able to view the owl from the roadside, savoring what may be our last look for some time at this rare visitor to western New York.

About half the group decided to depart at this time, and the smaller caravan proceeded west toward the Town of Porter. An additional Red-tailed Hawk and Northern Harrier were observed along Route 18, and an American Coot was seen at Olcott Harbor. We arrived near the intersection of Dickersonville and Youngstown Roads just after sunset, and observed five Northern Harriers and four Short-eared Owls hunting the grassy fields. From there, the caravan began the trek back toward Summit Mall. A Great Horned Owl was observed well after dark, perched on a utility pole from which it flushed to a nearby tree. The final stop, at Bond Lake County Park, yielded three more owls. An Eastern Screech-Owl responded to my whistled imitation, but did not approach closely enough to be seen. In contrast, two Barred Owls responded to my owl hoots and, much to our delight, landed about 100 feet away. One even hooted a few times for us while lit-up in a red spotlight. That provided an excellent conclusion to an invigorating day of birding.

Times Beach Nature Preserve

by Gerry Rising



With perfect timing, the Times Beach Nature Preserve trails, boardwalks and blinds are now all open to birders. It may have taken almost thirty years to accomplish this but we now have a top quality birding site: a strategically located migrant trap.

Without the hard work over many years of first the larger Times Beach ad hoc Committee and more recently the eight member Times Beach Oversight Committee, this wonderful park would at best have continued to languish. The three co-chairs of the committee are Paul MacClennan, Jay Burney and George Arthur and its members are Bob Andrle, Ellen Gibson, Mike Hamilton, Richard Leonard and Sally Metzger. Before his death Blake Reeves was an earlier participant.

Others gave important support to the committees' efforts. They include Congressman Brian Higgins and NYS Assemblyman Jay Schroeder; Erie County officials Mary Rossi, who served as Times Beach Project Manager, Mike Raab and Tom Hersey; and Mike Greer of the Corps of Engineers.

A group of us birded Times Beach Nature Preserve in late April and, if our experience is any indication, this is going to be a spectacular contribution to regional birding. There is much down timber that has -- thank goodness -- not been cleared and many of the birds were at eye level. Over time more willows will grow back to add to the preserve's attraction.

I add one personal note. Those of us who have followed the Times Beach follies over the years know that one BOS member deserves special praise for his stick-to-itiveness in promoting this site. We owe all of the people I have listed our thanks but, once again, we owe Bob Andrle special praise for his role in our behalf.

Buffalo Ornithological Society — Annual Treasurer's Report 2004-2005 *Tom O'Donnell, Treasurer 2005*

Checking account – oper	ning balance			\$ 8,442.44**
**Distributed:		(2004 I (Map P	Emerson Bequest	\$ 7,635.84 \$ 3,938.32 \$ 1,500.00 \$ 181.70 \$ 2,015.82 \$ 781.60
		Donation in mer	nory of Art Schaffner	\$ 25.00
Donation Checking Account Seasonal Checkli Date Guide Sales Axtell/McVey/W	otary Fund ns nt Interest st Sales		\$ 1105.00 \$ 2685.00 \$ 445.00 \$ 10.11 \$ 160.83 \$ 53.00 \$ 210.00 \$ 2097.00	
Transfer from my	v. Acct. for Specia	Trojects	Total Income	\$ 6,765.94
	Annual Bulk Mai Bulk Postage Acc Printing 9/04-11/6 Postage & Suppli mittee perty Tax nses ses ium arges cal Society Dues nce Donation Meet nce Donation Vaug st Printing	et. 05 es	\$ 300.00 \$ 639.21 \$ 2378.33 \$ 149.06 Subtotal \$ 89.77 \$ 140.55 \$ 76.92 \$ 109.90 \$ 175.00 \$ 30.00 \$ 30.00 \$ 30.00 \$ 300.00 \$ 100.00 \$ 49.41 Subtotal General Fund \$ 2097.00 \$ 210.00 Total Expenses	\$ 3,466.60 \$1101.55 \$ 6,875.15
2004 Banquet:	ф1500 00			
Budgeted Funds Income Expenses Balance	\$1500.00 \$1298.00 \$2477.07 \$ 320.93 (Budget	ted to 2009 Banq	uet)	
Checking account – closi	ing balance			\$ 7,154.16
Axtell/McVev/V	Vendling Fund va	(2009 I (Map F (M.L. I <i>Prothonotary</i> Fu Donation in men Donation i/m/o	Emerson Bequest and mory of Art Schaffner Carmen Tarantino	\$ 7,029.16 \$ 4,510.71 \$ 320.93 \$ 181.70 \$ 2,015.82 \$ 0.00 \$ 25.00 \$ 100.00 \$ 43,405.85
A ALCIDIVIC V Cy/ V	chaing Fund va	140 45 01 12/51/0		Ψ 10, 100100

Buffalo Ornithological Society Buffalo Museum of Science 1020 Humboldt Parkway Buffalo, NY 14211-1293

Return Service Requested

Non. Profit Org. U.S. Postage **PAID** Buffalo, NY Permit No. 412

Albert R. Mann Library Acquisitions Division-Serials Cornell University Ithaca, NY 14853-4301



May – June Calendar

Mar 1 - May 15: Hamburg Hawk Watch at Lakeside Memorial Park in Hamburg (off Camp Rd. between Routes 5 & 20). Generally 10 AM - 3 PM weather permitting. Contact Jim Landau for additional info (941-3869 or kjlandau@localnet.com).

May 7: Sunday. Chestnut Ridge Field Trip for Louisiana Waterthrush and early migrants. Meet at the main lodge at 8:30 AM. Leader Mike Mor-

gante (667-9705)

May 10: BOS Meeting at 7:00 PM in the Cummings room of the Buffalo Museum of Science. Brendan Klick of Johns Hopkins University will discuss "Statistical Analysis of BOS Count Data."

May 13: Saturday not Sunday. Tifft Nature Preserve and Times Beach Nature Preserve for warblers. Meet at the Tifft Nature Preserve parking lot (off Fuhrmann Blvd.) at 7:30 AM. Leader: Bill Bogacki (674-5781).

May 21: May Count. Coordinator: Robert DeLeon (626-0325 or rldeleon@yahoo.com) All BOS members should participate.

May 24: BOS Meeting at 7:00 PM in the Cummings room of the Buffalo Museum of Science. Bill Burch will present a slide show, The History of the Buffalo Peregrine Falcons.

June 2-4: Allegany Nature Pilgrimage. For more information or to register visit www.alleganynaturepilgrimage.org

June 9: Friday. Canadian Whip-poor-will Trip and Chinese Dinner. Meet at Vermont and Busti at 6:00 PM. Dinner at Lotus Garden Restaurant (182 West Street - west bank of Welland Canal, Port Colborne, Ontario) Then we will go to Wilson Road, four miles west of town. Reservations will be appreciated. Leader: Bill Burch (773-3690).

June 14: Wednesday. The last meeting, the Annual June Picnic will be held at Tifft Nature Preserve, and followed by a short field trip of Tifft Nature Preserve. Bring your own food and we will eat at 6:00 PM near the Visitor Center.

BOS website http://www.bosbirding.org/



Buffalo-Niagara Region Dial-a-Bird: 716-896-1271

The PROTHONOTARY



Published Monthly by the

A. R. MANN LIBRARY MAY 2 3 2006 MHACA, NY 14853

BUFFALO **O**RNITHOLOGICAL SOCIETY

Volume 72, No. 4 April, 2006

THE MONTH: March

by Tim Baird

The National Weather Service summarizes March 2006 in Buffalo as, "A relatively tame March for western New York." March's 35.2 °F average temperature for Buffalo was 0.9 °F above normal for the month. Of course, averages obscure the day to day weather changes that we and our birds all have to live with. At a more detailed resolution, March expectedly ran hot and cold, or in correct order cold and hot.

The first week of March brought along a late February cold spell with the month's lowest temperature of 14 °F on the 3rd. A general snowfall occurred on the 2nd covering the southtowns with up to 10 inches. The second week transitioned into warmer air bringing liquid precipitation including 0.95 inches of rain falling from thunderstorms on the 13th. The next 10 days turned cold with "spotty snow showers". Warmth returned after the equinox, and March ended with an uncharacteristic high of 77 °F in Buffalo on the 31st.

Overall, precipitation was slightly (0.85 inches) below normal totaling 2.14 inches for the month. Other than strong southwest winds on the 10th, March failed to live up to its reputation as a windy month. The average wind speed was 10.0 mph. Worthy of note, due to winter's mild temperatures, Lake Erie was free of ice by the 16th at Buffalo Harbor, about a month earlier than average and the 6th earliest of record.

March is a waterfowl month. Observers reported 29 species of geese, swans, and ducks. Accepted verification reports highlight waterfowl species that are generally rare in the region. Two Ross's Geese were present on the 4th in Welland, Ontario (Black, Clements, and Roy) and one was

27

29

34

The Month

by Tim Baird

by Bruce Chilton

BOS Calendar

Noteworthy Records

found on Cayuga Pool at Iroquois NWR on March 12th (Lazarczyk and Watson). In his report, Roy noted "numerous reports" of Ross's Goose in many other parts of southern Ontario.

Cayuga Pool at Iroquois NWR also provided a single Cackling Goose on the 12th (Yoerg and Pawlicki) and at least four on the 26th (Yoerg). Two Eurasian Wigeon were reported from Cayuga Pool on the 18th (Pawlicki, Salembier et. al.), and at Oak Orchard WMA a single bird was reported at Stafford Pond on 4 days in March with written reports submitted by several observers (D'Anna, Galas, K. Landau, Lazarczyk, Salembier, Watson). All write-ups noted the red head and buffy yellow forehead, or as Salembier aptly described it, "creamy yellow racing stripe", of this old world species.

Our more expected species of waterfowl did not disappoint observers. Snow Goose reports include 3 dark morph birds (about 0.6% of the reported birds). Unlike the Tundra Swan, the Snow Goose apparently avoids the uplands of the plateau to the south where it is very rarely observed. There were few reports of Canada Goose, likely a result of observer fatigue with this species. Are we losing information on the migratory populations of the Canada Goose through western New York? After the first week of the month, Tundra Swans had a good flight with most reports topping 100 birds and reaching a maximum of 216 in the Alabama Swamparea on the 13th (Galas, Watson et. al.)



Ross's Geese photographed by Kayo Roy on March 4, 2006 in Welland, Ontario.

The Prothonotary is published monthly by the Buffalo Ornithological Society, Buffalo Museum of Science, Buffalo, NY 14211. Send subscriptions and address changes to the Corresponding Secretary, Karen Landau, S-9195 State Road, Colden, NY 14033. The regular subscription rate is \$20/year. Back issues are available from the Treasurer for \$2/issue.

Please mail correspondence to: Jack Skalicky 178 N. Main Street #55 Salt Lake City, UT 84103-2075 [Email] skalicky@biochem.utah.edu Ed. Consultants: Robert Andrle

> Gerry Rising William Watson

Proth. Production: Audrey Horbett Eileen Hull

Society Officers:

President: Thomas O'Donnell V. President: Michael Morgante Gerald Lazarczyk Treasurer: Donna DeLeon Secretary: Statisticians: Robert Andrle Frances Rew Archivist: Audrey Horbett Council: 2004-2006 Bob DeLeon Mike Desha Jim Landau 2005-2007 Mike Galas Jerry Lazarczyk Gail Seamans 2006-2008 Douglas Beattie Lynne Landon

Elizabeth Wells

Most of our ducks were well represented. March 11th hosted the first Blue-winged Teal of the year with 4 observed at Iroquois NWR (Watson). Many reports show March 11th was a particularly good waterfowl day. There were factors that apparently contributed to this, it was a Saturday and the weather had cleared following a couple of rainy days, so there was opportunity and incentive for birders to be in the field. Bird Island Pier was a good place to find waterfowl on the 11th. Large numbers of several species at this location included 300 Bufflehead and a like number of Common Goldeneye along with 100 Red-breasted Mergansers (Morgante).

The latter half of March provided observers the opportunity to view good numbers of Red-throated Loon, 13 observed at Wilson on the 30th (D'Anna), and grebes, with Horned Grebe numbers at Day-

ton topping out at 65 on the 17th (Neveu, Watson), and Red-necked Grebe numbering 140 at Somerset on the 25th (D'Anna). The month ended with 5 Great Egrets "crouched into the wind" at Motor Boat Island on the 31st (Galas).

Turkey Vulture migration was in full swing in the second half of March with a maximum of 283 at the Hamburg Hawkwatch on the 23rd (Watson). Our raptors are returning, migrating through, or already nesting this month. Ospreys continue a trend toward earlier spring arrival as the local breeding population has blossomed. The Allegheny Reservoir has several breeding pair of Osprey, and a bird was reported from there on the 29th of March (Lazarczyk). Bald Eagles are doing well as breeding birds in the northeastern states and western New York is no exception. Bald Eagles on nests were reported from Perrysburg (Neveu), Iroquois NWR (Watson et. al.), Dayton (Neveu), and the Allegheny Reservoir (Baird). This writer is old enough to remember when seeing a Bald Eagle in our area was not routine; times have changed for the better.

Reports from Hamburg Hawkwatch were low; though 20 Red-shouldered Hawks and 45 Red-tailed Hawks indicate a good Buteo flight on the 16th (Watson). The open

agricultural fields near South Dayton are apparently home to good populations of the small mammals that attract the Rough-legged Hawk as illustrated by 10 on the 17th and 16 on the 18th observed in this locality (Neveu).

Significant numbers of Wilson's Snipe are a regular March occurrence in a partially flooded pasture near Randolph. Observers from the Cattaraugus County Bird Club found an estimated 20 Wilson's Snipe during their waterfowl field trip on 18th, and the same location on the 26th revealed an estimated 40 birds (Baird, et. al.). The first American Woodcock for the season appeared on March 10th when single birds were reported at four separate locations


Owls, like teenagers, are more often heard than seen. However, roosting and nesting owls can be cooperative for viewing. Nests of the Great Horned Owl were discovered in Allegany State Park on the 5th (Baird) and in Perrysburg on the 11th (Neveu).

A Red-headed Woodpecker at Cambria on March 4th (Galas, Hernik) is an individual of a species whose populations are in general decline. The Red-headed Woodpecker is a species categorized as of "special concern" by New York State.

Common Raven continues to spread beyond the extensively forested areas in the southern tier to regions north. The "croaky call" alerted Karen and Jim Landau to a Common Raven at the Erie County Forest Preserve on March 4th. Likely this helped lift their spirits as they were in the process of trying to free their car that was stuck in the snow.

Lapland Longspurs and Snow Buntings are generally associated with winter in this area and the changing season stimulates them to move. Two Snow Buntings passed the Hamburg Hawkwatch on March 5th (Watson, J. Landau) on their way north. Twenty-five Lapland Longspurs is an impressive number at Pomfret on the 31st (Mosher). Wintering Evening Grosbeaks have been scarce in recent years in our area. Tom LeBlanc's feeder at the Administration Building at Allegany State Park attracted 3 on March 5th (Yoerg and Henderson) and 2 on the 7th (Galas).

(continued on page 33)



Tundra Swans photographed by Tim Baird on March 18, 2006 at Red House Lake in Allegany State Park.

NOTEWORTHY RECORDS

Underlined common names, dates or localities indicate that an acceptable, detailed written verification according to the *Date Guide to Birds of Western New York and Adjacent Ontario* (Seventh Edition - Revised 2001) has been received and placed in the permanent files of the Buffalo Ornithological Society.

- * Indicates first record for the year.
- F Indicates first record for the migration.
- L Indicates last record for the migration.
- (f) Indicates record from feeding station. (n) Indicate nest(s).
- PDBA Indicates Previously Documented Breeding Area.

	<u>Species</u>	March	Number	Location	Observer(s)
*	Snow Goose	9F; 11	16; 103	Hamburg Hawkwatch	Watson, Morgante et al
	***	10; 19	130; 26	Pomfret	Moshers
	H	11	51	Bird I. Pier	Morgante
	**	11	38	Silver Creek	Neveu
	H .	12	75	Iroquois NWR	Watson, Yoerg et al
	Ħ	20	28 white	Somerset	Potter
	"	11 - 24	1 - 15	Throughout WNY	8 other reports
*	Ross's Goose	4F	2	Welland, Ont.	Roy et al
	**	12	1	Iroquois NWR	Watson, Lazarczyk
	Cackling Goose	12; 26	1; 4	Iroquois NWR	Yoerg
	Mute Swan	13	1	Iroquois NWR	S&M Galas
	Tundra Swan	8	122	Hanover	Neveu
	**	9	130	Hamburg Hawkwatch	Watson
	**	13; 18	216; 130	Alabama Swamp area	S&M Galas; Watson et al
	**	19	203	Alexander	Beattie
	**	24	158	Bethany	Beattie
	**	25	140	Hartland	D'Anna (BOS)
	**	26	175	Conewango	Watson, Baird et al
	**	1 - 29	7 - 100	Throughout WNY	17 other reports
	Wood Duck	11	25	Hamburg Hawkwatch	Morgante
	**	8 - 31	1 - 9	Throughout WNY	10 other reports
	Gadwall	11	12	Times Beach NP	Morgante
	**	13	15	Iroquois NWR	Watson; S&M Galas
	"	18;19;22	114;175;44	Sheridan	Neveu
	**	8 - 25	3 - 12	Throughout WNY	7 other reports
*	Eurasian Wigeon	18	2; 1	Iroquois NWR	Pawlicki, Salembier
		18; 25	1; 1	Oak Orchard WMA	Galas
		22; 23	1	Oak Orchard WMA	Watson; Lazarczyk
		25	1	Oak Orchard WMA	K Landau, D'Anna
	American Wigeon	18	200	Alabama Swamp area	Pawlicki, Salembier et al
	H	10 - 26	1 - 68	Throughout WNY	16 other reports
*	Blue-winged Teal	11F	4	Iroquois NWR	Watson
	**	12	4	Iroquois NWR	Yoerg, Henderson
	Northern Shoveler	19	58	Batavia WWTP	Watson
	**	10 - 26	1 - 18	Throughout WNY	8 other reports
	Northern Pintail	9	21	Hamburg Hawkwatch	Watson
	11	11	81	Somerset	D'Anna, Potter
	"	11 - 25	2 - 93	Alabama Swamp area	Watson. Beattie et al
	н	12	67	S. Dayton	Neveu
	Green-winged Teal	12	30	S. Dayton	Neveu

<u>Species</u>	<u>March</u>	Number	Location	Observer(s)
11	17	29	Alexander	Dart, Beattie
Ħ	10 - 22	3 - 21	Throughout WNY	8 other reports
Canvasback	8	337	Grand I.	S&M Galas
Ring-necked Duck	11 - 13	26 - 415	Alabama Swamp area	Watson, Dart et al
H TO THE STATE OF	16; 26	55; 89	Pomfret	Neveu
**	17 - 25	4 recs;184 max		Dart, Beattie
Ħ	21	240	Dayton	Neveu
H	4 - 25	2 - 21	Throughout WNY	10 other reports
Lesser Scaup	8	17	Grand I.	S&M Galas
"	11 - 30	2 - 11	Throughout WNY	4 other reports
White-winged Scoter	11	2	Bird I. Pier	Morgante
Long-tailed Duck	11	2	Times Beach NP	Morgante
"	31	1	Iroquois NWR	Seamans, Galas
Bufflehead	4	139	Dunkirk Harbor	Neveu
"	11	300	Bird I. Pier	Morgante
**	11 - 25	1 - 4	Throughout WNY	6 other reports
Common Goldeneye	4	192	Dunkirk Harbor	Neveu
"	11	300	Bird I. Pier	Morgante
"	11 - 19	1 - 69	Oak Orchard WMA	4 other reports
Hooded Merganser	11	41	Alabama Swamp area	Watson
"	15	62	N. Tonawanda	S&M Galas
**	28	53	Times Beach NP	Andrle, Bogacki
**	10 - 29	1 - 23	Throughout WNY	11 other reports
Common Merganser	1	261	Motor I.	Watson
"	4	194	Dunkirk Harbor	Neveu
**	2 - 17	1 - 15	Throughout WNY	7 other reports
Red-br. Merganser	4	31	Dunkirk Harbor	Neveu
"	11	100	Bird I. Pier	Morgante
Ruddy Duck	18F; 19	1; 1	Oak Orchard WMA	Pawlicki et al; Watson
"	19	4	Batavia WWTP	Watson, Lazarczyk et al
Red-throated Loon	25	1	Somerset	D'Anna (BOS)
"	30	13	Wilson	D'Anna
Common Loon	30	3	Wilson	D'Anna
Pied-billed Grebe	4	3	Dunkirk Harbor	Neveu
n	11F	1	Tonawanda WMA	Watson
11	18	1	Iroquois NWR	Galas, Rising et al
**	18	2	Hanover	Neveu
Horned Grebe	14	8	Bennington	Seamans
11	17;18;21	65; 54; 45	Dayton	Neveu, Watson
Red-necked Grebe	11	2	Somerset	D'Anna, Potter
"	25	140	Somerset	D'Anna (BOS)
"	30	41	Wilson	D'Anna
Great Blue Heron	1; 5	35; 28	Strawberry I.	M&S Galas, Watson
"	13	61	Motor & Strawberry Is.	S&M Galas
Great Egret	31F	5	Motor I.	Galas
Turkey Vulture	6; 16; 23	3;261;283	Hamburg Hawkwatch	J Landau, Watson
Osprey	29F	1	Allegany SP	Lazarczyk
Bald Eagle	1 - 16	2 ad; 4 juv	Strawberry I.	M&S Galas et al
11	3; 6	1 ad; 1 juv	Dunkirk Harbor	Neveu
11	11	1 ad, 1 juv 1 ad, 5 juv	Pomfret	Moshers
	11	rad, 5 juv	Tommet	1410511015

<u>Species</u>	March	Number	Location	Observer(s)
tt .	11	2 ad (nest)	Perrysburg	Neveu
n .	11 - 25	2 ad (nest)	Iroquois NWR	Watson et al
"	11; 26	2 ad (nest)	Dayton	Neveu
"	18; 26	3 ad, 3 juv	Allegheny Reservoir	Watson, Baird et al
n .	22	1 (nest)	Navy I. (Ont)	Watson et al
11	25	1 ad, 1 juv	Somerset	D'Anna (BOS)
"	1 - 23	1 - 4	Throughout WNY	16 other reports
Red-shouldered Hawk	16	20	Hamburg Hawkwatch	Watson
"	27	9	Amherst	Pawlicki
**	10 - 23	1 - 4	Throughout WNY	6 other reports
Red-tailed Hawk	8	l leucistic	Farnham	Neveu
"	16; 23	45; 37	Hamburg Hawkwatch	Watson
Rough-legged Hawk	11	4	S. Dayton	Neveu
"	11	4	Hamburg Hawkwatch	Morgante
**	17; 23	10; 16	S. Dayton	Neveu
	18	4	Conewango Creek	Watson, Baird (Catt.Co. BC)
11	4 - 26	1 - 3		
Merlin			Throughout WNY	11 other reports
	<u>1 - 30</u>	5 max	UB south campus	Yoerg
Peregrine Falcon	24	1	Buffalo	Galas
Killdeer	9F	2	Hamburg Hawkwatch	Watson
"	9F	1	UB south campus	Yoerg
"	9F	1	Alexander	Dart, Beattie
**	10	1	Clarence	Watson
	10	2	Sinking Ponds	Holmes
Wilson's Snipe	18F	20	Randolph	Watson, <u>Baird</u> (Catt.Co. BC)
American Woodcock	10F	I	Alexander	Dart
	10F	I	Wilson-Tuscarora SP	Potter, D'Anna
	10F	1	Amherst	Pawlicki
"	10F; 11	1; 4	Pomfret	Moshers
11	11	6	Clarence	Rosenberg, Galas
Little Gull	30	3	Lewiston	Pawlicki
Bonaparte's Gull	30	12	Wilson	D'Anna
Iceland Gull	8; 11	7; 3	Bird I. Pier	Yoerg; Morgante
**	19	2	Wilson	D'Anna
"	30	6	Goat I.	Pawlicki
Lesser Black-b. Gull	4	1	Wilson	D'Anna
"	11	3	Bird I. Pier	Morgante
"	30	1	Goat I.	Pawlicki
Glaucous Gull	. 5	1	Golden Hill SP	D'Anna
"	8; 11	4; 1	Bird I. Pier	Yoerg; Morgante
"	22	1	Sturgeon Pt.	Andrle
11	30	1	Goat I.	Pawlicki
Great Black-b. Gull	3; 6	21; 34	Tonawanda	M&S Galas; Galas
Great Horned Owl	5; 11; 26	l (nest)	Allegany SP	Baird et al
11	11;18;21	1 (nest)	Perrysburg	Neveu
Long-eared Owl	5	1	Golden Hill SP	Potter, D'Anna
"	11	1	Wilson-Tuscarora SP	Potter
tt.	19	1	Amherst SP	Salembier
Nor. Saw-whet Owl	4	1	Amherst SP	Salembier, Pawlicki
H	11	1	Wilson-Tuscarora SP	Potter, D'Anna

Species	March	Number	Location	Observer(s)
Ħ	12; 13	1; 1	Alfred	Brooks
Red-headed Wdpkr.	4	1	Cambria	Galas, Henrik
Yellow-b. Sapsucker	31	1	Williamsville	Salembier
" supplies	31	1	Silver Creek	Neveu
Pileated Woodpecker	10	1	Amherst	Pawlicki
"	12	1	Somerset	D'Anna, Potter
Eastern Phoebe	26F	1; 1	Hanover	Neveu
11	29; 31	1; 1	Bethany	Beattie
Northern Shrike	9	1	Porter	D'Anna
11	11	1	Somerset	D'Anna, Potter
II.	18	1	Shelby	Pawlicki, Morien
11	24	1	Alabama Swamp area	Holmes
Common Raven	4	1	Erie County Forest	K Landau
"	18	1	Allegheny Reservoir	Baird et al (Catt. Co. BC)
**	29	3	Alfred	Brooks
Horned Lark	3	24	E. Bethany	Beattie
"	4	11	Dunkirk Airport	Neveu
11	31	60	Pomfret	Mosher
11	8 - 31	1 - 11	Throughout WNY	7 other reports
E. a. praticola	6	1 - 11	Hamburg Hawkwatch	J Landau
* Tree Swallow	28F	1	Bennington Bennington	Seamans
Carolina Wren	26	2	Hanover	Neveu
"	4 - 31	ے۔ 1	Throughout WNY	10 other reports
Winter Wren	30	1	Wilson	D'Anna, Potter
Golden-cr. Kinglet	22F	1	Buckhorn I. SP	Watson
" Golden-ci. Kinglet	31	12	Wilson	D'Anna, Potter
11	31	1 .	Silver Creek	Neveu
Eastern Bluebird	3	4	Alexander	Beattie
Lastern Bruconu	4	5	Royalton	Pawlicki, Ensminger
11	11 - 30	1 - 4	Bethany	· ·
11			· · · · · · · · · · · · · · · · · · ·	Beattie, Lazarczyk Andrle
11	15;15;22 18	2; 2; 1 4	Hamburg; Eden; Eden Silver Creek	Neveu
11	29	'1 1	Alfred	Brooks
Hermit Thrush	8	I 1	Hanover	Neveu
	13	I 1		
Gray Cathird		I 1	Beaver I. SP	Sharon
Northern Mockingbird	10	1	Dunkirk	Mosher
* Eastern Towhee	18	I 1	Farnham	Neveu
	14F	1	Portland Wilson (f)	Neveu
Field Sparrow	31	2	Wilson (f)	D'Anna, Potter
Fox Sparrow	14 - 30	8 recs;1 each	Bethany	Beattie Languards
11	23	1	Bethany (f)	Beattie, Lazarczyk
Lanland Lancanus	31	2	Wilson (f)	Potter, D'Anna
Lapland Longspur	31	25	Pomfret Hamburg Hawkwatah	Mosher
Snow Bunting	5	2	Hamburg Hawkwatch	Watson, J Landau
* Eastern Meadowlark	2F	2	Porter	M&S Galas
k D. 11 1 1	11	2	Somerset	D'Anna, Potter
Rusty Blackbird	12F	5	Iroquois NWR	Yoerg, Henderson
11	18	130	Shelby	Pawlicki, Salembier
11	19	38	Ransomville	S&M Galas
"	25	50	Shelby	D'Anna (BOS)

	<u>Species</u>	March	Number	Location	Observer(s)		
*	Baltimore Oriole	<u>8F</u>	1	Porter	Labato		
	Purple Finch	4; 21	4; 8	Pomfret	Moshers		
	**	5	2	Allegany SP	Yoerg, Henderson		
	**	17	4	Bethany	Beattie		
*	Common Redpoll	31	1	Wilson (f)	Potter, D'Anna		
	Pine Siskin	1 - 31	6 max	Colden	J&K Landau		
	**	1 - 31	3 - 10	Wilson	Potter, D'Anna		
	**	22	1	Bennington	Seamans		
	**	25	1	Orchard Park	Morgante		
*	Evening Grosbeak	5	3	Allegany SP	Yoerg, Henderson		
	11	7	2	Allegany SP	S&M Galas		
Spe	pecies, subspecies, and hybrids previously recorded this year:						

Species, subspecies, and hybrids previously recorded this year:

Species, subspecies, and hybrids recorded for this month:

121

Total for the year 2006:

137

Statisticians' Note: If any observer wishes to know the status of their verification report, please contact the Statisticians and we will give them the reasons for our decision. Please mail reports for each month not later than the FIFTH day of the following month to the Compiler: Bruce Chilton 88 Pryor Avenue, Tonawanda, NY 14150; Email: BChi314159@aol.com.

Editors Note I: A Sage Thrasher record and two accompanying photographs were not received in time for the March issue of the *Prothonotary*, however, I've included below the photographs that accompanied Kayo Roy's and Brian Ahara's report on this species. The bird was originally discovered and identified by Brian in Port Weller, Ontario. The full bird photo was taken by Karl Egressy (inset) and the head and upper body shot was taken by Brandon Holden. This record will appear in the 2006 addendum to the BOS Noteworthy Records.



(The Month: continued from page 28)

As wintering species leave, early spring is stimulating our insects to stir from their winter dormancy bringing back the first specialists preying on this food source. Our first records of Eastern Phoebe on March 26th at Hanover (Neveu) and Tree Swallow in Bennington on the 28th (Seamans) hint at the changing season and the migration of passerines to come. Two Eastern Meadowlarks seen on the 2nd in Porter (Galas) and five Rusty Blackbirds on the 12th at Iroquois NWR (Yoerg, Henderson) were firsts for the year. An early Baltimore Oriole verified by Labato at Porter on March 8th was no doubt a welcome sight. He noted "the bird's bright coloration" making it easy to follow against a "drab background".

February added nine species to the BOS Territory for 2006, and March upped the total by an additional 16 which is just about the recent average additions for March. Over the previous five years, March has averaged 15.4 species added to the yearly records. Not that we need to boost our excitement level, but April has added an average 48.6 species and May an average of 68.8 species to the yearly records over the last five years.

Editors Note II. Please send me digital photographs of birds from the BOS study area for possible use in the *Prothonotary*. High quality photos of uncommon species (e.g., Northern Hawk Owl, Sage Thrasher) are especially befitting, although those of even more common species will be considered (Mourning Dove; March Prothonotary). As you are aware, judicious use of photographs can significantly enhance these otherwise, data-rich, issues. Please send them to my E-mail address skalicky@biochem.utah.edu. Many Thanks!

Buffalo Ornithological Society Buffalo Museum of Science 1020 Humboldt Parkway Buffalo, NY 14211-1293

Return Service Requested

Non. Profit Org.
U.S. Postage
PAID
Buffalo, NY
Permit No. 412

Albert R. Mann Library Acquisitions Division-Serials Cornell University Ithaca, NY 14853-4301



HISH

BOS website http://www.bosbirding.org/



Buffalo-Niagara Region Dial-a-Bird: 716-896-1271

May - June Calendar

Mar 1 - May 15: Hamburg Hawk Watch at Lakeside Memorial Park in Hamburg (off Camp Rd. between Routes 5 & 20). Generally 10 AM - 3 PM weather permitting. Contact Jim Landau for additional info (941-3869 or kjlandau@localnet.com).

May 21: May Count. Coordinator: Robert DeLeon (626-0325 or rldeleon@yahoo.com) All BOS members should participate.

May 24: BOS Meeting at 7:00 PM in the Cummings room of the Buffalo Museum of Science. Bill Burch will present a slide show, The History of the Buffalo Peregrine Falcons.

June 2-4: Allegany Nature Pilgrimage. For more information or to register visit www.alleganynaturepilgrimage.org

June 9: Friday. Canadian Whip-poor-will Trip and Chinese Dinner.

Meet at Vermont and Busti at 6:00 PM. Dinner at Lotus Garden Restaurant (182 West Street - west bank of Welland Canal, Port Colborne,
Ontario) Then we will go to Wilson Road, four miles west of town. Reservations will be appreciated. Leader: Bill Burch (773-3690).

June 14: Wednesday. The last meeting, the Annual June Picnic will be held at Tifft Nature Preserve, and followed by a short field trip of Tifft Nature Preserve. Bring your own food and we will eat at 6:00 PM near the Visitor Center.

The PROTHONOTARY



Published Monthly by the

BUFFALO ORNITHOLOGICAL SOCIETY

Volume 72, No. 5 May, 2006

THE MONTH: April

by Bill Watson

The Weather: April's average temperature was 48.0 °F (2.7 °F above normal) and we received 1.98 inches of melted precipitation (1.06 inches below average). It was the warmest April in ten years, and the tenth month in the last eleven to be warmer than normal. The 20th, 21st, and 30th had temperatures of 75 °F or greater. The meager tenth of an inch of snow, the least snow for April since 1998, was largely a result of a very warm and dry April. The month had 59% of possible sunshine (nine points above normal) making it (with the exception of last years 60%) the sunniest April since 1976. Vegetation, flowers, and insects were about a week early due to the mild sunny weather, although moisture was becoming short by months end.

The warm, dry, sunny weather was very favorable for early migration. There were 13 verification reports of exceptionally early migrants and no reports of late departures. Exceptional early birds were Hooded Warbler, Green Heron, Least Sandpiper, Northern Rough-winged Swallow, Marsh Wren and our first spring record of Long-billed Dowitcher. This month's Noteworthy Records has an astonishing 18 species of warblers, which was well above the recent 10.8 average. (The only April since 1935 to have more warbler species was in 1990, when the average monthly temperature was 3.2 °F above average and the temperature reached 94 °F on April 28th, producing 19 warbler species.) On the 30th the temperature was 75 °F and David Neveu had 10 species of warblers at Saint Columbans in Sheridan, while Mike Zebehazy and Doug Happ had 11 species at Amherst State Park, including a Cape May Warbler and a Prothonotary Warbler. Combining

35 The Month by Bill Watson

38 Noteworthy Records by Bruce Chilton


44 April Count - 2006 by Michael Hamilton

48 BOS Calendar

those locations, a total of 14 warbler species were found.

Early arrivals: Our earliest ever Hooded Warbler was found by Richard Salembier April 23rd at Times Beach in Buffalo. Since nearly all early migrants are males, it is odd that this bird was a female. Studying the bird as it foraged near the ground for an hour he noted (in part): "...the outer white rectrices of the tail which was fanned repeatedly" and "the black on the face..." that "formed an almost sideways 'J' starting at the top of the head/crown and sort of framing the auriculars." This bird probably migrated during the very warm and clear weather on the 20th and 21st (with temperatures of 75 °F and 78 °F respectively) and was forced to stop migrating on the 22nd and 23rd when it could not navigate in the cold (58 °F and 52 °F) and rainy weather.

Also on the 23rd Mike Morgante heard a singing Marsh Wren at Cayuga Pool in Iroquois NWR. This early arrival was probably the result of the same weather conditions that produced the early Hooded Warbler. He wrote in part that: "It gave a few syllables of 'chink-chink-chink' before going in to the "sewing machine' portion of its song with a very fast rattle." There were only three years with earlier Marsh Wrens: two April 11, 1998 at Tonawanda WMA, two on the April 8, 1945 Count (one in Newstead and the other in Clarence) and one on the April 14, 1985 Count. Curiously there were many winter records of this species in the 1950s.



Long-billed Dowitcher photographed by Willie D'Anna on April 29, 2006 in the Town of Yates.

The Prothonotary is published monthly by the Buffalo Ornithological Society, Buffalo Museum of Science, Buffalo, NY 14211. Send subscriptions and address changes to the Corresponding Secretary, Karen Landau, S-9195 State Road, Colden, NY 14033. The regular subscription rate is \$20/year. Back issues are available from the Treasurer for \$2/issue.

Please mail correspondence to: Jack Skalicky 178 N. Main Street #55 Salt Lake City, UT 84103-2075 [Email] skalicky@biochem.utah.edu Ed. Consultants: Robert Andrle

> Gerry Rising William Watson

Proth. Production: Audrey Horbett Eileen Hull

Society Officers:

President: Thomas O'Donnell V. President: Michael Morgante Treasurer: Gerald Lazarczyk Secretary: Donna DeLeon Robert Andrle Statisticians: Frances Rew Archivist: Audrey Horbett Council: 2004-2006 Bob DeLeon Mike Desha Jim Landau 2005-2007 Mike Galas Jerry Lazarczyk Gail Seamans 2006-2008 Douglas Beattie Lynne Landon Elizabeth Wells

The Least Sandpiper first spotted by Jim Pawlicki at the Kumph Shorebird area at Iroquois NWR on the 17th is only bettered by two seen April 13, 1977 at Times Beach by Bob Andrle. The only record earlier than the Northern Rough-winged Swallow I saw this year on the 6th at the Hamburg Hawk Watch, was the one seen by Tom LeBlanc at Allegany State Park last year. The Prothonotary Warbler observed by many birders and documented by three of them at Amherst State Park on the 30th is only our second record of Prothonotary Warbler in April. The other was at Tifft Nature Preserve on April 26 and 28 in 1987.

Other unusually early birds requiring written verification reports include: three Merlins at two different locations, a Nashville Warbler on the 24th, a Palm Warbler on the 29th and on the 9th the less exceptional Pine Warbler on the April

Count.

Broad-winged Hawks continue to appear early, requiring verification reports. Records of early arrivals were received from the 9th (1), 11th (1) and 12th (1) while 16 birds were reported from the Hamburg Hawk Watch on the 11th and 12th (but no verification reports were received). On the 13th an impressive 233 Broad-winged Hawks were reported from the Hamburg Hawk Watch.

Rare Birds: There has never been a record of a spring migrant Long-billed Dowitcher, documented by a photograph or specimen, in the BOS study area or even in New York State, until this spring. The one found by Willie D'Anna in the farm pond east of Niagara-Orleans Countyline Road in the Town of Yates in Orleans County on April 29th is the first accepted spring record of Long-billed Dowitcher in the BOS archives, and if submitted, reviewed, and accepted by the New York State Avian Records Committee, it may be the first accepted record for New York State! In his verification report the similar Short-billed Dowitcher was eliminated because: "Alternate-plumage Short-billed Dowitcher lacks the dark bars on the sides of the upper breast (it shows spots there) and it also shows

buffy fringes to the scapular feathers, not white" and "...has a very different call." There are three undocumented spring reports for New York State and one late spring report: on April 30-May 9, 1976, a breeding plumage adult was seen and heard singing at Tobay Pond, Long Island, by Lore Schore, Wilma Baumann, et al. (Kingbird 26:179); on May 15, 1977, one was seen and heard at Jamaica Bay WR by Tom Davis and Ken Able (Kingbird 27:174); on May 13, 1988, one was observed in Perinton, Monroe County, by Robert and Susan Spahn (Kingbird 38:196); and on the unusual date of June 23, 1982, three were observed at Shinnecock Inlet, Long Island, by Paul Buckley fide Tom Davis (Kingbird 32:302). (The only documented Long-billed Dowitcher submitted to and reviewed by the New York State Avian Records Committee, one on May 30, 1979 at El Dorado Shores, Jefferson County, was not accepted.) This species is probably casual in New York during spring, and with recent improvements in both field identification techniques (distinguishing it from Shortbilled Dowitcher) and photography, there should be more documented records in the future. In fact a week or two prior to the discovery of the Orleans County bird, several Long-billed Dowitchers were photographed at Montezuma NWR. These photos are available on the web, and like D'Anna's photos, they indicate that the birds are in a transitional plumage, having only partially acquired their breeding garb. This, in itself, is suggestive of Long-billed, instead of Short-billed Dowitcher which usually has completed its molt into breeding plumage when it is seen in the region during spring (D'Anna 2006).

Never before have there been **four American White Pelicans** in the Buffalo Ornithological Society study area.
These pelicans appeared at Dunkirk Harbor spending most of their time on the breakwall (with their Pelecaniformes cousin Double-crested Cormorants) from April 13-15.
They were observed by many birders but only documented by Jerry Lazarczyk and me. BOS records do include two occurrences of three American White Pelicans, three occurrences of two, and 14 of single birds. This species appears to be sporadically eruptive with four records between 1860 and 1894 followed by a 47-year hiatus, six between 1941



American White Pelicans photographed by Jim Pawlicki on April 14, 2006 at Dunkirk Harbor.

and 1957 followed by a 26-year hiatus, and nine since 1983.

At the Hamburg Hawk Watch on the 6th among the Turkey Vultures an unusual vulture was noted: "even with the naked eye [it] could be picked out because the wing span looked noticeably less than the Turkey Vultures and the wings showed much less dihedral...than the wings of a Turkey Vulture." There are only two other April records of **Black Vulture**: one in the Town of Alabama on April 7, 1984 and one at the Hamburg Hawk Watch on April 19, 2004. Only since the early 1980s has Black Vulture been observed as a February, March, or April migrant at northern hawk watches.

The April 9th Count produced two records of Northern Goshawk: an immature in the Town of Bethany in Genesee County and an adult at Canadaway Creek State WMA, Arkwright in Chautauqua County. Only Northern Goshawks in adult plumage in Allegany and Cattaraugus Counties do not require a written verification report.

The Eared Grebe observed at the Batavia Waste Water Treatment Plant is the eleventh spring migrant to be found since 1964; however, this species is becoming a more common spring migrant in recent years, and was also observed in the spring of 2000, 2002 and 2003 this century.

Two Eastern Palm Warblers (*Dendroica palmarum hypochrysea*) reported this month at Amherst State Park (22nd) and Lakeside Memorial Park (29th) are the most indivuduals reported in a single season. (The author did not check pre-1964 records.) These brightly colored subspecies represent the 8th and 9th records of this race since 1964. Since then there have been two records in May and October, and now five records in April. Although fairly common along the Atlantic coast, it is very rare in our area.

This April was an excellent month for Golden Eagles and Sandhill Cranes. Golden Eagle reports were accepted for the 17th at Tonawanda WMA and later a couple of miles north in Royalton, on the 21st at Wilson, and on the 29th (for the first time ever) at Tifft Nature Preserve. Two gliding Sandhill Cranes pleased three raptor observers at the Hamburg Hawk Watch at 1:33 p.m. April 13th. On the 15th three cranes were studied and photographed as they flew over Wilson.

It's a good day when you find one Greater White-fronted Goose, but it's an even better day when you find three. Willie D'Anna had the latter experience on April 2nd when he found three of these geese in the Town of Yates along Countyline Road. Although Forster's Tern is uncommon during late summer, spring migrants like the one identified at the Batavia Waste Water Treatment Plant on the 23rd are considered very rare and care must be taken to distinguish them from Common and Arctic Terns. The final rarity requiring a written verification report on this list was the gutturally croaking Common Raven seen flying across Route 19 in the Village of Warsaw on the April Count. Nearly all of the above rare birds are being found more frequently in our region then in the past.



Red-headed Woodpecker (above) and Upland Saudpiper (below) photographed by Kayo Roy in April, 2006 at Point Abino, ONT and Bismark, ONT respectively.



I acknowledge the following sources for providing information and suggestions in the writing of The Month.


Beardslee, C. S. and Mitchell H. 1965. *Birds of the Niagara Frontier Region*. Bulletin of the Buffalo Society of Natural Sciences, vol. 22.

D'Anna W. 2006. 4777 West Lake Road, Burt, NY 14028. Personal Communications.

McLaughlin, S. National Weather Service, Buffalo, New York.

Suggs, David. Custodian of BOS Noteworthy Records Data Base 1964-2002. (compiled by DiTommaso *et al.*)

Suggs, David, et al. 2002. Seasonal Checklist of the Birds - The Niagara Frontier Region. Buffalo Ornithological Society, Inc.



NOTEWORTHY RECORDS

Underlined common names, dates or localities indicate that an acceptable, detailed written verification according to the *Date Guide to Birds of Western New York and Adjacent Ontario* (Seventh Edition - Revised 2001) has been received and placed in the permanent files of the Buffalo Ornithological Society.

- * Indicates first record for the year.
- F Indicates first record for the migration.
- L Indicates last record for the migration.
- (f) Indicates record from feeding station. (n) Indicate nest(s).
- PDBA Indicates Previously Documented Breeding Area.

<u>S</u> 1	<u>pecies</u>	<u>April</u>	Number	Location	Observer(s)
* Gr. V	Vhite-fr. Goose	2	3	Yates	D'Anna, Potter
Snow	Goose	4	1	Yates	Watson
Tund	ra Swan	2	6	N. Collins	Morgante
Blue-	-winged Teal	17; 29	22; 13	Batavia WWTP	Watson
North	nern Shoveler	17;23;29	93; 25; 27	Batavia WWTP	Watson
North	nern Pintail	17	70	Oak Orchard WMA	Watson
Gree	n-winged Teal	3	21	Pomfret	Neveu
11	C	17; 29	31; 31	Batavia WWTP	Watson
Redh	ead	17	8	Batavia WWTP	Watson
Ring	-necked Duck	2	50	N. Collins	Morgante
"		8; 12	54; 30	Tifft NP	Watson
Lesse	er Scaup	17	111	Batavia WWTP	Watson
Surf	Scoter	14	1	Dunkirk Harbor	Watson et al
11		17	2	Batavia WWTP	Watson et al
Whit	e-winged Scoter	8	1	Dunkirk Harbor	Neveu, Lazarczyk
11		29	2	Batavia WWTP	Watson
Long	tailed Duck	2	2	S. Dayton	Neveu
"		17	1	Batavia WWTP	Watson, Pawlicki
Buffl	ehead	17	94	Batavia WWTP	Watson
Rudd	ly Duck	6; 11; 23	8; 11; 15	Iroquois NWR	Roberson et al
11		17; 23; 29	352; 150; 124	Batavia WWTP	Watson, Morgante
Red-	throated Loon	28	2	Ft. Niagara SP	Yoerg
Red-	necked Grebe	2	160	Golden Hill SP	D'Anna
11		2	1	Ft. Niagara SP	Yoerg
11		2	6	Wilson	Yoerg
11		4	88	Somerset	Watson
* Ame	r. White Pelican	13 - 15	4	Dunkirk Harbor	Watson, Lazarczyk
Dcr	rested Cormorant	24	240	Strawberry I.	Watson
11		14	542	Dunkirk Harbor	Watson
* Ame	rican Bittern	23F	2	Iroquois NWR	Morgante
11		23F	1	Tonawanda WMA	Morgante
11		26	2	Tonawanda WMA	Yoerg
Grea	t Blue Heron	3	48	Motor I.	Galas
Grea	t Egret	1 - 26	5 - 38	Motor I.	Galas, Watson
**		13	1	Dunkirk Harbor	Neveu
66		23	1	Wilson-Tuscarora SP	Potter, D'Anna
11		28	1	Machias	DeSha
H		29	1	Iroquois NWR	Watson
Gree	n Heron	21	1	Wilson	Potter
11		21	1	Silver Creek	Neveu

	<u>Species</u>	April	Number	Location	Observer(s)
	н	26	1	Hanover	Neveu
*	Black-cr. Night-Heron	3F; 4; 24	2; 20; 28	Motor I.	Galas; Watson; Watson
	H	11	102	Niagara Falls	Watson
	H.	11	86	Goat I.	M&S Galas
*	Black Vulture	6	1	Hamburg Hawkwatch	Watson
	Turkey Vulture	1	22	Bethany	Beattie
	u .	6; 13	548; 524	Hamburg Hawkwatch	Watson et al
	Osprey	2	1	Iroquois NWR	Galas, Seamans
	"	2	1	Hanover	Neveu
	u .	2; 6	1; 2	Tonawanda WMA	Galas et al
	n .	20	18	Hamburg Hawkwatch	Watson et al
	Bald Eagle	1 - 28	2 ad, 1 yg (nest)		DeSha
	"	6 - 29	• • • •	Iroquois NWR	Roberson, Watson et al
	n .	16	2 ad, 3 yg (nest)	•	Watson
	n .	18	1 (nest)		Neveu
	n .	2 - 26		Throughout WNY	Many observers
	Cooper's Hawk	26	2 ad. (nest)	Kenmore	Watson
	Broad-winged Hawk	11	1	Hamburg Hawkwatch	DiTommaso
	"	12	1	Buffalo	Yoerg
	m .	13; 20	233; 767	Hamburg Hawkwatch	Watson et al
	Rough-legged Hawk	2	7	Porter	Yoerg
	"	2	6	S. Dayton	Neveu
*	Golden Eagle	17F	1	Tonawanda WMA& Royalton	Watson
	· ·	21	1	Wilson	D'Anna
	H.	29	1	Tifft NP	DiTommaso
	Merlin	<u>5</u> - 24	2 max	UB south campus	Yoerg
	n.	17	1	Batavia WWTP	Pawlicki, Watson
	n .	20	2	Hamburg Hawkwatch	Watson et al
	n.	21	1	Alfred	Brooks
	Peregrine Falcon	25	1	Pomfret	Mosher, Goetz
	n .	26	1	Tonawanda WMA	Yoerg
	n .	29	1	Iroquois NWR	Pawlicki, Watson
*	Virginia Rail	23F	1	Tonawanda WMA	Morgante
		26	10	Tonawanda WMA	Yoerg
*	Sora	26F	2	Tonawanda WMA	Yoerg
	H.	29	1	Iroquois NWR	D'Anna
*	Common Moorhen	20F	1	Carrollton	Baird
	n.	23	2	Iroquois NWR	Morgante
	n .	24	2	Oak Orchard WMA	Dart, Beattie
*	Sandhill Crane	13F	2	Hamburg Hawkwatch	Watson, DiTommaso
	u .	15	3	Wilson	DiTommaso
*	Greater Yellowlegs	2F	1	Hartland	D'Anna, Potter
	"	6	2	Iroquois NWR	Roberson
*	Lesser Yellowlegs	5F	1	Lewiston	D'Anna
	"	22	1	Sherman	Neveu
*	Solitary Sandpiper	22F ·	I	Sherman	Neveu
*	Spotted Sandpiper	22F	1	Sherman	Neveu
	11	23	2	Iroquois NWR	Morgante
*	Least Sandpiper	<u>17F</u>	I	Iroquois NWR	Watson
	Pectoral Sandpiper	17; 24	2; 25	Iroquois NWR	Roberson, Watson et al

	Species	<u>April</u>	Number	Location	Observer(s)
*	Purple Sandpiper	11	2	Goat I.	Watson
	н	28	2	Goat I.	Yoerg
*	Dunlin	17F	1	Batavia WWTP	Watson, Pawlicki
	11	17F	2	Iroquois NWR	Watson, Pawlicki
*	Long-b. Dowitcher	29F	1	Yates	D'Anna, Lazarczyk
	Wilson's Snipe	2; 4	18; 22	S. Dayton	Neveu; Neveu
	11	20	31	Sherman	Neveu
	Bonaparte's Gull	17; 29	40; 9	Batavia WWTP	Watson, Pawlicki
	H	5	1000	Dunkirk Harbor	Neveu
	Iceland Gull	4; 14; 15	3; 3; 1	Dunkirk Harbor	Pawlicki, Moshers et al
	11	11	2; 1	Goat I.	Watson; M&S Galas
	H	15	1	Wilson	D'Anna, DiTommaso
	H	27	1	Beaver I. SP	Hess
	Lesser Black-b. Gull	14	8	Dunkirk Harbor	Pawlicki, Watson et al
	0	16	3	Dunkirk Harbor	Neveu
	Glaucous Gull	11	2	Goat I.	Galas et al
	11	14 - 19	1	Dunkirk Harbor	Pawlicki, Watson et al
	11	14	1	Pt. Gratiot	Neveu
	11	15	1	Wilson	D'Anna, DiTommaso
*	Caspian Tern	8F; 14	2; 33	Dunkirk Harbor	Neveu; Watson et al
	11	18	18	Wilson	Galas et al
	11	28	<u>106</u>	Cattaraugus Creek (mouth)	Neveu
	Common Tern	13	2	Beaver I. SP	Sharon
	11	14	3	Dunkirk Harbor	Watson et al
*	Forster's Tern	<u>23F</u>	1	Batavia WWTP	Morgante
*	Black Tern	29F	1	Batavia WWTP	Watson
	н	29	4	Iroquois NWR	Pawlicki, Watson
	Short-eared Owl	2	1	Shelby	Lazarczyk, T&S O'Donnell
	***	28	2	Porter	Yoerg
*	Chimney Swift	27F	3	Hamburg Hawkwatch	Watson
	11	27F	13	Goat I.	Roberson
	11	30	3	Times Beach NP	Galas et al
	11	30	1	Sheridan	Neveu
*	Ruby-t. Hummingbird	29F	1	Orchard Park	Zebehazy
	Red-headed Wdpkr.	14	2	Pt. Gratiot	Watson et al
*	Gr. Cr. Flycatcher	27F	1	Tonawanda WMA	Rising, Galas
	"	30	1	Orchard Park	Morgante
*	Eastern Kingbird	30F	1	Hamburg Hawkwatch	DiTommaso, Landau
*	Blue-headed Vireo	19F	2	Ward	Brooks
*	Warbling Vireo	27F	2	Beaver I. SP	Hess
	11	29	1	Goat I.	Roberson, Welte
	Common Raven	6	2	Alfred	Brooks
	11	8	2	Ward	Brooks
	11	30	3	Bush Hill SF	Yoerg, Henderson
*	Purple Martin	3F	2	Tillman WMA	Salembier
	11	14	1	Wilson	D'Anna
	Tree Swallow	1	16	Alexander	Beattie
	H	1	16	Wellsville	Brooks
	11	2	18	Iroquois NWR	Galas, Seamans
	11	10	65	Sheridan	Neveu

	<u>Species</u>	<u>April</u>	Number	Location	Observer(s)
*	N. Rough-w. Swallow	<u>6F</u>	1	Hamburg Hawkwatch	Watson
	11	7	2	Dunkirk Airport	Neveu
	**	16	44	Sheridan	Neveu
*	Bank Swallow	23F	5	Iroquois NWR	Morgante
	11	23; 29	5; 1	Tonawanda WMA	Morgante; D'Anna
*	Cliff Swallow	23F	1	Iroquois NWR	Morgante
	11	28	4	Tonawanda I.	Watson
	Barn Swallow	14	7	Dunkirk	Watson, Pawlicki et al
	"	16	1	Harmony	Berry
	"	16	1	Sinking Ponds	Holmes
	Carolina Wren	2	1	Orchard Park	Morgante
	"	11	1	Bethany	Beattie
	"	14	1	Pt. Gratiot	Pawlicki, Watson
	11	18 - 30	1 - 3	Times Beach NP	Andrle, Hess et al
	n	22	1	Sturgeon Pt.	Morgante
	n	29	1	Amherst SP	Rising, Galas
	House Wren	21F	1	R T Peterson Inst.	Berry
	11	21F	1	Alfred	Brooks
	Winter Wren	2	3	Evangola SP	Morgante
	n	8	3	Pt. Gratiot	Neveu, Lazarczyk
	n	8	2	Tifft NP	Watson
*	Marsh Wren	<u>23F</u>	1	Iroquois NWR	Morgante
	11	26 ; 29	1; 1	Iroquois NWR	Yoerg; Pawlicki, Watson
*	Ruby-cr. Kinglet	8F	2; 1	Tifft NP	Watson; Salembier
	"	12	2	Four Mile Creek SP	Potter
	11	12	2	Goat I.	Watson
	"	12	1	Silver Creek	Neveu
*	Blgr. Gnatcatcher	18F	1	Salamanca	Baird
	"	20	1	Allegany SP	Baird
	11	24; 27	5; 15	Goat I.	Roberson
*	Swainson's Thrush	30F	1	Times Beach NP	Galas, Bogan
	Hermit Thrush	22; 29	2; 8	Chestnut Ridge Park	Morgante
	"	23	5	Goat I.	Roberson
	"	29	7	Amherst SP	Galas, Rising
	"	30	15	Tifft NP & Times Beach NP	Watson, Pawlicki
*	Wood Thrush	26F	1	Newstead	G&M Coniglio
	"	30	1	Bush Hill SF	Yoerg, Henderson
	Northern Mockingbird	4	1	Buffalo	Yoerg
	"	10	1	Beaver I. SP	Sharon
		15; 16	1; 1	Buckhorn I. SP	Sharon; Watson
	"	30	1	Tifft NP	Watson, Pawlicki
	Brown Thrasher	14	1	Pt. Gratiot	Watson, Pawlicki
	"	27	5	Wainfleet (Ont)	Lazarczyk, Partridge
*	American Pipit	2F	60	Porter	Yoerg
	п	8	2	Pomfret	Neveu, Lazarczyk
	11	23	1	Iroquois NWR	Morgante
*	Blue-winged Warbler	30F	2	Sheridan	Neveu
*	Nashville Warbler	<u>24</u> F	1	Amherst SP	Salembier
	"	28	i	Goat I.	Yoerg
*	Northern Parula	30F	1	Amherst SP	Zebehazy, Happ
	withern raidia	301	1	Annierst Of	Loonary, mapp

	<u>Species</u>	<u>April</u>	<u>Number</u>	Location	Observer(s)
	11	30F	1	Allegany SP	Baird
*	Yellow Warbler	23F	1	Beaver I. SP	Sharon
	n	24	1	R T Peterson Inst.	Berry
	11	24	1	Tifft NP	Watson
*	Chestnut-s. Warbler	30F	1	Sheridan	Neveu
*	Cape May Warbler	30F	1	Amherst SP	Watson et al
*	Blthr. Blue Warbler	30F	1	Wilson	Potter, D'Anna
	"	30F	1	Amherst SP	Zebehazy, Happ
*	Blthr. Green Warb.	22F	1	Chestnut Ridge Park	Morgante
	11	22F	1	Sheridan	Neveu
	0	22F	1	Arkwright	Neveu
	ti.	23	1	Iroquois NWR	Morgante
	H	23	2	Tifft NP	Salembier
	H	23	1	Beaver I. SP	Sharon
*	Blackburnian Warbler	30F	2	Amherst SP	Salembier
	11	30F	3	Allegany SP	Baird
	H	30F	2	Bush Hill SF	Yoerg, Henderson
	Pine Warbler	13	1	Beaver I. SP	Sharon
	H	15	1	Sinking Ponds	Holmes
	11	15; 16	1; 5	Wilson	D'Anna et al
	н	22	5	Sturgeon Pt.	Morgante
*	Palm Warbler	21F	2	Wilson	Potter
	n	22	1	Sturgeon Pt.	Morgante
	11	22	8	Sheridan	Neveu
*	D. p. hypochrysea	22F	1	Amherst SP	Salembier
	0	29	1	Lakeside Memorial Pk.	Andrle
*	Black-and-white Warb.	23F	2 .	Tifft NP	Salembier, Watson
	H	24	1	Beaver I. SP	Sharon
	11	30	7	Sheridan	Neveu
*	Prothonotary Warbler	<u>30F</u>	1	Amherst SP	Salembier, Watson
*	Ovenbird	30F	1	Tifft NP	DiTommaso
	11	30	1	Allegany SP	Baird
	11	30	1	Pt. Gratiot	Neveu
*	Northern Waterthrush	28F; 30	1; 2	Tifft NP	Watson et al
	11	29	1	Sinking Ponds	Holmes
	11	30	4	Ashford	DeSha
*	La. Waterthrush	29F	1	Chestnut Ridge Park	Morgante
*	Common Yellowthroat	30F	1	Times Beach NP	Galas, Bogan
	н	30F	1	Sheridan	Neveu
*	Hooded Warbler	<u>23F</u>	1	Times Beach NP	Salembier
	Eastern Towhee	2	5	Evangola SP	Morgante
*	Vesper Sparrow	5F	1	Dunkirk Airport	Neveu
*	Savannah Sparrow	5F; 8	1; 1	Dunkirk Airport	Neveu
	11	19	1	Tifft NP	Watson
	Fox Sparrow	4	6	Wilson (f)	D'Anna
	tt	19	3	Tifft NP	Watson
	White-thr. Sparrow	4 - 30	4 max	Bethany	Beattie
*	Rose-br. Grosbeak	30F	1	Wilson	Potter, D'Anna
	11	30F	1	Eden (f)	Andrle
	11	30F	1	Hamburg	Morgante

<u>Species</u>	<u>April</u>	<u>Number</u>	Location	Observer(s)
11	30F	2	Bush Hill SF	Yoerg
11	30F	3	Silver Creek	Neveu
Rusty Blackbird	2	10	Hartland	D'Anna, Potter
H .	17	16	Iroquois NWR	Watson, Pawlicki
Purple Finch	14	11	Wilson (f)	D'Anna, Potter
Common Redpoll	1	1	Wilson (f)	Potter, D'Anna
Pine Siskin	1; 16	1	Orchard Park	Morgante
11	1 - 26	9 max	Wilson	D'Anna, Potter
н	28; 30	1; 1	Bethany	Beattie
11	29	6	Eden (f)	Andrle
11	30	2	Bush Hill SF (f)	Yoerg

Species, subspecies, and hybrids previously recorded this year:	137
Species, subspecies, and hybrids recorded for this month:	065
Total for the year 2006:	<u>202</u>

Statisticians' Note: If any observer wishes to know the status of their verification report, please contact the Statisticians and we will give them the reasons for our decision. Please mail reports for each month not later than the FIFTH day of the following month to the Compiler: Bruce Chilton 88 Pryor Avenue, Tonawanda, NY 14150; Email: BChi314159@aol.com.

Editors Note: Birders should be aware of and report color-banded birds from the BOS study area - be especially alert for banded migrant shorebirds. All the material below has been reproduced from http://www.mb.ec.gc.ca/nature/migratorybirds/pasp/index.en.html

Color banded shorebirds can and should be reported to the Bird Banding Lab and the Pan American Shorebird Program. The bird banding lab has info on birds banded in the US with USFWS bands and associated color markers, while the Canadian Wildlife Service coordinates the color-marking for all shorebirds in the Americas through the Pan American Shorebird Program. More information can be found at the following web sites. The US Banding Lab has an online form for reporting color banded shorebirds.

Pan American: www.mb.ec.gc.ca/nature/migratorybirds/paspdc29s01.en.html

US Banding Lab: www.pwrc.usgs.gov/bbl/

Pan American Shorebird Program

Since few species of shorebirds are hunted in North America, the traditional method of marking birds with metal leg bands was not an efficient way for researchers to get reports on their birds from other areas and trace their migration routes. For this reason, shorebirds are usually marked with colour bands and/or colour 'flags' (colour bands with a tab of varying length that sticks out from the leg) that can be easily seen from a distance.

The Pan American Shorebird Program (PASP) was created in the mid 1980s to develop a standardized bird banding system. The PASP assigned each country in the

Americas a different colour flag code to make it easier to identify the banders of marked shorebirds. (For example, Canada uses a white flag; French Guiana has a light green flag over a dark blue flag). Within each country, colour band combinations are also organized and assigned to specific banders. Prior to the PASP, it was extremely difficult to identify who banded the shorebirds and in what country the banding occurred.

How to report a colour banded shorebird sighting:

Note species, location of sighting, date and any other information. Describe each band: type (metal, colour band, flag), colours (as exact as possible - light green, dark blue), and location on bird (bird's left or right leg, upper or lower leg, above or below other bands). See example of four color bands on Semipalmated Sandpiper below. Note if you are unsure of any bands or if you did not see all parts of both legs clearly.

Submit your information to: PASP, Canadian Wildlife Service, Environment Canada, 115 Perimeter Road, Saskatoon, SK, S7N 0X4, Canada

Photo: C. L. Gratto-Trevor; Environment Canada, Canadian Wildlife Service



Report of the 2006Annual B.O.S. April Bird Count

Date: April 9, 2006 Weather: Terry Yonker, Compiler: Mike Hamilton

Weather Synopsis

Weather on count day this year was unremarkable, if not outright pleasant compared to the rainy conditions of the previous 48 hours. High pressure dominated the count area bringing fair skies, cool temperatures, and low humidity. Frosty conditions during the early morning hours gave way to temperatures in the mid 40's by afternoon returning to the lower 30's by midnight. Winds backed from northwest to south during period becoming fairly brisk during the afternoon.

Greater Buffalo International Airport

Sunrise: 6:44 AM EDT Sunset: 7:51 PM EDT

TIME	WEATHER	TEMP	DEW PT	PRESSURE	DIR/WIND	REMARKS
12:00 am	Partly Cloudy	32	23	30.15	NW6	
3:00 am	Clear	30	22	30.16	NW3	
6:00 am	Partly Cloudy	28	22	30.19	Calm	
9:00 am	Clear	34	26	30.24	Calm	
12:00 pm	Mostly Cloudy	41	28	30.25	W8	
3:00 pm	Partly Cloudy	44	26	30.21	SW12	
6:00 pm	Partly Cloudy	45	27	30.20	SW14	
9:00 pm	Clear	36	27	30.23	SW7	
12:00 am	Clear	34	27	30.22	S9	

Compilation: The following is a list of species recorded on the count together with the number of individuals tabulated. Bold face names indicate species for which acceptable written verification forms were received. F represents first and L last dates for the spring migration * first date for the year. Where a species was recorded in three or fewer sections, the section numbers are given in parentheses.

Geese-Herons						
Snow Goose		5	(4)	Bufflehead	1312	
Canada Goose		19839		Common Goldeneye	159	
Mute Swan (adults)		15		Hooded Merganser	406)
Tundra Swan		13		Common Merganser	329	
Wood Duck		398		Red-breasted Merganser	4675	
Gadwall		78		Ruddy Duck	159	
American Wigeon		284		unspecified ducks	288	(3,6,10)
American Black Duck		67		Ring-necked Pheasant	23	
Mallard		1295		Ruffed Grouse	18	
Blue-winged Teal		93		Wild Turkey	223	
Northern Shoveler		257		Red-throated Loon	20	(3,4)
Northern Pintail		97		Common Loon	81	
Green-winged Teal		172		Pied-billed Grebe	80)
Canvasback		8	(5,9,17)	Horned Grebe	94	
Redhead		56		Red-necked Grebe	248	}
Ring-necked Duck		577		Eared Grebe	1	(13)
Greater Scaup		138		Double-crested Cormorant	973	}
Lesser Scaup		234		Great Blue Heron	420)
unspecified scaup		145	(10,22,25)	Great Egret	24	
Surf Scoter	*F	1	(4)	Green Heron	*F 2	(12)
White-winged Scoter		239		Black-crowned Night-Heron	149)
Long-tailed Duck		736				
Vultures-Cranes						
Turkey Vulture		2017		Sharp-shinned Hawk	52	2
Osprey		20		Cooper's Hawk	47	
Bald Eagle		22		Northern Goshawk	2	(13,20)
Northern Harrier		51		Red-shouldered Hawk	34	

Broad-winged Hawk	*F 1	(7)	Merlin		4	(7,11)
Red-tailed Hawk	429		Peregrine Falcon		4	
Rough-legged Hawk	12		unspecified hawks]	(22)
American Kestrel	180		American Coot		71	
Plovers – Terns						
Killdeer	330		Ring-billed Gull		56836	
Greater Yellowlegs	14		Herring Gull		7860	
Lesser Yellowlegs	13		Iceland Gull		4	(3,9,20)
Pectoral Sandpiper	*F 16	(7,10)	Lesser Black-backed Gull		3	(6,7,9)
Wilson's Snipe	29		Glaucous Gull		4	(3,9)
American Woodcock	28		Great Black-backed Gull		201	(- ,-)
Little Gull	1	(3)	Caspian Tern		17	
Bonaparte's Gull	3441		Common Tern	*F	1	(7)
Diggs and Cwalle wa						
Pigeons-Swallows Rock Pigeon	1561		Pileated Woodpecker		53	
Mourning Dove	1667		Eastern Phoebe		407	
Eastern Screech-Owl	8	(6.20.24)			1000	
Great Horned Owl	26	(6,20,24)	Blue Jay American Crow		3130	
Barred Owl	6		American Crow Common Raven		26	
Short-eared Owl		(2)	Horned Lark		69	
	4 58	(3)			1	(4)
Belted Kingfisher			E.a. alpestris		2	(4)
Red-headed Woodpecker	4		E.a. praticola	•	3	(4)
Red-bellied Woodpecker	199		Purple Martin		39	
Yellow-bellied Sapsucker	107		Tree Swallow		806	
Downy Woodpecker	441		N. Rough-winged Swallow	ΨĽ	20	
Hairy Woodpecker	138		Barn Swallow	*F	16	
Northern Flicker	319					
Tits-Waxwings						
Black-capped Chickadee	1803		Eastern Bluebird		214	
Black-capped Chickadee Tufted Titmouse	225		Hermit Thrush		9	
Black-capped Chickadee Tufted Titmouse Red-breasted Nuthatch						
Black-capped Chickadee Tufted Titmouse	225		Hermit Thrush		9	(19,28)
Black-capped Chickadee Tufted Titmouse Red-breasted Nuthatch White-breasted Nuthatch Brown Creeper	225 88		Hermit Thrush American Robin Gray Catbird Northern Mockingbird		9 7379	(19,28) (19,20,28)
Black-capped Chickadee Tufted Titmouse Red-breasted Nuthatch White-breasted Nuthatch	225 88 310		Hermit Thrush American Robin Gray Catbird	*F	9 7379 4	
Black-capped Chickadee Tufted Titmouse Red-breasted Nuthatch White-breasted Nuthatch Brown Creeper	225 88 310 146		Hermit Thrush American Robin Gray Catbird Northern Mockingbird	*F	9 7379 4 24	
Black-capped Chickadee Tufted Titmouse Red-breasted Nuthatch White-breasted Nuthatch Brown Creeper Carolina Wren	225 88 310 146 28		Hermit Thrush American Robin Gray Catbird Northern Mockingbird Brown Thrasher	*F	9 7379 4 24 5	
Black-capped Chickadee Tufted Titmouse Red-breasted Nuthatch White-breasted Nuthatch Brown Creeper Carolina Wren Winter Wren	225 88 310 146 28 39		Hermit Thrush American Robin Gray Catbird Northern Mockingbird Brown Thrasher European Starling	*F	9 7379 4 24 5	(19,20,28)
Black-capped Chickadee Tufted Titmouse Red-breasted Nuthatch White-breasted Nuthatch Brown Creeper Carolina Wren Winter Wren Golden-crowned Kinglet Ruby-crowned Kinglet	225 88 310 146 28 39 683 13		Hermit Thrush American Robin Gray Catbird Northern Mockingbird Brown Thrasher European Starling American Pipit	*F	9 7379 4 24 5 7098	(19,20,28)
Black-capped Chickadee Tufted Titmouse Red-breasted Nuthatch White-breasted Nuthatch Brown Creeper Carolina Wren Winter Wren Golden-crowned Kinglet Ruby-crowned Kinglet	225 88 310 146 28 39 683 13		Hermit Thrush American Robin Gray Catbird Northern Mockingbird Brown Thrasher European Starling American Pipit Cedar Waxwing	*F	9 7379 4 24 5 7098	(19,20,28)
Black-capped Chickadee Tufted Titmouse Red-breasted Nuthatch White-breasted Nuthatch Brown Creeper Carolina Wren Winter Wren Golden-crowned Kinglet Ruby-crowned Kinglet	225 88 310 146 28 39 683 13	(22)	Hermit Thrush American Robin Gray Catbird Northern Mockingbird Brown Thrasher European Starling American Pipit	*F	9 7379 4 24 5 7098 1 202	(19,20,28)
Black-capped Chickadee Tufted Titmouse Red-breasted Nuthatch White-breasted Nuthatch Brown Creeper Carolina Wren Winter Wren Golden-crowned Kinglet Ruby-crowned Kinglet Warblers - House S Yellow-rumped Warbler	225 88 310 146 28 39 683 13 parrows	(22)	Hermit Thrush American Robin Gray Catbird Northern Mockingbird Brown Thrasher European Starling American Pipit Cedar Waxwing Snow Bunting Northern Cardinal	*F	9 7379 4 24 5 7098 1 202	(19,20,28)
Black-capped Chickadee Tufted Titmouse Red-breasted Nuthatch White-breasted Nuthatch Brown Creeper Carolina Wren Winter Wren Golden-crowned Kinglet Ruby-crowned Kinglet Warblers - House S Yellow-rumped Warbler Pine Warbler Eastern Towhee	225 88 310 146 28 39 683 13 parrows 17 1	(22)	Hermit Thrush American Robin Gray Catbird Northern Mockingbird Brown Thrasher European Starling American Pipit Cedar Waxwing Snow Bunting	*F	9 7379 4 24 5 7098 1 202	(19,20,28)
Black-capped Chickadee Tufted Titmouse Red-breasted Nuthatch White-breasted Nuthatch Brown Creeper Carolina Wren Winter Wren Golden-crowned Kinglet Ruby-crowned Kinglet Ruby-crowned Kinglet Pine Warbler Eastern Towhee American Tree Sparrow	225 88 310 146 28 39 683 13 Parrows 17 1 19 160	(22)	Hermit Thrush American Robin Gray Catbird Northern Mockingbird Brown Thrasher European Starling American Pipit Cedar Waxwing Snow Bunting Northern Cardinal Red-winged Blackbird Eastern Meadowlark	*F	9 7379 4 24 5 7098 1 202 4 1020 5227	(19,20,28)
Black-capped Chickadee Tufted Titmouse Red-breasted Nuthatch White-breasted Nuthatch Brown Creeper Carolina Wren Winter Wren Golden-crowned Kinglet Ruby-crowned Kinglet Ruby-crowned Kinglet Pine Warbler Eastern Towhee American Tree Sparrow Chipping Sparrow	225 88 310 146 28 39 683 13 Parrows 17 1 19 160 104	(22)	Hermit Thrush American Robin Gray Catbird Northern Mockingbird Brown Thrasher European Starling American Pipit Cedar Waxwing Snow Bunting Northern Cardinal Red-winged Blackbird Eastern Meadowlark Rusty Blackbird	*F	9 7379 4 24 5 7098 1 202 4 1020 5227 110 113	(19,20,28)
Black-capped Chickadee Tufted Titmouse Red-breasted Nuthatch White-breasted Nuthatch Brown Creeper Carolina Wren Winter Wren Golden-crowned Kinglet Ruby-crowned Kinglet Ruby-crowned Kinglet Pine Warbler Eastern Towhee American Tree Sparrow Chipping Sparrow Field Sparrow	225 88 310 146 28 39 683 13 Parrows 17 1 19 160 104 65		Hermit Thrush American Robin Gray Catbird Northern Mockingbird Brown Thrasher European Starling American Pipit Cedar Waxwing Snow Bunting Northern Cardinal Red-winged Blackbird Eastern Meadowlark Rusty Blackbird Common Grackle	*F	9 7379 4 24 5 7098 1 202 4 1020 5227 110 113 4375	(19,20,28)
Black-capped Chickadee Tufted Titmouse Red-breasted Nuthatch White-breasted Nuthatch Brown Creeper Carolina Wren Winter Wren Golden-crowned Kinglet Ruby-crowned Kinglet Ruby-crowned Kinglet Pine Warbler Eastern Towhee American Tree Sparrow Chipping Sparrow Field Sparrow Vesper Sparrow	225 88 310 146 28 39 683 13 Parrows 17 1 19 160 104 65 3	(22)	Hermit Thrush American Robin Gray Catbird Northern Mockingbird Brown Thrasher European Starling American Pipit Cedar Waxwing Snow Bunting Northern Cardinal Red-winged Blackbird Eastern Meadowlark Rusty Blackbird Common Grackle Brown-headed Cowbird	*F	9 7379 4 24 5 7098 1 202 4 1020 5227 110 113 4375 1062	(19,20,28)
Black-capped Chickadee Tufted Titmouse Red-breasted Nuthatch White-breasted Nuthatch Brown Creeper Carolina Wren Winter Wren Golden-crowned Kinglet Ruby-crowned Kinglet Ruby-crowned Warbler Pine Warbler Eastern Towhee American Tree Sparrow Chipping Sparrow Field Sparrow Vesper Sparrow Savannah Sparrow	225 88 310 146 28 39 683 13 Parrows 17 1 19 160 104 65 3 25		Hermit Thrush American Robin Gray Catbird Northern Mockingbird Brown Thrasher European Starling American Pipit Cedar Waxwing Snow Bunting Northern Cardinal Red-winged Blackbird Eastern Meadowlark Rusty Blackbird Common Grackle Brown-headed Cowbird Purple Finch	*F	9 7379 4 24 5 7098 1 202 4 1020 5227 110 113 4375 1062 140	(19,20,28)
Black-capped Chickadee Tufted Titmouse Red-breasted Nuthatch White-breasted Nuthatch Brown Creeper Carolina Wren Winter Wren Golden-crowned Kinglet Ruby-crowned Kinglet Ruby-crowned Kinglet Pine Warbler Eastern Towhee American Tree Sparrow Chipping Sparrow Field Sparrow Vesper Sparrow Savannah Sparrow Fox Sparrow	225 88 310 146 28 39 683 13 parrows 17 1 19 160 104 65 3 25 104		Hermit Thrush American Robin Gray Catbird Northern Mockingbird Brown Thrasher European Starling American Pipit Cedar Waxwing Snow Bunting Northern Cardinal Red-winged Blackbird Eastern Meadowlark Rusty Blackbird Common Grackle Brown-headed Cowbird Purple Finch House Finch	*F	9 7379 4 24 5 7098 1 202 4 1020 5227 110 113 4375 1062	(19,20,28)
Black-capped Chickadee Tufted Titmouse Red-breasted Nuthatch White-breasted Nuthatch Brown Creeper Carolina Wren Winter Wren Golden-crowned Kinglet Ruby-crowned Kinglet Ruby-crowned Warbler Pine Warbler Eastern Towhee American Tree Sparrow Chipping Sparrow Field Sparrow Vesper Sparrow Savannah Sparrow Fox Sparrow Song Sparrow	225 88 310 146 28 39 683 13 Parrows 17 1 19 160 104 65 3 25 104 2626		Hermit Thrush American Robin Gray Catbird Northern Mockingbird Brown Thrasher European Starling American Pipit Cedar Waxwing Snow Bunting Northern Cardinal Red-winged Blackbird Eastern Meadowlark Rusty Blackbird Common Grackle Brown-headed Cowbird Purple Finch House Finch Common Redpoll	*F	9 7379 4 24 5 7098 1 202 4 1020 5227 110 113 4375 1062 140 528 1	(19,20,28) (12) (5)
Black-capped Chickadee Tufted Titmouse Red-breasted Nuthatch White-breasted Nuthatch Brown Creeper Carolina Wren Winter Wren Golden-crowned Kinglet Ruby-crowned Kinglet Ruby-crowned Kinglet Pine Warbler Eastern Towhee American Tree Sparrow Chipping Sparrow Field Sparrow Vesper Sparrow Savannah Sparrow Song Sparrow Swamp Sparrow	225 88 310 146 28 39 683 13 parrows 17 1 19 160 104 65 3 25 104 2626 83		Hermit Thrush American Robin Gray Catbird Northern Mockingbird Brown Thrasher European Starling American Pipit Cedar Waxwing Snow Bunting Northern Cardinal Red-winged Blackbird Eastern Meadowlark Rusty Blackbird Common Grackle Brown-headed Cowbird Purple Finch House Finch Common Redpoll Pine Siskin	*F	9 7379 4 24 5 7098 1 202 4 1020 5227 110 113 4375 1062 140 528 1	(19,20,28)
Black-capped Chickadee Tufted Titmouse Red-breasted Nuthatch White-breasted Nuthatch Brown Creeper Carolina Wren Winter Wren Golden-crowned Kinglet Ruby-crowned Kinglet Ruby-crowned Kinglet Pine Warbler Eastern Towhee American Tree Sparrow Chipping Sparrow Field Sparrow Vesper Sparrow Savannah Sparrow Fox Sparrow Song Sparrow Swamp Sparrow White-throated Sparrow	225 88 310 146 28 39 683 13 parrows 17 1 19 160 104 65 3 25 104 2626 83 346		Hermit Thrush American Robin Gray Catbird Northern Mockingbird Brown Thrasher European Starling American Pipit Cedar Waxwing Snow Bunting Northern Cardinal Red-winged Blackbird Eastern Meadowlark Rusty Blackbird Common Grackle Brown-headed Cowbird Purple Finch House Finch Common Redpoll Pine Siskin American Goldfinch	*F	9 7379 4 24 5 7098 1 202 4 1020 5227 110 113 4375 1062 140 528 1 11 1139	(19,20,28) (12) (5) (19) (2,3,27)
Black-capped Chickadee Tufted Titmouse Red-breasted Nuthatch White-breasted Nuthatch Brown Creeper Carolina Wren Winter Wren Golden-crowned Kinglet Ruby-crowned Kinglet Ruby-crowned Kinglet Warbler Pine Warbler Eastern Towhee American Tree Sparrow Chipping Sparrow Field Sparrow Vesper Sparrow Savannah Sparrow Song Sparrow Song Sparrow White-throated Sparrow White-crowned Sparrow	225 88 310 146 28 39 683 13 Parrows 17 1 19 160 104 65 3 25 104 2626 83 346 27		Hermit Thrush American Robin Gray Catbird Northern Mockingbird Brown Thrasher European Starling American Pipit Cedar Waxwing Snow Bunting Northern Cardinal Red-winged Blackbird Eastern Meadowlark Rusty Blackbird Common Grackle Brown-headed Cowbird Purple Finch House Finch Common Redpoll Pine Siskin American Goldfinch Evening Grosbeak	*F	9 7379 4 24 5 7098 1 202 4 1020 5227 110 113 4375 1062 140 528 1 11 1139 16	(19,20,28) (12) (5)
Black-capped Chickadee Tufted Titmouse Red-breasted Nuthatch White-breasted Nuthatch Brown Creeper Carolina Wren Winter Wren Golden-crowned Kinglet Ruby-crowned Kinglet Ruby-crowned Warbler Pine Warbler Eastern Towhee American Tree Sparrow Chipping Sparrow Field Sparrow Vesper Sparrow Savannah Sparrow Fox Sparrow Song Sparrow Swamp Sparrow White-throated Sparrow White-crowned Sparrow Dark-eyed Junco	225 88 310 146 28 39 683 13 Parrows 17 1 19 160 104 65 3 25 104 2626 83 346 27 2323	(3,5,26)	Hermit Thrush American Robin Gray Catbird Northern Mockingbird Brown Thrasher European Starling American Pipit Cedar Waxwing Snow Bunting Northern Cardinal Red-winged Blackbird Eastern Meadowlark Rusty Blackbird Common Grackle Brown-headed Cowbird Purple Finch House Finch Common Redpoll Pine Siskin American Goldfinch Evening Grosbeak House Sparrow	*F	9 7379 4 24 5 7098 1 202 4 1020 5227 110 113 4375 1062 140 528 1 11 1139	(19,20,28) (12) (5) (19) (2,3,27) (19,24)
Black-capped Chickadee Tufted Titmouse Red-breasted Nuthatch White-breasted Nuthatch Brown Creeper Carolina Wren Winter Wren Golden-crowned Kinglet Ruby-crowned Kinglet Ruby-crowned Kinglet Warbler Pine Warbler Eastern Towhee American Tree Sparrow Chipping Sparrow Field Sparrow Vesper Sparrow Savannah Sparrow Song Sparrow Song Sparrow White-throated Sparrow White-crowned Sparrow	225 88 310 146 28 39 683 13 Parrows 17 1 19 160 104 65 3 25 104 2626 83 346 27		Hermit Thrush American Robin Gray Catbird Northern Mockingbird Brown Thrasher European Starling American Pipit Cedar Waxwing Snow Bunting Northern Cardinal Red-winged Blackbird Eastern Meadowlark Rusty Blackbird Common Grackle Brown-headed Cowbird Purple Finch House Finch Common Redpoll Pine Siskin American Goldfinch Evening Grosbeak	*F	9 7379 4 24 5 7098 1 202 4 1020 5227 110 113 4375 1062 140 528 1 11 1139 16	(19,20,28) (12) (5) (19) (2,3,27)

SUMMARY INFORMATION:

Total Species Observed: 142 Total Individual Birds Observed: 155,600

Number of Observers: 256

COMPARATIVE INFORMATION: Associated charts, available from Michael Hamilton, compare this year's records with those for 1997-2006 and those for 1935-2006. A chart listing totals for each species per section for 2006 is also available. In addition the following notes are added:

INDIVIDUAL SPECIES SINCE 1935:

Highest counts: Northern Shoveler, 257 (6 x ave.); Great Egret, 24 (12 x ave.); Bald Eagle, 22 (7 x ave.); Cooper's Hawk, 47 (4 x ave.);

Lesser Black-backed Gull, 3 (13 x ave.); Red-bellied Woodpecker, 199 (7 x ave.); Pileated Woodpecker, 53 (4 x ave.);

Common Raven, 26 (13 x ave.); Tufted Titmouse, 225 (7 x ave.); Winter Wren, 39 (4 x ave.)

Lowest counts: None

Rare count sightings: Eared Grebe, 1 (2nd sighting, 1st sighting was 2 in 1994)

INDIVIDUAL SPECIES IN LAST DECADE

Highest counts: Mute Swan, 15 (2 x ave.); Northern Shoveler, 257 (1.5 x ave.); Great Egret, 24 (2 x ave.); Bald Eagle, 22 (2 x ave.);

Cooper's Hawk, 47 (2 x ave.); Northern Goshawk, 2 (2 x ave.); Red-shouldered Hawk, 34 (1.8 x ave.); Merlin, 4 (2 x ave.); Ring-billed Gull, 56836 (1.5 x ave.); Herring Gull, 7860 (2 x ave.); Iceland Gull, 4 (2 x ave.); Lesser Black-backed Gull, 3 (2 x ave.); Glaucous Gull, 4 (4 x ave.); Great Horned Owl, 26 (2 x ave.); Short-eared Owl, 4 (2 x ave.); Red-bellied Woodpecker, 199 (2 x ave.); Downy Woodpecker, 441 (1.2 x ave.); Hairy Woodpecker, 138 (1.6 x ave.); Pileated Woodpecker, 53 (1.9 x ave.); Common Raven, 26 (2 x ave.); Tufted Titmouse, 225 (2 x ave.); White-breasted Nuthatch, 310 (1.5 x ave.); Brown Creeper, 146 (2 x ave.); Winter Wren, 39 (2 x ave.); Golden-crowned Kinglet, 683 (2 x ave.); Fox Sparrow, 104 (2.5 x ave.); Song Sparrow, 2626 (1.4 x ave.); White-throated Sparrow, 346 (2 x the ave.);

White-crowned Sparrow, 27 (2 x ave.)

Lowest counts: Canvasback, 8 (12% of ave.); Ring-necked Duck, 577 (62% of ave.); American Coot, 71 (18% of ave.); Little Gull, 1

(11% of ave.); Bonaparte's Gull, 3441 (23% of ave.); Belted Kingfisher, 58 (64% of ave.); Northern Flicker, 319 (66%

of ave.); Vesper Sparrow, 3 (27% of ave.); Rusty Blackbird, 113 (19% of ave.)

Rare count sightings: Eared Grebe, 1 (1st sighting)

NOTEABLE SPECIES AVERAGE CHANGES (entire count period / last decade):

INCREASES: Mute Swan, 2/7 Wood Duck, 147/347; Gadwall, 26/70; Mallard,767/1323; Northern Shoveler, 46/173; Green-winged Teal, 86/173; Ring-necked Duck, 509/932; Lesser Scaup, 769/1358; White-winged Scoter, 107/509; Long-tailed Duck, 1008/2579; Bufflehead, 1010/3086; Hooded Merganser, 128/239; Ruddy Duck, 77/361; Wild Turkey, 73/243; Red-throated Loon, 3/9; Common Loon, 32/73; Red-necked Grebe, 35/194; Double-crested Cormorant 153/941; Great Blue Heron, 171/369; Great Egret, 2/9; Black-crowned Night-Heron, 48/155; Turkey Vulture, 285/1098 Osprey, 9/24; Bald Eagle, 3/11; Sharp-shinned Hawk, 31/85; Cooper's Hawk, 12/27; Broad-winged Hawk, 26/176; Red-tailed Hawk, 179/327; American Coot, 183/397; Greater Yellowlegs, 14/31; Little Gull, 3/9; Bonaparte's Gull, 4520/14703; Great Black-backed Gull, 62/205; Caspian Tern, 7/34; Mourning Dove, 764/1617; Barred Owl, 2/6; Red-bellied Woodpecker, 23/99; Yellow-bellied Sapsucker, 23/78; Pileated Woodpecker, 12/28; Eastern Phoebe, 132/270; Common Raven, 2/13; Tree Swallow, 689/1515; Northern Rough-winged Swallow, 10/50; Barn Swallow, 19/44; Tufted Titmouse, 34/138; Red-breasted Nuthatch, 22/57; Carolina Wren, 5/17; Winter Wren, 11/22; Ruby-crowned Kinglet, 15/39; Hermit Thrush, 8/19; Gray Catbird, 1/3; Northern Mockingbird, 6/23; Brown Thrasher, 2/5; Yellow-rumped Warbler, 7/20; Chipping Sparrow, 50/181; Swamp Sparrow, 39/99; White-throated Sparrow, 62/158; Northern Cardinal, 382/765; Rusty Blackbird, 280/583; Purple Finch, 100/186

DECREASES: Tundra Swan, 93/32; American Black Duck, 281/52; Northern Pintail, 1149/363; Canvasback, 395/68; Redhead, 132/37; Greater Scaup 1288/513; Common Goldeneye, 901/352; Common Merganser, 1149/416; Ringnecked Pheasant, 89/26; Pectoral Sandpiper, 47/12; Horned Lark, 195/90; American Tree Sparrow, 393/171; Vesper Sparrow, 61/11; Snow Bunting, 20/3; Eastern Meadowlark, 401/146; Red Crossbill, 6/2; Common Redpoll, 119/6; Pine Siskin, 90/15; Evening Grosbeak, 480/102

OBSERVERS (Section compilers are printed in **bold** face.):

Section 1: Art Hannah, Lynne Landon, Terry Yonker

Section 2: Brian Ahara, John Black, Victor Friesen, Marcie Jacklin, Kayo Roy, Maggie Smiley, Alan Smith, Katherine Stoltz

Section 3: Bill Broderick, Ken Cohen, Willie D'Anna, Dean Di Tommaso, Betsy Potter, Vicki Rothman

Section 4: Julie Eberhart, Neal Gordon, Marie Johnson, Alice McKale, Bill Watson

Section 5: Don Brasure, Bill Burch, Sally Castren, Dick Christensen, Peggy Christensen, Morgan Jones, Susan O'Donnell,

Tom O'Donnell, Joyce Vana

Section 6: **Jerry Chapple**, Nina Chapple

Section 7: Barbara Byron, Richard Byron, Dennis Gralak, Mike Hamilton, Jim Rozanski, Liz Wells

Section 8: **Doug Happ, Mike Zebehazy**

Section 9: Thomas Bearss, Pat Bogan, Mandy Dragoo, Wes Dragoo, Michael Galas, Sylvia Galas, Ron Hacker, Sue Hacker, Sue

O'Donnell, Tom O'Donnell, Gerry Rising, Don Roberson, Joanne Roberson, Jan Sargent, Joe Stein, Dave Friedrich

Section 10: Edward Crohn, Donna DeLeon, Robert DeLeon, Donald Roberson, Mary Ann Stegmeier, John Welte, Martha Welte,

Paul Ziebarth, Virginia Ziebarth

Section 11: Peter Corrigan, Mike Galas, Barbara Henderson, Alec Humann, Peter Yoerg

Section 12: Greg Coniglio, Melissa Coniglio, Barbara Fuhrmann, Paul Fuhrmann, Mahlon Miller, Nancy Miller, Mike Morgante,

Gail Seamans, Christine Sousa

- Section 13: Doug Bassett, Doug Beattie, Elaine Dart, Tad Gerace, Chuck Graney, Jack Hartwig, Kathy Hartwig, Eileen Hull, Robert Hull, Aron Kehlenbeck Sr., Tyler Kehlenbeck, Zeke Kehlenbeck, Gail Seamans, Paula Stone, Don Thurau, Virginia Tiede
- Section 14: Bob Andrle, Ken Brandes, Joanne Dobler, Fred Harrington, Tim Goff, Mark Leous, Patty Madigan, Sandy Radigan, Sue Saunders, Nancy Vigikan, Paul Vigikan, Marge Vogel, **Barbara Walker**
- Section 15: Bill Bogacki, Ed Ratajczak, Dennis Russell, Sally Uzunov
- Section 16: Patricia Andrle, Robert Andrle, Thomas Connare, Audrey Horbett, Frances Rew
- Section 17: John Filor, James Pawlicki, Richard Salembier, Robert Wagner
- Section 18: Chris Betrus, Bruce Chilton, Barbara Henderson, Jim Landau, Karen Landau, Peter Yoerg
- Section 19: Ron Andrews, Betty Bledsoe, Dorothy Campbell, Faye Clancy, Barbara Cronk, James Fegley, Lucille Griffin, Dora Lilly, Louise Mills, Sean Phelan, John Raybuck, Michael Raybuck, Linda Roth, Elaine Smith, Carol Stonemetz, James Talbott, Ann Voss, Jess Westfall, Larry Wilson, Jean Wilson, Richard Wilson
- Section 20: Allen Benton, Karen Brisby, Kenneth Brisby, Paul Farver, Joanne Goetz, Joe Gula, Carol Hardenburg, Terry Mahoney, Jane McMaster, Richard Miga, Terry Mosher, David Neveu, Bob Peterson, Beverly Ruska, John Ruska, Audrey Schafer, Mary Sherman, Jeanine Smith, Ted Taft, Anita West
- Section 21: Julie Heilman, Walter Heilman, Jessie Nelson, Joanne Nelson, Bill O'Brien, Linda O'Brien, Bill Seleen, Bob Sundell
- Section 22: Ann Beebe, **Jim Berry**, Seth Berry, Anita Bill Deitz, Len De Francisco, Linda O'Brien, **Gilbert Randell**, , **Bob Sundell**
- Section 23: Julie Heilman, Walt Heilman, Jean Pigman, Tom Simmons, Bob Sundell
- Section 24: Tim Baird, Jerry Lazarczyk, Tom LeBlanc
- Section 25: Tim Baird, Stephen W. Eaton, Joyce Ermer, Mike Ermer, Jeff Reed, James VanScoy, Regina VanScoy
- Section 26: Doris Burton, Frances Hunt, Mary Jordan, Bob Smalley, Bruce Smalley, Denton Willett
- Section 27: Russell Allen, H. M. Bateman, **Doris Burton**, Jim Horn, Helen Link, Marie Paxhia
- Russell Allen, Dan Babcock, Ellen Baker, Carol Behn, Wayne Brewster, Don Brink, Lorna Brink, Betsy Brooks, Debbie Bucholz, Doris Burton, Mary Lou Cartledge, **Diane Converso**, Tina Cornell, Paul Culley, Elsie Cushing, Val Cushing, Karol Doty, Peter Finlay, Terry Finlay, Keegan Fleming, Gerri Hill, Ralph Hills, Pat Hulse, Betty Kellogg, Wayne Kellogg, Barry Lash, Martha Lash, Kathy MacDonald, Marion McClure, Walter Mason, Mary Ormsby, Lyle Palmiter, Thelma Palmiter, Sean Phelan, Ann Pipal, Robert Pipal, Dan Ramsey, Evelyn Ramsey, Nicole Ramsey, Dan Rose, Ona Reynolds, Nancy Rouse, Ernest Rositzke, Jim Smith, Maureen Soule', Terah Soule', Wilma (Mrs. Bruce) Taggart, Bruce Taggart, Wilma L. Taggart, Linda Travers, Katie Weiman, Mary Lu Wells, **Suzanne Wood**


a to give the

Buffalo Ornithological Society Buffalo Museum of Science 1020 Humboldt Parkway Buffalo, NY 14211-1293

Return Service Requested

Non. Profit Org.
U.S. Postage
PAID
Buffalo, NY
Permit No. 412

Albert R. Mann Library Acquisitions Division-Serials Cornell University Ithaca, NY 14853-4301



14853+0001 C058

045

BOS website http://www.bosbirding.org/



Buffalo-Niagara Region Dial-a-Bird: 716-896-1271

July - August Calendar

July 30, Sunday: Canadian shoreline of Lake Erie for shorebirds.

Leader: Mike Hamilton (881-6709). Meet at 7:00 AM at Vermont and Busti near the Peace Bridge. We will car pool from there. Among other places, we will be going to Rock Point Provincial Park, which charges \$10.00 Canadian per car for entry, so bring Canadian money if you have it. Make sure you have photo ID.

Aug. 20: BOS August Shorebird Count. Start at 6:30 AM. The count will cover 10 reaches of the north shore of Lake Erie from the Peace Bridge to Port Maitland. Teams of two or more will be assigned each reach. If you have questions or would like to volunteer contact Terry Yonker or Lynne Landon at (716) 745-9129 or email: llandon@daemen.edu

Aug. 27: Sunday: Canadian shoreline of Lake Erie for shorebirds and other early migrants. Leader: Mike Hamilton (881-6709). Meet at 7:30 AM at Vermont and Busti. We will car pool from there. Among other places, we will be going to Rock Point Provincial Park, which charges \$10.00 Canadian per car for entry, so bring Canadian money if you have it. Make sure you have photo ID.

WILLIAM DE MENTINGEN DE LA CONTRACTION DEL CONTRACTION DE LA CONTRACTION DEL CONTRACTION DE LA CONTRAC

The PROTHONOTARY



Published Monthly by the

BUFFALO ORNITHOLOGICAL SOCIETY

Volume 72, No. 6 June, 2006

THE MONTH: May

by Gerry Rising

Steve McLaughlin's National Weather Service summary says it all: "May was yet another quiet and benign month and closed out a very pleasant spring." The data bear him out: temperature average 60°, 3° above normal; rainfall 1.9 inches, less than 60% of the normal 3.35 inches. There was no measurable rain at all for the first ten days of the month. Weekend birders were especially well served: 6 of the 8 Saturdays and Sundays were essentially rain-free. The month ended on a record high: 91° on the 30th the warmest for that date in almost 100 years. Winds were "light to moderate" and Lake Erie ended at 57°, 3° above normal.

Great weather but it brought problems for birders. I do not recall the foliage being as lush and advanced as it was this year. There also seemed to me to be fewer fall-out mornings, especially late in the month, and the birds seemed to pass through unobserved. Normally, for example, there are a few mid-month days when the songs of Tennessee Warblers abound in my neighborhood; this year I heard none. Also I noted remarkably few Least Flycatchers, Bay-breasted and Blackpoll Warblers and I found Indigo Buntings later even than normal. (While May Count numbers seem to confirm the dearth of those warblers they contradict me about the other two species. Not a good box score.)

One more personal observation: the number and quality of reports including many photographs is most encouraging

and coverage of at least

the New York part of our

region is broader than I

recall it in my almost 20

years of writing these

summaries. Here are a

few highlights: Looking

for the Tricolored Heron

the 12th at Buckhorn and

that was first found on

recorded again on the

led two birders to the

May Count on the 21st

- **49 The Month** *Gerry Rising*
- 50 Ripley/Hamburg Hawk Watch Reports - 2006 Gil Randell/Jim Landau
- 53 Noteworthy Records
 Bruce Chilton
- 58 Motor Is. Great Egrets Bill Watson
- 58 Whip-poor-will Trip
 Bill Burch
- 59 May Count 2006 Robert DeLeon
- 52 BOS Calendar

Duck, normally a rare winter visitor to this state. A Cattle Egret was found at Beaver Island on the 18th.

The Ripley and Hamburg Hawk Watches (full reports below) provide interesting insights into the spring raptor

remarkable observation there on the 25th of a Harlequin

The Ripley and Hamburg Hawk Watches (full reports below) provide interesting insights into the spring raptor migration. Turkey Vulture numbers continue to climb, making up over half of each count, Ripley recording a remarkable 12,091 and Hamburg 9,160. For most species it is difficult to compare observations because they are reported differently but, where results show similar trends, both observation points note decreases in Northern Harrier (Ripley -20%, Hamburg -34%), Broad-winged Hawk (-51%, -10%), Red-tailed Hawk (-30%, -10%), and Roughlegged Hawk. Roughlegs were down from 37 in 2005 to 8 this year at Ripley and, although they show no decrease at Hamburg from last year, they are down there to 40 this year from 95 in 2004. Although Hamburg showed little difference in its Bald Eagle count, Ripley's rose 87% to 114, and the May Count total of 19 clearly indicates that this species



Adult Common Tern (May 5th in Port Weller, ONT) and juvenile Bald Eagle (May 30th in Town of Wilson, NY) photographed by Kayo Roy and Willie D'Anna, respectively.

The Prothonotary is published monthly by the Buffalo Ornithological Society, Buffalo Museum of Science, Buffalo, NY 14211. Send subscriptions and address changes to the Corresponding Secretary, Karen Landau, S-9195 State Road, Colden, NY 14033. The regular subscription rate is \$20/year. Back issues are available from the Treasurer for \$2/issue.

Please mail correspondence to: Jack Skalicky 178 N. Main Street #55 Salt Lake City, UT 84103-2075 [Email] skalicky@biochem.utah.edu Ed. Consultants: Robert Andrle

Gerry Rising William Watson

Proth. Production: Audrey Horbett Eileen Hull

Society Officers:

President: Thomas O'Donnell
V. President: Michael Morgante
Treasurer: Gerald Lazarczyk
Secretary: Donna DeLeon
Statisticians: Robert Andrle
Frances Rew
Archivist: Audrey Horbett

Council:

2004-2006

Bob DeLeon

Mike Desha

Jim Landau

2005-2007

Mike Galas

Jerry Lazarczyk

Gail Seamans

2006-2008

Douglas Beattie

Lynne Landon

Elizabeth Wells

has retaken its old breeding grounds.

Although I heard of several Sandhill Crane reports, only one was accompanied by a verification report. That one was at Iroquois NWR on May 11.

Shorebird reports are always thin in spring, but a few good observations were recorded: single Black-bellied Plovers in Section 21 on the Count and at Iroquois on the 29th; Upland Sandpipers at Tillman on the 30th; and both Wilson's and Red-necked Phalaropes. A Wilson's was reported from Iroquois on the 6th and then 3 were found on the Count in Section 1. Two red-necks were reported on the 26th at the Batavia WWTP.

A late Lesser Blackbacked Gull and a late Iceland Gull were recorded at Olcott on the 14th and 17th respectively, and a Forster's Tern was reported at the Batavia WWTP on the 26th. It is encouraging to

see a few Black Terns reported from areas other than Iroquois NWR.

No Olive-sided Flycatchers again this spring, but the usual couple of records of White-eyed Vireo (7th at Wainfleet Bog, 14th at Tonawanda WMA). There were what seem to me to be an unusual number of records of Graycheeked Thrush this month.

Despite the foliage problems, warblers were well represented this month. Despite many complaints about the dearth of warblers on Count day, all expected species were recorded. Judging from the reports, the Blue-winged Warbler seems not to have completely displaced the Goldenwinged Warbler and this month we have only one hybrid report. The Count, however, provides a reasonable bluewing to golden-wing population ratio of 51:1. Clearly the best warbler report of the month was the Connecticut Warbler found in Wilson on the 25th.

The names of our colleagues who provided these observations and the basis for this report appear in the Noteworthy Records report.

RIPLEY HAWK WATCH: SPRING 2006

by Gil Randell

The Ripley Hawk Watch (RHW) is located on the south shore of Lake Erie, about 60 miles southwest of Buffalo, NY. The watch consists of five main sites located between the lakeshore and the top of the escarpment about three miles south of the lakeshore. Each site has certain advantages associated with different weather and wind conditions. If conditions warrant and the watch has sufficient manpower, several sites can be worked at one time. Mobile radios supplied by the Roger Tory Peterson Institute allow coordination between different sites and help avoid duplication of counts.

As of June 2006, the industrial wind turbine project proposed for the vicinity of the RHW appears to be dead: contracts between the developer and the New York State Energy Research and Development Authority, the New York Power Authority and the land owners have been cancelled. For the last four years, the RHW has opposed the project vigorously because it was to be constructed in a major flyway, on a ridge top and in close proximity to nesting Bald Eagles and other protected species in flagrant disregard of US Fish and Wildlife guidelines. But it appears that the immediate cause for the demise of the project was the developer's inability to secure adequate investment to continue: the developer apparently has abandoned the enterprise, owing the two participating towns \$100,000. Possibly the opposition from government and private environmental organizations, including the Buffalo Ornithological Society, made investors leery of the project. It was great to be able to concentrate on the birds.

For the first time in many years, Lake Erie was free of ice at the beginning of the season, which began March 11th this year. By contrast, Lake Erie in the vicinity of the hawk watch held considerable ice last year well into April. Unfortunately, Lake Erie's lack of ice this year didn't mean warm southerly breezes for the watch, which was plagued by cold, northerly winds all of March. Frequently predicted southerly winds never materialized until the last day of March, bringing with them over 2,000 Turkey Vultures and more than 300 raptors, including 20 Northern Harriers, 119 Sharp-shinned Hawks, 112 Red-tailed Hawks and 36 American Kestrels. Cold weather and northerly winds then dominated well into April. Sunny, cool, dry weather was the norm during the second half of April through May, when the watch closed on May 15th.

Once again the RHW documented a record number of Turkey Vultures for the year (12,091), 1,493 more birds than the previous record set last year. This 14% increase in sightings at the RHW suggests the species is still expanding its population.

Osprey sightings decreased this year after a slight improvement last year. The 2006 total count for Ospreys (112) amounts to a 41% decrease from 2003 totals (191).

The increase in Bald Eagle sightings this year was exciting. The RHW counted a record number of 114 migrating Bald Eagles, an 87% increase over sightings of migrating

Bald Eagles in 2005 (61). This year's sightings of migrating Bald Eagles surpassed the previous record set in 2003 (86) by 28 birds. The RHW also recorded this Spring a record number of migrating Bald Eagles for one day, 14 eagles on April 30th, which surpassed the previous one-day record of nine on March 19, 2003. The day after setting the new record this year, another 12 migrating eagles were seen, making a two-consecutive-day count of 26 Bald Eagles.

The RHW takes great care to separate the count of migrating eagles from non-migrating eagles. This year the RHW made 81 sightings of Bald Eagles considered non-migrants on 37 different days. Taking sightings of both migrant and non-migrant Bald Eagles together, the RHW made 195 Bald Eagle sightings over the slightly more than two months of the hawk watch. At least 40% of the migrant eagles this season traveled through areas where they would have been at risk of collision with the proposed turbines. An even greater percentage of the non-migrant Bald Eagles were observed this year traveling through the area where the turbines were to be built.

Northern Harrier numbers continue to drop, with 179 being observed this year, a 20% decrease from last year's count (223).

The Sharp-shinned Hawk count (1,261), although slightly lower than last year's (1,285), still represented an improvement over the low recorded in 2004 (1,057). The 2006 Sharp-shinned numbers are, however, 27% lower than the count in 2003 (1,735). This year the RHW counted nine Cooper's Hawks before listing the first Sharp-shinned on March 20th. Cooper's Hawk numbers (109) were consistent with the last two years (2005: 122 birds; 2005: 105). Redshouldered Hawk numbers (160) also were consistent with recent years (2005: 168 birds; 2004: 162). Again this year RHW observers watched both resident Cooper's Hawks and resident Northern Goshawks display.

Perhaps the biggest disappointment this year was the low number of Broad-winged Hawks observed (3,923). Compared to last year's 8,077 hawks, which was not particularly good for Broad-winged numbers, this year's count represents a 51% decrease. The Broad-winged Hawk flight started with a bang on April 11th with 76 birds counted. With so many Broad-winged Hawks on their first day, the RHW anticipated a year with large overall numbers of Broad-wings, but that never materialized. Only eight days saw more than 100 Broad-wings; only one day, more than 1,000. The big day for Broad-wings was April 23rd with 1,859 birds, 1,000 of them in one hour.

The 2006 count for Red-tailed Hawks (1,066) was down 30% from last year's count (1,521). Because there are a good number of resident Red-tails, the RHW is very careful not to count locals as migrants. Any behavior that seems to indicate that a Red-tail is a resident excludes that bird from our count of migrants.

The Rough-legged count (8) was down considerably from last year's (37) and from that of the year before (41), even though large numbers of wintering Rough-legged Hawks had been observed in January and February just

south of the RHW, where dairy farms with extensive hay fields dominate the landscape. The predominance of grape vineyards in the vicinity of the RHW is not conducive to the hunting Rough-legged Hawks pursue, so large numbers of Rough-legged Hawks aren't normally expected at the RHW. The extremely mild weather in the region this winter and early spring also might have persuaded the Rough-legs to migrate early before the opening of the watch.

Very modest numbers of Golden Eagles, Merlins and Peregrine Falcons are consistent with the counts of recent years.

American Kestrel observations this year (266) rebounded nicely from last year's low of 192 birds but are still lower by 26% than their numbers for 2003 (359).

The following table summarizes observations for all raptor species:

TABLE 1. Ripley Hawk Watch Raptor Count 2006

<u>Species</u>	March	<u>April</u>	May	<u>Total</u>
Turkey Vulture	6,774	4,951	366	12,091
Osprey	5	68	39	112
Bald Eagle	24	55	35	114
Northern Harrier	47	116	16	179
Sharp-shinned Hawk	175	888	198	1,261
Cooper's Hawk	31	65	13	109
Northern Goshawk	4	3	3	10
Red-shouldered Hawk	129	31	0	160
Broad-winged Hawk	0	3,523	400	3,923
Red-tailed Hawk	575	419	72	1,066
Rough-legged Hawk	7	1	0	8
Golden Eagle	0	2	0	2
American Kestrel	68	184	14	266
Merlin	0	3	0	3
Peregrine Falcon	1	8	1	10
Unknown	8	36	10	54
<u>Total</u>	<u>7,848</u>	10,353	1,167	<u>19,368</u>

The RHW observes a number of non-raptor species also; alas, this year no Whooping Cranes. Noteworthy species this year included Great Egret, Sandhill Crane, Trumpeter Swan, Common Raven and Orchard Oriole among others. Sandhill Crane numbers were down precipitously to seven birds seen on four separate days. This year also saw low numbers of Tundra Swans compared to last year's hundreds, possibly because this year both Chautauqua Lake and Lake Erie were free of ice.

Detailed daily reports from the RHW, as well as many other Spring hawk watches, are available on the internet at www.hawkcount.org. Questions about the RHW should be directed to Len DeFrancisco, coordinator (716/665-4999), Gil Randell (716/753-2333) or at janngil@cecomet.net.

TUAC

Hamburg Hawk Watch Spring 2006 Report

by Jim Landau

Hamburg Hawk Watch is a "spring-only" site located near the shore of Lake Erie in Hamburg, NY. The main watch site is just inside the Camp Road (Route 62) entrance to Lakeside Memorial Park between Routes 5 and 20. The count is conducted by a small number of volunteers.

According to the National Weather Service, Spring 2006 was an extraordinary one across Western New York, following a mild winter and the longest, warmest summer in history in 2005. It was the warmest spring in eight years and 6th warmest in the last 50 years. It was also the driest in 11 years and 5th driest in the last 50. Lake Erie finally developed a decent amount of ice during the last week of February, which lingered through the first two weeks of March. However the lake was completely clear of ice by the 16th at Buffalo Harbor. This is about a month earlier than average and the 6th earliest in the 80 years of records.

March brought few of its usual extremes as our region eased out of the mild winter of 2005-06 with little fanfare. The month began in the midst of the coldest period of the winter and featured a significant snowfall on the 2nd. A "clipper" type storm grazed the region with a sharp gradient from north to south. Less than 3 inches fell on the north side of the city, while up to 10 inches fell across the south towns, including the hawk watch. Temperatures remained chilly for the next few days before a strong warm-up set in during the second week. This week provided our first Northern Harriers (on 3/10), Bald Eagle (on 3/11), and Rough-legged Hawks (on 3/16). We then evolved a ten day cold period with spotty snow showers but little weather of interest until another pattern change brought our first real taste of spring during the final few days of the month. Flights picked up markedly beginning on 3/23, ending the month with 1676 individuals on 3/31, when temperatures soared to near record summer-like levels.

The benign weather pattern established in March continued through most of April as the Buffalo area was treated to fine spring weather. The average temperature of 48.0 was enough to give us the warmest April in 12 years. Early April was unsettled with rain on 4 of the first seven days, but was followed by a long dry period from 9-20th with temperatures warming to summer-like levels on the 20-21st. The first third of April also brought our first Peregrine Falcon (on 4/2), our only Black Vulture (on 4/6), our first Osprey (on 4/8), the first of the season's four Golden Eagles (one on 4/9, one on 4/13, and two on 4/28) and our first Broad-winged Hawk (on 4/11).

May was yet another quiet and benign month. Warm and dry weather prevailed during the first half of May. The month began unusually pleasant with warm dry and sunny weather for the first ten days. The mercury rose to 82 on 10th when Buffalo was warmest place in the northeast. While the ever-elusive (but always hoped for) end-of-theseason immature Broad-winged Hawk flight failed to materialize, Bald Eagles continued to trickle through, giving us a new high count for this species (n=43).

The Spring 2006 at Hamburg could perhaps best be described as solid and satisfying. Overall 14,136 individual raptors were logged over the course of 75 days of coverage, making this our second highest season total. The only Black Vulture, spotted on April 6, was certainly a highlight for the season. Turkey Vultures and Bald Eagles both hit new high numbers for the watch. While most other species showed normal numbers, Northern Harriers made a poor showing, underscoring their status as a species of concern. American Kestrels were at their lowest since 1999.

There were also many days that produced fine opportunities for field study. A leucistic Red-tailed Hawk, a pair of imm. Bald Eagles dueling in mid-air on their way over the watch, a Merlin that paused in a tree for 20 minutes before resuming migration, and daily courtship flights by the resident pair of Cooper's Hawks are just a few of the moments that added to the pleasure of time spent at the hawk watch.

Sixty non-raptor species were logged, highlighted by spirit-lifting flyovers of Snow Geese, Tundra Swans and Sandhill Cranes. Other noteworthy species making an appearance included Wild Turkey, Lesser Yellowleg, Solitary Sandpiper, Short-billed Dowitcher, Pileated Woodpecker, Horned Lark, all 6 local swallows, Eastern Bluebird, American Pipit, Cedar Waxwing, Snow Bunting, and Rose-breasted Grosbeak.

Any hawk watch that relies on volunteer coverage has a long list of people to thank and Hamburg is no exception. The coordinator gratefully acknowledges all of our "Hawk Watch Heroes," (Bruce Chilton, Mike Hamilton, Sandy Radigan, Fran Rew, Bill Watson and Mike Zebehazy) for their considerable commitment of time and effort, week in and week out. Thanks are also due to the "Camp Road Irregulars," (Bob Andrle, Lewis Crowell, Bob and Donna Deleon, Dean DiTommaso, Doug Happ, Sharon Sisti and Roberta Vallone) who filled in the gaps in coverage as our official counters. Additionally, many birders and friends stopped by throughout the spring to witness the migration and help with the count. Their sharp eyes, superior identification skills and good conversation were always a welcome addition. Weather summaries for this report were obtained from the National Weather Service in Buffalo. Anyone with suggestions, questions or comments regarding this year's watch is asked to please contact Jim Landau at 9195 State Road, Colden, NY 14033, by phone at (716) 941-3869, or by e-mail: kjlandau@localnet.com

TABLE 1. Hamburg	Hawk Watch Raj	ptor Count 2002 – 06

Season	Obs Hrs	$\underline{\mathbf{BV}}$	$\underline{\mathbf{T}}\underline{\mathbf{V}}$	<u>O\$</u>	<u>BE</u>	<u>NH</u>	<u>SS</u>	<u>CH</u>	<u>NG</u>	<u>RS</u>	<u>BW</u>	<u>RT</u>	<u>RL</u>	<u>GE</u>	<u>AK</u>	ML	<u>PG</u>	<u>UR</u>	TOTAL
<u>2006</u>	390.08	1	9160	113	43	50	609	121	1	238	2258	1294	40	4	63	6	4	131	14136
<u>2005</u>	396.25	0	7838	109	42	76	525	124	2	299	2503	1368	42	3	95	3	6	106	<u>13141</u>
2004	415.7	2	7723	91	39	104	395	85	1	270	1757	1167	95	2	74	4	3	126	<u>11938</u>
<u>2003</u>	394.8	0	8872	151	29	101	889	160	1	216	4998	1779	29	4	94	8	7	73	<u>17411</u>
2002	340.67	0	8505	103	23	65	611	129	2	218	1132	1223	21	1	75	7	2	120	12237

NOTEWORTHY RECORDS

Underlined common names, dates or localities indicate that an acceptable, detailed written verification according to the *Date Guide to Birds of Western New York and Adjacent Ontario* (Seventh Edition - Revised 2001) has been received and placed in the permanent files of the Buffalo Ornithological Society.

- * Indicates first record for the year.
- F Indicates first record for the migration.
- L Indicates last record for the migration.
- (f) Indicates record from feeding station. (n) Indicates nest(s). (yg) Indicates young. PDBA Indicates Previously Documented Breeding Area.

<u>Species</u>	May	Number	Location	Observer(s)
Mute Swan	16	1	Wilson Harbor	Galas, Rising
Ring-necked Duck	15	1	Tonawanda WMA	Rising et al
"	26	2	Batavia WWTP	Watson
**	26	1	Iroquois NWR	Watson
Harlequin Duck	<u>25</u>	1	Buckhorn I. SP	Lazarczyk, Watson
Long-tailed Duck	8	22	Shadigee	Watson
11	20	5	Somerset	Morgante
Bufflehead	12; 26	1; 1	Batavia WWTP	Watson
Ruddy Duck	12	4	Iroquois NWR	Watson
11	12; 26	31; 28	Batavia WWTP	Watson
Dcrested Cormorant	8; 15	206; 221	Motor I.	M&S Galas; Watson
11	15; 20	301; 460	Strawberry I.	Watson
American Bittern	3	2	Machias	DeSha
Great Egret	1 - 31	1 - 3	Tonawanda	Hess
"	4; 14	41; 43	Motor I.	Watson
17	6	2	Hanover	Neveu
11	7	1	Rock Pt. PP (Ont)	Yoerg
0	26	1	Times Beach NP	Andrle
11	27	2	Sinking Ponds	Holmes
11	30	1	Grand I.	Lazarczyk
Tricolored Heron	12	1	Buckhorn I. SP	Chilton
Cattle Egret	18	1	Beaver I. SP	Hess
Black-cr. Night-Heron	3	110	Niagara Falls (Ont)	Roberson
11	4; 13	12; 36	Motor I.	Watson
11	26	1	Times Beach NP	Andrle
Turkey Vulture	29	23	Ripley	M&S Galas
Osprey	6	1	Iroquois NWR	Galas, Rising
"	8	1 (n)	Tonawanda WMA	Watson
n .	29	1	Tonawanda	Hess
Bald Eagle	3	1 ad (n)	Salamanca	Baird
"	8; 12	1 ad & yg (n)	Iroquois NWR	Watson
н	10; 13	2ad & 3yg (n)	Navy I. (Ont)	Watson
11	13 - 31	2 ad & yg (n)	Machias	DeSha
Sharp-shinned Hawk	2 - 25	2 (n)	Amherst SP	Yoerg
Broad-winged Hawk	4	65	Hamburg Hawkwatch	Watson
"	12	1	Elba	Dart, Beattie
Merlin	2 - <u>30</u>	2 max	UB south campus	Yoerg
Peregrine Falcon	8	1	Iroquois NWR	Watson
"	14	1	Oak Orchard WMA	Morgante
Sandhill Crane	11	2	Iroquois NWR	Galas
Black-bellied Plover	29F	1	Iroquois NWR	Yoerg, Henderson
Semipalmated Plover	6F	9	Iroquois NWR	Galas, Rising, Seamans
n .	8	4	Iroquois NWR	Watson

	Species	May	Number	Location	Observer(s)
	Greater Yellowlegs	17	1	Conewango	Baird
	Solitary Sandpiper	5; 6	10; 9	Hanover	Neveu
	#	8	5	Yates	Watson
	Ħ	14	4	Oak Orchard WMA	Morgante
*	Upland Sandpiper	30F	3	Tillman WMA	Galas, Rising
	Whimbrel	25	1	Batavia WWTP	Mason, Beattie
	Ruddy Turnstone	27	9	Rock Pt. PP	Watson, Pawlicki
	H.	28	1	Wainfleet (Ont)	Yoerg, Henderson
	н	28	2	Rock Pt. PP	Yoerg, Henderson
	· ·	29	15	Batavia WWTP	Yoerg, Henderson
	Semipalm. Sandpiper	26; 29	5; 60	Batavia WWTP	Watson; Yoerg, Henderson
	Least Sandpiper	5	1	Hanover	Neveu
	n L-F-	7	5	Dunnville (Ont)	Yoerg, Henderson
	11	8	29	Iroquois NWR	Watson
	11	14	15	Oak Orchard WMA	Morgante
	11	15; 16	25; 81	Yates	Beattie et al; Watson
	White-r. Sandpiper	28	1	Dunnville (Ont)	Yoerg, Henderson
	" Sandpiper	29	2	Batavia WWTP	Yoerg, Henderson
	Dunlin	7	33	Rock Pt. PP (Ont)	Yoerg, Henderson
	Dumin "				_
	11	7; 28 13	13; 20	Dunnville (Ont)	Yoerg, Henderson
			25	Iroquois NWR	G&M Coniglio
*		29	20	Batavia WWTP	Yoerg, Henderson
ate.	Short-b. Dowitcher	16F	2	Yates	Watson
т .t.	Wilson's Phalarope	6	l	Iroquois NWR	Rising, Galas, Seamans
*	Red-neck. Phalarope	<u>26</u>	2	Batavia WWTP	Watson, Lazarczyk
	Iceland Gull	<u>17L</u>	1	Olcott	D'Anna
	Lesser Black-b. Gull	14L	1 imm	Olcott	D'Anna
	Caspian Tern	13	39	Dunkirk Harbor	Neveu
	Common Tern	5; 6; 13 13	52; 91; 29 50	Hanover Buckhorn I. SP	Neveu Watson
			30		
	Forster's Tern	<u>26</u>	l v	Batavia WWTP	Watson
	Black Tern	6	5	Iroquois NWR	Rising, Galas et al
	"	6	l 	Beaver I. SP	Sharon
		12	51	Iroquois NWR	Watson, D'Anna et al
		22	2	Alexander	Dart, Beattie
	11	26	2	Batavia WWTP	Watson
*	Black-billed Cuckoo	13F	1	Allegany SP	Baird
	"	18	1	Bethany	Beattie
*	Yellow-billed Cuckoo	11F	1	Lancaster	Morgante
	11	13	1	Orchard Park	Morgante
	11	13	l	Iroquois NWR	G&M Coniglio
	Nor. Saw-whet Owl	2	1	Lancaster	Morgante, Fuhrmann
*	Common Nighthawk	25F	1	Wilson	Potter
	11	25F; 31	1; 1	Buffalo	Yoerg
	Ruby-t. Hummingbird	1	1	Silver Creek (f)	Neveu
	Red-headed Wdpkr.	7; 13	2; 6	Ft. Niagara SP	Landon; D'Anna et al
	11	7	1	Pt. Gratiot	Neveu
	n	13	1	Hanover	Neveu
*	Eastern Wood-Pewee	12F	Ī	Wilson-Tuscarora SP	Potter, D'Anna
	11	23	1	Iroquois NWR	Landon, Yonker
	Yellow-b. Flycatcher	25	i i	Amherst SP	Yoerg, Henderson
	11	28	1	Tifft NP	
*	Acadian Flycatcher	12F	1		Morgante Raird
	redutan Tryedtener	12F 19	1	Allegany SP	Baird
		19	1	Pomfret	Mosher

	<u>Species</u>	May	<u>Number</u>	Location	Observer(s)
	Alder Flycatcher	23	2	Iroquois NWR	Landon, Yonker
	"	26	1	Batavia WWTP	Watson
*	Willow Flycatcher	15F	1	Oak Orchard WMA	Beattie, Dart, Lazarczyk
	11	20	2	Iroquois NWR	Meier, Rising
*	Least Flycatcher	4F	1	Beaver I. SP	Hess
	"	4F	1	Wilson	Potter
		4F	2	Amherst SP	Yoerg
	Gr. Cr. Flycatcher	4	1	Wilson	Potter
		4	1	Amherst SP	Yoerg
	Eastern Kingbird	3	1	Red House	Baird
*	3371-14	4	1	Buffalo	Yoerg
*	White-eyed Vireo	7	l	Wainfleet Bog (Ont)	Yoerg, Henderson
ماد		14	1	Tonawanda WMA	Morgante
*	Yellow-thr. Vireo	12F	3	Oak Orchard WMA area	Dart, Beattie
*		14 (F	5	Tonawanda WMA	Morgante
4	Philadelphia Vireo	6F	l	Newstead	Galas et al
	11	6F	l	Alexander	Beattie
	11	9	1	Times Beach NP	Galas, Rising
	11	12	l 1	Wilson-Tuscarora SP	D'Anna, Potter
	11	14	1	Somerset	D'Anna, Potter
*		22	1	Wilson	D'Anna
er.	Red-eyed Vireo	3F	1	Watts Flats WMA	Berry
		4	l	Wilson	D'Anna, Potter
	Blue-headed Vireo	2	l	Amherst SP	Yoerg
		3	1	Watts Flats WMA	Berry
	Common Raven	13	2	Andover	Brooks
	Bank Swallow	5	18	Dayton	Neveu
	Cliff Swallow	8	9	Buckhorn I. SP	Lazarczyk, Galas et al
	11	10	20 & 31 n	Buckhorn I. SP	Watson
	11	12	40	Ft. Niagara SP	Landon
		30	40 & 15 n	Tonawanda Island	Watson
	Carolina Wren	10 - 25	8 recs	Throughout WNY	Several observers
	Winter Wren	6; 28	1; 3	Ward	Brooks
	11	8	1	Amherst SP	Galas, Rising
		9	1	Tifft NP	Galas, Rising
	Marsh Wren	3	4	Machias	DeSha
	Ruby-cr. Kinglet	23	4	Goat I.	Roberson
		25L	1	Wilson	Potter
	Blgr. Gnatcatcher	1	1	Portville	DeSha
	"	4; 9	2; 3	Tifft NP	Rising, Galas
	11	20	2 (n)	Iroquois NWR	Meier, Rising, Watson
*		28	3 (n)	Tifft NP	Morgante
T.	Veery	3F	1	Porter Weinfloot (Ont)	Chilton
4		7	1	Wainfleet (Ont)	Yoerg
*	Gray-cheeked Thrush	10F	2	Buffalo Small Boat Harbot	Landon
	,,	11	1 . 2	Tifft NP	Sharon
	n .	17; 24	1; 2	Tonawanda Four Mile Creek SP	Hess D'Anna
	"	23	1	Four Mile Creek SP	
	**	26	1	Times Beach NP	Andrle Mosher et al
		27	1	Pt. Gratiot	Mosher et al
	Swainson's Thrush	11	1. 1	Wilson T:ff: ND	Potter Wetson DiTommeso
		11; 14	1; 1	Tifft NP	Watson, DiTommaso
	Wood Thrush	2	2	Bethany	Beattie
		2	4	Lancaster	Morgante

	Species	May	Number	Location	Observer(s)
	Northern Mockingbird	17	1	Williamsville	Watson
	American Pipit	6	4	Bethany	Beattie
	#	20L	15	Somerset	Morgante et al
	Blue-winged Warbler	1	1	Sheridan	Neveu
	"	3	1	Salamanca	Baird
*	Golden-wing. Warbler	7F	1	Amherst SP	G&M Coniglio
	"	10	1	Wilson	D'Anna, Roberson
	11	10; 15	1; 1	Wilson	Potter, D'Anna
	11	11	1	Tifft NP	Sharon
	11	13	1	Goat I.	Potter, D'Anna
*	Brewster's Warbler	14F	1	Iroquois NWR	Morgante
*	Tennessee Warbler	7F	1	Amherst SP	Rising, G&M Coniglio et al
	11	10	1	Wilson	Potter
	11	10	1	Four Mile Creek SP	D'Anna
	H .	10	1	Amherst SP	Yoerg
*	Orange-cr. Warbler	2F; 3	1; 1	Wilson	Potter
	"	11	1	Lancaster	Morgante
	"	17	1	Ft. Niagara SP	Landon
	11	23L	1	Goat I.	Roberson
	Nashville Warbler	1	1	Sheridan	Neveu
	"	2	1	Lancaster	Morgante
	**	2	1	Amherst SP	Yoerg
	Northern Parula	1	1	Wilson	Potter
	"	2	1	Lancaster	Morgante
	**	2	1	Amherst SP	Yoerg
	Chartman Worklan	2	1	Tifft NP	
	Chestnut-s. Warbler	4	1		Rising, Galas
4	M 1° - 337 1- 1	4 4E	1	Amherst SP	Yoerg
*	Magnolia Warbler	4F	1	Four Mile Creek SP	D'Anna Bahaman
	Com Mars Washing	6	1 .	Goat I.	Roberson
	Cape May Warbler	5	l 1	Beaver I. SP	Sharon
		6	1	Goat I.	Roberson
	Blthr. Blue Warbler	2	2	Amherst SP	Yoerg
		2; 3	1; 1	Tifft NP	Sharon; Watson
		5	2	Franklinville	DeSha
	Yellow-r. Warbler	2; 7	75; 30	Ft. Niagara SP	Landon, Yonker
	Pine Warbler	1	1	Forest Lawn Cem.	Hess
		1; 5	3; 2	Sheridan	Neveu
	"	6L	1	Evans	Morgante
*	Prairie Warbler	13F	1	Pomfret	Mosher
	11	14	1	Machias	DeSha
	"	29	4	Yorkshire	Watson, Pawlicki
	11	30	1	Chestnut Ridge CP	DiTommaso
	Palm Warbler	21	1	Pomfret	Mosher
	It .	25L	1	Wilson	Potter
*	Bay-breasted Warbler	8F; 10	1; 1	Buckhorn I. SP	Lazarczyk, Watson
	11	9	1	Wilson	Potter, D'Anna
*	Blackpoll Warbler	7F	2	Amherst SP	Galas, Rising
	H .	28	1	Ward	Brooks
	11	28	1	Salamanca	Baird
	11	28	3	Dunnville & Rock Pt. (Ont)	Yoerg, Henderson
*	Cerulean Warbler	4F	1	Beaver I. SP	Hess
	11	4F; 5	1; 1	Buffalo	Yoerg
	††	6	1	Newstead	Rising, Galas, Seamans
	n	15	1	Elba	Lazarczyk et al

	Species	May	<u>Number</u>	Location	Observer(s)
	H.	20	2	Yates	Morgante, Potter et al
	**	20	2	Bethany	Beattie
*	American Redstart	2F	i i	Amherst SP	Yoerg
	"	3	1	Salamanca	Baird
	Ovenbird	2	1	Tifft NP	Sharon; Rising, Galas
	Northern Waterthrush	3	3	Salamanca	Baird
	"	3	1	Tifft NP	Watson
	п	15; 19	1 1 1	Amherst SP	
	La. Waterthrush	7	1; 1		Rising et al; Yoerg
	La. Watertinush	28		Chestnut Ridge CP	Morgante, Watson et al
*	Connecticut Workley] 1	Ripley	M&S Galas
	Connecticut Warbler	<u>25</u>	1	Wilson	Potter
4		26	1	Tifft NP	DiTommaso
*	Mourning Warbler	14F	2	Tonawanda WMA	Morgante
ala.		14F	l ·	Watts Flats WMA	Berry
*	Common Yellowthroat	4F	l	Tifft NP	Rising, Galas
		4F	1	Watts Flats WMA	Berry
	"	6	1	Tifft NP	Watson
	11	6	1	Niagara Falls SP	Roberson
	Hooded Warbler	3	1	Watts Flats WMA	Berry
	11	7	1	Chestnut Ridge CP	Watson et al (BOS)
*	Wilson's Warbler	<u>4F</u>	1	Bethany	Beattie
	**	11	1	Tifft NP	Watson, DiTommaso
	11	28	1	Times Beach NP	Morgante
	11	28	7	Rock Pt. PP	Yoerg, Henderson
*	Canada Warbler	11F	1	Amherst SP	Galas
	11	12	1	Wilson-Tuscarora SP	D'Anna
	"	14; 20	1; 1	Wilson	Morgante; D'Anna, Potter
	"	25	1	Lancaster	Morgante
*	Yellow-br. Chat	14F	1	Iroquois NWR	Morgante
	"	30	1	Tillman WMA	Rising, Galas
*	Scarlet Tanager	6F	1	Newstead	Galas, Rising, Seamans
	"	7	2	Chestnut Ridge CP	Morgante, Watson et al
	Eastern Towhee	3	3	Goat I.	Roberson
*	Clay-col. Sparrow	29	1	Yorkshire	Watson
	Vesper Sparrow	20	1	Newfane	Morgante
*	Grasshopper Sparrow	7F	1	Collins	Baird
	"	15	1	Clarence	Hudson
	"	30	2	Tillman WMA	Galas, Rising
	"	31	1	Andover	Brooks
*	Lincoln's Sparrow	2F	2	Tifft NP	Sharon
	"	10; 11	1; 1	Tifft NP	Landon, Yonker; Watson
	11	13	1	Ft. Niagara SP	Landon
	n e	18	2	Wilson	Potter
	n	20	1	Tifft NP	Watson
	n	24L	1	Ft. Niagara SP	D'Anna
	White or Sparrow	10F	1	Buckhorn I. SP	Landon, Watson
	White-cr. Sparrow	10F	6	Tifft NP	Landon, Yonker
	Dark avad Junea	26L	1	Goat I.	Roberson
	Dark-eyed Junco	20L	1	Bethany	Beattie
	Rose-br. Grosbeak	1	1	Sheridan	Neveu
		1	1		
, ,		2 4E	2	Lancaster	Morgante
*	Indigo Bunting	4F	1	Amherst SP	Yoerg
	D 1 11 :	8	1	Bethany	Beattie
*	Bobolink	2F	1	Bethany	Beattie

	Species	May	Number	Location	Observer(s)
	**	4	1	Watts Flats WMA	Berry
*	Orchard Oriole	6F	1	Amherst SP	G&M Coniglio
	11	10	1	Ripley	Baird
	n .	20	1	Somerset	Potter et al
	Baltimore Oriole	2F	1	Ft. Niagara SP	Landon
	II .	2F	1	Lancaster	Morgante
	n	2F	1	Bethany	Beattie
	11	2F	2	Amherst SP	Yoerg
	Purple Finch	6	7	Oak Orchard WMA	Galas, Rising, Seamans
	n ·	29	3	Orchard Park	Morgante
	Pine Siskin	1; 2	6; 2	Eden (f)	Andrle
	II .	4	1	Wilson (f)	Potter

Species, subspecies, and hybrids previously recorded this year:

Species, subspecies, and hybrids recorded for this month and May Count + 2 April species:

Total for the year 2006:

202
253

Statisticians' Note: If any observer wishes to know the status of their verification report, please contact the Statisticians and we will give them the reasons for our decision. Please mail reports for each month not later than the FIFTH day of the following month to the Compiler: Bruce Chilton 88 Pryor Avenue, Tonawanda, NY 14150; Email: BChi314159@aol.com.

Great Egret Banding at Motor Island -2006 by Bill Watson

On June 12, 2006, twenty-two nestling Great Egrets were banded on Motor Island in the Niagara River by Chip Weseloh, Dave Moore and Richard Joos (Canadian Wildlife Service-Ontario Region), Connie Adams, Senior Wildlife Biologist, John Curtis, Senior Wildlife Technician, both of the New York State Department of Environmental Conservation, and myself. Three breeding color-banded adults (banded as chicks on Motor Island in 2003) were also found on Motor Island during the banding this year

Once again I will be asking for birders to look for Great Egrets with RED BANDS WITH WHITE LETTER-NUMBERS ABOVE THE "KNEE" OF THE LEFT LEG AND THE TRADITIONAL ALUMINUM BAND ABOVE THE "ANKLE" OF THE RIGHT LEG. (At least one was banded with the red color band above the ankle.) The band code on the red band can usually be read with a spotting scope as the letter numbers are nearly an inch high.

Past records indicate some banded young Great Egrets will be relocated in New York (between the Niagara River and Montezuma NWR), in Ontario (near the north shore of Lake Erie), or in Ohio (at Conneaut Harbor), however, these birds could show up elsewhere as well. The birds will be fledging near the end of June and early July and soon thereafter dispersing from the area. Many of the adults also begin post breeding dispersal near the end of June.

If you see any of these marked birds, please record the date and location and, if possible, the letter(s) and number(s) so we can better document the dispersal pattern of these fledglings. Report all sighting of Great Egret with red color bands to at least one of the following locations.

D. V. Chip Weseloh, Canadian Wildlife Service-Ontario Region, 4905 Dufferin St., Downsview, Ontario, M3H 5T4 Phone: 416-739-5846 or email: chip.weseloh@ec.gc.ca

and/or Connie Adams, NYSDEC, 270 Michigan Ave., Buffalo, NY 14203, Phone (716) 851-7010, email: cmadams@gw.dec.state.ny.us

The Whip-poor-wills Entertain Us Again, June 9, 2006

by Bill Burch

This is the 16th year our group has been attracted to a quiet gravel road at nightfall to await the chorus of the Whip-poor-wills. The outing began with dinner at the Lotus Garden in Port Colborne, Ontario, enjoyed by 17 BOS members and guests. Eight others joined us later. The threat of rain dissuaded our Canadian friends, so only Bob Chambers and his wife came.

We reached Wilson Road at 8:30 p.m. Lynne Landon's bird list (mostly heard) included Yellow Warbler, Common Yellowthroat, Veery, Gray Catbird, Willow Flycatcher, Great Crested Flycatcher, Rose-breasted Grosbeak, and Robin. Some stopped at Minor Road and saw Savannah Sparrow and Eastern Meadowlark.

There was concern that the chilly and overcast weather, which had diminished the firefly flashes, might also subdue the "whips". We were relieved then when the first call came at 9:18 p.m. from the woods on the east side of the road, in the direction of the Wainfleet Bog. Other Whippoor-wills joined in and by 9:31 p.m., loud calls came from the nearby woods all along the road. Listeners with sharp ears counted at least nine in the chorus. Calling ended at 9:50 p.m. The "whips" again had pleased us, as they have done in all 16 outings.

(Bob Chambers informed us that Port Colborne now has nesting peregrines.)

70 th Buffalo Ornithological Society May Bird Count

May 21, 2006

Weather Synopsis

A cold, overcast day with occasional rain made for difficult observing conditions more reminiscent of early spring or late winter.

May 21, 2006 Greater Buffalo International Airport

(weather data provided by National Weather Service, Buffalo, NY)

Sunrise: 5:47 AM EDT Sunset: 8:38 PM EDT

TIME	WEATHER	TEMP (°F)	DEW PT	PRESSURE mBar	DIR/WIND
12:00 am	Partly Cloudy	50	39	1005.9	SSW/9
3:00 am	Light Rain	55	43	1003.1	SSW/9
6:00 am	Moderate Rain	46	40	1003.0	NW/17G21
9:00 am	Partly Cloudy	48	35	1004.2	SW/16G23
12:00 pm	Mostly Cloudy	46	32	1003.9	W/18G25
3:00 pm	Light Rain	46	36	1004.9	W/22G29
6:00 pm	Mostly Cloudy	46	34	1009.2	W/14G24
9:00 pm	Mostly Cloudy	46	34	1010.7	W/14
12:00 pm	Mostly Cloudy	45	36	1013.0	NW/10

Compilation

The following is a list of species seen on the count followed by the total number observed. Where a species was recorded in three or fewer sections, the section numbers appear in parentheses. Boldface names indicate species for which acceptable written verifications were received. F and L represent the first and last dates for the spring migration. * represents the first record for the year.

Species	No.	<u>Section</u>	Raptors-Coots		
Loons-Ducks			Osprey	3	(5,6,28)
Common Loon	21		Bald Eagle	19	
Pied-billed Grebe	9		Northern Harrier	8	
Double-crested Cormorant	2155		Sharp-shinned Hawk	13	
American Bittern	2	(14,23)	Cooper's Hawk	16	
Great Blue Heron	420	(11,23)	Red-shouldered Hawk	10	
Great Egret	48		Broad-winged Hawk	4	(19,20,26)
Tricolored Heron	1	(9)	Red-tailed Hawk	117	
Green Heron	37		American Kestrel	40	
Black-crowned Night-Heron	101		Peregrine Falcon	2	(11)
Turkey Vulture	250		Ring-necked Pheasant	12	
Canada Goose	4754		Ruffed Grouse	8	
Mute Swan	10		Wild Turkey	83	
Wood Duck	184		Virginia Rail	1	(9)
Gadwall	2	(10)	Sora	1	(23)
American Wigeon	2	(13)	Common Moorhen	2	(2,13)
American Black Duck	3	(1,15)	American Coot	7	
Mallard	1082	(, ,	Plovers-Terns		
Blue-winged Teal	5	(10,13,18)	Black-bellied Plover	1	(21)
Northern Shovler	1	(6)	Semipalmated Plover	40	` '
Green-winged Teal	2	(11,13)	Killdeer	303	
Canvasback	1	(3)	Greater Yellowlegs L	2	(1)
Greater Scaup	1	(9)	Lesser Yellowlegs	7	(4,13,18)
White-winged Scoter	4	(4)	Solitary Sandpiper	5	
Long-tailed Duck L	5	(3,4)	Spotted Sandpiper	100	
Hooded Merganser	32		*Wimbrel F	18	(7,8)
Common Merganser	26		*Ruddy Turnstone F	2	(6)
Red-breasted Merganser	129		Red Knot	1	(7)
Ruddy Duck	22	(13)	Sanderling	6	(20)
waterfowl species	2		*Semipalmated Sandpiper F	8	(1,7)

Least Sandpiper	203		Blue-gray Gnatcatcher	18	
*White-rumped Sandpiper F	203	(4)	Eastern Bluebird	209	
Pectoral Sandpiper	3	(2,7)	Veery	48	
Dunlin	·89	(2,7)	Gray-cheeked Thrush	1	(6)
Short-billed Dowitcher	9	(1,10,13)	Swainson's Thrush	22	(0)
Wilson's Snipe	5	(1,10,13)	Hermit Thrush	3	(3,25)
American Woodcock	11		Wood Thrush	151	(3,23)
Wilson's Phalarope	3	(1)	American Robin	5705	
unspecified shorebirds	112	(1)	Gray Catbird	573	
*	185			8	
Bonaparte's Gull			Northern Mockingbird	o 27	
Ring-billed Gull	35357		Brown Thrasher		
Herring Gull	3635		European Starling	5975	(7)
Great Black-backed Gull	82		*Bohemian Waxwing	1	(7)
Caspian Tern	102		Cedar Waxwing	109	
Common Tern	247		Warblers		
Black Tern	54		Blue-winged Warbler	53	
Doves-Swallows			Golden-winged Warbler	1	(4)
Rock Pigeon	736		Tennessee Warbler	14	, ,
Mourning Dove	1224		Orange-crowned Warbler	2	(3,4)
Black-billed Cuckoo	5	(13,20,24)	Nashville Warbler	27	(- , ,
Yellow-billed Cuckoo	4	(,,,	Northern Parula	1	(11)
Eastern Screech-Owl	2	(3,22)	Yellow Warbler	1330	(**)
Great Horned Owl	4	(19,28)	Chestnut-sided Warbler	105	
Barred Owl	6	(19,28)	Magnolia Warbler	103	
Chimney Swift	67	(13,28)	e e e e e e e e e e e e e e e e e e e	8	(3.4.0)
<u>*</u>			Cape May Warbler Black-throated Blue Warbler	o 49	(3,4,9)
Ruby-throated Hummingbird	229				
Belted Kingfisher	58		Yellow-rumped Warbler	102	
Red-headed Woodpecker	8		Black-throated Green Warbler	50	
Red-bellied Woodpecker	106		Blackburnian Warbler	26	(4.40)
Yellow-bellied Sapsucker	35		Pine Warbler	3	(4,18)
Downy Woodpecker	246		Prairie Warbler	4	(3,18,28)
Hairy Woodpecker	112		Palm Warbler	7	
Northern Flicker	192		Bay-breasted Warbler	14	
Pileated Woodpecker	15		Blackpoll Warbler	4	(3,8)
Eastern Wood Pewee	19		Cerulean Warbler	9	
*Yellow-bellied Flycatcher F	1	(20)	Black-and-white Warbler	27	
*Alder Flycatcher F	2	(16,18)	American Redstart	216	
Willow Flycatcher	12		Ovenbird	85	
Least Flycatcher	64		Northern Waterthrush	14	
unidentified empidonax	4		Louisiana Waterthrush	2	(10,18)
Eastern Phoebe	164		Mourning Warbler	8	
Great Crested Flycatcher	92		Common Yellowthroat	377	
Eastern Kingbird	103		Hooded Warbler	80	
Yellow-throated Vireo	10		Wilson's Warbler	16	
Blue-headed Vireo	18		Canada Warbler	13	
Warbling Vireo	190		Yellow-breasted Chat	1	(5)
Philadelphia Vireo	5		Tanagers-Sparrows		, ,
Red-eyed Vireo	244		Scarlet Tanager	48	
Blue Jay	711		<u> </u>		
American Crow	1612		Hactorn Lowboo	65	
Common Raven	1012		Eastern Towhee Chipping Sparrow	65 708	
	1012	(18,19,28)	Chipping Sparrow	798	
Horned Lark		(18,19,28)	Chipping Sparrow Field Sparrow	798 71	(4.15.20)
Horned Lark	17	(18,19,28)	Chipping Sparrow Field Sparrow Vesper Sparrow	798 71 3	(4,15,20)
	17 10 260	(18,19,28)	Chipping Sparrow Field Sparrow Vesper Sparrow Savannah Sparrow	798 71	
Horned Lark Purple Martin Tree Swallow	17 10 260 3132	(18,19,28)	Chipping Sparrow Field Sparrow Vesper Sparrow Savannah Sparrow Grasshopper Sparrow	798 71 3 85	(10)
Horned Lark Purple Martin	17 10 260 3132 2351	(18,19,28)	Chipping Sparrow Field Sparrow Vesper Sparrow Savannah Sparrow Grasshopper Sparrow Fox Sparrow	798 71 3 85 1 2	
Horned Lark Purple Martin Tree Swallow No. Rough-winged Swallow Bank Swallow	17 10 260 3132 2351 1752	(18,19,28)	Chipping Sparrow Field Sparrow Vesper Sparrow Savannah Sparrow Grasshopper Sparrow Fox Sparrow Song Sparrow	798 71 3 85 1 2 912	(10) (28)
Horned Lark Purple Martin Tree Swallow No. Rough-winged Swallow Bank Swallow Cliff Swallow	17 10 260 3132 2351 1752 345	(18,19,28)	Chipping Sparrow Field Sparrow Vesper Sparrow Savannah Sparrow Grasshopper Sparrow Fox Sparrow Song Sparrow Lincoln's Sparrow	798 71 3 85 1 2 912 5	(10)
Horned Lark Purple Martin Tree Swallow No. Rough-winged Swallow Bank Swallow Cliff Swallow Barn Swallow	17 10 260 3132 2351 1752	(18,19,28)	Chipping Sparrow Field Sparrow Vesper Sparrow Savannah Sparrow Grasshopper Sparrow Fox Sparrow Song Sparrow Lincoln's Sparrow Swamp Sparrow	798 71 3 85 1 2 912 5 66	(10) (28)
Horned Lark Purple Martin Tree Swallow No. Rough-winged Swallow Bank Swallow Cliff Swallow Barn Swallow Chickadees-Waxwings	17 10 260 3132 2351 1752 345 8183	(18,19,28)	Chipping Sparrow Field Sparrow Vesper Sparrow Savannah Sparrow Grasshopper Sparrow Fox Sparrow Song Sparrow Lincoln's Sparrow Swamp Sparrow White-throated Sparrow	798 71 3 85 1 2 912 5 66 37	(10) (28)
Horned Lark Purple Martin Tree Swallow No. Rough-winged Swallow Bank Swallow Cliff Swallow Barn Swallow Chickadees-Waxwings Black-capped Chickadee	17 10 260 3132 2351 1752 345 8183	(18,19,28)	Chipping Sparrow Field Sparrow Vesper Sparrow Savannah Sparrow Grasshopper Sparrow Fox Sparrow Song Sparrow Lincoln's Sparrow Swamp Sparrow White-throated Sparrow Lincowned Sparrow	798 71 3 85 1 2 912 5 66 37 181	(10) (28)
Horned Lark Purple Martin Tree Swallow No. Rough-winged Swallow Bank Swallow Cliff Swallow Barn Swallow Chickadees-Waxwings Black-capped Chickadee Tufted Titmouse	17 10 260 3132 2351 1752 345 8183	(18,19,28)	Chipping Sparrow Field Sparrow Vesper Sparrow Savannah Sparrow Grasshopper Sparrow Fox Sparrow Song Sparrow Lincoln's Sparrow Swamp Sparrow White-throated Sparrow White-crowned Sparrow L Dark—eyed Junco	798 71 3 85 1 2 912 5 66 37 181 184	(10) (28)
Horned Lark Purple Martin Tree Swallow No. Rough-winged Swallow Bank Swallow Cliff Swallow Barn Swallow Chickadees-Waxwings Black-capped Chickadee Tufted Titmouse Red-breasted Nuthatch	17 10 260 3132 2351 1752 345 8183	(18,19,28)	Chipping Sparrow Field Sparrow Vesper Sparrow Savannah Sparrow Grasshopper Sparrow Fox Sparrow Song Sparrow Lincoln's Sparrow Swamp Sparrow White-throated Sparrow White-crowned Sparrow L Dark—eyed Junco Northern Cardinal	798 71 3 85 1 2 912 5 66 37 181 184 577	(10) (28)
Horned Lark Purple Martin Tree Swallow No. Rough-winged Swallow Bank Swallow Cliff Swallow Barn Swallow Chickadees-Waxwings Black-capped Chickadee Tufted Titmouse Red-breasted Nuthatch White-breasted Nuthatch	17 10 260 3132 2351 1752 345 8183 641 107 38 144	(18,19,28)	Chipping Sparrow Field Sparrow Vesper Sparrow Savannah Sparrow Grasshopper Sparrow Fox Sparrow Song Sparrow Lincoln's Sparrow Swamp Sparrow White-throated Sparrow White-crowned Sparrow L Dark—eyed Junco Northern Cardinal Rose-breasted Grosbeak	798 71 3 85 1 2 912 5 66 37 181 184 577 370	(10) (28)
Horned Lark Purple Martin Tree Swallow No. Rough-winged Swallow Bank Swallow Cliff Swallow Barn Swallow Chickadees-Waxwings Black-capped Chickadee Tufted Titmouse Red-breasted Nuthatch White-breasted Nuthatch Brown Creeper	17 10 260 3132 2351 1752 345 8183 641 107 38 144 9	(18,19,28)	Chipping Sparrow Field Sparrow Vesper Sparrow Savannah Sparrow Grasshopper Sparrow Fox Sparrow Song Sparrow Lincoln's Sparrow Swamp Sparrow White-throated Sparrow White-crowned Sparrow L Dark—eyed Junco Northern Cardinal Rose-breasted Grosbeak Indigo Bunting	798 71 3 85 1 2 912 5 66 37 181 184 577 370 118	(10) (28)
Horned Lark Purple Martin Tree Swallow No. Rough-winged Swallow Bank Swallow Cliff Swallow Barn Swallow Chickadees-Waxwings Black-capped Chickadee Tufted Titmouse Red-breasted Nuthatch White-breasted Nuthatch Brown Creeper Carolina Wren	17 10 260 3132 2351 1752 345 8183 641 107 38 144 9	(18,19,28)	Chipping Sparrow Field Sparrow Vesper Sparrow Savannah Sparrow Grasshopper Sparrow Fox Sparrow Song Sparrow Lincoln's Sparrow Swamp Sparrow White-throated Sparrow White-crowned Sparrow L Dark—eyed Junco Northern Cardinal Rose-breasted Grosbeak Indigo Bunting Bobolink	798 71 3 85 1 2 912 5 66 37 181 184 577 370 118 406	(10) (28)
Horned Lark Purple Martin Tree Swallow No. Rough-winged Swallow Bank Swallow Cliff Swallow Barn Swallow Chickadees-Waxwings Black-capped Chickadee Tufted Titmouse Red-breasted Nuthatch White-breasted Nuthatch Brown Creeper Carolina Wren House Wren	17 10 260 3132 2351 1752 345 8183 641 107 38 144 9		Chipping Sparrow Field Sparrow Vesper Sparrow Savannah Sparrow Grasshopper Sparrow Fox Sparrow Song Sparrow Lincoln's Sparrow Swamp Sparrow White-throated Sparrow White-crowned Sparrow L Dark—eyed Junco Northern Cardinal Rose-breasted Grosbeak Indigo Bunting Bobolink Red—winged Blackbird	798 71 3 85 1 2 912 5 66 37 181 184 577 370 118 406 4239	(10) (28)
Horned Lark Purple Martin Tree Swallow No. Rough-winged Swallow Bank Swallow Cliff Swallow Barn Swallow Chickadees-Waxwings Black-capped Chickadee Tufted Titmouse Red-breasted Nuthatch White-breasted Nuthatch Brown Creeper Carolina Wren House Wren Winter Wren	17 10 260 3132 2351 1752 345 8183 641 107 38 144 9 16 283	(20)	Chipping Sparrow Field Sparrow Vesper Sparrow Savannah Sparrow Grasshopper Sparrow Fox Sparrow Song Sparrow Lincoln's Sparrow Swamp Sparrow White-throated Sparrow White-crowned Sparrow L Dark—eyed Junco Northern Cardinal Rose-breasted Grosbeak Indigo Bunting Bobolink Red—winged Blackbird Eastern Meadowlark	798 71 3 85 1 2 912 5 66 37 181 184 577 370 118 406 4239 75	(10) (28)
Horned Lark Purple Martin Tree Swallow No. Rough-winged Swallow Bank Swallow Cliff Swallow Barn Swallow Chickadees-Waxwings Black-capped Chickadee Tufted Titmouse Red-breasted Nuthatch White-breasted Nuthatch Brown Creeper Carolina Wren House Wren Winter Wren Marsh Wren	17 10 260 3132 2351 1752 345 8183 641 107 38 144 9 16 283 1		Chipping Sparrow Field Sparrow Vesper Sparrow Savannah Sparrow Grasshopper Sparrow Fox Sparrow Song Sparrow Lincoln's Sparrow Swamp Sparrow White-throated Sparrow White-crowned Sparrow L Dark—eyed Junco Northern Cardinal Rose-breasted Grosbeak Indigo Bunting Bobolink Red—winged Blackbird Eastern Meadowlark Rusty Blackbird	798 71 3 85 1 2 912 5 66 37 181 184 577 370 118 406 4239 75 3	(10) (28)
Horned Lark Purple Martin Tree Swallow No. Rough-winged Swallow Bank Swallow Cliff Swallow Barn Swallow Chickadees-Waxwings Black-capped Chickadee Tufted Titmouse Red-breasted Nuthatch White-breasted Nuthatch Brown Creeper Carolina Wren House Wren Winter Wren Marsh Wren Golden-crowned Kinglet	17 10 260 3132 2351 1752 345 8183 641 107 38 144 9 16 283 1		Chipping Sparrow Field Sparrow Vesper Sparrow Savannah Sparrow Grasshopper Sparrow Fox Sparrow Song Sparrow Lincoln's Sparrow Swamp Sparrow White-throated Sparrow White-crowned Sparrow L Dark—eyed Junco Northern Cardinal Rose-breasted Grosbeak Indigo Bunting Bobolink Red—winged Blackbird Eastern Meadowlark Rusty Blackbird Common Grackle	798 71 3 85 1 2 912 5 66 37 181 184 577 370 118 406 4239 75	(10) (28) (4,11,20)
Horned Lark Purple Martin Tree Swallow No. Rough-winged Swallow Bank Swallow Cliff Swallow Barn Swallow Chickadees-Waxwings Black-capped Chickadee Tufted Titmouse Red-breasted Nuthatch White-breasted Nuthatch Brown Creeper Carolina Wren House Wren Winter Wren Marsh Wren	17 10 260 3132 2351 1752 345 8183 641 107 38 144 9 16 283 1		Chipping Sparrow Field Sparrow Vesper Sparrow Savannah Sparrow Grasshopper Sparrow Fox Sparrow Song Sparrow Lincoln's Sparrow Swamp Sparrow White-throated Sparrow White-crowned Sparrow L Dark—eyed Junco Northern Cardinal Rose-breasted Grosbeak Indigo Bunting Bobolink Red—winged Blackbird Eastern Meadowlark Rusty Blackbird	798 71 3 85 1 2 912 5 66 37 181 184 577 370 118 406 4239 75 3	(10) (28) (4,11,20)

Orchard Oriole	2	(20)
Baltimore Oriole	844	
Purple Finch	133	
House Finch	383	
Pine Siskin	2	(28)
American Goldfinch	1573	
House Sparrow	1477	
Unidentified birds	2	

Total Species Observed: 198

Total Individual Birds Observed: 106,659

Notable Count Highs:

The number of species (198) is about average over the last 20 years. The number of individuals (106,659) is the third largest total on the May count. Five individual species were recorded at their highest total ever: Canada Goose (4754), Bald Eagle (19), Northern Rough-winged Swallow (2351), Cliff Swallow (345) and Barn Swallow (8183). A number of species also were recorded at their second highest total since the count began.

Notable Species:

Tricolored Heron, third record on May count. Bohemian Waxwing the first record on the May count.

Notable Count Lows:

Unfortunately, several species were recorded in very low numbers: Bluewinged Teal (5), Ring-necked pheasant (12), Sora (1), Chimney Swift (75) and Eastern Meadowlark (75) were at all time May count lows. After appearing every year from 1945-2004, Common Nighthawk was not observed for the second straight year.

Observers (Section compliers in boldface.)

Section 1: Lynne Landon, Terry Yonker

Section 2: Brian Ahara, John Black, Blayne Farnan, Jean Farnan, Marcie Jacklin, Kayo Roy, Maggie Smiley, Katherine Stoltz

Section 3: Edward Crohn, Betsy Potter-D'Anna, Willie D'Anna, Jerrold

J. Farrell, Barbara Henderson, Patricia Kornacker, **Donald Roberson**, Vicki Rothman, Timothy Simon, Mary Ann Stegmeier, Coleen Walsh,

John Welte, Martha Welte, Peter Yoerg, Bruce Zahno, Kim Zahno Section 4: Julie Eberhart, Jim Pawlicki, Bill Watson

Section 5: Don Brasure, Jim Rozanski, Liz Wells

Section 6: Jerry Chapple, Nina Chapple, Karin Schneider, John Stevens

Section 7: Barbara Byron, Richard Byron, Mike Hamilton, Jack

Mansfield, Marg Partridge

Section 8: Doug Happ, Mike Zebehazy

Section 9: Pat Bogan, Mandy Dragoo, Dave Friedrich, Mike Galas, Sylvia Galas, Ron Hacker, Sue Hacker, Eric Lobato, Debra Milleville,

Gerry Rising, Don Roberson, Joe Stein, Maria Zawistowski

Section 10: Donna DeLeon, Robert L. DeLeon

Section 11: Marie Johnson, Alice McKale, Susan O' Donnell, Thomas

O'Donnell, Marilyn Pecoraro-O'Connell, Richard Salembier

Section 12: Greg Coniglio, Joe DiDomenico, Paul Fuhrmann, Mahlon

Miller, Nancy Miller, Mike Morgante, Gail Seamans

Section 13: Doug Beattie, Elaine Dart, Tad Gerace, Charles Graney, David Graney, Eileen Hull, Robert Hull, Jane Mason, Marc Mason, Max Mason, Joe Salvador, Ruth Ann Salvador, Paula Stone, Donald

Thurau, Virginia Tiede

Section 14: Robert Andrle, Ken Brandes, Joanne Dobler, Tim Goff, Fred Harrington, Mark Leous, Patty Madigan, Sandy Radigan, Sue Saunders,

Nancy Vigyikan, Carolyn Wellington, Barb Walker

Section 15: William Bogacki, Ed Ratajczak

Section 16: Patricia Andrle, Robert Andrle, Thomas Connare, Francis Rew

Section 18: Bruce Chilton, Mike Desha, Jim Landau, Karen Landau **Section 19:** Ron Andrews, Betty Bledsoe, Faye Clancy, Cris

Estabrook, James Fegley, Tara Griffin, Dora Lilly, Ethan Lynch, Sam

Norton, Virginia Norton, John Raybuck, Michael Raybuck, Elaine Smith, Carol Stonemetz, James Talbott, Ann Voss, Scott Warren, Jean Wilson, Larry Wilson, Richard Wilson Section 20: Alan Benton, Karen Brisley, Ken Brisley, Chris

Section 20: Alan Benton, Karen Brisley, Ken Brisley, Chris Budniewski, Ray Budniewski, Dick Clarke, Sylvia Clarke, Paul Farver, Joanne Goetz, Tom Goetz, Joe Gula, Carol Hardenburg, Peggy Langer, Terry Mahoney, Richard Miga, Terry Mosher, Lucille Neveu, Bob Peterson, Beverly Ruska, John Ruska, Audrey Schafer, Marv Shearman, Jeanine Smith, Ted Taft, Jordan Whitney

Section 21: Ann Beebe, Jim Berry, Seth Berry, Ranjit Laha, Linda O'Brien, Bob Sundell

Section 22: Julie Heilmar, Walter Heilmar, Ranjit Laha, Linda O'Brien, William O'Brien, Bob Sundell

Section 23: Julie Heilman, Walter Heilmar, Ranjit Laha, Jean Pigman, Bob Sundell

Section 24: Tim Baird

Section 25: Tim Baird, Stephan W. Eaton, Joyce Ermer, Mike Ermer, Jeff Reed, James Van Scoy, Regina Van Scoy

Section 26: Doris Burton, Frances Hunt, Mary Jordan, Noah McNeil, Bob Smalley, Bruce Smalley, Denton Willett

Section 27: H. M. Bateman, Doris Burton, Jim Horn, Helen Link, Marie Paxhia, Wilma Sanford

Section 28: Russell Allen, Charlotte Anderson, Dan Babcock, Ellen Baker, Carol Behn, Wayne Brewster, Don Brink, Lorna Brink, Betsy Brooks, Debbie Bucholtz, Doris Burton, Mary Lou Cartledge, Carla Coch, Diane Converso, Elsie Cushing, Karol Doty, Peter Finlay, Terry Finlay, Keegan Fleming, Geri Hills, Ralph Hills, Pat Hulse, Norman Ives, Betty Kellogg, Wayne Kellogg, Barry Lash, Martha Lash, Kathleen MacDonald, Walter Mason, Marion McClure, Mary Ormsby, Lyle Palmiter, Thelma Palmiter, Sean Phelan, Evelyn Ramsey, Nicole Ramsey, Dan Rase, Ona Reynolds, Ernest Rositzke, Lynn Rositzke, Nancy Rouse, May Shields, Peter Shields, Jim Smith, Maureen Soule, Terah Soule, Wilma Taggart, Tim Timbrook, Linda Travers, Mary Trouslot, Cindy Vance, Gerry Vance, Barbara Ware, Katie Weiman, Suzanne Wood

Total number of observers: 238

Verification report submission

Rare and out of normal season birds, that is those requiring a verification report as per the BOS "Verification Date Guide", are not added to the count unless a verification report is submitted. This year and every other year several species were not recorded because the appropriate verification reports were not submitted. The count compliers wish to thank those people who took the time to complete verification reports. Those who sent verification reports directly to us include: Marg Partridge, Michael Galas, Thomas O'Donnell, and Karen Brisley.

Count Compilers: Robert L. DeLeon and Donna V. DeLeon

Buffalo Ornithological Society Buffalo Museum of Science 1020 Humboldt Parkway Buffalo, NY 14211-1293

Return Service Requested

Non. Profit Org.
U.S. Postage
PAID
Buffalo, NY
Permit No. 412

Albert R. Mann Library Acquisitions Division-Serials Cornell University Ithaca, NY 14853-4301



BOS website http://www.bosbirding.org/



Buffalo-Niagara Region Dial-a-Bird: 716-896-1271

July - September Calendar

July 30, Sunday: Canadian shoreline of Lake Erie for shorebirds.

Leader: Mike Hamilton (881-6709). Meet at 7:00 AM at Vermont and Busti near the Peace Bridge. We will car pool from there. Among other places, we will be going to Rock Point Provincial Park, which charges \$10.00 Canadian per car for entry, so bring Canadian money if you have

it. Make sure you have photo ID.

Aug. 20: BOS August Shorebird Count. Start at 6:30 AM. The count will cover 10 reaches of the north shore of Lake Erie from the Peace Bridge to Port Maitland. Teams of two or more will be assigned each reach. If you have questions or would like to volunteer contact Terry Yonker or Lynne Landon at (716) 745-9129 or email: llandon@daemen.edu

Aug. 27: Sunday: Canadian shoreline of Lake Erie for shorebirds and other early migrants. Leader: Mike Hamilton (881-6709). Meet at 7:30 AM at Vermont and Busti. We will car pool from there. Among other places, we will be going to Rock Point Provincial Park, which charges \$10.00 Çanadian per car for entry, so bring Canadian money if you have it. Make sure you have photo ID.

The PROTHONOTARY



Published Monthly by the

BUFFALO **O**RNITHOLOGICAL SOCIETY

Volume 72, No. 7 July, 2006

THE MONTH: June

by Mike DeSha

According to the National Weather Service in Buffalo, June could be characterized as "a changeable but generally pleasant early summer month." It was the 13th of the past 14 months warmer than normal. There were two ninetydegree days during the weekend of the 17th -18th that followed the very cool weekend of the 10th-11th with temperatures in the 60's. There was a concern early in the month that mild drought conditions might be developing, but rainfall during the final week brought monthly totals into the normal range. The 1.29 inches measured at the airport on the 27th was a record for the date though paling in comparison to 6-to-10 inch amounts across central and eastern New York State since we were on the western edge of tropical deluges affecting the more easterly portions. It was the first daily rainfall of over an inch at Buffalo in 2006.

On the 23rd a thunderstorm moved from Grand Island to the airport and dropped over an inch of rain in 20 minutes in Tonawanda. During the afternoon of the 25th over an inch of rain fell on the city in less than 30 minutes causing localized road flooding. Thunderstorms, including one in which there developed a rare F1 tornado in Cheektowaga, moved through the area on the 30th.


Sunshine totaled 54 percent of the possible, some ten points less than usual; 11 days were mostly sunny while 9 were mostly cloudy. Winds overall were fairly light, as usual in June. Lake Erie warmed to 71 degrees by the end of the month – some 4 degrees above normal. The month ended with a total of 3.38 inches of precipitation (0.44 inch

> below normal). The average temperature was 68.3 degrees (2.5 degrees Mike DeSha above normal). (Meteorological data provided by the National Weather Service Buffalo office.)

> > After six years of Atlasing work, we are resting this June; but I find that I am missing the

action and disturbed by the changes in habitats during even this brief span. Many of the blocks that I surveyed were close to home and I found many areas within these blocks that gave me a totally new perspective on nearby birding possibilities that I would never have explored without the impetus of this effort. However, because a new house has been built, a Northern Harrier is no longer coursing over a meadow that I found. An Ovenbird trying desperately to distract me from searching for her nest will not have to contend with me again, because the trees in the State Forest have been logged. We were told that the Atlas provides a snapshot; I wasn't ready to lose the real thing so quickly.

While not Atlasing, observers this month managed to find some interesting birds. Bill Watson found a Ringnecked Duck at the Cayuga Pool in Iroquois National Wildlife Refuge. And while he states that he has seen "thou-



Adult male Dickcissel photographed by Wille D'Anna (upper left; June 11) and Mike Galas (lower right; June 12) along the Youngstown-Wilson Road in Niagara County.

63 The Month

Noteworthy Records Bruce Chilton

Gordon Bellerby Mary Ellen Hebb

Sooty Shearwater Press Release

70 **BOS** Calendar

The Prothonotary published is monthly by the Buffalo Ornithological Society, Buffalo Museum of Science, Buffalo, NY 14211. Send subscriptions and address changes to the Corresponding Secretary, Karen Landau, S-9195 State Road, Colden, NY 14033. The regular subscription rate is \$20/year. Back issues are available from the Treasurer for \$2/issue.

Please mail correspondence to: Jack Skalicky 178 N. Main Street #55 Salt Lake City, UT 84103-2075 [Email] skalicky@biochem.utah.edu Ed. Consultants: Robert Andrle

> Gerry Rising William Watson

Proth. Production: Audrey Horbett Eileen Hull

Society Officers:

President: Thomas O'Donnell V. President: Michael Morgante Treasurer: Gerald Lazarczyk Donna DeLeon Secretary: Statisticians: Robert Andrle Frances Rew Archivist: Audrey Horbett Council: 2004-2006 Bob DeLeon Mike Desha Jim Landau 2005-2007 Mike Galas Jerry Lazarczyk Gail Seamans Douglas Beattie 2006-2008 Lynne Landon Elizabeth Wells

sands," very few are seen after May 25 so this bird is considered exceptional and required documentation.

For those who enjoy the gulls, there was a lot of excitement during June. A Little Gull was found by Jim Pawlicki on the evening of June 13th at the mouth of the Niagara River. The gull was seen again on the 14th by Willie D'Anna, Betsy Potter and Vicki Rothman. As documented by Willie D'Anna, this gull was in first alternate plumage and smaller than the nearby Bonaparte's Gulls. It had a "smaller rounded head, smaller bill, and short tail." The darker "M" pattern on its wings was also used to distinguish it from the Bonaparte's. This was the first June record in Region 1 of New York State and only the second record of a Little Gull in June in the BOS study area.

Almost unbelievably, as Pawlicki was sorting

through the gulls on the 13th, he found an even rarer gull, a Black-headed Gull. This individual was well-observed by a number of folks and many documented it by way of some marvelous photographs. Bill Watson described the bird: "Its shape was very similar to the many Bonaparte's Gulls next to it, but the bill seemed proportionately a little longer, straighter, thicker and redder. The Black-headed Gull was about 20-percent longer than the Bonaparte's Gulls (but looked almost twice the volume) and about 10 percent shorter in length than the Ring-billed Gulls. The bill was 60 percent of head diameter and reddish black except for the distal end, which was all black. The molting hood was not black or gray like the Bonaparte's Gulls hoods, but what was left of it was dark brown. The legs and webbed feet were red-pink." This is the first report of a Black-headed Gull in June.

On June 14th I found an "Audubon's" Yellow-rumped Warbler while looking for Clay-colored Sparrows in the conifer plantation on Hilfiger Road in the Town of Yorkshire in Cattaraugus County. This location has consistently produced species of more southerly distribution such as Prairie Warbler and Clay-colored Sparrow, and now a western subspecies can be added to the mix. This subspecies hybridizes with its eastern counterpart, the "Myrtle" Yellow-rumped Warbler and therefore has been lumped together with it even though each was once considered a separate species. This is the first June record for this subspecies and only the third record in BOS archives; both of the other records were in April.

Watson saw and documented a Yellow-throated Warbler in Allegany State Park. This species has become very regular at this location in the past few years. From personal observation, I have noted a large increase in population of Prairie Warbler in Cattaraugus County during the course of the Atlas 2000 Project. The trend continued in June. One was documented in Chestnut Ridge Park by Dean DiTommaso; another was seen and documented by Mike Morgante in Sardinia. Several Pine Warblers remained in our region during June. Some of the observations cannot be included in the database because summer sightings of this species must be documented.

There are confusing fall warblers and now a "confused" summer warbler. On June 27, David Junkin netted a bird at his banding station in Wyoming County that looked like a cross between a Blue-headed Vireo and a warbler. Pictures were taken and posted and shown below. The bird was released and David asked "What is it?" Speculation raged with no developing consensus. Suggestions ranged between Canada Warbler X Mourning Warbler or Mourning Warbler X Common Yellowthroat to an interfamilial cross between a Blue-headed Vireo and a warbler. The banding office conservatively called it a "hybrid passerine." There was a suggestion that DNA analysis could be done on a feather. Serendipitously, Junkin recaptured the bird, removed two tail feathers, which the bird will replace in a few days, and shipped them off to Dr. Irby Lorette at Cornell where a DNA analysis will be made. It is interesting to note that DNA analysis of feathers is starting to become routine, but even more interesting for us in the




Two different angles of a ususual hybrid passerine mist-netted by David Junkin at his MAPS station in bliss, NY (Wyoming County) on June 27 and photographed by Knrt Fox. Additional color photographs can be found at: www.home.eznet.net/~kfox/wny/

present case is that we may soon have a definitive identification of the parentage.


Early in the morning of June 11 as Willie D'Anna, Betsy Potter and Dean DiTommaso were at Stop #10 of the Youngstown Breeding Bird Survey Route, the group heard and finally spotted two Dickcissels. The birds were joined by some additional individuals as a large number of observers including Bill Broderick, Jim Pawlicki, Bill Watson, Mike and Sylvia Galas and Gerry Rising were able to view them throughout the remainder of June. Here again some stunning photographs document the observations of these birds. Bill Watson's description in his verification details what is seen in the photographs. "The Dickcissel was a little longer than the House sparrows in the same field, but a slimmer build.... The bill was twice as long as it was high. It was a very large bill suggesting a grosbeak rather than a bunting or sparrow.... The chin was white; the throat was black tapering to a point on the upper breast.... The rest of the breast was a drabber yellow (when compared to the bright malar and supercilium yellow).... The lesser and medial dorsal wing coverts were a conspicuous orange red rusty rufous color.'

The Dickcissel is notorious for irregular movements outside of the core range, the prairie grassland regions in the




Black-headed Gull (arrows) with Bonaparte's Gull, photographed by Jim Pawlicki (top; June 14) and Willie D'Anna (bottom; June 17) at Fort Niagara State Park.

middle of the U.S., to breed in surrounding areas where extensive grassland habitat exists. These erratic, seminomadic movements result in dramatic year-to-year changes in distribution and abundance, especially in peripheral and sporadically occupied areas. New York is on the eastern fringe of these areas and drought in the core breeding areas apparently forces many Dickcissels to move outward in search of more favorable conditions for nesting. (Temple, S.A. 2002, Dickcissel Spiza americana, in The Birds of North America, No. 703 (A. Poole and F. Gill eds.) The Birds of North America, Inc. Philadelphia, PA.) Other Dickcissels have been reported in Ontario and farther to the east of our region. I suspect that we are again seeing the influx as a result of the intense drought in the Midwest. Bill Watson in 2000 wrote on the connection between drought in the Midwest and Dickcissels in New York. Prothonotary Vol. 66, No. 7, July, 2000. He suggested in his write-up for June of that year that more data on such a correlation is needed and that this could be an excellent project for an individual or the BOS research committee.







Nestling Turkey Vultures (lower) photographed by Kayo Roy in an old unused barn (upper) on Yokom Road, just south of Niagara Falls, ONT on June 26, 2006.

NOTEWORTHY RECORDS

Underlined common names, dates or localities indicate that an acceptable, detailed written verification according to the *Date Guide to Birds of Western New York and Adjacent Ontario* (Seventh Edition - Revised 2001) has been received and placed in the permanent files of the Buffalo Ornithological Society.

- * Indicates first record for the year.
- F Indicates first record for the migration.
- L Indicates last record for the migration.
- (f) Indicates record from feeding station. (n) Indicates nest(s). (yg) Indicates young.

PDBA - Indicates Previously Documented Breeding Area.

<u>Species</u>	<u>June</u>	<u>Number</u>	Location	Observer(s)
Ring-necked Duck	<u>2L</u>	1	Iroquois NWR	Watson
11	2; 24	2; 6	Batavia WWTP	Watson
Bufflehead	<u>2</u>	1	Batavia WWTP	Watson
Common Merganser	2	1	Batavia WWTP	Watson
Ruddy Duck	2; 24	28; 12	Batavia WWTP	Watson
Great Egret	1 - 30	1	Tonawanda	Hess
11	7	1	Tonawanda WMA	Hess
**	11	13	Niagara River	Morgante
11	12	50	Motor I.	Watson et al
tt	15	15	Times Beach NP	Hess
Black-cr. Night-Heron	12	35	Motor I.	Watson et al
11	14	1	Fort Niagara SP	D'Anna et al
Osprey	11	1	Tillman WMA	Sharon
**	11	1	Salamanca	Pawlicki et al
**	2	1 (n)	Tonawanda WMA	Watson
11	24	2 ad, 1 yg	Tonawanda WMA	Watson
Bald Eagle	10	1 ad, 2 yg (n)	Navy I.	Watson
11	11; 18	2 ad, 3 yg (n)	Salamanca	Watson, Baird; Yoerg
***	12	2 ad, 2 yg (n)	Machias	DeSha
Red-shouldered Hawk	18	1 (n)	Orchard Park	Morgante
Sora	12	1	Ellicottville	DeSha
Common Moorhen	24	2 ad, 5 yg	Batavia WWTP	Watson
Black-bellied Plover	10L	2	Niagara Falls	Pawlicki, Watson
Upland Sandpiper	4	2	Tillman WMA	Salembier
Semipalm. Sandpiper	2	13	Batavia WWTP	Watson
	4L	5	Silver Creek	Neveu
Least Sandpiper	4L	7	Silver Creek	Neveu
11	4L	14	Hanover	Neveu
Little Gull	<u>14</u>	1	Fort Niagara SP	D'Anna
Black-headed Gull	14 - 17	1	Fort Niagara SP	D'Anna, Lazarczyk, Watson, Pawlicki
Caspian Tern	3	5	Hanover	Neveu
11	11	2	Black Rock Canal	Morgante
H	27	2	Dunkirk Harbor	Watson, Pawlicki
Black Tern	2; 7	21; 12	Iroquois NWR	Watson; Hess
Common Nighthawk	1 - 30	1 - 2	Buffalo	Yoerg, Henderson
Red-headed Wdpkr.	4	5	Dunkirk	Lazarczyk
"	11; 12	1; 1	Lakeside Beach SP	D'Anna, Lazarczyk et al
Acadian Flycatcher	11	1	Allegany SP	Pawlicki, Watson
11	11	3	Salamanca	Yoerg, Henderson
11	14	5	Hanover	Neveu
11	18; 25	7; 5	Pomfret	Neveu
11	24	1	Holland	Salembier
11	25	1	Villenova	Neveu

<u>Species</u>	<u>June</u>	Number	Location	Observer(s)
11	27	1	Stockton	Watson, Pawlicki
Yellow-thr. Vireo	2; 6	2; 1	Alexander	Beattie, Dart
11	20	2	Bethany	Beattie
Common Raven	3	2	Alfred	Brooks
u .	28	1	Andover	Brooks
Purple Martin	12	1	Sinking Ponds	Holmes
Bank Swallow	3	2	Hanover	Neveu
u .	5	1	Sinking Ponds	Holmes
Cliff Swallow	7	2	Andover	Brooks
· ·	10	40, 36 n	Tonawanda I.	Watson
· ·	10	36, 31 n	Buckhorn I. SP	Watson
11	11	1	Allegany Ind Res	Yoerg, Henderson
0	11	4	Buffalo Harbor	Morgante
· ·	18	2 (n)	Black Rock Canal	Morgante
Carolina Wren	3 - 15	3 recs	Buffalo area	Watson, Hess
Winter Wren	18	3	Allegany SP	Yoerg, Henderson
11	24	4	Holland	Salembier
· ·	25	6	E. Holland Bog	Morgante
· ·	4 - 30	8 other recs; 2 m	ax S and E of Buffalo	Several observers
Blgr. Gnatcatcher	3	1	Hanover	Neveu
Gray-cheeked Thrush	3L	1	Times Beach NP	Salembier
Swainson's Thrush	11	1	Salamanca	Yoerg, Henderson
H .	18	1	Allegany SP	Yoerg, Henderson
Hermit Thrush	1; 11	1; 1	Ward	Brooks
H .	17	2	Chestnut Ridge Pk	Morgante
· ·	30	1	W. Almond	Brooks
Northern Mockingbird	3	1	Times Beach NP	Watson
Nashville Warbler	3	1	Alfred	Brooks
11	6	1	Andover	Brooks
11	25	1	E. Holland Bog	Morgante
Northern Parula	11	2	Allegany Ind Res	Yoerg, Henderson
· ·	18	1	Allegany SP	Yoerg, Henderson
Yellow-r Warbler	14	1	Yorkshire	DeSha
D.c. auduboni				
Blthr. Green Warb.	17	1	Fort Niagara SP	Potter, D'Anna
Yellow-thr. Warbler	11	2	Allegany SP	Watson
Pine Warbler	<u>2, 14</u>	1	Bond Lake CP	Chilton
11	<u>10</u>	1	Wilson	D'Anna
Prairie Warbler	3 - 30	5 max	Alfred & vicinity	Brooks
"	6	1	Chestnut Ridge Pk	DiTommaso
	12	2	Machias	DeSha
11	12	1	Ellicottville	DeSha
11	. 25	1	<u>Sardinia</u>	Morgante
Blackpoll Warbler	3	2	Tifft NP	Salembier, Watson
"	6L	1	Wilson	Potter
Cerulean Warbler	11	6 & n	Salamanca	Baird et al
u .	18	2	Bethany	Beattie
H .	19	2	Shelby	Beattie, Dart
Black-&-white Warb.	1 - 23	1	Alfred	Brooks
11	11	2 + n + 4 eggs	Salamanca	Baird et al
Prothonotary Warbler	7	1	Tonawanda WMA	Hess
"	24	2	Tonawanda WMA	Potter, D'Anna
Northern Waterthrush	7	1	Tonawanda WMA	Hess
11	12	4	Ellicottville	DeSha

<u>Species</u>	<u>June</u>	<u>Number</u>	Location	Observer(s)
11	19	2	Shelby	Beattie, Dart
11	25	3	E. Holland Bog	Morgante
La. Waterthrush	11	1	Salamanca	Yoerg, Henderson
11	14	1	Hanover	Neveu
11	25	1	Villenova	Neveu
Mourning Warbler	13	1	Wilson	Potter, D'Anna
Canada Warbler	6	1	Pike	Lazarczyk et al
11	24	2	Holland	Salembier
11	25	1	E. Holland Bog	Morgante
Yellow-br. Chat	11	1	Somerset	D'Anna et al
Clay-col. Sparrow	1 - 27	4 max	Andover	Brooks
11	7	1	Alfred	Brooks
Grasshopper Sparrow	4	4	Tillman WMA	Salembier
"	7; 24; 28	1; 2; 1	Andover	Brooks
n .	11	1	Porter	Watson, Pawlicki
11	18; 20	1; 1	Porter	M&S Galas et al
11	25	4	Tillman WMA	Yoerg, Henderson
* Henslow's Sparrow	25	1	Lancaster	Yoerg, Henderson
11	30	2	Grove	Brooks
Lincoln's Sparrow	<u>25</u>	1	Iroquois NWR	Salembier
White-thr. Sparrow	25	1	East Holland Bog	Morgante
* Dickcissel	11 - 26	3 max	Porter	DiTommaso, Watson, D'Anna, Galas et al
Orchard Oriole	11; 20	2; 1	Porter	D'Anna et al
11	16	1	Wilson	Lazarczyk, Partridge
"	26	1	Porter	Galas, Krisits
Species, subspecies, and h	ybrids previously	y recorded this y	ear:	253

Species, subspecies, and hybrids previously recorded this year:

Species, subspecies, and hybrids recorded for this month + 1 from May:

Total for the year 2006:

253

Statisticians' Note: If any observer wishes to know the status of their verification report, please contact the Statisticians and we will give them the reasons for our decision. Please mail reports for each month not later than the FIFTH day of the following month to the Compiler: Bruce Chilton 88 Pryor Avenue, Tonawanda, NY 14150; Email: BChi314159@aol.com.

Gordon Bellerby 1919 - 2006

*by Mary Ellen Hebb*Reprinted from the June, 2006 OFO Newsletter

My friend of many years, Gordon Bellerby, often told me that he was a lucky fellow, extraordinarily so at times. By the time he retired in 1983, he had already led a life that was richly fulfilling, exciting, and at times even terrifying. At that point he could easily have settled for the slippers, the armchair, the pipe and the fireside. But he didn't. Instead, he started a whole new career, birding.

Gordon was born in Dorking, England on 1 June 1919, the anniversary of a famous British naval battle. Perhaps it was an omen: in 1941, after studying law at Cambridge, he joined the Royal Air Force, and was sent to Hollywood to be trained as a pilot. Accommodations on the way there included being billeted in the Swine and Sheep pens at the CNE. Back in England, he became a fighter pilot, flying Hurricanes. After flying 86 missions in Libya and the Western Desert, he downgraded himself to student pilot in order to learn the art of aerial photography. Thereafter, he flew

unarmed Spitfires deep into enemy territory, with instructions that he was to flee if spotted by an enemy fighter plane, but always to return the next day to finish the job! He flew 100 more missions, far more than the mandatory 30, and was awarded the Distinguished Flying Cross.

Having decided after the war to emigrate to New Zealand, he made a stopover in Montreal. There, an acquaintance of his father introduced him to "the prettiest girl in Canada," Diana Kindersley. His New Zealand plans were promptly abandoned. His good luck held when Diana's then boyfriend was transferred to Seattle. Not long after they were married, Gordon's new boss, a birder, began drawing his employee's attention to birds. Gordon was only casually interested. Then, one day, came that moment that so many birders will recognize: a Red Crossbill showed up in his garden and he was hooked. Birds became his passion. He immersed himself in a host of bird projects, both in Montreal and later in Toronto. Thus, years later, when he retired as an executive in the soon tobe Petro Canada, he was ready for his new career as fulltime birder, birding project participant/coordinator, bird reporter, and for a little variety, wine connoisseur. (continued on page 69)

(continued from page 68)

He and Diana, an accomplished artist, moved to Niagara on the Lake, where he plunged into Ontario's first Breeding Bird Atlas, joined the local clubs, and helped monitor the peregrine hack at Brock University. Next, he managed somehow to persuade the Shaw Festival's artistic director, Christopher Newton, that peregrines and plays would do nicely together: peregrines in a hack box on top of the theatre, plays below! It didn't work out quite that smoothly, but Newton gallantly never complained. Gordon became a founding member of the Niagara Peninsula Hawkwatch. At the Hawkwatch annual banquets, he would supervise a very jolly wine tasting event. He shamed those of us in Niagara and some other jurisdictions into carrying out the arctic coma inducing January Duck Count. Heavenly hot soup and mulled cider afterward at the Bellerbys and a pair of gigantic Donald Duck slippers for the finder of the most species were the reward for our heroism. In their spare time, he and Diana led wine and art tours in France. But his most important contribution to birding, and what subscribers online to Ontbirds will remember best, were Gordon's regular and astonishingly detailed reports on the Niagara River flypast of Bonaparte's and Little Gulls as they headed into Lake Ontario every evening through the winter months.

Gordon was bright, humorous, generous and witty, giving in only occasionally to brief bursts of outrage at perceived injustices. When he knew he was dying, he let it be known that he didn't want anyone to say that he had "passed away" no euphemisms for him! Let it be said that he had died. Gordon Bellerby died on Tuesday 17 January 2006.

Gordon joined a young OFO in February 1983 and became one of our well known members. He always advised the leaders of the annual OFO gull trip to Niagara where to find the best gulls.

The late Gordon Bellerby (right) with the late gull expert Peter Grant at Queenston Sand Docks on 18 November 1987. Photo by Kayo Roy.



Study Documents the Marathon Migrations of Sooty Shearwaters

UC-Santa Cruz Press Release: August 7, 2006

Every summer, millions of Sooty Shearwaters arrive off the coast of California, their huge flocks astonishing visitors who may have trouble grasping that the dark swirling clouds over the water consist of seabirds. Scientists have long known that sooty shearwaters breed in New Zealand and Chile and migrate to feeding grounds in the Northern Hemisphere. But the details of this remarkable transequatorial migration are only now emerging from a study using electronic tracking tags to follow individual birds.

The flights of sooty shearwaters documented in this new study represent the longest animal migration routes ever recorded using electronic tracking technology: around 65,000 kilometers (39,000 miles). Taking advantage of prevailing winds along different parts of the migration route, the birds trace giant figure eights over the Pacific Basin. These findings are published in Proceedings of the National Academy of Sciences (http://www.pnas.org/cgi/content/abstract/0603715103v1).

The researchers found that the migratory cycle of sooty shearwaters encompasses the entire Pacific Basin, focusing on the richest feeding grounds in both hemispheres – from Antarctic waters in the south during the breeding season to bountiful coastal currents off California, Alaska, and Japan in the north. These small seabirds cross the equator twice a year in pursuit of an endless summer in which their feeding areas are always at or near the period of peak productivity.

Diving patterns recorded by the tags indicate the birds stop little if at all to feed as they pass through the equatorial regions on their journey between the Southern and Northern Hemispheres.

The new study shows that, contrary to previous assumptions, sooty shearwaters do not make a big pan-Pacific sweep to cover all of their feeding areas in the Northern Hemisphere. Instead, individual birds went to just one of three major hot spots and stayed there until it was time to return south to breed. Birds that travel to different regions do not represent distinct populations of shearwaters.

The timing and route of the northward migration was somewhat variable, with birds crossing the equator at various locations over a period of about a month. But the return trip was remarkably synchronous. All of the tagged birds funneled through a narrow corridor and crossed the equator within a ten-day period in October. Ongoing research using tags redeployed on the same birds will show whether or not individual birds have preferred feeding areas that they travel to each year.

More information about the shearwater study, including multimedia content (color images and a very interesting simulation) is available at http://www.toppcensus.org/web/FeatureDetails.aspx?id=82&WG=9.

The website http://www.toppcensus.org contains a variety of very interesting information on other studies that focus on tracking marine animals.

Buffalo Ornithological Society Buffalo Museum of Science 1020 Humboldt Parkway Buffalo, NY 14211-1293

Return Service Requested

Non. Profit Org.
U.S. Postage
PAID
Buffalo, NY
Permit No. 412

Albert R. Mann Library Acquisitions Division-Serials Cornell University Ithaca, NY 14853-4301



BOS website http://www.bosbirding.org/



Buffalo-Niagara Region Dial-a-Bird: 716-896-1271

August - September Calendar

Aug. 20: BOS August Shorebird Count. Start at 6:30 AM. The count will cover 10 reaches of the north shore of Lake Erie from the Peace Bridge to Port Maitland. Teams of two or more will be assigned each reach. If you have questions or would like to volunteer contact Terry Yonker or Lynne Landon at (716) 745-9129 or email: llandon@daemen.edu

Aug. 27: Sunday: Canadian shoreline of Lake Erie for shorebirds and other early migrants. Leader: Mike Hamilton (881-6709). Meet at 7:30 AM at Vermont and Busti. We will car pool from there. Among other places, we will be going to Rock Point Provincial Park, which charges \$10.00 Canadian per car for entry, so bring Canadian money if you have it. Make sure you have photo ID.

Sept. 9: Saturday. Tifft Nature Preserve and Times Beach for warblers and shorebirds. Leader: Bill Bogacki (674-5781). Meet at 8:00 AM in the Tifft N. P. parking lot. This is a half-day trip.

Sept. 13: BOS Meeting 7:30 PM Buffalo Museum of Science. Members' Night. Bring along your favorite stories/slides to share.

Sept. 27: BOS Meeting 7:30 PM Buffalo Museum of Science. Emma E. DeLeon: <u>Using Bioacoustic Techniques to Study Avian Migration</u>.

Sept. 30: Saturday. Eastern Lake Ontario Plains. Full Day Trip - Bring Lunch/Water. Leader: Jim Pawlicki (636-3915). Meet at 7:30 a.m. just beyond the entrance toll (no fee) at Lakeside Beach State Park.

Sept. 29, 30, and Oct. 1: The 59th meeting of the New York State Ornithological Association. Morris Conference Center at SUNY Odenota.

Oct. 8: BOS Annual October Count. Contact Mike Hamilton at 881-6709 or mhsr@wzrd.com. Section 14 compiler needed to replace B. Walker.

Oct. 11: BOS Meeting 7:30 PM Buffalo Museum of Science. Michael Hamilton and Robert DeLeon will present results of the 2005 BOS April and May Counts. Comparisons will be made with previous 70 years of count data.

The PROTHONOTARY



Published Monthly by the

BUFFALO ORNITHOLOGICAL SOCIETY

Volume 72, No. 8 August, 2006

THE MONTH: July

by Mike Zebehazy


July was true to form across our region with an abundance of heat and humidity. The heat was persistent enough to make July the 9th warmest in 64 years of record keeping at the Buffalo Airport. The average temperature, 73.7 °F, was about three degrees above normal. The warmest days came during mid month as well as the final week. In fact, the final seven days had minimums of 70 degrees or higher. However, a persistent southwest flow off Lake Erie kept heat from extreme levels so that the monthly high was a relatively tame 88 degrees. Rainfall varied widely across the Metro area as it so often does in summer because of thunderstorms. Monthly totals ranged from near 3 inches over the city of Buffalo to over eight inches across some northern suburbs. Normally our sunniest month, July sunshine totaled 65 percent of the possible 301.1 hours, a few points less than usual.

The month began on the quiet side and was becoming quite dry until some major general rains fell on the 12th. It became quite warm during the following week and conditions were becoming quite dry again by the third week with a brief cooler period. The final week was very active as our region was on the northwest periphery of a building heat ridge in the middle of the country. This allowed for thunderstorms to roll down from the northwest and interacted with lake boundaries producing some very heavy thunderstorms, mainly across the northern suburbs. Events included torrential rains in Niagara Falls on the 23rd, a 2 to 4 inch deluge over the northtowns early on the 28th and damaging thunderstorms northeast of the city on the 29th.

- 71 The Month
- Mike Zebehazy
- 72 Saw-whet Owl Banding
 David Junkin
- 73 Noteworthy Records
 Bruce Chilton
- 75 Lake Erie Field Trip
 Mike Hamilton
- 76 BOS Calendar

t of the city on the 29th. The month ended on the steamy side with Lake Erie up to 76 degrees, three degrees above normal for midsummer. [National Weather Service, Buffalo, NY.]

In general, July appeared to be relatively uneventful with a few exceptions. The Dickcissel group originally discovered last month on Youngstown-Wilson Road in the Town of Porter continued this month with some interesting developments. On July 1st, Willie D'Anna and Betsy Potter observed three males and a female. They were observed again on the 9th. Then on the 16th D'Anna noted two adult males at the site as well as a female attending at least three young in a nest. He said, "With a scope from the road, I was able to see the nest and, three times, watch the female feed young in the nest as well as swallow fecal sacs. Meanwhile the mate would sing nearby." July 20th D'Anna reported the following: "I have sad news. On my way home from work today, I went by the Dickcissel field to check on the nest. The nest had been on the south side of the road (i.e. opposite the nice field) just on the back side of the ditch. When I was there this past weekend, there was lots of vegetation on the road shoulder and in the ditch which made it difficult to see the nest and to see what it was placed in, as I did not get that close to it. Within the last few days, the town (presumably) mowed the shoulder AND the ditch, all the way up to the top of the back side of the ditch. I looked



Two perspectives of a partial albinistic American Robin photographed by Kayo Roy in Fonthill, ONT on July 3, 2006.

The Prothonotary is published monthly by the Buffalo Ornithological Society, Buffalo Museum of Science, Buffalo, NY 14211. Send subscriptions and address changes to the Corresponding Secretary, Karen Landau, S-9195 State Road, Colden, NY 14033. The regular subscription rate is \$20/year. Back issues are available from the Treasurer for \$2/issue.

Please mail correspondence to: Jack Skalicky 178 N. Main Street #55 Salt Lake City, UT 84103-2075 [Email] skalicky@biochem.utah.edu Ed. Consultants: Robert Andrle

> Gerry Rising William Watson

Proth. Production: Audrey Horbett Eileen Hull

Society Officers:

Thomas O'Donnell President: V. President: Michael Morgante Treasurer: Gerald Lazarczyk Donna DeLeon Secretary: Statisticians: Robert Andrle Frances Rew Archivist: Audrey Horbett Council: 2004-2006 Bob DeLeon Mike Desha Jim Landau 2005-2007 Mike Galas Jerry Lazarczyk Gail Seamans 2006-2008 Douglas Beattie Lynne Landon Elizabeth Wells

at where I had visually marked the nest location and I did not see the nest. But then, on the ground, at the extreme *edge of where the mower* had been, was the nest, completely empty. Since the nestlings were at most only a couple of days old when I discovered the nest, they surely could not have survived. Had the nest been placed in the small dogwood just a few inches further back, as I had thought it had been, the nest would most likely have been unscathed."

Surprisingly, on the 29th while scoping the area from the road he watched a male carrying food several times, indicating the presence of a second nesting pair. See last month's issue for more information regarding this species.

The incredible numbers of Great Egrets at the Tonawanda WMA included several with red bands indicating they were banded at Motor Island in the Niagara

River. Birders are asked to please look for Great Egrets with red bands with white letter/number codes above the "knee" of the left leg and the traditional aluminum band above the "ankle" of the right leg. If you see any, please record the date and location and, if possible, the letter(s) and number(s) so we can better document the dispersal pattern of these fledglings. Report all sightings of Great Egret with red color bands to at least one of the following locations: D.V. Chip Weseloh, Canadian Wildlife Service-Ontario Region, 4905 Dufferin St., Downsview, Ontario, M3H 5T4, Phone: 416-739-5846 or E-mail: chip.weseloh@ec.gc.ca and/or Connie Adams, NYSDEC, 270 Michigan Ave., Buffalo, NY 14203, Phone 716-851-7010 or E-mail: cmadams@gw.dec.state.ny.us.

The Fall migration of shorebirds through the region clearly began by the end of the first week of the month and was noted by many observers.

Other interesting reports included the following: Peter Yoerg described an "incredible 20 to 30 minute" Least Bittern show as two birds entertained him with interesting vocalizations and movements in the cattails at the Tonawanda WMA. Yoerg also reported on the Merlins of

the University at Buffalo, at last confirming nesting at this site. Terry Mosher described an Acadian Flycatcher nest containing at least three nestlings. The nest, "...frail and loosely constructed as is typical with this species was near the tip of a low branch on an Eastern Hemlock about 6½ feet above a trail passing through bottomland woods." Bill Watson and Jim Pawlicki watched an adult male Orchard Oriole feed berries to a fledgling at Rock Point Provincial Park. Watson also presented a comprehensive verification report of an exceptionally early, worn, juvenile Forster's Tern at Fort Niagara State Park.

Finally, as one can determine from the records this month, the unfortunate increase of Mute Swan numbers continues.

Northern Saw-whet Owl Banding in Western New York

by David Junkin

In 1999, a friend was asked by the Pennsylvania Game Commission to trap Northern Saw-whet Owls (NSWO) at his bird banding station in Coudersport, PA. The plan was to setup standard passerine nets in the evening and then lure birds into the nets with playback of NSWO song. My friend was willing to try it and thought that during the season, he MIGHT catch a single owl. To his surprise, he caught 75 between Sept. 25 and mid-Nov.

The next year, he introduced me to the system and became my mentor. I set up nets at my usual banding station off Pee Dee Road in the town of Wethersfield (Post Office – Bliss), using a 200 foot extension cord to operate the cassette player. I opened five twelve meter nets with the cassette player situated near the middle. On rainy, snowy or windy nights the nets were not opened. I started only on Oct. 18, since it took me awhile to fashion a continuous play tape of NSWO vocalizations. On Oct. 21, I captured 14 NSWOs, one of which I had previously banded.

On Monday Oct. 23, 2000, I caught and banded a NSWO that my mentor at Coudersport recaptured on Saturday Oct. 28, only days later. Now that's the way the system is supposed to work! We were both pretty excited. At the completion of that banding season, Nov. 4, I had captured and banded 25 NSWO.

In 2001, the banding operation began Sept. 17, and my wife, Sandy, and I captured our first NSWO of the season that night. This was one of only 12 owls banded during a shortened season.

In addition to NSWO, we often hear Eastern Screech, Long-eared, Barred, and Great Horned Owls. Twice we have captured Barred Owls, presumably drawn (hunting) to the nets with the NSWO playback tape. Occasionally we would find a hole in a net and could only ponder the culprit – perhaps owl, coyote, fox, or raccoon. We also have beavers in a nearby pond that may have been responsible.

(continued on page 75)

NOTEWORTHY RECORDS

Underlined common names, dates or localities indicate that an acceptable, detailed written verification according to the *Date Guide to Birds of Western New York and Adjacent Ontario* (Seventh Edition - Revised 2001) has been received and placed in the permanent files of the Buffalo Ornithological Society.

A R MANN LIBRARY

* - Indicates first record for the year.

F - Indicates first record for the migration.

L - Indicates last record for the migration.

(f) Indicates record from feeding station. (n) Indicates nest(s). (yg) Indicates

PDBA - Indicates Previously Documented Breeding Area.

	A.R. MANN LIBRARY	
ates yo	OCT - 3 200 6	
utes yet	ITHACA, NY 14853	

	<u>Species</u>	July	<u>Number</u>	Location	Observer(s)
	Mute Swan	6; 15	2 ad + 2 yg; $2 ad + 6 yg$	yg Wilson	Watson, D'Anna, Potter
	11	6; 11	1; 5	Fort Erie	Watson, Pawlicki
	Ring-necked Duck	7	1	Batavia WWTP	Watson, Pawlicki
	Common Goldeneye	15; 28	1; 1	Sheridan	Neveu
	Common Merganser	2	1	Allegany SP	Hess
	"	6	<u>69</u>	Fort Erie	Watson
	11	11	<u>71</u>	Morgan's Pt. (Ont)	Watson, Pawlicki
	и	15; 28	<u>44</u> ; 10	Sheridan	Neveu
	Red-br. Merganser	6; 11	9; 5	Morgan's Pt. (Ont)	Watson, Pawlicki
	Ruddy Duck	7	22	Batavia WWTP	Watsón
	Dcrested Cormorant	6	970	Mohawk I. (Ont)	Watson
	H	11	430	Buffalo Harbor	Watson
	H	28	510	Buckhorn I. SP	Watson
*	Least Bittern	9	2	Tonawanda WMA	Yoerg
	Great Egret	9	1	Tonawanda WMA	Yoerg
	11	12 - 31	1 - 10	Tonawanda	Hess
	н	17; 31	140; 75	Tonawanda WMA	Watson
	Black-cr. Night-Heron	19	15	Tonawanda WMA	Watson
	п	23	2	Tifft NP	Salembier
	Osprey	1 - 7	1 ad (n)	Allegheny Reservoir	Hess
	n	1 - 7	2 ad (n)	Allegany SP	Hess
	· n	7 - 22	1 ad+3 juv	Iroquois NWR	Watson
	0	9	5 + 2 n	Tonawanda WMA	Yoerg
	· n	22	4 ad+3 juv	Tonawanda WMA	Watson
	Bald Eagle	7; 22	1 ad; 1 ad	Iroquois NWR	Watson
	н	15; 28	2 ad; 2 juv	Sheridan	Neveu
	Red-shouldered Hawk	16	3	Collins	Yoerg, Henderson
	**	23	1 ad, 2 yg	Hunters Creek Park	Yoerg, Henderson
	Broad-winged Hawk	4; 25	1; 1	Alfred	Brooks
	Merlin	3-27	1-3	UB campus	Yoerg
	Peregrine Falcon	<u>18</u>	1	Niagara Falls SP	Lazarczyk et al
	**	24; 27	2	Buffalo	Morgante
	Black-bellied Plover	30F	10	Dunnville (Ont)	Yoerg
	Semipalmated Plover	7F; 22	1; 1	Tonawanda WMA	Watson
	**	9	1	Dunkirk Harbor	Neveu
	Greater Yellowlegs	7F	2	Tonawanda WMA	Pawlicki, Watson
	"	30	2	Wainfleet	Yoerg, Henderson
	Lesser Yellowlegs	5F	5	Lewiston	D'Anna
	"	6	1	Allegany SP	Hess
	н	7	3	Tonawanda WMA	Watson, Pawlicki
	н	15	6	Rock Pt. PP (Ont)	Watson
	Solitary Sandpiper	7F	1	Batavia WWTP	Watson
	11	19	1	Oak Orchard WMA	Watson, Pawlicki

Species		July	<u>Number</u>	Location	Observer(s)
Ruddy Turns	stone	30F	2	Rock Pt. PP (Ont)	Yoerg, Henderson
* Sanderling		11F; 15	2; 2	Rock Pt. PP (Ont)	Pawlicki, Watson
Semipalm. S	andpiper	11F; 15	1; 9	Rock Pt. PP (Ont)	Pawlicki, Watson
Least Sandpi		6F; 11	17; 15	Rock Pt. PP (Ont)	Watson, Pawlicki
**		6	10	Grabell Pt. (Ont).	Watson
**		9; 16	2; 3	Silver Creek reservoir	Neveu
**		23	3	Times Beach NP	Salembier
Pectoral San	dniner	30F	6	Dunnville (Ont)	Yoerg, Henderson
* Stilt Sandpip		30F	1	Dunnville (Ont)	Yoerg, Henderson
Forster's Ten		<u>16</u>	2	Ft. Niagara SP	Pawlicki, Watson
Black Tern	•	7; 22; 23	1; 7; 3	Iroquois NWR	Watson
black feffi		9	19	Tonawanda WMA	Watson
tt		28	7	Iroquois NWR	Salembier
Common Ni	ahthawk	1 - 31	2	Buffalo	Yoerg, Henderson
"	giitiiawk	30	1	Buffalo	Morgante
Dad baadad	Wanten	12	1		
Red-headed	wupki.		1	Ft. Niagara SP	Lazarczyk, Partridge
11		15	1	Wainfleet (Ont)	Pawlicki, Watson
11		15	2	Wilson	Potter, D'Anna
	,	16	2	Ft. Niagara SP	Pawlicki, Watson
Acadian Flyo	catcher	1 - 7	5	Allegany SP	Hess
"		8	5 (+n)	Portland	Mosher, Morse et al
"		9	1	Villenova	Neveu
"		23	3	Hunters Creek Park	Yoerg, Henderson
Common Ra	ven	1	1	Allegany Indian Res.	Hess
11		4	1	Allegany SP	Hess
**		5	2	Andover	Brooks
**		13; 20	2; 2	Alfred	Brooks
Bank Swallo		19	<u>878</u>	Oak Orchard WMA	Watson
Cliff Swallov	N	18	35 + 39 n	Tonawanda Island	Watson
Ħ		20	123	Tonawanda Island	Lazarczyk
Carolina Wre	en	6; 7	1; 1	Rock Pt. PP (Ont)	Watson, Pawlicki
H		7	1	Pomfret	Mosher
**		13	2	Times Beach NP	Hess
Winter Wren		1 - 7	3	Allegany SP	Hess
11		4; 9; 23	1; 2; 1	Ward	Brooks
11		9	4	Lost Nation SF	Morgante
Swainson's T	Chrush	1 - 7; 8	3; 1	Allegany SP	Hess; Chilton
Hermit Thru	sh	4; 23	1; 1	Ward	Brooks
"		17	1	Villenova	Lazarezyk, Beattie, Dart
Brewster's W	/arbler	7	1	Pomfret	Mosher
Nashville Wa	arbler	1 - 7	1	Allegany SP	Hess
Prairie Warb	ler	1	2	Andover	Brooks
11		8; 16	5; 4	Yorkshire	Yoerg, Henderson
Vesper Sparr	ow	2	1	Newfane	Pawlicki, Salembier
11		5	1	Andover	Brooks
n .		8	2	Ashford	Yoerg
Grasshopper	Sparrow	3; 4; 27	1; 1; 2	Andover	Brooks
u u	Sparro	9	4	Porter	D'Anna
Henslow's S	narrow	2	1	Lancaster	Pawlicki, Salembier
Dickcissel	Pariow	1 - 29	2 - 4	Porter	D'Anna
<u>Dickeissei</u>		16	2 + n	Porter	Watson
11		16			
	ole.		3 + n w. yg	Porter (2 loss)	D'Anna D'Anna Battan
Orchard Orio	Die	1 - 29	1 - 2	Porter (2 locs.)	D'Anna, Potter
		11; 15	1 ad+1 yg	Rock Pt. PP (Ont)	Watson, Pawlicki

<u>Species</u>	July	<u>Number</u>	Location	Observer(s)	
Orchard Oriole	23	1	Rock Pt. PP (Ont)	D'Anna et al	
Species, subspecies, and	253				
Species, subspecies, and	009				
Total for the year 2006:				<u> 262</u>	

Statisticians' Note: If any observer wishes to know the status of their verification report, please contact the Statisticians and we will give them the reasons for our decision. Please mail reports for each month not later than the FIFTH day of the following month to the Compiler: Bruce Chilton 88 Pryor Avenue, Tonawanda, NY 14150; Email: BChi314159@aol.com.

(continued from page 72)

In 2002 and 2003 we captured 33 and 20 NSWOs, respectively. Two years later, one of the 2003 birds was recaptured at Long Point Bird Observatory in Ontario, CA. A Barred Owl was also captured in 2003.

In 2004, 44 NSWOs were captured and strangely, on the evening of October 26, 2004, we recaptured 4 NSWOs previously banded elsewhere, 3 on a single net check and 1 on the following. These owls were initially banded by: (1, 2) Prince Edward Point Bird Observatory in Delhi, Ontario on Oct. 6, 2003 and Oct. 1, 2004, (3) Innis Point Bird Observatory in Ottawa, Ontario on October 12, 2004, and (4) a banding subpermittee to Braddock Bay Bird Observatory banding in Addison, Vermont on Oct. 18, 2004.

In 2005, we lengthened the banding season from Sept. 27 to Nov. 15, ending with 51 NSWOs plus a recapture, previously banded on Sept. 30, 2003 near Earlton, Ontario.

Standard banding protocol is followed: species ID, ageing, sexing by mass (f > m), general health assessed, and other metrics tabulated followed by placement of a leg band. The birds are released unharmed usually after about 20 minutes from capture. Photos may be taken.

Visitors are welcome. Call 585-322-9062 or Email sdjunkin@starband.net. for additional information.

Banding commences at 8 PM and ends near midnight. Peak numbers cluster around the Columbus Day Weekend. We also handled 13 NSWO on the night of Oct. 26, 2004. A nearby owl banding station is operated in Allegany State Park and many others are positioned throughout northern North America.

Lake Erie/Rock Point P.P. Field Trip

by Mike Hamilton

The BOS field trip to Lake Erie and Rock Point Prov. Park was attended by two, Tom O'Donnell and yours truly. We stopped at Rose Hill Rd. (zip), Stonemill Rd. (6 Mute Swans, 1 Great Egret), Prospect Point Rd. South (40+ Least Sandpipers, Killdeer, Semipalmated Plovers, Lesser Yellowlegs, Spotted and Semipalmated Sandpipers) and Morgan's Point (4 Spotted Sandpipers, Caspian Terns).

The conditions at Rock Point were better with numbers of Killdeer, Semipalmated Plovers, Spotted, Least and Semipalmated Sandpipers and two Ruddy Turnstones. Mohawk Island was crowded with Double-crested Cormorants and wheeling Caspian Terns.

The wetlands and marsh just east of the intersection of Canal and Rymer Roads created by Mosaic produced Great Blue Herons and Caspian Terns (6 each). The impoundment across Rymer Rd. to the south, accessible only if the gate is open (permission is granted) produced another 18 Caspian Terns, 5 Lesser Yellowlegs, a Short-billed Dowitcher and a distant unidentifiable peep. Also seen there by Peter Yoerg and Barbara Henderson were a Solitary and Stilt Sandpiper.

Lastly, we checked the turf farms, many of which are in the turf cycle this year, and counted 11 Black-bellied Plovers west of Hutchinson, between Canal Bank and Poth Roads.




Photo from party for departing BOS member Tom Bearss, a Canadian, who is retiring from the Consulate and moving to Vancouver. From left around the table are Sandra Bearss, Tom O'Donnell, Ron Hacker, Tom Bearss, Sue Hacker, Gerry Rising, Sylvia Galas and Mike Galas at the Old Red Mill on Main Street in Clarence.

Buffalo Ornithological Society Buffalo Museum of Science 1020 Humboldt Parkway Buffalo, NY 14211-1293

Return Service Requested

Non. Profit Org.
U.S. Postage
PAID
Buffalo, NY
Permit No. 412

Albert R. Mann Library Acquisitions Division-Serials Cornell University Ithaca, NY 14853-4301



BOS website http://www.bosbirding.org/



Buffalo-Niagara Region Dial-a-Bird: 716-896-1271

September – December Calendar

Sept. 27: BOS Meeting 7:00 PM Buffalo Museum of Science. Emma E. DeLeon: <u>Using Bioacoustic Techniques to Study Avian Migration</u>. She will also present this study at the Fourth North American Ornithological Conference in Veracruz, Mexico on October 3-7 this year.

Sept. 30: Saturday. Eastern Lake Ontario Plains. Full Day Trip - Bring Lunch/Water. Leader: Jim Pawlicki (636-3915). Meet at 7:30 a.m. just beyond the entrance toll (no fee) at Lakeside Beach State Park. We will be searching for fall migrants on the lake, gulls, terns, shorebirds, and jaegers along with passerines in the woodlots and fields along the lakeshore.

Sept. 29, 30, and Oct. 1: The 59th meeting of the New York State Ornithological Association. Morris Conference Center at SUNY Oneonta.

Oct. 8: BOS Annual October Count. Contact Mike Hamilton at 881-6709 or mhsr@wzrd.com. Section 14 compiler needed to replace B. Walker. Oct. 11: BOS Meeting 7:00 PM Buffalo Museum of Science. Michael

Hamilton and Robert DeLeon will present results of the 2005 BOS April and May Counts. Comparisons will be made with previous 70 years of count data.

Oct. 25: BOS Meeting 7:00 PM in the Cummings room of the Buffalo Museum of Science. Jean Iron using her photos will discuss the identification, molts, plumages and aging of the southbound adult and juvenile shorebirds in Ontario, including her two recent shorebird surveys on James Bay with the Ministry of Natural Resources.

Nov. 8: BOS Meeting at 7:00 PM in the Cummings room of the Buffalo Museum of Science.

Dec. 13: Buffalo Ornithological Society Annual Holiday Celebration at 7:00 PM in the Cummings Room of the Buffalo Science Museum. Please bring a treat to share and enjoy an evening of birding friendship. This will be preceded by a business meeting.

The PROTHONOTARY



Published Monthly by the

BUFFALO ORNITHOLOGICAL SOCIETY

Volume 72, No. 9 September, 2006

THE MONTH: August

by Jerry Lazarczyk

August of 2006 was not an unusual August for Buffalo. The month began with a couple of warm humid days then settled into a typical August pattern of warm days punctuated with about seven days of rain. The initial warmth was followed by a cool spell from the 8th to the 13th then near normal conditions except for cool temperatures the last three days. The average temperature was 69.7 degrees Fahrenheit, which was 0.6 degrees over normal. The heaviest rain fell on the 22nd with close to an inch. A good rain also fell on the 2nd and 14th and close to an inch accumulated between the 25th and 29th. The rain total of 3.28 inches was 0.59 inches below normal. However, the rains were frequent enough that the landscape stayed greener than many other years. The average temperature was less than a degree above normal. There was only one day of 90 on the 2nd and twelve days 80 and above, only one day reached 80 after the 18th giving the impression of a cool August. The peak wind speed for the month was 37 mph from the Northwest on the second, a little too early for bringing in migrants. The highest barometric pressure was 30.28 on the 31^{st} .

Arguably the best bird of the month was a Tricolored Heron, possibly the same bird seen on Grand Island earlier in the year. It was first verified by Kayo Roy, then independently by Bill Watson and myself. An extremely unusual second Tricolored Heron, first ever in BOS records, was verified by D'Anna and sporadically seen with the first Tricolored Heron. The first heron was consistently seen feeding in the Niagara River opposite the Dufferin Islands in Niagara Falls, Ontario. There are four other August records of Louisiana Heron in our area, all since 1998.

The Lawrence's Warbler hybrid is an exceptional sight-

77 The Month Jerry Lazarczyk

79 Noteworthy Records
Bruce Chilton

82 BOS Calendar

ing at any time of the year. As there are NO verified BOS records from August, Jim Pawlicki's finding on August 31 in Newstead was very exceptional.

Young of the year Mute Swans were not recorded in BOS records prior to the year 2002 when Willie D'Anna found a Mute Swan sitting on a nest. In 2004, young of the year were reported by D'Anna, Watson and O'Donnell [This was the same nest independently reported by three different people]. This year Watson noted swans with two young. Beardslee & Mitchell doubted Mute Swans bred in western New York prior to 1939, assuming all were introduced birds. For many years thereafter no reports of Mute Swan migrants, much less young of the year, were made until the 1960's. The Department of Environmental Conservation has taken a keen interest in the Mute Swan populations.

Numbers of Double-crested Cormorants exceeding 1000 were not seen in BOS records until Bill Watson in 1996 began religiously counting and recording their ever-growing numbers. Willie D'Anna recorded 6,500 birds in 2002 near Rock Point Provincial Park in Ontario. This year Watson found almost 1,500 in (Lowbanks) Dunnville, Ontario.



The Prothonotary is published monthly by the Buffalo Ornithological Society, Buffalo Museum of Science, Buffalo, NY 14211. Send subscriptions and address changes to the Corresponding Secretary, Karen Landau, S-9195 State Road, Colden, NY 14033. The regular subscription rate is \$20/year. Back issues are available from the Treasurer for \$2/issue.

Please mail correspondence to: Jack Skalicky 178 N. Main Street #55 Salt Lake City, UT 84103-2075 [Email] skalicky@biochem.utah.edu Ed. Consultants: Robert Andrle

Gerry Rising William Watson

Proth. Production: Audrey Horbett Eileen Hull

Society Officers:

President: Thomas O'Donnell V. President: Michael Morgante Treasurer: Gerald Lazarczyk Secretary: Donna DeLeon Statisticians: Robert Andrle Frances Rew Archivist: Audrey Horbett Council: 2004-2006 Bob DeLeon Mike Desha Jim Landau . 2005-2007 Mike Galas Jerry Lazarczyk Gail Seamans 2006-2008 Douglas Beattie Lynne Landon Elizabeth Wells

Prior to 1964, numbers recorded were well below 50.

Unprecedented numbers of the uncommon Stilt Sandpiper in the BOS area were seen in Amherst and verified by Jim Pawlicki as a result of a well thought out weather plan. He noted heavy weather coming from the northwest, and figured the system would ground all migrating birds – shorebirds, he reasoned, would be found near suitable water habitat. This is where he looked after the storm and was well rewarded, observing 55 Stilt Sandpipers, a number that surpassed the previous high of 46.

The Common
Moorhen is an uncommon find in the BOS
area yet Bill Watson
found 10 at the Batavia
Waste Water Treatment
Plant, a total exceeded or
matched only 5 times in
all BOS records. The
BOS seasonal checklist
says the Moorhen is
decreasing. The Com-

mon Moorhen, formerly known as the Florida Gallinule then the Common Gallinule, has experienced its ups and downs in the pre-1964 era. Beardslee and Mitchell report that the bird was more common in the 1932-1952 period than formerly. During the next decade, however, its numbers had declined by at least 50% they opined.

The sighting of a Sandhill Crane is an exceptional event in August with only one other BOS record (that of four adults). In fact there are only 14 records for this species in the BOS database. This August, two adults and a <u>young-of-the-year</u> bird were reported in Haldimand, Ontario possibly representing the first evidence of breeding Sandhill Cranes in the BOS region. Locals claim the cranes have been nesting in this area for at least 3 years previous.

BOS records for Merlin are near absent for June and only a handful exist for July and August. The BOS Seasonal Checklist of the Birds considers the Merlin an exceptional sighting in August. [Merlins have nested in the BOS study area, see Prothonotary vol 71, No's 6-8] However, this year a number of validation reports was accepted for August. Is the Merlin increasing? We will need more than just a single year's findings. Pre-1964 records in Beardslee

& Mitchell give mixed reviews on the Merlin (formerly known as Eastern Pigeon Hawk then Pigeon Hawk) but considered it a rare bird. Incidentally, in Rochester, an article by Jim Fry in the August 18th Rochester Chronicle and Dealer describes a successful Merlin nest there with three fledged young. This after a 60 year absence.

Philadelphia Vireo seen on the 17th predates the next earliest on the 19th by two days. The Philadelphia Vireo is considered rare in the BOS Seasonal Checklist of the Birds yet this sighting at Rock Point Provincial Park is exciting because a new early date has been set. Beardslee & Mitchell (pre-1964) also consider the find an uncommon to rare occurrence, giving the reason for the numerous records in recent years as the increased number of observers in the field rather than to any increase on the part of the species.

A rare for August Long-tailed Duck was reported by Jim Landau and identified independently by Andrle, Rew et al at Rock Point Provincial Park. Interestingly this duck, formerly known as Oldsquaw, when recorded in August is most often reported from Lake Erie, not Lake Ontario or the Niagara River.

Finally, a Western Sandpiper at the Rock Point Provincial Park was found and verified by Jim Pawlicki. Although this species is noteworthy, 103 records of this species are currently present in the BOS database.

I thank Bill Watson for his information, insights, suggestions, criticisms, and admonitions. I want to thank Dave Suggs for being especially responsive to my request for information from the BOS database (1964 to 2005; pre-1964 data is from Beardslee & Mitchell, Birds of the Niagara Region). I would also like to thank Dr. Robert Andrle for his sage advice and patient discussion of matters ornithological.



Inset Right: Nestling Ruby-throated Hummingbirds and nest photographed by David Schultz in Strykersville, Wyoming County, NY in August 2006..

NOTEWORTHY RECORDS

Underlined common names, dates or localities indicate that an acceptable, detailed written verification according to the *Date Guide to Birds of Western New York and Adjacent Ontario* (Seventh Edition - Revised 2001) has been received and placed in the permanent files of the Buffalo Ornithological Society.

A.R. MANN LIBRARY

- * Indicates first record for the year.
- F Indicates first record for the migration.
- L Indicates last record for the migration.
- (f) Indicates record from feeding station. (n) Indicates nest(s). (yg) PDBA Indicates Previously Documented Breeding Area.

		NOV	2 2006
g)]	ndic	ates young,	NY 14653

<u>Species</u>	August	<u>Number</u>	Location	Observer(s)
Mute Swan	13	2 ad, <u>2 yg</u>	Wilson	Watson
Northern Shoveler	15	1	Sinking Ponds	Holmes
11	20	4	Sherbrooke (Ont)	D'Anna et al
Long-tailed Duck	<u>20</u> F; <u>23</u> , <u>28</u>	1; 1	Rock Point PP (Ont)	Landau et al; Yoerg
Common Goldeneye	4	1	Sheridan	Neveu
Common Merganser	4; 20; 29	15; 68; 5	Sheridan	Neveu
"	5	34	Windmill Pt. (Ont)	D'Anna
11	6	30	Niagara Falls (Ont)	Watson
11	12	12	Silver Creek	Neveu
Red-br. Merganser	5	1	Windmill Pt. (Ont)	D'Anna
"	5	8	Morgan's Pt. (Ont)	D'Anna
Ruddy Duck	9	62	Batavia WWTP	Watson
Common Loon	20F	1	Rock Point PP (Ont)	Pawlicki, D'Anna et al
Dcrested Cormorant	20	1490	Dunnville (Ont)	Watson
Great Egret	3; 9	24; 25	Motor I.	Watson
"	4; 8	100; 49	Tonawanda WMA	Watson
	9	22	Batavia WWTP	Watson
11	14	2	West Lincoln (Ont)	Yoerg
11	26	20	Tifft NP	Morgante
Tricolored Heron	6, 29	1	Niagara Falls (Ont)	Roy, Watson, Lazarczyk,
"	20	2	Niagara Falls (Ont)	D'Anna et al
Black-cr. Night-Heron	26	22	Tifft NP	Morgante
Osprey	8	2	Tonawanda WMA	Watson
"	13	1	Wilson	Watson
	26	1	Rock Point PP (Ont)	Pawlicki
Bald Eagle	4 - 29	8 max (juv)	Sheridan	Neveu
"	20	2 imm	Dunnville (Ont)	Andrle et al
**	20	1 ad,1 imm	Allegany SP	Baird
н	20	1 imm	Woodlawn Beach SP	Morgante
11	31	2	Iroquois NWR	Pawlicki
Red-shouldered Hawk	6	1	Allegany SP	Baird
"	9	1	Marilla	Holmes
Broad-winged Hawk	9	2	Alfred	Brooks
"	10	1	Wilson	D'Anna
Merlin	<u>5</u>	3	UB south campus	Yoerg
"	<u>2</u> <u>18</u>	1	Porter	D'Anna
**	<u>18</u> <u>19</u>	1	Dunnville (Ont)	Yoerg
**	<u>15</u> <u>23</u>	1	Haldimand (Ont)	Yoerg
**	<u>23</u> <u>27</u>	1	Wilson	D'Anna
Sandhill Crana	23	2 ad, 1 juv	Haldimand (Ont)	Yoerg
Sandhill Crane Black-bellied Plover	5; 20	1; 12	Dunnville (Ont)	D'Anna; Andrle et al
Black-bellied Plover	5, 20	8	Moulton (Ont)	D'Anna et al
"	3 14 - 23	108	Dunnville (Ont)	Yoerg
	14 - 23	100	Dumivine (Ont)	10016

<u>Species</u>	August	Number	Location	Observer(s)
н	17	72	Wainfleet (Ont)	Watson, Pawlicki
* Amer. Golden-Plover	19F;28;30	2; 9; 3	Clarence	Yoerg
"	20	1	Moulton (Ont)	Pawlicki, D'Anna et al
17	27	2	Wilson	D'Anna, Potter
11	31	1	Clarence	Pawlicki
Semipalmated Plover	26; 30	8; 8	Tifft NP	Morgante; Andrle
Greater Yellowlegs	4	1	Tonawanda WMA	Watson
"	26	1	Tifft NP	Morgante
Lesser Yellowlegs	14	52	Amherst	Pawlicki
11	17	47	Port Colborne (Ont)	Watson, Pawlicki
**	26	5	Tifft NP	Morgante
Upland Sandpiper	5	1	Moulton (Ont)	D'Anna
Ruddy Turnstone	14 - 28; 17	5; 2	Rock Point PP (Ont)	Yoerg; Watson Pawlicki
* Red Knot	17F; 26	1; 1	Rock Point PP (Ont)	Watson, Pawlicki
"	20	1, 1	Pinecrest Pt. (Ont)	D'Anna et al
Sanderling	5	2	Woodlawn Beach SP	Morgante
•	20	33	Long Beach CA (Ont)	Watson
Semipalm. Sandpiper * Western Sandpiper		1 ad	Rock Point PP (Ont)	
western bundpiper	23F;26;28	44	· · · · · · · · · · · · · · · · · · ·	Yoerg; Pawlicki; Yoerg
Least Sandpiper	20		Long Beach CA (Ont)	Watson
White-r. Sandpiper	23F; 28	1; 1	Long Beach CA (Ont)	Yoerg
"	26	1	Long Beach CA(Ont)	D'Anna, Potter
	28	2	Wainfleet (Ont)	Yoerg
* Baird's Sandpiper	17F; 28	2; 1	Rock Point PP (Ont)	Watson, Pawlicki; Yoerg
	17F	3	Dunnville (Ont)	Watson, Pawlicki
	20; 26	1; 2	Pinecrest Pt. (Ont)	D'Anna et al
**	28	1	Long Beach CA (Ont)	Yoerg
Pectoral Sandpiper	17	1	Dunnville (Ont)	Watson, Pawlicki
· ·	20	. 3.	Long Beach CA (Ont)	Watson " ' ' ' ' ' ' ' '
Stilt Sandpiper	14	<u>55</u>	Amherst	Pawlicki,Rising,Watson
**	17	1	Dunnville (Ont)	Pawlicki, Watson
11	19; 23	3; 4	Long Beach CA (Ont)	Yoerg
11	28	1	Rock Point PP (Ont)	Yoerg
11	28	4	Dunnville (Ont)	Yoerg
Short-b. Dowitcher	13F	1	Amherst	Pawlicki
11	16;17; 20	1; 1; 10	Rock Point PP (Ont)	Pawlicki, Watson; Watson
11	17; 20	10; 12	Dunnville (Ont)	Watson, Pawlicki
Red-necked Phalarope	20	1	Pt. Abino (Ont)	Wells
Bonaparte's Gull	26	23 juv	Rock Point PP (Ont)	Pawlicki
Caspian Tern	17	47	Dunnville (Ont)	Watson
Common Tern	6	102	Niagara Falls (Ont)	Watson
Forster's Tern	20	1	Pinecrest Pt. (Ont)	D'Anna et al
**	25	1	Wilson	Pawlicki
**	26	1	Rock Point PP (Ont)	D'Anna, Potter
Black Tern	27	3	Alexander	Dart, Beattie
Common Nighthawk	18	2	Orchard Park	Morgante
"	25	30	Buffalo	Yoerg
**	26	20	Clarence	Morgante
* Whip-poor-will	6F; 19	2; 2	Wainfleet (Ont)	
Red-headed Wdpkr.	5	1	Crescent Beach (Ont)	Watson, Pawlicki; Yoerg D'Anna
red-neaded wapki.	12	1		
Vellow h. Elyantahan		1	Fort Niagara SP	Lazarczyk, Partridge
Yellow-b. Flycatcher	13F	1	Almond	Pawlicki
11	15; 26	1; 1	Tifft NP	Watson, Pawlicki; Morgante
	30	1	Amherst SP	Yoerg
Acadian Flycatcher	5	2	Stockton	Pawlicki

<u>Species</u>	August	Number	Location	Observer(s)
н	6L	1	Allegany SP	Baird
Philadelphia Vireo	<u>17F</u>	1	Rock Point PP (Ont)	Pawlicki, Watson
"	20	1	Rock Point PP (Ont)	Pawlicki, D'Anna et al
Common Raven	8; 17; 30	2; 2; 2	Alfred	Brooks
11	13	2	Caneadea	Pawlicki
11	13	1	Salamanca	Baird
11	20	2	Allegany SP	Baird
Carolina Wren	1	1	Times Beach NP	Watson et al
11	2	1	Alfred	Brooks
**	17	2	Rock Point PP (Ont)	Watson, Pawlicki
Winter Wren	6	1	Allegany SP	Baird
11	13; 20	1; 1	Ward	Brooks
Blgr. Gnatcatcher	17	1, 1	Rock Point PP (Ont)	
"	20	3	` '	Watson, Pawlicki
11	27		Long Beach CA Alexander	Watson
11	30	2		Dart, Beattie
* Lawrence's Warbler	31	1	Times Beach NP	Andrle
Tennessee Warbler	20F	1	Newstead	Pawlicki
"	23	1	Rock Point PP (Ont)	Potter et al
Nashville Warbler		1. 1	Eden	Andrle
	17F; 20	1; 1	Rock Point PP (Ont)	Potter et al; Watson et al
Chestnut-s. Warbler	23F	I	Wilson	Potter, D'Anna
M1'- 337 -1 1	26	l	Woodlawn Beach SP	Morgante
Magnolia Warbler	17F	I	Rock Point PP (Ont)	Watson, Pawlicki
**	26	8	Woodlawn Beach SP	Morgante
	26	8	Tifft NP	Morgante
Cape May Warbler	17F; 20	5; 4	Rock Point PP (Ont)	Watson et al;D'Anna et al
	21	l	Wilson	Potter
Blthr. Blue Warbler	20F	1,	Long Beach CA (Ont) ···	Yoerg
Yellow-r. Warbler	17F; 20	1; 3	Rock Point PP (Ont)	Watson et al;D'Anna et al
Blackburnian Warbler	17F; 20	2; 2	Rock Point PP (Ont)	Watson et al; Potter et al
	26	1	Tifft NP	Morgante
Prairie Warbler	12	1	Caneadea	Pawlicki
Bay-breasted Warbler	23F	1	Wilson	Potter
"	29; 30	1; 1	Times Beach NP	Andrle
Blackpoll Warbler	29F	1	Times Beach NP	Andrle
Black-and-white Warbler	17F; 20	3; 1	Rock Point PP (Ont)	Watson et al; Potter et al
Ovenbird	24F	1	Wilson	Potter
11	26	1	Tifft NP	Morgante
Northern Waterthrush	17F	1	Rock Point PP (Ont)	Watson, Pawlicki
"	21	1	Wilson	Potter
Connecticut Warbler	29F	1	Tifft NP	Andrle
Mourning Warbler	21	1	Wilson	Potter
11	. 26	1	Tifft NP	Morgante
Wilson's Warbler	17F	1	Rock Point PP (Ont)	Watson, Pawlicki
"	21	2	Wilson	Potter, D'Anna
Canada Warbler	15F	1	Tifft NP	Watson, Pawlicki
11	17; 20	2; 1	Rock Point PP (Ont)	Watson et al;D'Anna et al
Scarlet Tanager	26F	1	Tifft NP	Morgante
Grasshopper Sparrow	2	2	Andover	Brooks
Species subspecies and but				262

Species, subspecies, and hybrids previously recorded this year:262Species, subspecies, and hybrids recorded for this month:006Total for the year 2006:268


Statisticians' Note: If any observer wishes to know the status of their verification report, please contact the Statisticians and we will give them the reasons for our decision. Please mail reports for each month not later than the FIFTH day of the following month to the Compiler: Bruce Chilton 88 Pryor Avenue, Tonawanda, NY 14150; Email: BChi314159@aol.com.

Buffalo Ornithological Society Buffalo Museum of Science 1020 Humboldt Parkway Buffalo, NY 14211-1293

Return Service Requested

Non. Profit Org.
U.S. Postage
PAID
Buffalo, NY
Permit No. 412

Albert R. Mann Library Acquisitions Division-Serials Cornell University Ithaca, NY 14853-4301



4853+0001 COSA

as my superior s can be considered as

BOS website http://www.bosbirding.org/



Buffalo-Niagara Region Dial-a-Bird: 716-896-1271

October - December Calendar

Oct. 25: BOS Meeting 7 PM in the Gummings room of the Buffalo Museum of Science. Jean Iron will discuss identification, molts, plumages and aging of adult and juvenile shorebirds in Ontario, including her two recent shorebird surveys on James Bay with the Ministry of Natural Resources.

Oct. 28: Saturday not Sunday. Lake Ontario Plain Field Trip for fall migrants. Leader: Willie D'Anna (751-3637/dannapotter@wzrd.com). Meet 8 AM at Tops Market in Wright's Corners. This is on the east side of Route 78 at Route 104

Nov. 8: BOS Meeting at 7 PM in the Cummings room of the Buffalo Museum of Science.

Nov. 15: Scott Weidensaul at 7 PM at Jamestown High School Auditorium – 350 E. 2nd St. Jamestown, NY For more information contact Jim Berry at 800-758-6841 extension 225 (jberry@rtpi.org) \$7 – Members \$5

Nov. 20: Sunday. Niagara River with Rochester GOS for gulls and waterfowl. Meet 9 AM at Fort Niagara State Park in the parking lot just outside the old fort. Bring at least two forms of ID including photo ID and proof of citizenship – birth certificate, passport, or voter registration card. Leaders: BOS Mike Hamilton (881-6709 or mhsr@wzrd.com) and GOS Bob Spahn (585-671-5690 or RSPAHN@prodigy.net).

Dec. 13: Buffalo Ornithological Society Annual Holiday Celebration at 7 PM in the Cummings Room of the Buffalo Science Museum. Please bring a treat to share and enjoy an evening of birding friendship. This will be preceded by a business meeting.

The PROTHONOTARY



Published Monthly by the

BUFFALO ORNITHOLOGICAL SOCIETY

Volume 72, No. 10 October, 2006

THE MONTH: September

Tim Baird

Summer's turn to autumn should not be abrupt. I am of the opinion that September should let us down gently. September 2006 paid no attention to my wishes. The month started wet from Topical Storm Ernesto's remnants and ended wet with wet in between.

The National Weather Service characterized September 2006 as "a wet and unsettled month for western New York". September claimed fame as Buffalo's first cooler than normal month in 2006. The average 60.5 °F temperature was one degree below normal for September, and it was only the second month in the past 16 months that has averaged cooler than normal.

September also pushed the envelope for cloudy and wet. Buffalo received at least some rainfall on 17 September days. The month's total of 6.95 inches of rain was nearly double the norm of 3.11 inches, and it ranks fourth all-time on the list of wettest Septembers. September's cloud cover ranks even higher, tying for third place as the cloudiest September in 100 years with only 37% of the possible sunshine.

Streams ran high for the month and soils were "unusually wet" according to the National Weather Service. A relatively even distribution of rain during the month reduced the threat of flooding. September's consistently high streams and reservoirs eliminated what little stop over habitat is available to shorebirds in the southern tier. Exposed streamside gravel beds and open mudflats were basically nonexistent.

Lake Erie fell to 62 °F, one degree below normal for the end of September. September's winds were light to moderate. I whole heartedly agree with the National Weather Ser-

 vice summary of
September's weather,
"...an unsettled and
somewhat disappointing
end to a fine summer". I
might note here that
knowing what October
would bring to Buffalo

and its suburbs puts September's weather into a category of minor inconvenience, and my complaining about it a bit embarrassing.

Regardless of its weather idiosyncrasies, September is always a transition month for birds in the northeast and as such brings excitement to those who follow the changes.

Larzarczyk's verification report of Mute Swans in Wilson on the 23rd, indicates that 6 of the 8 swans present were in immature plumage. One might conjecture that this was a family group, and if so, it illustrates how prolific this troublesome exotic species can be. The Batavia Waste









Clockwise - from lower Left; (1) Red-necked Phalarope photographed by Mike Zebehazy at the Batavia WWTP on the 27th, (2) Ovenbird photographed by Tim Baird at Allegany SP on the 27th, (3) Common Nighthawk photographed by Kayo Roy at Port Colborne, Ont. on the 4th and (4) Snowy Egret photographed by Willie D'Anna at Tifft NP on the 6th.

The Prothonotary is published monthly by the Buffalo Ornithological Society, Buffalo Museum of Science, Buffalo, NY 14211. Send subscriptions and address changes to the Corresponding Secretary, Karen Landau, S-9195 State Road, Colden, NY 14033. The regular subscription rate is \$20/year. Back issues are available from the Treasurer for \$2/issue.

Please mail correspondence to: Jack Skalicky 178 N. Main Street #55 Salt Lake City, UT 84103-2075 [Email] skalicky@biochem.utah.edu Ed. Consultants: Robert Andrle

> Gerry Rising William Watson

Proth. Production: Audrey Horbett Eileen Hull

Society Officers:

2006-2008

President: Thomas O'Donnell V. President: Michael Morgante Treasurer: Gerald Lazarczyk Secretary: Donna DeLeon Statisticians: Robert Andrle Frances Rew Archivist: Audrey Horbett Council: 2004-2006 Bob DeLeon Mike Desha Jim Landau 2005-2007 Mike Galas Jerry Lazarczyk

Gail Seamans

Douglas Beattie

Lynne Landon

Elizabeth Wells

Water Treatment Plant continued its ability to connect birders with birds. Ruddy Ducks topped out at 269 seen there on the 28th (Morgante, Watson, *et. al*). Eared Grebes have become a specialty of the treatment plant, and were reported on several dates spanning the month, with a maximum of 3 on the 3rd (Morgante).

The Double-crested Cormorant in recent years has become regular, but not very numerous on the plateau to the south. The same cannot be said about the Great Lakes and their adjacent lowlands. Over 1000 of this species were present at Grand Island on September 14th (Larzarczyk). Another species continuing to increase in the Buffalo area is the Great Egret typified by Watson's report of 39 at Strawberry Island on September 8. Watson and Pawlicki found a single Snowy Egret at Tifft Nature Preserve on September 2nd, the first

of four dates with the latest reported on the 10th (Galas). Generally reported in the company of a Great Egret, observers could easily compare the size difference between the two egret species. Perhaps the same bird moved to Times Beach Nature Preserve where one Snowy Egret was reported on the 16th and 19th (Andrle, Salembier, D'Anna).

Like the post-breeding herons, our birds of prey are on the move during September. Reports of single Ospreys are scattered throughout the month, and several observers reported Bald Eagles with an impressive maximum of 11 at Saint Columbans, along Lake Erie in the Town of Sheridan, on the 4th seen by Neveu. Neveu noted 8 juvenal Bald Eagles and one adult at the same location on the 20th stating, "All nine eagles were aloft at the same time, riding the strong westerly winds. Quite a spectacle." Merlins continue their presence in western New York and adjacent Canada with Yoerg reporting a maximum of 3 on the 29th at University of Buffalo's south campus. A species on the rebound, one Peregrine Falcon was present at Iroquois National Wildlife Refuge on the 23rd (Pawlicki).

Another species apparently on the increase in the east, a single Sandhill Crane was observed flying over Iroquois National Wildlife Refuge by Pawlicki on September 23rd. Reports for plovers and sandpipers totaled 20 species for the month. D'Anna's verification report for the Long-billed Dowitcher (D'Anna *et al*) found at Lakeside Beach State Park illustrates the importance of the species' voice as a characteristic used to distinguish it from the similar Short-billed Dowitcher. The only phalarope reported was a Rednecked Phalarope seen and photographed at the Batavia Waste Water Treatment Plant by Zebehazy on September 27th.

An adult and a juvenal Parasitic Jaeger and possibly additional birds of this species occurred at Athol Springs on September 24th (Yoerg and Henderson). A single Laughing Gull was observed by several people (Yoerg, Watson *et al*) on the 17th at Fort Erie and hints at the excitement that is gull season on the Niagara Frontier.

DeFrancisco's report of 46 Common Nighthawks over Falconer on September 6th is an encouraging observation of this declining species. Roberson's count of 70 Chimney Swifts over Goat Island on the September 30th shows the difference in fall occurrence of this species in the vicinity of the Great Lakes compared with the interior southern counties where Chimney Swifts are rarely recorded after late August. Ruby-throated Hummingbirds lingered into late September with DeFrancisco reporting 3 at Carroll on the 25th and Salembier finding one in Williamsville on the 26th.

Our passerines are on the move this month, particularly those dependent on summer's waning abundance of invertebrates. Olive-sided Flycatchers generally pass through our area in late spring and late summer, two observed by Galas and Rising at Tifft Nature Preserve on the 10th are the first reported for 2006. Pawlicki observed a White-eyed Vireo in Amherst on the 21st. His description included a reference to the vireo's "pale gray" iris indicating this was a first fall bird. There were several reports of single Philadel phia Vireos, the latest on the 26th at Amherst State Park (Salembier).

September is a good thrush month. A few Gray-cheeked Thrushes were observed including Hess' report of four on the 26th in Tonawanda. Yoerg reported hearing about 50 Gray-cheeked Thrushes migrating at night throughout the month. Morgante counted more than 30 Swainson's Thrushes in the half hour before dawn of September 16th in Orchard Park. Pawlicki noted 1209 American Robins "over" Amherst as the month neared its end on the 29th. Robins may have left our lawns, but large numbers continue to occupy our region as they now take advantage of the abundant wild fruits. I would speculate that autumn may bring the region its highest yearly population of American Robins as northern birds swell the ranks.

(continued on page 89)
A.R. MANN LIBRARY
DEC 6 2000

NOTEWORTHY RECORDS

Underlined common names, dates or localities indicate that an acceptable, detailed written verification according to the *Date Guide to Birds of Western New York and Adjacent Ontario* (Seventh Edition - Revised 2001) has been received and placed in the permanent files of the Buffalo Ornithological Society.

- * Indicates first record for the year.
- F Indicates first record for the migration.
- L Indicates last record for the migration.
- (f) Indicates record from feeding station. (n) Indicates nest(s). (yg) Indicates young.
- PDBA Indicates Previously Documented Breeding Area.

Species	September	Number	Location	Observer(s)
Mute Swan	7; 23	2 ad, <u>6 imm</u>	Wilson	Lazarczyk; Watson, Pawlicki,
11	30	3	Lakeside Beach SP	Watson et al (BOS)
Wood Duck	2	62	Alexander	Beattie
Northern Shoveler	3; 10	40; 178	Batavia WWTP	Morgante; Watson
Ring-necked Duck	26F	13	Attica	Dart, Beattie
Greater Scaup	26F	3	Attica	Dart, Beattie
11	29	3	Wilson	D'Anna
Lesser Scaup	30F	7	Lakeside Beach SP	Watson et al (BOS)
White-winged Scoter	15F; 29	1; 104	Wilson	D'Anna
11	30	12	Lakeside Beach SP	Watson, Pawlicki
Long-tailed Duck	<u>4</u>	1	Rock Point PP (Ont)	Yoerg, Henderson
Common Merganser	4 - 27	23 - 108	Sheridan	Neveu
11	8	200	Sheridan	Lazarczyk
Ruddy Duck	3;10;28	58;90;269	Batavia WWTP	Morgante, Watson et al
11	29	19	Dayton	Neveu
Common Loon	10	9	Wilson	D'Anna, Ewald
11	12	2	Dayton	Neveu
11	30	18	Lakeside Beach SP	Watson, Pawlicki (BOS)
Pied-billed Grebe	17	37	Port Colborne (Ont)	D'Anna et al
Horned Grebe	23F	1	Wilson	D'Anna
11	26	4	Attica	Dart, Beattie
Red-necked Grebe	<u>10F</u>	3	Wilson	D'Anna, Ewald
Eared Grebe	3; 10	3; 1	Batavia WWTP	Morgante; Watson
11	28	2	Batavia WWTP	Zebehazy, Watson et al
Dcrested Cormorant	5	225	Buffalo Harbor	Andrle
11	12	545	Buckhorn I. SP	Watson
11	14; 23	1000; 800	Grand I.	Lazarczyk
Great Egret	3; 28	6; 6	Batavia WWTP	Morgante; Watson
11	4	1	Dunnville (Ont)	Yoerg, Henderson
11	5 - 17	6; 2; 3	Times Beach NP	Andrle, Morgante et al
11	7 - 24	1 - 2	Tonawanda	Hess
**	8	39	Strawberry I.	Watson
"	14	4	Alexander	Dart, Beattie
"	14	3	Amherst	Pawlicki
Snowy Egret	2; 6; 10	1; 1; 1	Tifft NP	Pawlicki, Watson; K. Landau;
				D'Anna, Galas, Salembier
H .	16; 19	1	Times Beach NP	Andrle. Salembier; D'Anna
Black-cr. Night-Heron	2	12	Tifft NP	Watson
11	7	3	South Park (Bflo)	Rew
Osprey	3	1	Batavia	Morgante
H	3	1	Hanover	Neveu
11	4; 17	1; 1	Sheridan	Neveu
u .	4; 25	1; 1	Dunkirk Harbor	Neveu

<u>Species</u>	September	Number	Location	Observer(s)
11	5	1	Buffalo	Watson
11	16; 21	1; 1	Times Beach NP	Andrle
11	23	1	Salamanca	Baird
Bald Eagle	3	1	Tifft NP	Salembier
n	3; 22	1 ad; 2 juv	Hanover	Neveu
	3 - 25	1 - 2 juv	Dunkirk Harbor	Neveu
11 8	3 - 27	6 juv max	Silver Creek	Neveu
11	7 - 30	10 juv, 1 ad max		Neveu
11	16	1 imm	Times Beach NP	Andrle
II	17	2 ad	Westfield	DeFrancisco
11	25	1	Porter	D'Anna
Northern Harrier	24	2	Bethany	Dart, Beattie
			Orchard Park	Morgante Morgante
Broad-winged Hawk	1; 10	1; 1	Carroll	DeFrancisco
	25	4		
Merlin	4	1	Rock Point PP (Ont)	Yoerg, Henderson
11	15; 29	3 max	UB south campus	Yoerg
	17	1	Moulton Twp. (Ont)	Pawlicki, D'Anna, Potter
11	17	1	Morgan's Pt. (Ont)	D'Anna
	17	1	Tifft NP	Yoerg, Henderson
Peregrine Falcon	23	1	Iroquois NWR	Pawlicki et al
Sandhill Crane	23	1	Iroquois NWR	Pawlicki et al
Black-bellied Plover	17	6	Woodlawn Beach SP	Yoerg, Henderson
11	24	2	Yates	D'Anna, Pawlicki
"	28	2	Batavia WWTP	Watson
Amer. Golden-Plover	3	1	Clarence	Pawlicki
11	17	1	Woodlawn Beach SP	Yoerg, Henderson
Semipalmated Plover	6; 18; 27	2; 1; 1	Sheridan	Neveu
	9	9	Tifft NP	Watson, Bogacki (BOS)
**	11; 25	1; 1	Dunkirk Harbor	Neveu
Solitary Sandpiper	24	1 .	Lakeside Beach SP	D'Anna, Pawlicki
п	29	1	Hanover	Neveu
Sanderling	17	54	Rock Point PP (Ont)	D'Anna, Pawlicki
White-r. Sandpiper	4	4	Fort Erie (Ont)	Yoerg, Henderson
0	17	2	Port Colborne (Ont)	Pawlicki, D'Anna, Potter
n	17	2	Long Beach (Ont)	D'Anna et al
Baird's Sandpiper	17	2	Grabell Pt. (Ont)	Pawlicki, D'Anna, Potter
Pectoral Sandpiper	24	24	Wilson	Pawlicki
Dunlin	28F	1	Batavia WWTP	Watson, Schlacter
Stilt Sandpiper	4	5	Dunnville (Ont)	Yoerg, Henderson
n	4; 5	4; 4	Clarence	Pawlicki, Connare
11	17	1	Fort Erie (Ont)	Yoerg, Henderson
Short-billed Dowitcher	3; 9	1; 2	Tifft NP	Salembier; Watson et al
Long-billed Dowitcher	30	1	Lakeside Beach SP	D'Anna et al (BOS)
Wilson's Snipe	26	2	Amherst	Pawlicki
Red-necked Phalarope	27	1	Batavia WWTP	Zebehazy, Lewandowski
Parasitic Jaeger	24	l ad, 1 juv	Athol Springs	Yoerg, Henderson
	17	1 au, 1 juv		_
Laughing Gull Reparerte's Gull	8	300	Fort Erie (Ont) Goat I.	Yoerg, Watson Pawlicki
Bonaparte's Gull			Woodlawn Beach SP	
Lassan Dl. bash d.C. II	16	198		Watson
Lesser Blbacked Gull	10F	1 0	Hamburg Town Park	Rew
Caspian Tern	3 - 16	1 - 8	Several WNY locations	Several observers
	10	15	Hamburg Town Park	Rew
Forster's Term	2	2 1	Hamburg Town Park	Andrle
	6; 7	2; 1	Silver Creek	Neveu

<u>Species</u>	September	Number	Location	Observer(s)
11	30	2	Pt. Breeze	Pawlicki et al (BOS)
Common Nighthawk	4 - 17	2 - 13	Several locations(WNY&On	· · · · · · · · · · · · · · · · · · ·
11	8	46	Falconer	DeFrancisco
Chimney Swift	16	30	Buffalo	Morgante
"	30	70	Goat I.	Roberson
Ruby-t. Hummingbird	25	3	Carroll	DeFrancisco
11	26L	1	Williamsville	Salembier
Red-headed Wdpkr.	3	3	Lakeside Cem. (Hamburg)	Rew
**	9	3	Fort Niagara SP	Pawlicki
11	16; 27	1; 1	Beaver I. SP	Sharon
"	24	1	Lakeside Beach SP	Pawlicki, D'Anna
11	30	3	Lakeside Beach SP	Pawlicki et al (BOS)
Yellow-b. Sapsucker	2 - 30	1 - 2	Several WNY locations	Several observers
Olive-s. Flycatcher	10	2	Tifft NP	Galas, Rising
Eastern Wood-Pewee	16	2	Times Beach NP	Morgante
11	28	1	Bethany	Beattie
Yellow-b. Flycatcher	4	1	Williamsville	Salembier
11	4	1	Rock Point PP	Yoerg, Henderson
11	11	1	Eden Valley	Andrle
11	21L	1	Allegany SP	Baird
Least Flycatcher	16	1	Times Beach NP	Morgante
"	26L	3	Amherst SP	Salembier
Gr. Cr. Flycatcher	10	1	Amherst SP	Salembier
"	14L	1	Amherst	Pawlicki
Eastern Kingbird	3	2	Batavia WWTP	Morgante
"	16L	2	Tifft NP	Pawlicki, Salembier
White-eyed Vireo	<u>21</u>	1	Amherst	Pawlicki
Yellow-thr. Vireo	16	1	New Albion	Watson
n	26L	1	Amherst SP	Salembier, Mitchell
Blue-headed Vireo	17F; 30	1; 1	Sheridan	Neveu
0	29	1	Hanover	Neveu
Warbling Vireo	16	1	Times Beach NP	Morgante
"	<u>29L</u>	1	Amherst SP	Salembier
Philadelphia Vireo	${2}$	1	Tifft NP	Watson, Pawlicki
"	7	1	Wilson	Watson
**	16	1	Leon	Watson
**	16; 22	1; 1	Wilson	Potter, D'Anna
"	17; 21	1; 1	Goat I.	Roberson
"	19	1	Pomfret	Mosher
"	21	1	Amherst	Pawlicki
"	26	1	Amherst SP	Salembier
Common Raven	21;23;27	1; 1; 2	Allegany SP	Baird
Tree Swallow	3	400	Batavia WWTP	Morgante
Bank Swallow	2L	150	Alexander	Dart, Beattie
Cliff Swallow	3L	1	Batavia WWTP	Morgante
Carolina Wren	5 - 30	1 - 2	Several WNY locations	Several observers
"	16	8	Times Beach NP	Salembier
Winter Wren	6F	1	Wilson	D'Anna, Potter
willer wien	6; 21	1; 1	Allegany SP	Baird
11	16 - 30	1 - 3	Several WNY locations	Several observers
Golden-cr. Kinglet	12F; 23	1; 1	Wilson	Potter; Watson
	9F	1	Wilson-Tuscarora SP	D'Anna, Potter
Ruby-cr. Kinglet	9F	1	Tifft NP	Watson, Bogacki (BOS)
"	10	1	Bethany	Beattie Beattie
	10	1	Demany	Doutto

<u>Species</u>	September	Number	Location	Observer(s)
Blgr. Gnatcatcher	16L	3	Times Beach NP	Salembier
Veery	16L	1	Wilson	D'Anna, Potter
0	16L	2	Orchard Park	Morgante
Gray-cheeked Thrush	5 - 26	1 - 4	Tonawanda	Hess
"	16	2	Wilson	D'Anna, Potter
11	16	1	Orchard Park	Morgante
Swainson's Thrush	3	1	Salamanca	Baird
11	5F; 16	2; 5	Times Beach NP	Andrle; Andrle, Morgante
н	9 - 30	1 - 2	Several WNY locations	Several observers
11	16		nts) Orchard Park	Morgante
Hermit Thrush	26F	1	Wilson	D'Anna, Potter
American Robin	29	1209	Amherst	Pawlicki
	26	1209	Amherst	Pawlicki
Northern Mockingbird		12		D'Anna et al
American Pipit	17F	12	Port Colborne (Ont)	
	30	3	Lakeside Beach SP	Watson et al (BOS)
Blue-winged Warbler	8F	1	Goat I.	Pawlicki
	9	l	Goat I.	Roberson
11	15L	1	Tifft NP	Sharon
Brewster's Warbler	11	1	Amherst SP	Salembier
Tennessee Warbler	6F;21;23	1; 3; 1	Allegany SP	Baird
**	7	2	Wilson	Pawlicki, Watson
"	16 - 29	1 - 2	Several WNY locations	Several observers
Orange-cr. Warbler	15F	1	Goat I.	Roberson
**	15F	1	Amherst	Pawlicki
11	24; 30	2; 2	Bethany	Beattie
**	26	1	Amherst SP	Salembier
Nashville Warbler	3; 9	7; 3	Tifft NP	Salembier; Watson et al (BOS
ti .	30	1	Goat I.	Roberson
Northern Parula	5F	1	Times Beach NP	Andrle
п	7	1 .	Porter	Watson, Pawlicki
11	9 - 23	1 - 3	Several WNY locations	Several observers
**	29	2	Hanover	Neveu
Yellow Warbler	23L	1	Tifft NP	Salembier
Chestnut-s. Warbler	21; 25	1; 1	Goat I.	Roberson
Cape May Warbler	17	1	Pomfret	Mosher
"	29	1	Wilson	Potter, D'Anna
Blthr. Blue Warbler	2	1	Tifft NP	Watson
mtin. Dide wardler	9	2		
Yellow-r. Warbler			Goat I.	Roberson
	30	275	Goat I.	Roberson
Blthr. Green Warb	16	1	Buffalo River	Morgante
**	16	l 5 1	Times Beach NP	Morgante
•	17; 27	5; 1	Goat I.	Roberson
Blackburnian Warbler	30	1	Silver Creek	Neveu
Pine Warbler	3F	1	Goat I.	Roberson
11	7	3	Wilson	Watson, Pawlicki
"	23	1	Allegany SP	Baird (Catt. Co. BC)
Palm Warbler	9F	4	Times Beach NP	Salembier, Watson et al
tt	16	2	Buffalo River	Morgante
11	16	3	Times Beach NP	Morgante
Bay-breasted Warbler	4	3	Goat I.	Roberson
11	28	1	Williamsville	Salembier
Dlooling II Worldon	5	1	Times Beach NP	Andrle
Blackpoll Warbler	3	1	Times Deach 141	ATIGITE
blackpoil warbier	25	1	Pomfret	Mosher

<u>Species</u>	September	Number	Location	Observer(s)
11	10	2	Orchard Park	Morgante
tt	21	1	Goat I.	Roberson
Ovenbird	27	1	Allegany SP	Baird
Northern Waterthrush	7; 9	1; 1	Wilson	Watson; Potter
Connecticut Warbler	10	1	Times Beach NP	Andrle
**	18	1	Beaver I. SP	Sharon
Hooded Warbler	3	2	Tifft NP	Salembier
**	21	1	Wilson	Potter
Ħ	21; 27L	1; 1	Allegany SP	Baird
Wilson's Warbler	9	1	Tifft NP	Watson, Bogacki (BOS)
ŧŧ	9; 10	1; 1	Goat I.	Roberson
**	22	1	Amherst SP	Salembier
Canada Warbler	6	2	Amherst SP	Salembier
Scarlet Tanager	16	1	Leon	Watson
H	26	1	Amherst SP	Salembier
Amer. Tree Sparrow	<u>26F</u>	1	Amherst SP	Salembier
Vesper Sparrow	4	1	Clarence	Pawlicki
Lincoln's Sparrow	9F	1	Tifft NP	Salembier
11	10 - 26	1 - 3	Several WNY locations	Several observers
11	30	1	Pomfret	Mosher
**	30	1	Pt. Breeze	Pawlicki et al (BOS)
White-thr. Sparrow	9F	1	Tifft NP	Watson, Bogacki (BOS)
11	25	4	Goat I.	Roberson
White-cr. Sparrow	26F	1	Wilson	D'Anna, Potter
H	30	10	Lakeside Beach SP	Watson, Pawlicki (BOS)
Ħ	30	2	Sheridan	Neveu
"	30	1	Carlton	Pawlicki
Rose-br. Grosbeak	5	2	Times Beach NP	Andrle
Indigo Bunting	27	3	Allegany SP	Baird
11	29	1	Amherst SP	Salembier
Baltimore Oriole	8	1	Goat I.	Pawlicki
11	9L	1	Tifft NP	Watson, Bogacki (BOS)

Species, subspecies, and hybrids previously recorded this year:

Species, subspecies, and hybrids recorded for this month:

Odd

Total for the year 2006:

268

272

Statisticians' Note: If any observer wishes to know the status of their verification report, please contact the Statisticians and we will give them the reasons for our decision. Please mail reports for each month not later than the FIFTH day of the following month to the Compiler: Bruce Chilton 88 Pryor Avenue, Tonawanda, NY 14150; Email: BChi314159@aol.com.

(continued from page 84)

As a group, wood warblers transition from common to uncommon as September passes. Reports of one of the later migrant species, the Orange-crowned Warbler included two seen by Beattie at the end of the month in Bethany. Yellow Warblers tend to leave their nesting territories quite early and are scarce in September. Salembier verified a late male Yellow Warbler at Tifft Nature Preserve on the 23rd. Always a good find, single Connecticut Warblers were observed at Times Beach Nature Preserve on the 10th (Andrle) and Beaver Island State Park on the 18th (Sharon).

By the end of September, seasonal changes have reduced the availability of invertebrates as bird food. Fruits and seeds are abundant now, and the species that exploit this food source increase. Sparrows as a group take advantage of this bounty. Salembier found an early American Tree Sparrow at Amherst State Park on the 26th. The only report of the once common Vesper Sparrow was one bird found in Clarence on the 4th (Pawlicki). Lincoln's Sparrows are often secretive and can be a challenge to pick out of a mixed flock of sparrows; however they were reported by many observers in western New York throughout September.


A lingering Baltimore Oriole seen by Watson and Bogacki at Tifft Nature Preserve on September 9th is a representative of our summer resident species that leave in September for a warmer climate. It is comforting to expect that they will return with the sun.

Buffalo Ornithological Society Buffalo Museum of Science 1020 Humboldt Parkway Buffalo, NY 14211-1293

Return Service Requested

Non. Profit Org. U.S. Postage **PAID** Buffalo, NY Permit No. 412

Albert R. Mann Library Acquisitions Division-Serials Cornell University Ithaca, NY 14853-4301



BOS website http://www.bosbirding.org/



Buffalo-Niagara Region Dial-a-Bird: 716-896-1271

December - January Calendar & CBCs

Dec. 13: Wed. Buffalo Ornithological Society Annual Holiday Celebration at 7 PM in the Cummings Room of the Buffalo Science Museum.

Dec. 16: Sat. St. Bonaventure CBC. Compiler: Regina M. VanScoy (716 -925-7109 or vanscoy1@juno.com).

Dec. 16: Sat. Beaver Meadow CBC. Compiler: Paul Fehringer (585-457-3228; fehringer@buffaloaudubon.org). Meet 7:30 AM at Audobon Cntr.

Dec. 17: Sun. BOS Buffalo, NY Count. Compiler: Bill Bogacki (674-5781; conservart@aol.com)

Dec. 17: Sun. St. Catharines CBC. Compiler: Marcie Jacklin (mjacklin@brocku.ca; 905-871-2577).

Dec. 17: Sun. Jamestown CBC. Compiler: Bob Sundell (716-484-2197; rsundell@stny.rr.com).

Dec. 23: Sat. Wilson-Lake Plains CBC. Compiler: Garner Light (772-5110; garnerlight@hotmail.com).

Dec. 27: Wed. Oak Orchard CBC. Compiler: Gail Seamans (585-937-5105) or gails@netacc.net).

Dec. 29: Fri. Niagara Falls ON-NY CBC. Contact Willie D'Anna (751-3637; dannapotter@wzrd.com) for NY side. Contact Kayo Roy (905-892-4433; kayoroy@niagara.com) for Canadian side.

Dec. 30: Sat. Port Colborne CBC. Compiler: Drew Campbell (drew.campbell@gm.com; 1-800-539-2329). Meet at McDonald's (corner of Highway 3 and 58 in Port Colborne) at 8 AM.

Dec. 30: Sat. Hamburg - East Aurora CBC. Compiler: Tom O'Donnell (tmodonnell@adelphia.net; 284-5569)

Jan. 1: Mon. Dunkirk-Fredonia CBC. Compiler: Joanne Goetz (goetz@netsync.net; 716-673-1627) and Paul Farver (716-792-9042).

Jan. 10: BOS Meeting at 7:00 PM. Buffalo Museum of Science. Richard Joos of the Univ. of Toronto will present, Little Gulls, a Glimpse at a North American Rarity.

Jan. 2 'eeting at 7:00 PM. Buffalo Museum of Science.

The PROTHONOTARY



Published Monthly by the

BUFFALO **O**RNITHOLOGICAL SOCIETY

Volume 72, No. 11 November, 2006

THE MONTH: October

Bill Watson

October 2006 will long be remembered for the devastating, thundering snow storm of the 12th and 13th. The airport recorded 22.6 inches of snow in a 24-hour period; however, other locations had an accumulation of two feet or more. The heavy, wet, lake effect snow, combined with the leaves still on most trees, resulted in massive damage due to falling limbs. Over 500,000 people were without power, roads were blocked, basements were flooded and many people were without heat or water (including yours truly). Total liquid precipitation for the month was 8.75 inches, 5.56 inches more than normal (with heavy rain also falling from the 19th to the 28th) making it the second wettest October on record. The combined 15.70 inches for September and October was the highest ever in Buffalo.

The average temperature was 49.0 °F (1.7 °F below normal) with nine of the first eleven days having highs above 60 °F. The percentage of sunshine was 38%, well below the monthly average of 50%. The average wind speed was 10.5 mph.

The peak gust of 49 mph from the west on the 29th produced the following: eight Parasitic Jaegers at Hamburg Town Park; five to twelve jaegers of unknown species at Athol Springs; the season's first Tundra Swans (6) at Hamburg; a Northern Gannet at Hamburg Town Park; the season's first Black-legged Kittiwakes (a total of twelve); the season's first Sabine's Gulls (a minimum of 2) at Hamburg Town Park; and was probably responsible for the season's

The Month Bill Watson 93 **Noteworthy Records** Bruce Chilton

October Count - 2006 Michael Hamilton

BOS Announcements

103 **BOS Shorebird Count** Terry Yonker

103 N. Wheatear addendum Jack Skalicky

BOS Calendar & CBCs 104

first Franklin's Gull at Niagara Falls as well as the appearance of unusually late Chimney Swifts and Tree Swallows. The eight Parasitic Jaegers seen by Bob Andrle at Hamburg Town Park is only bettered by the fifteen observed October 31, 2004 at Athol Springs and the thirteen

observed December 29, 1977 at Niagara Falls. The seven early Black-legged Kittiwakes studied at Athol Springs are the most ever seen at one location. The previous high, six on November 25, 1990, were also observed at Athol Springs. At 5:50 PM at Hamburg Beach, Mike Zebehazy spotted a bird "much larger than the many gulls" with "long narrow pointed wings and pointed tail." This NORTHERN GANNET is our first October record in nearly sixty years. The other October records were October 19, 1947 at the mouth of the Niagara River, and October 21, 1948 at the mouth of the Genesee River.

The 71st Annual B.O.S. October Bird Count produced rarities like the Tricolored Heron at Point Abino, immature Mute Swan at Point Breeze, Northern Goshawk at Iroquois NWR, as well as an unusually early Red-throated Loon at Shadigee, Red-necked Grebes at Golden Hill State Park (2) and Barker Bicentennial Park (3), a Snow Bunting in Somerset, and an unusually late Warbling Vireo. The TRICOL-ORED HERON, which was seen on October 8th and 11th, is our first and only fall record. Doug Happ took excellent





Northern Wheatear photographed by Willie D'Anna (left-top and leftbottom) and Jerry Lazarczyk (above) on the 22nd at Batavia Waste Water Treatment Plant.

The Prothonotary is published monthly by the Buffalo Ornithological Society, Buffalo Museum of Science, Buffalo, NY 14211. Send subscriptions and address changes to the Corresponding Secretary, Karen Landau, S-9195 State Road, Colden, NY 14033. The regular subscription rate is \$20/year. Back issues are available from the Treasurer for \$2/issue.

Please mail correspondence to: Jack Skalicky 178 N. Main Street #55 Salt Lake City, UT 84103-2075 [Email] skalicky@biochem.utah.edu Ed. Consultants: Robert Andrle

> Gerry Rising William Watson

Proth. Production: Audrey Horbett Eileen Hull

Elizabeth Wells

Society Officers:

President: Thomas O'Donnell V. President: Michael Morgante Treasurer: Gerald Lazarczyk Donna DeLeon Secretary: Statisticians: Robert Andrle Frances Rew Archivist: Audrey Horbett Council: 2004-2006 Bob DeLeon Mike Desha Jim Landau 2005-2007 Mike Galas Jerry Lazarczyk Gail Seamans 2006-2008 Douglas Beattie Lynne Landon

photographs of the very rare bird, and Mike Zebehazy also has a video of the bird running "through the water with its head held sideways" spearing "with its bill at little fishes it would kick up." Although Northern Goshawk has appeared in Noteworthy Records only three times since 1964, it is found in nine of our 71 October Counts. The only earlier Red-throated Loon than the one observed by Brendan Klick is the October 4, 1945 record at Beaver Island State Park by Art Schaffner. The unusually early Snow Bunting at Niagara-Orleans County Line Road is only bettered by an October 5, 1997, record in Dayton and an August 15, 1947 record in Chili. The very late Warbling Vireo documented by Eric Labato at Three Sisters Islands in Goat Island State Park is our first October Count record and is the latest Warbling Vireo in the last 37 years.

An even earlier Red-necked Grebe was documented by Willie D'Anna on October 7th at Wilson. The only earlier migrating Red-necked Grebes were found on September 20, 1988 and September 10, 2006. The August 28, 1983, record was more likely the result of post breeding dispersal.


Greater White-fronted Goose has recently become a rare fall migrant. All but two of our 16 fall records of this species have occurred on or after 1994. Mike Morgante suggested that the recent appearance of this species as a fall migrant is the result of its recent population increase in North America. The four seen in Somerset at Barker Bicentennial Park on Willie D'Anna's Ontario Plains Field Trip (along with four seen in Cheektowaga on November 30, 2003) represent the largest groups of Greater White-fronted Geese seen in the fall.

The most excitement of the month was caused by the discovery of a NORTHERN WHEATEAR that was observed at the Batavia Waste Water Treatment Plant from October 21-23. Mike Morgante was slowly driving his car when a passerine flushed to his left from the rocks near the edge of the lagoon. His "attention was drawn to a bold tail

pattern that had a bright white rump with a dark black tail band. The back was rusty brown and the wings were darker." Mike has been birding Batavia WWTP for more than twelve years and immediately recognized that this bird was "very different from the shorebirds, pipits, sparrows, Snow Buntings, and other species that flush from the rocks of the dike." In the BOS archives the only other records are of two in Hamburg on September 27, 1967, one at Beaver. Island State Park on September 25, 1965, and one near Ridgeway, Ontario, September 24, 1949, attesting to the vagrancy of this species and making this year's Northern Wheatear our first October record. There has been a marked increase in sightings in the northeast this fall. A North American map showing the places for all reported Northern Wheatears during 2006 is shown below. This map was prepared and provided by Michael Smith (mike@enterprisegis.net). A short synopsis of this species' breeding areas in N. America and its fall migration route is included on page 103.

Another first record for the month of October was the October 12th AMERICAN AVOCET documented by Bob Andrle and Fran Rew at Hamburg Town Park. Like the Greater White-fronted Geese and Tricolored Heron, American Avocet has only appeared during the fall in recent years. The only previous records of American Avocet after the month of August are on September 9, 2005 and November 1, 1997.

(The Month, continued on page 97)



NOTEWORTHY RECORDS

Underlined common names, dates or localities indicate that an acceptable, detailed written verification according to the *Date Guide to Birds of Western New York and Adjacent Ontario* (Seventh Edition - Revised 2001) has been received and placed in the permanent files of the Buffalo Ornithological Society.

* - Indicates first record for the year.

F - Indicates first record for the migration.

L - Indicates last record for the migration

(f) Indicates record from feeding station. (n) Indicates nest(s). (yg) Indicates young.

PDBA - Indicates Previously Documented Breeding Area.

Species	<u>October</u>	Number	Location	Observer(s)
Gr. White-fr. Goose	28	4	Somerset	Pawlicki, D'Anna (BOS)
Snow Goose	6F	2 blue	Alexander	Dart
**	28	3	Somerset	D'Anna (BOS)
Brant	28F	89	Yates	Pawlicki, D'Anna (BOS)
Mute Swan	11	2	Pt. Abino (Ont)	Watson
**	21	8	Wilson-Tuscarora SP	Sharon
11	21	4	Wilson Harbor	Sharon
11	22	2 ad + <u>5 juv</u>	Shadigee	Yoerg, Henderson
Tundra Swan	29F	6	Hamburg	Andrle
American Black Duck	21; 25	15; 14	Batavia WWTP	Morgante, Beattie et al
Blue-winged Teal	13	15	Alexander	Beattie
Northern Shoveler	21; 25	<u>110; 112</u>	Batavia WWTP	Morgante, Beattie et al
Northern Pintail	11	2	Pt. Abino (Ont)	Watson
11	21; 25	29; 20	Batavia WWTP	Morgante, Beattie et al
Green-winged Teal	13 - 19	15 - 30	Alexander	Beattie et al
**	15	22	Dayton	Neveu
Canvasback	14F	1	Wilson	D'Anna, Potter
Redhead	14F; 15	1; 8	Wilson	D'Anna et al
Ring-necked Duck	7F	5	Iroquois NWR	Roberson
11	14	5	Wilson	D'Anna, Potter
**	31	127	Hanover	Neveu
**	31	59	Dayton	Neveu
Lesser Scaup	14	55	Wilson	D'Anna, Potter
11	21	12	Batavia WWTP	Morgante
Surf Scoter	2F	2	Barker	Watson
**	14; 15	1; 11	Wilson	D'Anna et al
**	16; 20	1; 1	Sheridan	Neveu
**	21	2	Batavia WWTP	Morgante, Beattie et al
11	29	8	Athol Springs	Yoerg
White-winged Scoter	2	46	Barker	Watson
11	15	208	Wilson	D'Anna et al
11	29	40	Hamburg	Andrle
Black Scoter	15F	13	Wilson	D'Anna et al
Bufflehead	15F	1	Wilson	D'Anna et al
11	21; 25	3; 3	Batavia WWTP	Morgante; Beattie
•	29	34	Sheridan	Neveu
Common Goldeneye	29	7	Sheridan	Neveu
Hooded Merganser	31	18	Dayton	Neveu
Common Merganser	16	28	Sheridan	Neveu
"	21	20	Batavia WWTP	Morgante, Beattie et al
H .	31	100	Dayton	Neveu
Ruddy Duck	3 - 31	12 - 39	Dayton	Neveu
"	18	82	Burtis Bay	Neveu

	Species	October	Number	Location	Observer(s)
	11	21; 25	532; 120	Batavia WWTP	Morgante, Beattie et al
	11	24	11	Allegany SP	Baird
	Red-throated Loon	15	20	Wilson	D'Anna et al
	Common Loon	2	14	Barker	Watson
	п	14	75	Wilson	D'Anna, Potter
	Pied-billed Grebe	3	12	Dayton	Neveu
	11	18	60	Burtis Bay	Neveu
	Horned Grebe	16; 20	49; 28	Sheridan	Neveu
	Red-necked Grebe	<u>7F</u> ; 15	1; 7	Wilson	D'Anna et al
	H.	21	7	Somerset & Yates	D'Anna, Potter
	H.	29	2	Buffalo	Potter, D'Anna
	Eared Grebe	21	1	Batavia WWTP	Morgante
*	Northern Gannet	29	1	Hamburg Town Park	Zebehazy
	Dcrested Cormorant	2	40	Barker	Watson
	11	4	640	Buckhorn I. SP	Watson
	11	11	230	Rock Point PP (Ont)	Watson
	American Bittern	6L	1	Farmersville	Chilton
	Great Egret	1	1	Alexander	Beattie
	11	2; 7	2; 2	Tonawanda WMA	Watson; Roberson
	11	5	12	Tifft NP	Salembier
	11	7	2	Iroquois NWR	Roberson
	11	11L	1	Dunnville (Ont)	Watson
	Tricolored Heron	11	1	Pt. Abino (Ont)	Watson
	Green Heron	28L	1	Alexander	Beattie
	Black-cr. Night-Heron	2	5	Tifft NP	Salembier
	Turkey Vulture	23	30	Beaver I. SP	Sharon
	11	29	1	Orchard Park	Morgante
	Osprey	21L	1	Batavia WWTP	Morgante
	Bald Eagle	1; 7	2 ad; 2 ad +2 juv	Iroquois NWR	Yoerg; Roberson
	**	2	2 ad	Tonawanda WMA	Watson
	**	11	1 ad	Dunnville (Ont)	Watson
	H .	12; 14	1 ad; 1 juv	Silver Creek	Neveu
	11	15; 22	1 ad + 2 juv; 1 ac	lDayton	Neveu
	H	16;20;23	2 juv; 2 juv; 1 juv	Sheridan	Neveu
	11	23	1 ad + 1 juv	Dunkirk Harbor	Neveu
	"	29	2 ad + 2 juv	Westfield	DeFrancisco
	"	29	2 juv	Hanover	Neveu
	11	30	1 ad+1 imm	Ripley	DeFrancisco
	"	31	4 ad+1 imm	Westfield	DeFrancisco
	Merlin	<u>29</u>	1	Niagara Falls (Ont)	D'Anna
	Peregrine Falcon	21	1 imm	Somerset	D'Anna, Potter
	"	21	1 imm; 1	Buffalo	D'Anna; Yoerg, Henderson
	"	29L	1	Niagara Falls (Ont)	Potter
	Sora	6L	1	Farmersville	Chilton
	Common Moorhen	21	1	Batavia WWTP	Morgante
	"	22L	1	Iroquois NWR	D'Anna et al
	American Coot	15;22;31	75;161;67	Dayton	Neveu
	H .	18	663	Burtis Bay	Neveu
	II .	21	50	Batavia WWTP	Morgante, Beattie et al
	Black-bellied Plover	11	1	Rock Point PP (Ont)	Watson
	11	31	9	Hamburg	Andrle
	Amer. Golden-Plover	11	9	Dunnville (Ont)	Watson
	11	21	1	Batavia WWTP	Lazarczyk, D'Anna et al
	Killdeer	11	50	Long Beach CA (Ont)	Watson

	<u>Species</u>	October	Number	Location	Observer(s)
k	American Avocet	12	1	Hamburg Town Park	Rew, Andrle
	Greater Yellowlegs	6	2	Times Beach NP	Andrle
	"	11	1	Long Beach CA (Ont)	Watson
	**	15	2	Dayton	Neveu
	Lesser Yellowlegs	11	1	Bertie (Ont)	Watson
	Solitary Sandpiper	14	4	Alexander	Beattie et al
	н	15L	4	Bethany	Lazarczyk et al
	Sanderling	11	30	Rock Point PP (Ont)	Watson
	"	11	3	Long Beach CA (Ont)	Watson
	11	12	2	Hamburg Town Park	Andrle
	Wilson's Snipe	7	1	Newfane	D'Anna
	Red-neck. Phalarope	lL	1	Batavia WWTP	Yoerg, Henderson
	Parasitic Jaeger	29	2; 8	Hamburg Town Park	J Landau; Andrle
	Jaeger species	29	5 - 12	Athol Springs	Yoerg et al
k	Franklin's Gull	29F	1	Niagara Falls	D'Anna, Potter
	Little Gull	15F	1	Wilson	Potter et al
	"	23	i	Lewiston	D'Anna
	**	29	4	Ft. Erie (Ont) & Buffalo	Potter, D'Anna
	**	29	4	Niagara Falls	Potter, D'Anna
	"	29	1	Athol Springs	Yoerg et al
	Bonaparte's Gull	15	1182	Wilson	D'Anna et al
	Lesser Black-b. Gull	29	4	Niagara Falls	D'Anna, Potter
	"	29	2	Hamburg Town Park	Andrle
<	Sabine's Gull	29F	2	Hamburg Town Park	Morgante
	"	29F	1	Athol Springs	Yoerg et al
<	Black-leg. Kittiwake	<u>29</u>	1	Hamburg Town Park	Morgante
	"	<u>29</u>	3	Hamburg Town Park	Andrle
	11	<u>29</u>	1	Niagara Falls	Potter, D'Anna
	**	<u>29</u>	7	Athol Springs	Yoerg et al
	Common Tern	29	1; 5	Hamburg Town Park	Morgante; Andrle
	11	29	4	Dunkirk Harbor	Moshers
	н	30	1	Niagara Falls	Potter, Rothman
	Forster's Tern	15	1	Wilson	D'Anna et al
	Chimney Swift	4	15	Eden	Andrle
	"	7	24	Newfane	D'Anna
	н	<u>29L</u>	7	Ft. Erie (Ont)	D'Anna, Potter
	Eastern Phoebe	21	1	Hanover	Neveu
	II .	29	1	Colden	J Landau
	Northern Shrike	30F	1	Amherst SP	Salembier
	Blue-headed Vireo	9; 15	3; 1	Allegany SP	Baird
	"	21	1	Hanover	Neveu
	11	24	1	Tonawanda	Chilton
	Red-eyed Vireo	- 6L	1	Amherst SP	Salembier
	Common Raven	9; 15	2; 2	Allegany SP	Baird
	Horned Lark	21	6	Batavia WWTP	Morgante
	Purple Martin	6L	2	Tillman WMA	Salembier
	Tree Swallow	15; 17	1; 3	Alexander	Beattie, Dart
	"	21	17	Batavia WWTP	Morgante
	11	29L	2	Niagara Falls (Ont)	D'Anna
	N. Rough-w. Swallow	29 29	200	Niagara Falls	D'Anna, Potter
	Barn Swallow	28L	1 - 2	Carlton	D'Anna (BOS)
	Carolina Wren	1 - 31	14 records	BOS region	Several observers
	House Wren	1	3	Amherst SP	Salembier
	"	5	2	Times Beach NP	Salembier

	Species	<u>October</u>	Number	Location	Observer(s)
	Winter Wren	22	1	Iroquois NWR	Roberson
	п	23	1	Bethany	Beattie
	Marsh Wren	1	1	Amherst SP	Salembier
	п	7	1	Iroquois NWR	Roberson, Welte
	Ruby-cr. Kinglet	21; 25	19; 18	Hanover	Neveu
	"	25	5	Goat I.	Roberson
*	Northern Wheatear	21; 22	1	Batavia WWTP	Morgante; K Landau, D'Anna, Lazarczyk et al
	Gray-cheeked Thrush	2	1	Tonawanda	Hess
	n .	3	2	Goat I.	Roberson
	11	5	1	Tifft NP	Salembier
	11	11	1	Rock Point PP (Ont)	Watson
	**	13L	2	Buffalo	Yoerg
	Hermit Thrush	24	17	Allegany SP	Baird
	American Robin	24	<u>2000 est</u>	Allegany SP	Baird
	American Pipit	13;14;19	13; 40; 4	Alexander	Beattie et al
	11	21	6	Batavia WWTP	Morgante
	н	22	40	Somerset	Yoerg, Henderson
	н	24	4	Bethany	Beattie
	Tennessee Warbler	5	1	Tifft NP	Salembier
	Orange-cr. Warbler	5	1	Times Beach NP	Salembier
	п	15L	1	Pomfret	Mosher
	Nashville Warbler	5	4	Tifft NP	Salembier
	н	15	1	Goat I.	Roberson
	н	21L	1	Lakeside Mem Pk	Andrle
	Northern Parula	2	1	Tifft NP	Salembier
	п	7	1	Wilson	Potter
	Chestnut-s. Warbler	. 2	- 1	Tifft NP	Salembier
	Magnolia Warbler	2; 5	1; 1	Tifft NP	Salembier
	11	3	1	Bethany	Beattie
	Blthr. Blue Warbler	5	1	Goat I.	Roberson
	11	6	1	Times Beach NP	Andrle
	11	6	1	Tillman WMA	Salembier
	Yellow-r. Warbler	1; 3	3; 10	Bethany	Beattie
	н	1; 5; 25	75; 48; 11	Goat I.	Roberson
	· ·	11	6	Rock Point PP (Ont)	Watson
	"	14; 15	14; 12	Alexander	Beattie et al
	Blthr. Green Warb.	9; 15	1; 1	Allegany SP	Baird
	11	19L	1	Salamanca	Baird
	Pine Warbler	<u>21L</u>	1	Somerset	D'Anna, Potter
	Palm Warbler	5	3	Tifft NP	Salembier
	n .	15	1	Buckhorn I. SP	Sharon
	Bay-breasted Warbler	2L	1	Tifft NP	Salembier
	Black-and-white Warbler	5L	1	Tifft NP	Salembier
	American Redstart	5L	1	Tifft NP	Salembier
	Wilson's Warbler	5L	1	Tifft NP	Salembier
	Chipping Sparrow	14 - 31	5 - 8	Alfred	Brooks
	"	15; 25	15; 6	Goat I.	Roberson
	п	25	30	Lakeside Mem Pk	Andrle
	Vesper Sparrow	25	1	Lakeside Mem Pk	Andrle
	Fox Sparrow	15	1	Pomfret	Mosher
	11	21	i	Golden Hill SP	D'Anna, Potter
	tt .	24	2	Allegany SP	Baird
	Lincoln's Sparrow	20 .	1	Buckhorn I. SP	Sharon
	Lincom's Sparrow	20	1	Duckhom 1. 31	Sharon

<u>Species</u>	October	Number	Location	Observer(s)
11	<u>26L</u>	1	Pomfret	Mosher
White-cr. Sparrow	7	3	Iroquois NWR	Roberson, Welte
"	7	3	Bethany	Beattie
11	18	14	Pomfret	Neveu
Dark-eyed Junco	21	42	Hanover	Neveu
Ħ	25	50	Goat I.	Roberson
Lapland Longspur	15	23	Wilson	D'Anna, Ewald
Snow Bunting	25	12	Batavia WWTP	Beattie, Lazarczyk
11	27	50	Porter	Sharon
***	28	80	Somerset	D'Anna (BOS)
Red-w. Blackbird	31	<u>600</u>	South Dayton	Neveu
Eastern Meadowlark	12	2	Dunkirk Airport	Neveu
Rusty Blackbird	1F	1	Tonawanda WMA	Yoerg, Henderson
**	2	1	Tifft NP	Salembier
11	15	10	Buckhorn I. SP	Lazarczyk et al
11	15	11	South Dayton	Neveu
11	21	35	Hanover	Neveu
Brown-head. Cowbird	21	<u>1300</u>	Villenova	Rew

Species, subspecies, and hybrids previously recorded this year:

Species, subspecies, and hybrids recorded for this month and October Count:

Total for the year 2006:

272

Statisticians' Note: If any observer wishes to know the status of their verification report, please contact the Statisticians and we will give them the reasons for our decision. Please mail reports for each month not later than the FIFTH day of the following month to the Compiler: Bruce Chilton 88 Pryor Avenue, Tonawanda, NY 14150; Email: BChi314159@aol.com.

(The Month, continued from page 92)

Unusually late birds requiring written verification reports were Merlin, Chimney Swift, Tree Swallow, Barn Swallow, Pine Warbler, Warbling Vireo, and Lincoln's Sparrow. Willie D'Anna was driving "just south of the Peace Bridge" when he observed first two and then five more Chimney Swifts. Stopping the car and using binoculars he noted the "long arcing wings with slightly pointed wingtips and stubby cigar shaped body with a tail which seemed to be just an extension of the body" of these "fairly uniform"..."dark grayish brown" birds. This is our latest observation of Chimney Swifts surpassing the October 26, 1972 record by Harold Axtell at Crescent Beach. The Lincoln's Sparrow on Harmon Hill Road in Pomfret, Chautauqua County, on October 26 represents our latest fall record of this species (although there is a winter record of December 27, 1979). In his extensive, detailed, and elegant verification report Terry Mosher writes in his introductory two paragraphs: "Like a Song Sparrow in its overall appearance but a bit smaller, more slender, and shorter tailed, this bird was definitely the dapper member of the Spizella trio. With several Song Sparrows in the same power-line cut for comparison that morning, its differences from its congener stood out." "Much buffier than the whitish breast of a Song Sparrow, this bird's breast sides and flanks showed dark streaks noticeably finer than those on a Song Sparrow's underparts. Neatly 'cut off' from the rest of the underparts

in Pectoral Sandpiper fashion, the breast looked like a neat band of crisply streaked buff, bordered below by white. In the center of its lower margin was a single breast-spot, smaller and neater than the blotchy central spot on most Song Sparrows' breasts."

The following sources were used in this report:

Beardslee, C.S., and H.D. Mitchell. 1965. *Birds of the Niagara Frontier Region*. Bulletin of the Buffalo Society of Natural Sciences, vol. 22.

DiTommaso D., Suggs, D. et al. B. O. S. Noteworthy Records Data Base 1964 – 2005.

Hamilton, Michael. B.O.S. Annual October Bird Counts 1935-2005.

National Weather Service. October 2006, Buffalo, New York.

Suggs, David, et. al. 2002. Seasonal Checklist of the Birds: The Niagara Frontier Region. Buffalo Ornithological Society, Inc.

Report of the 71th Annual B.O.S. October Bird Count

Date: October 8, 2006 Compiler: Mike Hamilton Weather Synopsis: Terry Yonker

Weather Synopsis

Weather on the count was unremarkable. Fair to partly cloudy skies and seasonable temperatures were the rule. A cold front was situated west of the Great Lakes. An entrenched high pressure area located over Long Island and an intense low pressure area along the Carolina coast together created a northeaster that pummeled the east coast with heavy rain and wind for a week and stalled the eastward movement of the cold front. Fair weather conditions existed in the Great Lakes for several days.

Buffalo-Niagara International Airport

Sunrise: 7:20 AM EDT Sunset: 6:45 PM EDT

TIME	WEATHER	TEMP	DEW PT	PRESSURE	DIR/WIND	REMARKS
Midnight	Fair	46	38	30.32	SE6	
3:00 am	Fair	45	37	30.33	SE5	
6:00 am	Fair	44	39	30.32	S5	
9:00 am	Fair	51	45	30.33	S3	
Noon	Partly Cloudy	64	50	30.31	SW10	
3:00 pm	Partly Cloudy	67	53	30.23	SW8	
6:00 pm	Partly Cloudy	65	52	30.19	SW7	
9:00 pm	Fair	58	53	30.18	S 6	
Midnight	Fair	55	52	30.15	S 6	

Compilation: The following is a list of species recorded on the count together with the number of individuals tabulated. Bold face names indicate species for which acceptable written verifications were received. F represents first and L last dates for the fall migration, * first date for the year. Where a species was recorded in three or fewer sections, the section numbers are given in parentheses ().

GEESE - HERONS							
Canada Goose		15,974		Common Goldeneye	F	33	(4,7)
Mute Swan (adults)		35		Hooded Merganser		15	
Mute Swan (juvenile)		1	(5)	Common Merganser		59	
Wood Duck		279		Red-breasted Merganser		317	
Gadwall		41		Ruddy Duck		306	
American Wigeon		131		unspecified waterfowl		12	(13,22)
American Black Duck		48		Ring-necked Pheasant		20	
Mallard		2,681		Ruffed Grouse		18	
mallard x black		1	(3)	Wild Turkey		195	
Blue-winged Teal		17		Red-throated Loon	F	7	(3,4)
Northern Shoveler		315		Common Loon		698	
Northern Pintail		11		Pied-billed Grebe		202	
Green-winged Teal		409		Horned Grebe		99	
Redhead	F	19		Red-necked Grebe		6	(3,4)
Ring-necked Duck		30	(3,10,16)	Double-crested Cormorant		2,803	
Greater Scaup		84	(3,9)	Great Blue Heron		147	
Lesser Scaup		490		Great Egret		25	
unspecified scaup		17	(5,22)	Tricolored Heron		1	(8)
Surf Scoter		13	(3,4)	Green Heron		9	
White-winged Scoter		79	(3,4,5)	Blk-crowned Night-Heron		2	(9)
VULTURES - COOT	S						
Turkey Vulture		469		Sharp–shinned Hawk		26	
Osprey		3	(9)	Cooper's Hawk		30	
Bald Eagle		15		Northern Goshawk		1	(5)
Northern Harrier		23		Red-shouldered Hawk		6	

Broad-winged Hawk	3	(13,20,28)	Merlin		1	(3)
Red-tailed Hawk	247		Peregrine Falcon		1	(4)
unspecified buteos	1	(13)	Common Moorhen		1	(10)
American Kestrel	38		American Coot		1,293	
PLOVERS - TERNS						
Black-bellied Plover	10	(7,8,16)	Least Sandpiper		35	(7)
American Golden Plover	26	(4)	Pectoral Sandpiper		4	(3,23)
Semipalmated Plover	6	(3,7,13)	Dunlin		9	(3,7)
Killdeer	816		Stilt Sandpiper		6	(7,26)
Greater Yellowlegs	23		Wilson's Snipe		11	
Lesser Yellowlegs	24		American Woodcock		3	(7,12,19)
unspecified yellowlegs	2	(10)	Bonaparte's Gull		481	
Solitary Sandpiper	5	(7,10,25)	Ring-billed Gull		16,062	
Spotted Sandpiper	3	(3,13,21)	Herring Gull		2,351	
Red Knot	2	(7)	Great Black-backed Gull		40	
Sanderling	30	(7)	unspecified gulls		100	(20,22)
Semipalmated Sandpiper	30	(7)	Common Tern		10	(20)
		` _				
PIGEONS - SWALLO Rock Pigeon	OWS 1,883		Pileated Woodpecker		. 23	
Mourning Dove			unspec'd woodpeckers		. 23	(20)
Eastern Screech-Owl	2,065		Eastern Wood-Pewee		2	(1,5)
	17		Eastern Phoebe			(1,5)
Great Horned Owl	8				70	
Barred Owl	9	(1.1)	Blue-headed Vireo		8	(0)
Chimney Swift	40	(11)	Warbling Vireo		I	(9)
Belted Kingfisher	65		Red-eyed Vireo	L	7	(6,20,24)
Red-headed Woodpecker	4	(5)	Blue Jay		2,158	
Red-bellied Woodpecker	149		American Crow		2,865	
Yellow-bellied Sapsucker	14		Common Raven		34	
Downy Woodpecker	332		Horned Lark		87	
Hairy Woodpecker	98		Tree Swallow		64	
Northern Flicker			N. Rough-winged			(1,2,23)
	174		Swallow		139	· , , ,
TITS - WAXWINGS						
Black-capped Chickadee	1,682		Gray-cheeked Thrush		5	(3,10,18)
Tufted Titmouse	132		Swainson's Thrush		6	
Red-breasted Nuthatch	60		Hermit Thrush		56	
White-breasted Nuthatch	307		Wood Thrush		7	(5,13,28)
Brown Creeper	53		American Robin		2,497	
Carolina Wren	45		Gray Catbird		49	
House Wren	L 11		Northern Mockingbird		26	
Winter Wren	32		Brown Thrasher		2	(3,19)
Marsh Wren	3	(18,24)	European Starling		21,382	, ,
Golden-crowned Kinglet	351	(,,	American Pipit		51	
Ruby-crowned Kinglet	403		Cedar Waxwing		1,253	
Eastern Bluebird	343				1,200	
WARBLERS		(4)	Cono Mou Warhlan		2	(14,23)
Tennessee Warbler	2	(4)	Cape May Warbler Blk-throated Blue Warbler	T	2	(3,20)
Orange-crowned Warbler	3	(3,8)		L	2	(3,20)
Nashville Warbler	5	()	Yellow-rumped Warbler		696	(2.7)
Northern Parula	L I	(13)	Blk-thr'ted Green Warbler		2	(3,7)
Chestnut-sided Warbler	L 1	(4)	Pine Warbler		1	(17)

Magnolia Warbler	L	2	(2,20)	Palm Warbler		12	
Blackpoll Warbler		23		unspecified warblers		2	(1,13)
Common Yellowthroat		15					
TOWHEES - SPAI	RROWS						
Eastern Towhee		44		Northern Cardinal		408	
Chipping Sparrow		542		Rose-breasted Grosbeak		1	(13)
Field Sparrow		174		Red-winged Blackbird		9,021	
Savannah Sparrow		33		Eastern Meadowlark		92	
Fox Sparrow	F	3	(3,17,23)	Rusty Blackbird		438	
Song Sparrow		1,022		Common Grackle		7,163	
Lincoln's Sparrow		11		Brown-headed Cowbird		1,496	
Swamp Sparrow		163		Purple Finch		52	
White-throated Sparrow		1,294		House Finch		473	
White-crowned Sparrow		353		Pine Siskin		9	(21,27)
Dark-eyed Junco		417		American Goldfinch		900	
Lapland Longspur	F	1	(4)	Evening Grosbeak	*	3	(27)
Snow Bunting	F	1	(4)	House Sparrow		1,836	
unspecified sparrows		128		unspecified birds		250	(13)

Comparisons – Associated charts, available from Michael Hamilton, give comparative summary information for the most recent decade, for the full 71 counts and decade by decade since 1935. A chart listing totals for each species per section for 2006

is also available. In addition the following notes are of interest:

NOTES: First count record: Mute Swan juvenile, 1; Tricolored Heron, 1; Warbling Vireo, 1.

First decade record: Mute Swan juvenile, 1; Tricolored Heron, 1; Stilt Sandpiper, 6; Warbling Vireo, 1.

Second decade record: Mallard x Black Duck hybrid, 1 – first count record was one in 2002; Red-throated Loon, 7 – first decade record was one in 2000; Red Knot, 2 – first decade record was five in 1998; Snow Bunting, 1 – first decade record was one in 2000.

Third decade record: Northern Goshawk, 1 – other decade records were one in each in 1998 and 2000; Red-headed Woodpecker, 4 – other decade records were one in 1997 and three in 2000; Northern Parula, 1 – other decade records were one each in 2001 and 2003.

Highest count since 1935 (x the average): Mute Swan, 36 (8.8); Green-winged Teal, 409 (4.4); Red-throated Loon, 7 (4.1); Common Loon, 698 (21.2); Double-crested Cormorant, 2803 (9.6); Turkey Vulture (5.5); Cooper's Hawk, 30 (3.3); Red-bellied Woodpecker, 149 (10); Common Raven, 34 (11.3); Northern Rough-winged Swallow, 139 (11.6); Tufted Titmouse, 132 (6); Carolina Wren, 45 (9); Blackpoll Warbler, 23 (7.5); Northern Cardinal, 408 (2.3). *Total of 14* Lowest count since 1935 (% of the average): American Black Duck, 48 (10). *Total of 1*

Highest count in past decade (x the average): Mute Swan, 36 (2.3); Green-winged Teal, 409 (1.6); Red-breasted Merganser, 317 (2.5); Red-throated Loon, 7 (7); Common Loon, 698 (5.6); Red-necked Grebe, 6 (6); Double-crested Cormorant, 2803 (1.6); Green Heron, 9 (1.8); Turkey Vulture, 469 (1.6); Cooper's Hawk, 30 (1.6); American Coot, 1293 (1.9); Least Sandpiper, 35 (5.8); Belted Kingfisher, 65 (1.6); Red-headed Woodpecker, 4 (4); Red-bellied Woodpecker, 149 (2); Hairy Woodpecker, 98 (1.6); Red-eyed Vireo, 7 (2.3); Blue Jay, 2158 (1.4); Common Raven, 34 (1.9); Northern Rough-winged wallow, 139 (4); Tufted Titmouse, 132 (1.4); Carolina Wren, 45 (2.5); Eastern Bluebird, 343 (1.4); Cedar Waxwing, 1253 (1.7); Tennessee Warbler, 2 (2); Northern Parula, 1 (3.3); Cape May Warbler, 2 (2); Blackpoll Warbler, 23 (5.8); Field Sparrow, 174 (1.9); Lincoln's Sparrow, 11 (1.8); Northern Cardinal, 408 (1.2). *Total of 31*

Lowest count in past decade (% of the average): American Black Duck, 48 (50); Mallard, 2681 (70); Northern Pintail, 11 (16); Black-crowned Night-Heron, 2 (33); Northern Harrier, 23 (59); American Kestrel, 38 (63); Great Black-backed Gull, 40 (28); Rock Pigeon, 1883 (82); American Pipit, 51 (20). *Total of 9*

Noteable (more than double) average increases, last decade vs entire count period (% increase): Canada Goose (272%), Mallard (209%), Green-winged Teal (275%), Ring-necked Duck (302%), Surf Scoter (241%), White-winged Scoter (279%), Common Merganser (361%), Red-breasted Merganser (232%), Ruddy Duck (431%), Wild Turkey (268%), Common Loon (374%), Double-crested Cormorant (586%), Turkey Vulture (352%), Bald Eagle (394%), Sharpshinned Hawk (226%), Cooper's Hawk (226%), Merlin (444%), Peregrine Falcon (484%), Mourning Dove, (277%), Eastern Screech-Owl (211%), Red-bellied Woodpecker (493%), Pileated Woodpecker (214%), Common Raven (631%),

Northern Rough-winged Swallow (305%), Tufted Titmouse (419%), Red-breasted Nuthatch (217%), Carolina Wren (359%), Northern Mockingbird (277%), Common Grackle (242%). *Total of 29*

Noteable (less than 50%) average decreases, last decade vs entire count period (% decrease): American Black Duck (21%), Canvasback (5%), Redhead (47%), Greater Scaup (27%), Lesser Scaup (32%), Long-tailed Duck (36%), Common Goldeneye (21%), Ring-necked Pheasant (20%), Sanderling (46%), Dunlin (22%), Bonaparte's Gull (33%), Common Tern (3%), Red-headed Woodpecker (20%), Tennessee Warbler (29%), Magnolia Warbler (41%), Cape May Warbler (41%), Bay-breasted Warbler (34%), American Tree Sparrow (49%), Vesper Sparrow (7%), Snow Bunting (33%), Eastern Meadowlark (30%), Pine Siskin (23%), Evening Grosbeak (6%). *Total of 23*

Sections and Observers: Names of section compilers are in boldface.

- 1. Fonthill, ON: David Cooper, Art Hannah, Lynne Landon, Terry Yonker
- 2. Thorold, ON: Brian Ahara, John Black, Kayo Roy, Maggie Smiley, Katherine Stoltz
- 3. Wilson, NY: Bill Broderick, Willie D'Anna, Brett Ewald, Betsy Potter
- 4. Middleport, NY: Julie Eberhart, Brendan Klick, Bill Watson
- 5. Oak Orchard, NY: Donald Brasure, Morgan Jones, Jim Rozanski, Thomas O'Donnell, Elizabeth Wells
- 6. Port Maitland, ON: Jerry Chapple, George Thomas, Maggie Thomas
- 7. Lowbanks, ON: Barbara Byron, Richard Byron, Edward Fuchs, Mike Hamilton, Jack Mansfield, Rachel Taylor
- 8. Fort Erie, ON: Doug Happ, Marcia Jacklin, Richard Kajtoch, Brian N. Lewandowski, Mike Zebehazy
- 9. Grand Island, NY: David Friedrich, Mike Galas, Sylvia Galas, Ron Hacker, Sue Hacker, Eric Labato, Debra Milleville, Gerry Rising
- 10. Akron, NY: Ed Crohn, Donna DeLeon, Robert DeLeon, Don Roberson, Mary Ann Stegmeier, John Welte, Martha Welte
- 11. Buffalo, NY: Roberta Vallone, Chuck Rosenburg
- 12. Lancaster, NY: Marion Bee, Christoper Betrus, Kurt Fox, Wayne Gall, **Greg Coniglio**, Linda Holmes, Mahlon Miller, Nancy Miller, Mike Morgante, Gail Seamans
- 13. Batavia, NY: **Douglas Beattie**, Elaine Dart, Tad Gerace, Charles Graney, David Graney, Jack Hartwig, Eileen Hull, Robert Hull, Eugene Kautz, Rita Kautz,, Jane Mason, Max Mason, Don Thurau, Virginia Tiede
- 14. Hamburg, NY: Bob Andrle, Ken Brandes, **Fred Harrington**, Erma Kern, Patty Madigan, Mike Morgante, Sue Saunders, Steve Soule, Barbara Walker
- 15. Java, NY: Bill Bogacki, Dennis Russell
- 16. Angola, NY: Robert Andrle, Tom Connare, Audrey Horbett, Frances Rew
- 17. Cattaraugus, NY: Jim Pawlicki, Richard Salembier
- 18. Delavan, NY: Bruce Chilton, Mike Desha, Jim Landau, Karen Landau
- 19. Fillmore, NY: Allegany County Bird Club: Ron Andrews, **Doris Burton**, Faye Clancy, Dora Lilly, Louise Mills, Sean Phelan, John Raybuck, Theresa Rork, Elaine Smith, James Talbott, Ann Voss, Jean Wilson, **Larry Wilson**, Richard Wilson
- 20. Dunkirk, NY: Lake Erie Bird Club: Dick Barylski, Marcia Barylski, Karen Brisby, Ken Brisby, Chris Budniewski, Ray Budniewski, Dick Clarke, Sylvia Clark, **Paul Farver**, Joanne Goetz, Thomas Goetz, Joe Gula, Phil Harlon, Carol Hardenberg, L. Haynes, Dick Miga, Andy Morrison, Terry Mosher, David Neveu, Bob Peterson, Beverly Ruska, John Ruska, Audrey Schafer, Mary Sherman, Jeanine Smith
- 21. Cherry Creek, NY: Jamestown Audubon Society: Dan Cordosi, Julie Heilman, Ranjit Laha, Jesse Nelson, Joanne Nelson, Bill O'Brien, Linda O'Brien, Bill Seleen, **Bob Sundell**
- 22. Sherman, NY: Jamestown Audubon Society: Ann Beebe, Jim Berry, Seth Berry, Dan Cordosi, Len DeFransisco, Ranjit Laha, Bill Seleen, **Bob Sundell**, Kirk Vanstrom
- Frewsburg, NY: Jamestown Audubon Society: Dave Anderson, Dan Cordosi, Len DeFrancisco, Julie Heilman, Ranjit Laha, Ruth Lundine, Steve Maggio, Jean Pigman, Bill Seleen, Mary Shaul, **Bob Sundell**
- 24. Salamanca, NY and Allegany State Park: Cattaraugus County Bird Club: **Tim Baird**, Barbara Henderson, Tom Le Blanc, Peter Yoerg
- 25. Allegany, NY: Cattaraugus County Bird Club: Tim Baird, Stephen W. Eaton, Jeff Reed, James VanScoy, Regina VanScoy
- 26. Cuba, NY: Allegany County Bird Club: Doris Burton, Mary Jordan, Bruce Smalley, Robert Smalley, Denton Willet
- 27. Bolivar, NY: Allegany County Bird Club: Russel Allen, Doris Burton, Helen Link, Marie Paxhia
- 28. Alfred, NY: Allegany County Bird Club: Russell Allen, Charlotte Anderson, Dan Babcock, Carol Behn, Wayne Brewster, Don Brink, Lorna Brink, Betsy Brooks, Doris Burton, Mary Lou Cartledge, **Diane Converso**, Tina Cornell, Paul Culley, Karol Doty, Marge Dugan, Peter Finlay, Terry Finlay, Keegan Fleming, Geri Hills, Ralph Hills, Pat Hulse, Norman Ives, Betty Kellog, Wayne Kellog, Walter Mason, Kathy McDonald, Mary Ormsby, Sean Phelan, Ann Pipal, Bob Pipal, Vivian Pitzrick, Dan Ramsey, Evelyn Ramsey, Ona Reynolds, Ernest Rositzke, Lynn Rositzke, Nancy Rouse, Jim Smith, Sharon Bouck Smith, Maureen Soule, Terah Soule, Wilma Taggart, Linda Travers, Mary Trouslot, Barbara Ware, Mary Lu Wells, **Suzanne Wood**, Katie Wyman

Total Number of Observers: 227

NYSDEC: Short-eared Owl Study and Landowner Incentive Program.

by Chuck Rosenberg

The New York State Department of Environmental Conservation (NYSDEC) is undertaking a statewide study of the Short-eared Owl, a state-listed endangered species. The study will monitor their movements, using night-vision scopes and possibly radio-telemetry, to identify habitat characteristics important for over-wintering owls. Data will be compiled in the New York Natural Heritage Program database to establish a baseline for longer-term population studies. The NYSDEC will ultimately apply this information toward developing grassland management practices to benefit over-wintering Short-eared Owls.

The NYSDEC is soliciting assistance from the Buffalo Ornithological Society in identifying active Short-eared Owl wintering sites. Although we are most interested in 2006-2007 records, we would also welcome records dating to 2000. Please send records to Chuck Rosenburg (contact information provided below).

The NYSDEC also recently announced a grassland bird management project, the Landowner Incentive Program (LIP). The objective of this program is to protect at-risk grassland bird species by providing financial incentives (\$55-\$60/acre-year) for landowners to maintain grassland habitats relatively free of disturbance during the breeding season (e.g., annual or biennial mowing outside the breeding season). The program is being administered by the NYSDEC, in cooperation with New York Audubon. The second round of LIP application reviews is scheduled for late winter or early spring 2007. Interested landowners can get more information from Chuck Rosenburg or other NYSDEC staff, as well as from the following web site:http://www.dec.state.ny.us/website/dfwmr/wildlife/lip/ lip.html

For additional information please contact Chuck Rosenburg, NYS Dept. Environmental Conservation, 270 Michigan Ave., Buffalo, NY 14203-2999, (716) 851-7010, crosenburg@gw.dec.state.ny.us

BOS Name Tags


If anyone is interested in ordering a personalized BOS logo name tag, please contact Karen Landau at 716-941-3869 or kjlandau@localnet.com by February 1st. These name tags might be especially nice for the BOS hosted 2007 NYSOA annual meeting in Batavia, NY.

Early 2007 Announcements

The 2007 NYSOA annual meeting hosted by the Buffalo Ornithological Society will be held in Batavia, NY on October 6-8. The meeting will commence on Friday with an evening reception followed with field trips, presentation of research papers, and a banquet on Saturday and Sunday. Field trips are planned to the Batavia Waste Water Treatment Plant and Iroquois National Wildlife Refuge

2007 Vaughan Lecture: The Singing Life of Birds

by John Grehan



For those of you who like to get your calendar organized well in advance, the 2007 Vaughan lecture is finalized. Donald Kroodsma from Massachusetts will be presenting The Singing Life of Birds at 7:00 pm on Wednesday April 25. Please put this important event in your 2007 calendar. Don provided the following description of his talk:

"Come listen to

birds as you've never listened before, using what they have to say as a window on their minds, using what they have to say not just to identify them but to identify with them. Hear a song sparrow work through his repertoire, and listen to conversations among crows and jays. See and hear the exquisite beauty in songs of thrushes and how each male uses his songs to best effect. Listen to a babbling baby wren and baby human, realizing how much we have in common with these songbirds. Come and learn to truly listen to our most common birds in ways you never imagined possible."

Further information on Donald Kroodsma can be found on the Vaughan web site at http://www.sciencebuff.org/ vaughan lectures.php. Speakers are now being arranged by the Vaughan Selection Committee through the kind collaboration of Sara Morris, Raymond Vaughan, Tom O'Donnell, Bill Hudson, and John Grehan. If you have any suggestions for future speakers please forward your suggestions to any of the committee members. It is our goal to have future speakers arranged two years in advance.

Buffalo Ornithological Society Shorebird Count – August 20, 2006

by Terry Yonker

Information for the 2006 BOS Shorebird Count is compiled below along with results for the previous 2001-05 surveys.

Weather along the northern shore of Lake Erie for the 2006 count began with light fog in the early morning that eventually lifted, resulting in partly sunny conditions by midday. A trough of low pressure passed through the area during the late morning resulting in lower humidity and strong gusty winds that shifted to the northwest later in the day.

Greater Buffalo International Airport
Sunrise: 6:27 AM EDT Sunset: 8:10 PM EDT

TIME	WEATHER	ТЕМР	DEW PT	PRES- SURE	D1R/ W1ND	REMARKS
12:00 am	Light Fog	70	68	29.79	NW5	Visibility 2 Miles
3:00 am	Light Fog	69	67	29.80	W9	Visibility 2.5 Miles
6:00 am	Light Fog	68	65	29.80	W7	Visibility 2.5 Miles
9:00 am	Mostly Cloudy	69	63	29.84	W12	
12:00 pm	Partly Sunny	70	60	29.88	W14	Gusty

2006 participants included (bolded names are shoreline section leaders): Section1: Lynne Landon, Terry Yonker; Section 2: Mike Hamilton, Doug Happ; Section3: Sue O'Donnell, Tom O'Donnell; Section 4: Jim Rozanski, Elizabeth Wells; Section 5: Blayne Farnan, Jean Farnan, Kayo Roy; Section 6: Bob DeLeon, Donna DeLeon; Section 7: Gail Seamans; Section 8: Bill Watson; Sections 9 & 10: Robert Andrle, Jim Landau, Frances Rew.

2001-06 Lake Erie BOS Shorebird Survey

Species	2001	2002	2003	2004	2005	2006
Black-bellied Plover	30	58	12	10	1	6
American Golden Plover	0	0	0	0	0	0
Piping Plover	0	0	0	0	1	0
Semipalmated Plover	51	80	116	118	79	127
Killdeer	264	132	265	139	156	44
Greater Yellowlegs	28	23	44	2	7	3
Lesser Yellowlegs	336	204	98	12	95	10
Solitary Sandpiper	6	3	2	1	2	3
Willet	5	2	0	0	0	0
Spotted Sandpiper	170	115	140	67	103	116
Upland Sandpiper	0	0	0	0	0	0
Whimbrel	1	2	2	0	0	0
Ruddy Turnstone	3	20	14	3	9	3
Red Knot	3	1 -	0	1	3[1
Sanderling	15	73	25	7	29	86
Semipalmated Sandpiper	215	322	527	229	490	338
Western Sandpiper	0	0	2	4	1	0
Least Sandpiper	294	339	257	173	420	308
White-rumped Sandpiper	3	6	10	0	0	1
Baird's Sandpiper	3	11	0	11	13	4
Pectoral Sandpiper	47	63	15	4	49	15
Purple Sandpiper	0	0	0	0	0	0
Dunlin	0	4	0	2	0	0
Stilt Sandpiper	0	2	1	0	4	0
Buff-breasted Sandpiper	0	0	0	0	0	0
Short-billed Dowitcher	8	22	29	0	38	12
Long-billed Dowitcher	0	0	0	0	0	0
Common Snipe	0	0	0	0	0	0
American Woodcock	0	0	0	0	0	0
Wilson's Phalarope	0	0	0	0	0	0
Red-necked Phalarope	0	0	0	0	0	1
Red Phalarope	0	0	0	0	0	Ö
Unidentified	18	9	9	5	0	12
Total	1500	1491	1568	788	1500	1090

Northern Wheatear

by Jack Skalicky (from Birds of North America)

The Northern Wheatear described in this month's issue made me realize how little I knew about this species, prompting me to do some research. Below are some information I obtained from http://bna.birds.cornell.edu/BNA/.



The breeding range of the Northern Wheatear is nearly circumpolar and "extends from northern Europe and Asia south to the Middle East and North Africa, and includes Iceland, Greenland, northeastern Canada. Alaska, and the Yukon. Four races are recognized, 2 in North America: O.

o. oenanthe breeds in Alaska and northwest Canada, and O.
o. leucorhoa in Greenland and northeast Canada (above)."
The bird reported from Batavia WWTP was likely O. o.
leucorhoa based on proximity of breeding grounds.

The breeding range of the eastern N. American race, <u>O. o. leucorhoa</u>, is expanding. The "Range of *O. o. oenanthe* in Alaska and nw. Canada has been quite stable during past 50 yr. [while] <u>O. o. leucorhoa</u> has been extending its breeding range along west coast of Hudson Bay, on Ugava Peninsula, and in ne. Labrador. Sutton and Parmelee suggest that within a century, Northern Wheatear may establish completely circumboreal breeding distribution."

The species migrates from its N. American breeding grounds to Africa. "This species may be the only regularly breeding passerine bird of North America that migrates to wintering grounds in sub-Saharan Africa, crossing either the Atlantic Ocean [O. o. leucorhoa] or the continent of Eurasia [O. o. oenanthe]. Stragglers of both races have been recorded in at least 33 provinces and states of Canada and the United States. N. American breeding grounds have probably been occupied since the last glacial period."

Most relevant to New York birders is the timing of fall migration for this species: "O. o. oenanthe starts to migrate in Aug, with a peak in second half of Aug, when birds move to coast. Individuals occasionally found in w. Alaska in Oct. Pass through ne. Siberia in late Aug, central Russia in late Sept. and early Oct., Persian Gulf states in late Aug.—Nov.; arrives on wintering grounds from late Sep.—Oct. Oct. O. o. leucorhoa leaves breeding grounds Aug.—Sep. Most ship records in N. Atlantic are from late Aug. to late Sep. At Isle of Lewis, Scotland, passing migrants noted in early Sep. (probably Icelandic birds); later in Sep., passage noted of what were presumably birds from Greenland; pass through w. Europe from mid-Aug., but mainly in Sep—Oct."

Buffalo Ornithological Society Buffalo Museum of Science 1020 Humboldt Parkway Buffalo, NY 14211-1293

Return Service Requested

Non. Profit Org.
U.S. Postage
PAID
Buffalo, NY
Permit No. 412

Albert R. Mann Library Acquisitions Division-Serials Cornell University Ithaca, NY 14853-4301



December – January Calendar & CBCs

Dec. 23: Sat. Wilson-Lake Plains CBC. Compiler: Garner Light (772-5110 garnerlight@hotmail.com).

Dec. 27: Wed. Oak Orchard CBC. Compiler: Gail Seamans (585-937-5105 or gails@rochester.rr.com).

Dec. 29: Fri. Niagara Falls ON-NY CBC. Contact Willie D'Anna (751-3637; dannapotter@wzrd.com) for NY side. Contact Kayo Roy (905-8924433; kayoroy@niagara.com) for Canadian side.

Dec. 30: Sat. Port Colborne CBC. Compiler: Drew Campbell (drew.campbell@gm.com; 1-800-539-2329). Meet at McDonald's (corner of Highway 3 and 58 in Port Colborne) at 8 AM.

Dec. 30: Sat. Hamburg - East Aurora CBC. Compiler: Tom O'Donnell (tmodonnell@adelphia.net; 284-5569)

Jan. 1: Mon. Dunkirk-Fredonia CBC. Compiler: Joanne Goetz (goetz@netsync.net; 716-673-1627) and Paul Farver (716-792-9042).

Jan. 10: BOS Meeting at 7:00 PM. Buffalo Museum of Science. Richard Joos of the Univ. of Toronto will present, Little Gulls, a Glimpse at a North American Rarity.

Jan. 14: Sun. January Waterfowl Count of the New York State Ornithological Association. The count period is from Jan 13-21. However, because of the large, shifting flocks seen in our region, counters are urged to use the target date of Sunday, Jan. 14, weather permitting. New B.O.S. members are encouraged to participate! Contact the Compiler: Jim Landau at 941-3869 or kjlandau@localnet.com.

Jan. 24: BOS Meeting at 7:00 PM. Buffalo Museum of Science. Mike Hamilton will discuss results of the BOS 71st Annual October Count and compare the data with earlier October Counts.

BOS website http://www.bosbirding.org/



Buffalo-Niagara Region Dial-a-Bird: 716-896-1271

The PROTHONOTARY



Published Monthly by the

BUFFALO ORNITHOLOGICAL SOCIETY

Volume 72, No. 12 December, 2006

THE MONTH: November

Gerry Rising

Steve McLaughlin's National Weather Service summary tells us all we need to know about November: "After such a tumultuous October Mother Nature showed her other side and presented a surprisingly tranquil November. It averaged out very mild, dry and brighter than usual." The data supports his analysis: temperature average 44.6°, 4° above normal with an "extraordinarily warm final week"; "after the wettest September-October combo in history," 2.2" precipitation, half the usual with the only snow a forgettable 2" on the 2nd; 34% sunshine "brighter than usual"; and Lake Erie at 47° at month's end 3° warmer than average.

You might well expect a reverse migration. What we got, as I read the submitted records for migration delays, as a normal November. For example, there was only one warbler reported for the month, a Northern Parula on the 18th. An exception may have be the 31 Northern Roughwinged Swallows recorded upstream from Goat Island on November 19, but numbers of this species have been observed in this same area in at least one recent year. Also late migrants and winter visitors appeared at near normal times. Loons, other waterfowl and Rough-legged Hawks showed up in usual numbers. In fact, Snow Buntings and Lapland Longspurs arrived were first recorded in October. Evidently the migrants obeyed their genes and paid little attention to the weather.

There were, however, plenty of unexpected birds around to make this November interesting. It was indeed an excep-

105 The Month Gerry Rising

Gerry Rising
106 BOS 8th Ed. Date Guide
Mike Morgante

107 Short-eared Owl Study Sarah Mielke

108 Noteworthy Records
Bruce Chilton

111 2006 Bald Eagle Success NYSDEC Press Release

112 BOS Calendar

tional month for listers with Eurasian Wigeon, Harlequin Duck, Parasitic Jaeger, California Gull, Black-legged Kittiwake, Razorbill, and Summer Tanager recorded.

Of course, the most exciting of those birds is the Razorbill, to my best memory the only alcid reported here in many years. Paul Benham tells me that he was one of those who saw the Razorbill found in the same area in January 1985. That bird was first found by Harold Axtel and others on January 2 of that year. Another sighting at Niagara-on-the-Lake on November 27, 1982 was documented by Duncan and McLaughlin. According to Beardslee and Mitchell's *Birds of the Niagara Frontier Region*, there was at the time that book was written in 1965 a mounted specimen in the Ystad, Sweden School Museum collected in the Niagara region by J. A. Sjögren on November 16. 1906. This is Beardslee and Mitchell's only record and they regarded it only as hypothetical.

First reported on a BOS field trip on November 19, this Razorbill was observed from both Fort Niagara and Nia-







Razorbill photographed by Dominic Sherony (upper) and Jerry Lazarczyk (lower right) on November 28 and 24 respectively, at Old Fort Niagara. Summer Tanager (lower left) photographed by Willie D'Anna on November 14 at his home feeder in Wilson.

The Prothonotary is published monthly by the Buffalo Ornithological Society, Buffalo Museum of Science, Buffalo, NY 14211. Send subscriptions and address changes to the Corresponding Secretary, Karen Landau, S-9195 State Road, Colden, NY 14033. The regular subscription rate is \$20/year. Back issues are available from the Treasurer for \$2/issue.

Please mail correspondence to: Jack Skalicky 178 N. Main Street #55 Salt Lake City, UT 84103-2075 [Email] skalicky@biochem.utah.edu Ed. Consultants: Robert Andrle

> Gerry Rising William Watson

Proth. Production: Audrey Horbett Eileen Hull

Society Officers:

President: Thomas O'Donnell V. President: Michael Morgante Jerry Lazarczyk Treasurer: Donna DeLeon Secretary: Robert Andrle Statisticians: Frances Rew Audrey Horbett Archivist: Council: 2004-2006 Bob DeLeon Mike Desha Jim Landau Mike Galas 2005-2007 Jerry Lazarczyk Gail Seamans 2006-2008 Douglas Beattie Lynne Landon Elizabeth Wells

gara-on-the-Lake for the rest of the month and in fact into the following year. Unfortunately, for many stateside observers this is a "toll" bird for we are no longer allowed to observe from the Coast Guard Station and a hefty \$10 single visit, \$30 annual, fee is charged to enter the fort. Dozens of visitors traveled great distances to obtain brief -- or, rarely, extended -- views of this bird fishing the river opening into Lake Ontario, diving to remain out of view for remarkably long periods, and occasionally buzzing upriver a few hundred yards to drift down again.

The river was indeed active as just one report suggests. It is interesting enough to quote Tom Johnson of Cornell almost verbatim: "Mike Harvey, Tim Lenz, Mike Anderson and I birded the Niagara River all day [on the 5th] and had the following highlights: 4100 Bufflehead, 600

Long-tailed Ducks, and smallish numbers of all three scoters off Fort Erie. Above the falls, one Eurasian Wigeon was in with about 20 American Wigeon, 5-6 Lesser Blackbacked Gulls were on the rocks and numbers of Tree and Rough-winged Swallows (and one Barn) are still around. A Black-legged Kittiwake was below the falls. A Parasitic Jaeger was chasing gulls offshore at Fort Niagara for almost a half hour this evening." This excellent report is accompanied by photos of the kittiwake, wigeon and lesser black-back. Not a bad day.

A few Snow Geese were reported, harbingers I sadly suspect of great numbers to come in the future. A California Gull showed up in the Niagara Gorge as in most recent years as did an Eared Grebe at the Batavia Wastewater Treatment Plant. (When these individuals die, assuming they are the same birds each year, we may well go without the species for some time.)

The banding efforts of Tom LeBlanc and David Junkin clearly indicate that there are many more saw-whet owls around than most of us realize. Tom captured 40 of these delightful little owls during October and November this

year and I understand that Dave has caught at least half that many. Tom's report is accompanied with a delightful photo of one of these birds perched on a pumpkin stem.

Every few years a Summer Tanager shows up here. This time one spent a week or so at the D'Anna property in Wilson where Betsy Potter first found it. Willie's report includes an attractive photo of this handsome but pastel-colored female.

The only winter finch evidence was the report of 2 Pine Siskins in Alfred, hardly a sign of an incursion.

Revised Edition of the B.O.S. Verification Date Guide Forthcoming

By Mike Morgante

The Buffalo Ornithological Society (B.O.S.) Verification Date Guide ("Date Guide") has historically been revised every six-to-eight years. The last full revision included review of B.O.S. records through December 31, 1997; therefore, it has been more than eight years since a revision was made. In the course of those eight plus years, the status and occurrence of many species have changed. Thus, verification reports were required for many sightings that were no longer unexpected and/or significant. A committee was selected to revise the Date Guide based on a review of records through December 31, 2005. The committee worked through 2006 and the eighth edition of the Date Guide will soon be available.

The committee evaluated all species in need of potential revisions with the intent to reduce the number of reports required while not decreasing the scientific value or credibility of the records. It was a goal of the committee to restore the value of a verification report as indicated on page 5 of the Date Guide, "when a verifying report is called for, the record will be one of such importance that the observer may feel pride in it, and the report should be prepared with the care accorded a document of significant scientific value."

I encourage everyone to carefully read pages 2-6 of the Date Guide closely. These pages are the basis for the Date Guide and these original principles are not outdated, as it is only some dates, terms, and species that required revision. Some key points to remember about the Date Guide from these pages include:

- 1. Limiting dates do NOT represent when a species is common, but rather, when a verification report is required. (note: We now have the B.O.S. Seasonal Checklist that serves the purpose of indicating when species are common or rare. Too often, the Date Guide is misused for this purpose.) Many species are rare even in their optimum habitat near the limiting dates of the period.
- **2.** "All Year" species are not necessarily found over the whole region at all times.

- 3. The statisticians have the right to ask for a verification report for *any* sighting.
- 4. Reports may be required in general for the following categories: infrequent occurrence, difficult identification, unusual time of year, unusually high numbers, unusual location, or the desire to obtain more information about the species.

One of the biggest challenges facing the committee was reviewing the increased number of earlier arrivals and later departure dates in recent years. Like bird populations, the migration phenology for many species is far from static. There is much consideration given to changes in climate causing these changes. Please see the link http://www.abcbirds.org/climatechange/ for some interesting and scary projections on the changing ranges for our common bird species. There is also a brief mention of changing migration and breeding patterns of birds due to changing weather in Al Gore's must-see global warming documentary "An Inconvenient Truth". The Date Guide is rigid with arrival and departure dates. Many potential records are being lost from our records database for common species that arrive a few days early or during our increasingly regular "early springs", yet birders don't submit verification reports. This is the time of year when many birds are most easily seen and heard and there is less chance for misidentification, yet, we 'lose' records because the changing climate conditions of today do not match the calendar of yesteryears upon which the Date Guide records are based.

There were numerous changes for this Date Guide, more so than previous revisions. It is important to realize that the dates and terms were revised based on existing records (through December 31, 2005). Changes were not projected to account for what many believe will be continued adjustment in arrival and departure dates based on climate change. Therefore, it is very important to document species found outside of the dates indicated so future revisions will have adequately adjusted dates in these changing times.

A listing of all changes is not provided here because of the number of changes made. Please see the new Date Guide when it comes out for full detail. Here is a summary of species that were adjusted for the eighth edition by general category. Most of the changes made for the eighth edition are slight expansions in dates.

Species that previously required verification reports for all sightings that now have dates and/or exception terms: Greater White-fronted Goose, Cackling Goose, Eurasian Wigeon, Eared Grebe, Northern Gannet, Snowy Egret, Cattle Egret, Sandhill Crane, Hudsonian Godwit, Parasitic Jaeger, Black-headed Gull, Sedge Wren, Bohemian Waxwing, Worm-eating Warbler, and Clay-colored Sparrow.

Species that formerly had dates and/or exception terms that now require verification reports for all sightings: Barn Owl.

Species that had dates adjusted (expanded and/or contracted): Snow Goose, Brant, Blue-winged Teal, Northern Shoveler, Ring-necked Duck, Greater Scaup, Harlequin Duck, Surf Scoter, White-winged Scoter, Black Scoter,

Long-tailed Duck, Bufflehead, Ruddy Duck, Red-throated Loon, Red-necked Grebe, Least Bittern, Great Egret, Green Heron, Turkey Vulture, Osprey, Northern Goshawk, Broadwinged Hawk, Rough-legged Hawk, Merlin, Peregrine Falcon, Virginia Rail, Common Moorhen, Black-bellied Plover, Semipalmated Plover, Solitary Sandpiper, Willet, Spotted Sandpiper, Whimbrel, Ruddy Turnstone, Red Knot, Sanderling, Least Sandpiper, White-rumped Sandpiper, Pectoral Sandpiper, Buff-breasted Sandpiper, Wilson's Snipe, American Woodcock, Red-necked Phalarope, Franklin's Gull, Iceland Gull, Lesser Black-backed Gull, Glaucous Gull, Sabine's Gull, Black-legged Kittiwake, Caspian Tern, Forster's Tern, Black Tern, Northern Sawwhet Owl, Chimney Swift, Olive-sided Flycatcher, Alder Flycatcher, Willow Flycatcher, Least Flycatcher, Eastern Phoebe, Great Crested Flycatcher, Eastern Kingbird, White-eyed Vireo, Yellow-throated Vireo, Blue-headed Vireo, Warbling Vireo, Philadelphia Vireo, Red-eyed Vireo, Tree Swallow, Northern Rough-winged Swallow, Bank Swallow, Barn Swallow, House Wren, Marsh Wren, Rubycrowned Kinglet, Blue-gray Gnatcatcher, Swainson's Thrush, American Pipit, Brewster's Warbler, Nashville Warbler, Yellow Warbler, Black-throated Green Warbler, Pine Warbler, Prairie Warbler, Palm Warbler, Bay-breasted Warbler, Blackpoll Warbler, Ovenbird, Northern Waterthrush, Louisiana Waterthrush, Common Yellowthroat, Hooded Warbler, Wilson's Warbler, American Tree Sparrow, Vesper Sparrow, Henslow's Sparrow, Fox Sparrow, Lincoln's Sparrow, White-crowned Sparrow, Lapland Longspur, Rose-breasted Grosbeak, Indigo Bunting, Rusty Blackbird, Orchard Oriole, and Pine Siskin.

Species that had exceptions added or adjusted (not already listed above): Mute Swan, Common Raven, Northern Parula, and White-throated Sparrow.

Short-eared Owl: Characteristics of Winter Habitat

by Sarah Mielke

As part of my degree requirements at the University at Buffalo, I am studying Short-eared Owls and their habitat in Western New York, in collaboration with the New York State Department of Education and Conservation (NYS-DEC). This study will focus on understanding characteristics of optimal winter habitat for this species, endangered in New York State. Knowledge gained will help guide NYS-DEC managers in design of a conservation plan.

Your help is requested regarding the following: (1) location of Short-eared Owl wintering sites in Western New York, (2) the number of individual birds observed at each site, (3) their general behavior, and (4) the time of day observed. Please include as much detail as possible. Chuck Rosenburg of NYSDEC would prefer information pertaining to site locations also be reported directly to him. ALL information can be sent to sarah.mielke@gmail.com or 716-622-9506.

NOTEWORTHY RECORDS

Underlined common names, dates or localities indicate that an acceptable, detailed written verification according to the *Date Guide to Birds of Western New York and Adjacent Ontario* (Seventh Edition - Revised 2001) has been received and placed in the permanent files of the Buffalo Ornithological Society.

- * Indicates first record for the year.
- F Indicates first record for the migration.
- L Indicates last record for the migration.
- (f) Indicates record from feeding station. (n) Indicates nest(s). (yg) Indicates young. PDBA Indicates Previously Documented Breeding Area.

Species	November	<u>Number</u>	Location	Observer(s)
Snow Goose	4, 25	1, 3	Orchard Park	Morgante
11	9	18	Dayton	Neveu
n	12 - 25	1 - 2	Dayton	Watson, Landau, Rew
Canada Goose	28	2500	Ellery	DeFrancisco
Cackling Goose	30	1	Somerset	Watson
Brant	12L	7	Fort Niagara SP	Yoerg
Mute Swan	12	1	Dayton	Watson
"	13	12	Wilson	Watson
Tundra Swan	3; 8; 13	31; 28; 75	Beaver I. SP	Sharon; Hess; Sharon
11	5, 17	10, 2	Dayton	Neveu
11	10	60	Fort Erie (Ont)	Yoerg
Gadwall	9, 22	4, 27	Celeron	Neveu
"	18, 19	24, 12	Niagara Falls	Watson
"	30	24	Tonawanda WMA	Watson
Eurasian Wigeon	5	1	Niagara Falls (Ont)	Johnson et al
American Wigeon	5	20	Niagara Falls (Ont)	Johnson et al
11	10	18	Oak Orchard WMA	Watson
11	19	12	Niagara Falls	Watson
,	30	74	Tonawanda WMA	Watson
American Black Duck	2; 5; 12	2; 2; 10	Alexander	Beattie, Dart
18	8	8	Goat I.	Watson
11	10	22	Batavia WWTP	Watson, Lazarczyk
Northern Shoveler	10	177	Batavia WWTP	Watson, Lazarczyk
11	26	7	South Pk, Bflo.	Rew
Northern Pintail	10	26	Batavia WWTP	Watson, Lazarczyk
Green-winged Teal	2, 5	50, 6	Alexander	Beattie
"	12	28	Dayton	Watson, Lazarczyk
· ·	23	1	Stockton	Mosher
11	28	3	Tifft NP	Watson
Canvasback	8	205	Niagara Falls	Watson
Redhead	4	6	Niagara Falls (Ont)	Salembier, Pawlicki
11	12	9	Dayton	Watson
"	18	10	Fort Erie (Ont)	Watson
Ring-necked Duck	17	<u>700</u>	Dayton	Neveu, Watson
11	10	49	Oak Orchard WMA	Watson
**	12	12	Alexander	Beattie, Dart
Harlequin Duck	24	1	Dunkirk Harbor	Neveu
Surf Scoter	9, 18	2, 1	Bird I. Pier	Watson
"	30	16	Somerset	Watson
White-winged Scoter	30	46	Somerset	Watson
Black Scoter	6 - 24	1 - 5	Dunkirk Harbor	Neveu, Mosher
11	18	1	Niagara Falls	Watson, Pawlicki
Long-tailed Duck	5	600	Niagara River	Johnson et al

<u>Species</u>	November	Number	Location	Observer(s)
tt	13	350	Wilson	Watson
· ·	18	280	Fort Erie (Ont)	Watson
•	19	800	Bird I. Pier	Morgante
Bufflehead	5	4100	Niagara River	Johnson et al
н	9; 19	800; 1500	Bird I. Pier	Watson; Morgante
**	18	1800	Fort Erie (Ont)	Watson, Worgante Watson
Common Goldeneye	4, 15	40, 52	Sheridan	Neveu
Hooded Merganser	5 - 28	234 max		
"	7 - 28	227 max	Dayton Throughout WNW	Neveu, Watson, Rew
Common Merganser	4, 19		Throughout WNY	Several observers
"		44, 93	Hanover	Neveu
**	5 - 28	224 max	Dayton	Neveu
**	10	60	Batavia WWTP	Watson, Lazarczyk
**	22	74	Celeron	Neveu
	23, 29	4, 4	Alfred	Brooks
Red-br. Merganser	5	1000	Four Mile Creek SP	Yoerg, Henderson
	13, 30	60, 45	Dunkirk Harbor	Neveu
Ruddy Duck	5 - 28	95 max	Dayton	Neveu, Rew
**	9	124	Celeron	Neveu
ŧ	10	333	Batavia WWTP	Watson, Lazarczyk
**	10	35	Oak Orchard WMA	Watson
Red-throated Loon	5	17	Fort Niagara SP	Yoerg, Henderson
**	13	1	Wilson	Watson
Common Loon	11	17	Dunkirk Harbor	Mosher
· ·	13	48	Wilson	Watson
Pied-billed Grebe	2, 9, 22	47, 24, <u>147</u>	Celeron JAN 3 0 2	Meveu
Horned Grebe	7	73	Silver Creek	Neveu
11	7, 19	34, 131	Sheridan	Neveu
	13	20	Wilson Time	Watson
· ·	13, 18	33, <u>151</u>	Dunkirk Harbor	Neveu
Red-necked Grebe	6	5	Sheridan	Rew, Walker
11	19	1	Rock Point PP (Ont)	Yoerg, Henderson
Eared Grebe	10	1	Batavia WWTP	Watson, Lazarczyk
Dcrested Cormorant	2	450	LaSalle Pk, Bflo	Hess
"	9	30	Strawberry I.	Watson
11	9; 19	515; 15	Buffalo Harbor	Watson; Morgante
**	22	12	Niagara Falls	Watson
**	27	74	Buckhorn I. SP	Watson
Great Blue Heron	18, 23, 29	1, 1, 1	Alfred	Brooks
	22	1, 1, 1	Adam Beck Hydro (Ont)	Watson, Salembier et al
Black-cr. Night-Heron	29	34	Niagara Falls	Watson
Pold Cools		3 4 1	_	
Bald Eagle	4	1	Niagara Falls (Ont)	D'Anna, Potter
"	7, 15, 20	1 ad, 1 ad, 1 juv		Neveu
	9 - 28	2 ad	Dayton	Neveu, Watson et al
"	14	1 juv	Sheridan	Neveu
	20	2 ad	Navy I. (Ont)	Watson
"	29	2 ad	Westfield	DeFrancisco D. F :
"	29	1 ad + 1 juv	Ripley	DeFrancisco
"	30	1	Tonawanda WMA	Watson
Northern Harrier	25	3	South Dayton	Rew
Rough-legged Hawk	5F	1	South Dayton	DeFrancisco
19	10	1	Sinclairville	DeFrancisco
II .	12	1	Villenova	Watson
11	18	1	Sherman	Neveu
•	21	1	Ellicott	DeFrancisco

Species	<u>November</u>	<u>Number</u>	Location	Observer(s)
11	24, 28	1 dark	South Dayton	Neveu
H	28	2 light	Charlotte	DeFrancisco
11	30	1 dark	Somerset	Watson
American Coot	9; 19	22; 15	LaSalle Pk, Bflo	Watson; Morgante
n	10	38	Oak Orchard WMA	Watson
11	12	120	Dayton	Watson
11	30	312	Iroquois NWR	Watson
Killdeer	2, 5	10, 9	Alexander	Beattie
Dunlin	5	1	Fort Niagara SP	Yoerg, Henderson
11	10	15	Fort Erie (Ont)	Yoerg
u .	19	13	Long Beach CA (Ont)	Yoerg, Henderson
* Red Phalarope	19F	1	Hanover	Neveu
Parasitic Jaeger	5	1	Fort Niagara SP	Yoerg, Henderson et al
Little Gull	7	1	Niagara River, Bflo	Hess
11	10	1	Bird I. Pier	Yoerg
"	12	2	Fort Niagara SP	Yoerg
n	13	1	Lewiston	Watson, Lazarczyk
n	18	1	Niagara Falls	Watson, Pawlicki
"	19	1	Buffalo Harbor	Morgante
Bonaparte's Gull	18	1500	Buffalo	Watson, Pawlicki
* California Gull	13	1	Robt. Moses Power	Watson
"	18	1	Adam Beck Hydro (Ont)	D'Anna et al
11	18	1	Niagara Falls (Ont)	D'Anna et al
Iceland Gull	18F	1	Niagara Falls	Potter et al
Lesser Black-b. Gull	5	5	Niagara Falls (Ont)	Johnson et al
11	8; 22; 29	1; 6; 1	Niagara Falls	Watson, Pawlicki
n	22	1	Niagon-the-Lake (Ont)	Watson
n	29	1	Wilson	D'Anna
Glaucous Gull	18F	1	Niagara Falls (Ont)	D'Anna, Watson
Sabine's Gull	11, 16L	1, 1	Wilson	D'Anna
Black-leg. Kittiwake	5	1 imm.	Niagara Falls	Johnson et al
H	18	1 <u>ad</u> .	Niagara Falls	D'Anna et al, Potter
Ħ	18, 19	1 <u>ad</u> ., 1 imm	Niag. Whirlpool	D'Anna et al
Ħ	22	2 imm.	Niagara Falls (Ont)	Pawlicki, Salembier, Watson
Common Tern	2, 7, 14	5, 2, 1	Buffalo	Hess
* Razorbill	19	1	Fort Niagara	Watson, Lazarczyk, D'Anna et al
Short-eared Owl	2; 6; 21	18; 22; 2	Porter	Sharon; Sharon; Salembier
Nor. Saw-whet Owl	<u>10/1</u> to 11/24	40 banded	Allegany SP	LeBlanc et al
Northern Shrike	23	1	Farnham	Neveu
Ħ	27	1	Ellington	DeFrancisco
H	28, 29	1, 1	Stockton	DeFrancisco
Common Raven	20	2	Alfred	Brooks
n	22	1	Andover	Brooks
Horned Lark	4	44	Pomfret	Neveu
Ħ	18	200	Chautauqua	Neveu
Tree Swallow	4	30	Niagara Falls (Ont)	Pawlicki, Salembier
N. Rough-w. Swallow	<u> 19L</u>	31	Goat I.	Watson, D'Anna et al
Carolina Wren	1 - 29	1 - 2	BOS territory (incl. Ont)	Several observers
11	28	4	Times Beach NP	Watson
Winter Wren	19	1	Hanover	Neveu
Ruby-cr. Kinglet	4	6	Erie Beach Pk (Ont)	Pawlicki, Salembier
11	18	1	Sherman	Neveu
n	29L	1	Goat I.	Watson
Northern Mockingbird	13	1	Niagara Falls	Watson

<u>Species</u>	<u>November</u>	<u>Number</u>	Location	Observer(s)
**	18	1	Sherman	Neveu
11	21	1	Porter	Salembier
11	23	1	Silver Creek	Neveu
11	28	1	Tifft NP	Watson
11	29, 30	1, 1	Alexander	Dart
Northern Parula	<u>18</u>	1	Queenston (Ont)	Watson, Pawlicki
* Summer Tanager	13 - 21	1	Wilson	D'Anna et al, Watson, Salembier, Lazarczyk
Amer. Tree Sparrow	6F	2	Alfred	Brooks
**	12	55	Villenova	Neveu
Chipping Sparrow	3; 5	1; 1	Bethany	Beattie; Dart
**	4	2	Erie Beach Pk (Ont)	Salembier, Pawlicki
**	12	16	Alexander	Beattie, Dart
**	12	4	Attica	Beattie, Dart
Fox Sparrow	16	1	Wilson (f)	Potter, D'Anna
**	19L	1	Times Beach NP	Morgante
White-cr. Sparrow	5	2	Falconer	DeFrancisco
11	12	1	Attica	Beattie, Dart
**	28	1	Tifft NP	Watson
Dark-eyed Junco	12	<u>138</u>	Attica	Beattie, Dart
Lapland Longspur	4; 8	2; 2	Pomfret	Neveu; Mosher
Snow Bunting	5	10	Fort Niagara SP	Yoerg, Henderson
**	6	5	Dunkirk Harbor	Rew, Walker
**	11	4	Alexander	Beattie
**	19	1	Rock Point PP (Ont)	Yoerg, Henderson
Red-w. Blackbird	18	8	Fort Erie (Ont)	Watson, Pawlicki
Eastern Meadowlark	5	1	Allegany SP	Baird
**	17	2	South Dayton	Neveu
Rusty Blackbird	10	7	Wilson	D'Anna
Brown-head. Cowbird	10	500	Oakfield	Watson, Lazarczyk
Pine Siskin	30F	2	Alfred	Brooks
Species subspecies and	hybride proviously	recorded this x	oor.	270

Species, subspecies, and hybrids previously recorded this year:

Species, subspecies, and hybrids recorded for this month and October Count:

Total for the year 2006:

279

2004

Statisticians' Note: If any observer wishes to know the status of their verification report, please contact the Statisticians and we will give them the reasons for our decision. Please mail reports for each month not later than the FIFTH day of the following month to the Compiler: Bruce Chilton 88 Pryor Avenue, Tonawanda, NY 14150; Email: BChi314159@aol.com.

NYSDEC Press Release

New York State Bald Eagles Lay, Hatch, and Fledge Record Number of Eggs and Young in New York State during 2006 season announced New York State Department of Environmental Conservation (DEC) Commissioner Denise M. Sheehan, "Although we have become accustomed to increasing yearly records with our growing bald eagle population, the 2006 season established new records and biologists were delighted when they added up the numbers," Commissioner Sheehan said. "The 2006 season was remarkable."


During the first week of May 2006, nest monitoring began, when most eagle eggs had already hatched. In the following two months, it was apparent that significantly more nests with three eaglets were encountered than ever before. By the time the final tally was completed in August 2006, a remarkable 172 young were counted as fledged from 110 nesting pairs in New York State during the 2006 breeding season. These results mark a 20% increase in nesting pairs and a 54% increase in fledged young over 2005. Overall in 2006, 76% of all eagle pairs that nested in the State were successful in fledging young, with 30% of them producing three eaglets. The long-term average of nests with three eaglets is typically between 5-10% of all productive pairs. Biologists attribute this significant number of eaglets to very favorable mild and dry weather during the late winter and early spring when eagles were laying and hatching eggs, as well as the State and Federal initiatives in place to protect this species.

Buffalo Ornithological Society Buffalo Museum of Science 1020 Humboldt Parkway Buffalo, NY 14211-1293

Return Service Requested

Non. Profit Org.
U.S. Postage
PAID
Buffalo, NY
Permit No. 412

Albert R. Mann Library Acquisitions Division-Serials Cornell University Ithaca, NY 14853-4301



January – February Calendar

Jan. 24: BOS Meeting at 7:00 PM. Buffalo Museum of Science. Mike Hamilton will discuss results of the BOS 71st Annual October Count and compare the data with earlier October Counts.

Feb. 14: BOS Meeting at 7:00 PM in the Cummings room of the Buffalo Museum of Science.

Feb. 28: BOS Meeting at 7:00 PM in the Cummings room of the Buffalo Museum of Science. Terry Yonker will present the program "Things That Go Blip in the Night: Nocturnal Bird Migration Along the Buffalo Waterfront".

Mar. 14: BOS Meeting at 7:00 PM in the Cummings room of the Buffalo Museum of Scence.

Mar. 28: BOS Meeting at 7:00 PM in the Cummings room of the Buffalo Museum of Science. Connie Adams and Lee Harper of the NYSDEC will discuss, "Colonial Waterbirds at Buffalo Harbor."

Oct. 6-8: 2007 NYSOA annual meeting hosted by the Buffalo Ornithological Society will be held in Batavia, NY. (more details to follow).

BOS Name Tags (second call)

There were many requests for BOS name tags so the announcement is begin reported here and the deadline extended. Karen Landau has extended the time to, hopefully, increase the number ordered, reducing the individual price.

If anyone is interested in ordering a personalized BOS logo name tag, please contact Karen Landau at 716-941-3869 or kjlandau@localnet.com by March 1st. These name tags will be especially nice for the BOS hosted 2007 NYSO^ annual meeting in Batavia, NY.

BOS website http://www.bosbirding.org/



Buffalo-Niagara Region Dial-a-Bird: 716-896-1271 671 196 1.72 index

TOPICS

VOL. PAGE(S)

Authors

Authors		
Baird, Tim Burch, Bill DeLeon, Donna DeLeon, Robert DeSha, Mike Grehan, John Hamilton, Mike Hebb, Mary Ellen Junkin, David Landau, Jim Landau, Karen Lazarczyk, Jerry Mielke, Sarah Morgante, Mike O'Donnell, Tom Randell, Gil Rising, Gerry Rosenburg, Chuck Skalicky, Jack Watson, Bill Yonker, Terry Zebehazy, Mike	72 72 72 72 72 72 72 72 72 72 72 72 72 7	27-28, 33, 83-84, 89 6, 58 59-61 59-61 1-2, 63-65 102 44-47, 75, 98-101 68-69 72, 75 16, 17, 52 7 9-10, 15, 77-78 107 106-107 25 17, 50-51 24, 49-50, 105-106 24, 102 43, 69, 103 35-37, 58, 91-92, 97 103 19-20, 71-72
B: 10		,
April Count 2006 May Count 2006 October Count 2006 Shorebird Count 2006 Waterfowl Count 2006	72 72 72 72 72 72	44-47 59-61 98-101 103 16
Field Trips		
Lake Erie/Rock Point 2006 Owls 2006 Whip-poor-will Trip 2006	72 72 72	75 24 58
Articles BOS Treasurer's Report 2004-2005 Gordon Bellerby (obituary) Great Egret Banding at Motor Island 2006 Hamburg Hawk Watch: 2006 Season Membership Roster Northern Saw-whet Owl Banding in WNY Northern Wheatear NY's Annual Midwinter Bald Eagle Survey NYSDEC Press Release - Bald Eagles NYSDEC Short-eared Owl Study & Landowner Incentive Program NYSOA 2007 Annual Meeting Announcement Pan American Shorebird Program	72 72 72 72 72 72 72 72 72 72 72 72	25 6, 68-69 58 52 addendum 10/06 72, 75 103 17 111 102 102

Peregrine Falcons Have a Good Year in 2005 Prothonotary Index 2005 Revised Edistion of the BOS Date Guide Forthcomic Ripley Hawk Watch: 2006 Season Short-eared Owl: Characteristics of Winter Habitat Study Documents of the Marathon Migrations of So Swallow Hollow Nature Trail Dedication Times Beach Nature Preserve Vaughan Lecture 2007: The Singing Life of Birds	72 72	6 7 106-107 17, 50-51 107 69 14 24 102
Accepted Verification Reports & Unusual	Numbers	
American Avocet	72	6, 95
American Crow	72	13
American Pipit	72	5
American Robin	72	88, 96
American Tree Sparrow	72	89
American White Pelican	72	38
Baltimore Oriole	72	33
Bank Swallow	72	
Barn Swallow	72	95
Black Vulture	72	39
Black-headed Gull	72	66
Black-legged Kittiwake	72	95, 110
Bohemian Waxwing	72	60
Bonaparte's Gull	72	12
Broad-winged Hawk	72	39, 45
Brown-headed Cowbird	72	97
Bufflehead	72	66
Cackling Goose	. 72	11, 29, 108
California Gull	72	110
Caspian Tern	72	40
Cattle Egret	72	53
Chimney Swift	72	95
Clay-colored Sparrow	72	57
Common Goldeneye	72	11
Common Merganser	72	73
Common Raven Connecticut Warbler	72	32, 60
Dark-eyed Junco	72 72	57 111
Dickcissel	72	
Eared Grebe	72	6, 68, 74 12, 44, 85, 94, 109
Eastern Phoebe	72	4, 13
Eurasian Wigeon	72	29, 108
Forster's Tern	72	40, 54, 74
Fox Sparrow	72	5, 13
Golden Eagle	72	39
Great Cormorant	72	4
Great Egret	72	30
Greater Scaup	72	11
Greater White-fronted Goose	72	38, 93
Green Heron	72	44

Harlequin Duck	72	53
Hooded Warbler	72	42
Horned Grebe	72	109
Iceland Gull	72	54
Jaeger species	72	95
Laughing Gull		
· ·	72	86
"Lawrence's" Warbler	72	81
Least Sandpiper	72	39
Lesser Black-backed Gull	72	54
Lesser Scaup	72	11
Lincoln's Sparrow	72	68, 97
Little Gull	72	66
Long-billed Dowitcher	72	40, 86
Long-tailed Duck	72	79, 85
Marsh Wren	72	41
Merlin		
	72	4, 12, 22, 31, 39, 45, 53, 79, 86, 94
Mute Swan	72	79, 85, 93, 98
Nashville Warbler	72	41
Northern Gannet	72	94
Northern Goshawk	72	6, 44, 98
Northern Hawk Owl	72	13, 22
Northern Parula	72	111
Northern Rough-winged Swallow	72	41, 110
Northern Saw-whet Owl	72	110
Northern Shoveler	72	6, 93
Northern Wheatear	72	96
	72	
Orchard Oriole		58, 61
Parasitic Jaeger	72	86, 95, 110
Peregrine Falcon	72	4, 22, 59, 73
Philadelphia Vireo	72	81
Pied-billed Grebe	72	109
Pine Warbler	72	13, 23, 45, 67, 96
Piping Plover	72	6
Prairie Warbler	72	56, 67
Protonotary Warbler	72	42
Razorbill	72	110
Red-necked Grebe	72	85, 94, 98
Red-necked Phalarope	72	54
Red-throated Loon	72	98
	72	97
Red-winged Blackbird	72	
Ring-necked Duck		66, 108
Ross's Goose	72	29
Ruddy Duck	72	21
Sage Thrasher	72	23
Sandhill Crane	72	39, 53, 79, 86
Scaup species	72	3
Snow Bunting	72	100
Snowy Egret	72	85
Spotted Sandpiper	72	6
Stilt Sandpiper	72	80
Summer Tanager	72	111
Summer Fanager		

Swainson's Thrush Tree Swallow	72 72	88 95
Tricolored Heron	72	53, 59, 79, 94, 98
Trumpeter Swan	72	11
Turkey Vulture	72	12
Varied Thrush	72	13
Warbling Vireo	72	87, 99
Western Sandpiper	72	80
White-eyed Vireo	72	87
White-throated Sparrow	72	68
Whooping Crane	72	6
Wilson's Warbler	72	57
Yellow Warbler	72	88
Yellow-rumped Warber D.c. auduboni	72	67
Yellow-throated Warbler	72	67

Jan.= p.1-8, Feb.= p.9-18, Mar.= p.19-26, Apr.= p.27-34, May = p.35-48, June = p.49-62, July = p. 63-70, Aug.= p.71-76, Sept.= p.77-82, Oct.= p.83-90 + addendum, Nov.= p.91-104, Dec.= p.105-112

TO THE PROPERTY OF THE PROPERT

The PROTHONOTARY



Published Monthly by the

BUFFALO ORNITHOLOGICAL SOCIETY

Volume 73, No. 1 January, 2007

THE MONTH: December

Mike DeSha

According to Steve McLaughlin of the National Weather Service, it was "a memorable December for western New York. The bizarre year of 2006 finished on an appropriate note in the Buffalo area as we experienced almost unprecedented warmth and lack of snow. It was the 4th warmest December (37.2°) in the 136 years of weather records here and combined with a very mild November to make the November-December combo the second warmest ever at 40.9°. Only 1931 was warmer. Finally adding this feature to the abnormally warm January and spring, 2006 was the second warmest year of all times. The average temperature of 50.7° was second only to 50.9° in 1998."

I say, what a difference a year makes! Last year the temperature in the month of December averaged 27.1°, about 2.5° colder than normal; this year we averaged 10° warmer than that. Precipitation this month totaled only 3.16 inches, 0.64 inch less than normal.

McLaughlin continues "The month began on a wild note... with an intense storm moving up to our west with heavy rain... then very strong winds followed... enhanced by funneling up Lake Erie... with gusts of 60 to 70 mph causing more tree damage and power outages during the evening of the 1st. Lake Erie experienced a major seiche with water rising ten feet at this end of the lake, reaching the highest levels since 1985. A brief taste of winter followed...which included an interesting lake effect event on the 4th with an intense band swinging north of the area and then south... dropping a general 3 to 6 inches. This was about it for winter though. The final 22 days were all warmer than normal and both Christmas and New Years were green and mild.

- The Month

 Mike DeSha
- Noteworthy Records
- Bruce Chilton
 BOS Calendar

Of note is the snowfall. The 7.5 inches in December was less than 30% of normal and 7th least in the 64 years of airport records. The combined November-December snowfall of 9.6 inches was 3rd least ever. This makes the freak October snow of 22.6 inches even more unbelievable. But even including that, the season snowfall finished December below normal."

The "wild note" of the first days of December blew in ["blew in" not to be taken literally, editors note] a megararity on the 2nd – a Slaty-backed Gull – for only the second time the species has been seen here in the years that BOS has been keeping records. This individual was seen by a number of observers, though only Willie D'Anna provided a verification for the sightings accompanied by photographs taken by him and Shane Blodgett. It was last reported on the Niagara River on December 13. In his verification D'Anna describes the finding of the gull: "Kevin McGowan and the Cayuga Bird Club discovered this bird and they quickly got the word out about a 'possible Slatybacked Gull' on the breakwall below the control gates. When Betsy, Shane and I arrived less than an hour later, they were trying to relocate it after it had flown but they were still not certain it was a Slaty-backed Gull. Geoff Carpentier refound the bird behind the Gatehouse and we



ner amidst many Herring Gulls.

The Prothonotary is published monthly by the Buffalo Ornithological Society, Buffalo Museum of Science, Buffalo, NY 14211. Send subscriptions and address changes to the Corresponding Secretary, Karen Landau, S-9195 State Road, Colden, NY 14033. The regular subscription rate is \$20/year. Back issues are available from the Treasurer for \$2/issue.

Please mail correspondence to: Jack Skalicky 178 N. Main Street #55 Salt Lake City, UT 84103-2075 [Email] skalicky@biochem.utah.edu Ed. Consultants: Robert Andrle

Gerry Rising William Watson

Proth. Publishing: Audrey Horbett Eileen Hull

Society Officers:

President: Thomas O'Donnell V. President: Michael Morgante Jerry Lazarczyk Treasurer: Donna DeLeon Secretary: Statisticians: Robert Andrle Frances Rew Archivist: Audrey Horbett Council: 2005-2007 Mike Galas Jerry Lazarczyk Gail Seamans Douglas Beattie 2006-2008 Lynne Landon Elizabeth Wells 2007-2009 Donna DeLeon Richard Miga William Watson

shortly got word of it from Jim Pawlicki so we headed over, as did Kevin and his group. We studied it at length, comparing it to many Herring Gulls and a few Great Black-backed Gulls, and watched it fully stretch its wings twice, as well as take a short flight, which by that time made me fairly convinced that it was, indeed, a Slaty-backed Gull. ...later in the day, we had nearly side-byside comparisons with an adult Lesser Blackbacked Gull ... which left behind any lingering doubts."

As D'Anna described the gull, it was about the size of a Herring Gull and its back was slightly darker than the Lesser Black-backed Gull with which he compared it. The bird exhibited a "string of pearls" – the effect created by a "row of white spots that help to suggest a regular pattern of white from the white-tipped secondaries and inner primaries to

the large mirror on the outermost primary. The rump and tail were white with the tail showing thin streaks of blackish." The legs compared to a Herring Gull "were a deeper, richer pink." The combination of features allowed him to rule out other gull species and hybrid combinations.

Slaty-backed Gulls breed on the islands off the Pacific coast of Asia, wandering north and south during the non-breeding season. They are considered casual in Alaska and the Pribilof and Aleutian Islands. The first record of this species east of the Mississippi River occurred in late November through early December on the Niagara River in 1992, (Bull's Birds of New York State).

The Razorbill that was first spotted in November continued to feed at the outlet of the Niagara River throughout December. Previous documented occurrences were on January 2, 1985 and November 27, 1987, so this is our first December record for the species. Both William Watson and Willie D'Anna were among those who saw the bird during this time period. Each of their verification reports mentions the lack of characteristic white line on the bill, suggesting that the bird is an immature. In his article on Razorbill in

Bull's Birds of New York State, author Michael Usai says that the numbers reported from shores of Long Island have jumped dramatically since 1990. It is thus conceivable that sightings in our area might become more common as well.

Waterfowl and other gulls were also of note, even if not as rare as the two species discussed previously. Lazarczyk, Neveu and Jim and Karen Landau reported a Harlequin Duck in Dunkirk Harbor. Brendan Klick provided a verification of the Barrow's Goldeneye he and Pawlicki found swimming with Common Goldeneyes December 29 on Lake Ontario at Point Breeze. He distinguished it from the others by its crescent-shaped white patch on the face and the row of rectangular white spots on the scapulars that differed from the solid-black back of the Common Gold-eneyes. This is only the 2nd December record of Barrow's Goldeneye in BOS archives since 1980. Beattie found nine Green-winged Teal on December 8 in Bethany. William Watson, Richard Salembier, and Jim Pawlicki among others saw a California Gull from the Adam Beck overlook on the Niagara River on December 30. Willie D'Anna and several other observers saw this bird in the same area the next day. A Black-legged Kittiwake was also seen on each day.

As reported by Peter Yoerg, up to four Merlins were seen from December 23 to December 29 at the traditional roosting site on the South Campus of the University of Buffalo. This is the ninth winter that Young has seen at least one Merlin at this location. On December 10, Tim Baird, Tom LeBlanc and I saw a Merlin in the Town of Leon in Cattaraugus County. We were looking for Short-eared Owls in the townships of Cattaraugus County south of Dayton. In late afternoon sun, Baird spotted an immature Cooper's Hawk in a farmyard tree. There were numerous European Starlings and House Sparrows as well. After we stopped, the hawk flushed and Tim saw the Merlin chasing the hawk. The Merlin broke off the chase and alit at the top of a tree, where we all got a good view of it. To our knowledge, this is the latest in the year that a Merlin has been seen in Cattaraugus County. William Watson has noted that in the BOS archives, the previous late record for Merlin in Cattaraugus County was an individual seen in Dayton on September 14, 1997 by Sweigert, Rew and Watson, (Watson, private communication.) Tom LeBlanc got a decent photograph of the bird in flight, which was included in the verification report.

Willie D'Anna saw what was probably the same Ruby-crowned Kinglet on December 17 and 31 along the Niagara River. Salembier found a Ruby-crowned Kinglet at Times Beach Nature Preserve on December 28. Betsy Potter and Willie d'Anna attracted a Fox Sparrow to their feeders December 4-7 and Potter saw a lingering Hermit Thrush on the 29th at Four Mile Creek State Park. Salambier reported the only Purple Finch on the 16th. Others may have been seen on CBC's not reported here. While Purple Finch is not considered an irruption species in our area, it should be noted that Ron Pittaway had forecasted earlier that winter finches are not likely to move into our area this winter due to the massive seed crops farther north.

NOTEWORTHY RECORDS

Underlined common names, dates or localities indicate that an acceptable, detailed written verification according to the *Date Guide to Birds of Western New York and Adjacent Ontario* (Seventh Edition - Revised 2001) has been received and placed in the permanent files of the Buffalo Ornithological Society.

A.R. MARIELLE MAY

- * Indicates first record for the year.
- F Indicates first record for the migration.
- L Indicates last record for the migration.
- (f) Indicates record from feeding station. (n) Indicates nest(s). (yg) Indicates young. PDBA Indicates Previously Documented Breeding Area.

MAR

ITHACA,

1 2007

<u>Species</u>	<u>December</u>	<u>Number</u>	Location	Observer(s)
Snow Goose	30	1	Orchard Park	Morgante
"	31	2	Dayton	Neveu
Tundra Swan	6	20	Dayton	Neveu
11	7-21	131	Grand I.	Lazarczyk et al
11	14; 21	180	Beaver I. SP	Sharon
11	14	17	Celeron	Neveu
n	14	59	North Harmony	Neveu
**	15	50	Buckhorn I. SP	D'Anna
n n	17	145	Niagara River	Watson
Gadwall	6	3	Dayton	Neveu
11	14	12	Celeron	Neveu
11	17	24	Niagara Falls (Ont)	Watson
11	28	2	Tifft NP	Pawlicki, Salembier
American Black Duck	16	14	Batavia WWTP	Watson
H	16	22	Oak Orchard WMA	Watson
11	23	10	Dunkirk Harbor	Neveu
**	31	48	Dayton	Neveu
Northern Pintail	16	7	Oak Orchard WMA	Watson
11	16	2	Tifft NP	Salembier
**	30	1	Orchard Park	Morgante
"	31	20	Dayton	Neveu
Green-winged Teal	8	9	Bethany	Beattie
Redhead	14	1	Barcelona Harbor	Neveu
"	17	33	Niagara River	Watson
Ring-necked Duck	11; 30	1; 1	Dunkirk Harbor	Neveu
"	13	2	Silver Creek	Neveu
"	19	50	Buckhorn I. SP	Sharon
Harlequin Duck	10;16;23	1	Dunkirk Harbor	Lazarczyk et al, Neveu; J&K Landau
Surf Scoter	14	1	Barcelona Harbor	Neveu
White-winged Scoter	9; 14	26; 11	Niagon-the-Lake (Ont)	Beattie, Lazarczyk
"	17	1	Niagara Falls (Ont)	Watson
Black Scoter	· 14	1	Barcelona Harbor	Neveu
Bufflehead	9; 14	140; 100	Niagon-the-Lake (Ont)	Beattie, Lazarczyk
"	17	737	Bird I. Pier	Landau, Chilton
Barrow's Goldeneye	29	1 m	Pt. Breeze	Klick
Hooded Merganser	14; 21	512; 325	Celeron	Neveu
Ruddy Duck	6; 15; 31	15; 15; 7	Dayton	Neveu
"	11 - 30	2	Dunkirk Harbor	Neveu
H	16	32	Batavia WWTP	Watson
n	28	3	La Salle Pk, Bflo	Pawlicki, Salembier
Common Loon	14; 21	2; 1	Niagara River	Beattie, Lazarczyk: Chilton, Landau
11	29	1	Four Mile Creek SP	D'Anna
Great Blue Heron	10 - 23	5 max	Hanover	Neveu

<u>Species</u>	<u>December</u>	<u>Number</u>	Location	Observer(s)
11	11	16	Dunkirk Harbor	Neveu
Bald Eagle	3	1	Grand I.	Morgante
"	3	1 subad	Allegany SP	Baird
11	6; 15; 31	2 ad; 1ad,1 juv; 2a	• •	Neveu
н	10;13;16	2 ad; 1 ad; 2 ad	•	Neveu
**	11; 23	1 juv; 1 ad	Sheridan	Neveu
Ħ	11;23;28	4; 3; 13	Allegheny Reservoir	Baird
**	14	1 ad	Dunkirk Harbor	Neveu
Northern Harrier	31	7	South Dayton	Neveu
Red-tailed Hawk	20	1 (white)	Brant	Neveu
Rough-legged Hawk	10	1	Conewango	DeSha
"	31	7	South Dayton	Neveu
Merlin	<u>10</u>	1	Leon	DeSha, Baird
11	23 - 29	1 - 4	UB south campus	Yoerg
Purple Sandpiper	3; 10; 17	2; 2; 3	Niagara Falls	Yoerg
Little Gull	15	1	Buffalo	D'Anna
Bonaparte's Gull	7 - 21	900 - 7000	Beaver I. SP	Lazarczyk
"	17	3585	Niagara River	Watson
California Gull	30	1	Adam Beck Hydro (Ont)	Watson et al
"	31	1	Adam Beck Hydro (Ont)	D'Anna et al
Iceland Gull	3 - 31	1 - 2	Adam Beck Hydro (Ont)	Watson, D'Anna et al
"	31	6	Niagara Falls	D'Anna et al
11	31	1	Queenston (Ont)	Yoerg, Henderson
Lesser Black-b. Gull	3 - 17	1 - 2	Niagara Falls (Ont)	Yoerg
"	31	8	Niagara Falls	D'Anna et al
Slaty-backed Gull	2, 3	1	Niagara Falls (Ont)	D'Anna et al
Glaucous Gull	31	2	Niagara Falls	D'Anna et al
Black-leg. Kittiwake	30	1	Adam Beck Hydro (Ont)	Salembier, Pawlicki
"	31	l juv	Adam Beck Hydro (Ont)	Potter et al
Razorbill	10;19	1 ju v	Fort Niagara SP	D'Anna; Watson et al
Short-eared Owl	5	10	Porter	Sharon
"	15	1	Porter	D'Anna
Nor. Saw-whet Owl	18	1	Ellery	Lazarczyk
Northern Shrike	10	1	Conewango	DeSha, Baird et al
"	16	1	Tonawanda WMA	Watson
11	16	1	Brant	Neveu
11	27	1	Pendleton Center	D'Anna
11	29	1	Allegany SP	Baird
11	31	1	Villenova	Neveu
Common Raven	3; 23	2; 1	Allegany SP	Baird
"	6	1	Mansfield	Lazarczyk
Carolina Wren	10; 16	1; 1	Hanover	Neveu
"	13; 30	1; 1	Silver Creek	Neveu
н	17	1	Niagara Falls (Ont)	Watson
**	29	1	Four Mile Creek SP	D'Anna
**	30	1	Orchard Park	Morgante
Winter Wren	16	1	Hanover	Neveu
"	23	1	Newfane	D'Anna
"	29	1	Porter	D'Anna
Ruby-cr. Kinglet	17; 31	1	Niagara Falls (Ont)	D'Anna; D'Anna et al
"	<u>28</u>	1	Times Beach NP	Salembier
Eastern Bluebird	11	4	Pomfret	Neveu
"	15	4	South Dayton	Neveu
"	16	1	Colden	J Landau
		•		Junduu

<u>Species</u>	<u>December</u>	Number	Location	Observer(s)
н	16	10	Allegany	Baird
**	19; 31	4; 5	Hanover	Neveu
**	30	4	Sheridan	Neveu
Hermit Thrush	29	1	Four Mile Creek SP	Potter
American Robin	17	23	Niagara Falls (Ont)	Watson
Northern Mockingbird	16; 28	1; 1	Tifft NP	Pawlicki, Salembier
"	17	1	Tonawanda	Chilton, Landau
**	30	1	Bethany	Beattie
Yellow-r. Warbler	29	3	Porter	Potter
Amer. Tree Sparrow	15; 31	45; 92	South Dayton	Neveu
Fox Sparrow	<u>4 - 7</u>	1	Wilson (f)	Potter, D'Anna
White-thr. Sparrow	28	4	Times Beach NP	Salembier, Pawlicki
White-cr. Sparrow	1 - 30	1 - 3	Wilson (f)	Potter, D'Anna
**	29	8	Porter	D'Anna
Snow Bunting	10	3	Hanover	Neveu
f f	16	146	Batavia WWTP	Watson
Red-w. Blackbird	29	9	Porter	D'Anna, Potter
Common Grackle	21	1	Tonawanda	Chilton
Brown-head. Cowbird	28	2	Bethany	Beattie
Purple Finch	16	1	Tifft NP	Salembier

ADDENDA

		2005		
Long-eared Owl	12/4, 17, 23	1	Amherst SP	Salembier
N. Saw-whet Owl	12/30	1	Amherst SP	C & R Salembier
Winter Wren	12/28, 30, 31	2, 1; 1	Amherst SP	Salembier; Salembier, Pawlicki
E. Bluebird	12/11	2	Porter	Salembier, Pawlicki
		2006		
Ross's Goose	2/22	1	Pt. Abino (Ont)	Roy
Harlequin Duck	10/15	1	Dunkirk Harbor	M & T Lenz
N. Goshawk	6/19	2	Carroll	DeFrancisco
Red-necked Phalarope	9/19	1	Pt. Abino (Ont)	Wells
н	10/1	1 *	Batavia	Pawlicki
Boreal Owl	4/16	1	Niagara-on-the-Lake (Ont)	Roy, Lucas
* Rufous Hummingbird	7/13	1	Port Colborne (Ont)	Roy et al
Sage Thrasher	2/24; 25	1	Welland (Ont)	Roy et al; Egressy
Bohemian Waxwing	5/21	1	Port Colborne (Ont)	Partridge
		ERRATA/2000	6	
Changes Orchard Origin	May Count 2006		Sec 20 to Sec 4,20	
Change: Orchard Oriole	•			Pacttic
Erratum: American Tree Sparrov	V 11/12	16; 4	Alexander; Attica	Beattie
and NOT Chipping Sparrow	la provioualy ro	orded this year	•	283
Species, subspecies, and hybrid				
Species, subspecies, and hybrid	is recorded for	this month and	aaaenaum:	003

Statisticians' Note I: If any observer wishes to know the status of their verification report, please contact the Statisticians and we will give them the reasons for our decision. Please mail reports for each month not later than the FIFTH day of the following month to the Compiler: Bruce Chilton 88 Pryor Avenue, Tonawanda, NY 14150; Email: BChi314159@aol.com.

Statisticians' Note II: We are asking members of the BOS and any other birders who send in reports to the BOS to advise us as soon as they can of any possible errors in regard to records published in the Prothonotary, particularly in the Noteworthy Records so that we can make any necessary changes as soon as appropriate.

Total for the year 2006:

286

Buffalo Ornithological Society Buffalo Museum of Science 1020 Humboldt Parkway Buffalo, NY 14211-1293

Return Service Requested

Non. Profit Org.
U.S. Postage
PAID
Buffalo, NY
Permit No. 412

Albert R. Mann Library Acquisitions Division-Serials Cornell University Ithaca, NY 14853-4301



February - March Calendar

Feb. 28: BOS Meeting at 7:00 PM in the Cummings room of the Buffalo Museum of Science. Terry Yonker will present, Things That Go Blip in the Night: Nocturnal Bird Migration Along the Buffalo Waterfront.

Mar. 1 - May 15: Hamburg Hawk Watch will officially begin counting on March 1 and continue through May 15. The watch is conducted at Lakeside Memorial Park, just inside the Camp Rd. entrance, between Routes 5 and 20. Stop by between the hours of 10 a.m. and 3 p.m. and see what's migrating! Contact Jim Landau, 941-3869 or kjlandau@localnet.com

Mar. 4: Sunday. BOS Nature Sanctuary Field Trip. Meet at the sanctuary (between 3012 and 3060 Love Road on Grand Island) at 9:00 AM. A picnic lunch at Beaver Island S.P. follows. Interested folks can continue as a group to the West River and Buckhorn Island for an afternoon trip. Leader: Jerry Lazarczyk (716-773-7452 or lazarcg1@netzero.com).

Mar. 14: BOS Meeting at 7:00 PM in the Cummings room of the Buffalo Museum of Scence. Bob DeLeon will present, BOS April, May & October Counts: 70 Years, 20 Million Birds and Still Counting.

Mar. 18: Sunday. Erie County Owl Trip. Meet at 1:00 PM at the Reinstein Woods Preserve at 77 Honorine Dr. in Depew (off Como Park Blvd. between Transit Rd. and Union Rd.) Leader: Chuck Rosenburg (683-8386, crosenburg@verizon.net, cell phone: 622-3278).

Mar. 28: BOS Meeting at 7:00 PM in the Cummings room of the Buffalo Museum of Science. Connie Adams and Lee Harper of the NYSDEC will present, Colonial Waterbirds at Buffalo Harbor.

Oct. 6-8: 2007 NYSOA annual meeting hosted by the Buffalo Ornithological Society will be held in Batavia, NY. (more details to follow).

BOS Name Tags (third and final call)

If anyone is interested in ordering a personalized BOS logo name tag, please contact Karen Landau at 716-941-3869 or kjlandau@localnet.com by March 1st. These name tags will be especially nice for the BOS hosted 2007 NYSO^{*} peeting in Batavia, NY.

BOS website http://www.bosbirding.org/



Buffalo-Niagara Region Dial-a-Bird: 716-896-1271

The PROTHONOTARY



Published Monthly by the

BUFFALO ORNITHOLOGICAL SOCIETY

Volume 73, No. 2 February, 2007

THE MONTH: January

Jerry Lazarczyk

According to Steve McLaughlin of the National Weather Service, "January was a tale of two weather regimes. Western New Yorkers were wondering if winter would ever arrive this year. The near record warmth of November and December continued right on into January and the first two weeks were amongst the warmest ever, averaging some 13 degrees warmer than normal and were virtually snowless. Crocuses were even breaking ground. Then in one of the most dramatic pattern changes in recent years winter set in at mid month and tightened its grip during the last two weeks of the month. The lake effect machine was very active as the lakes were unusually warm and primed for action once the cold air arrived. The winds were generally west or northwest though, so although a bit of snow fell every day from the 13th on, the Buffalo area was spared any significant snowfall. The South Towns were not so lucky..."

The lack of a freeze up early in the month left most birds dispersed throughout our Region. Places that were "gimme's" for waterfowl such as Dunkirk Harbor just did not have much, whereas places that were normally frozen over held waterfowl. Birds that were normally concentrated remained dispersed.

McLaughlin continues "January's wintry second half put a dent in the excess temperatures during the first two weeks, but the month still averaged some 4.4 degrees above normal at 28.9 degrees. A few record high minimums were set during the first week. The month's first half averaged 13 degrees too warm, its second half 4 degrees on the cold side.

7 The Month

Jerry Lazarczyk
Noteworthy Records
Bruce Chilton

13 Jan. Waterfowl Count Jim Landau


14 New BOS species: Part I Jim Pawlicki

15 BOS Calendar

Precipitation was fairly heavy for January, falling as rain during the first half and snow of the lake effect variety during the second. Weather events of interest included the freezing rain early on the 15th

which caused some power outages across Niagara County while the immediate Buffalo area just barely escaped as temperatures edged slightly above freezing for a time. Three to six inches of snow fell across the metropolitan area on the 23rd with close calls on both the 29th and 31st as intense lake bands lifted up across the South Towns and dissipated just before reaching the city. Monthly snowfall was 15.5 inches, over ten inches below normal. The greatest depth was just 3 inches. Season snowfall is up to 47.7 inches, 15 inches shy of the norm. But this is deceiving as over 22 inches fell in the October storm. Since November 3 total snowfall has been just 22.9 inches versus a normal of 62 inches.

January was a gloomy month with just 22 per cent of the possible sunshine being received. Just three days were mostly sunny. Lake Erie was at record warm levels much of the month, as late as the 16th when it was still at 41 degrees. But the late month chill knocked it down to 35 by month's end and some shore ice was forming. Winter finally arrived in mid January but it was not too hard to take."



Little Gull photographed by Jim Pawlicki January 11th on the Niagara River, Buffalo NY.

The Prothonotary is published monthly by the Buffalo Ornithological Society, Buffalo Museum of Science, Buffalo, NY 14211. Send subscriptions and address changes to the Corresponding Secretary, Karen Landau, S-9195 State Road, Colden, NY 14033. The regular subscription rate is \$20/year. Back issues are available from the Treasurer for \$2/issue.

Please mail correspondence to: Jack Skalicky 178 N. Main Street #55 Salt Lake City, UT 84103-2075 [Email] skalicky@biochem.utah.edu Ed. Consultants: Robert Andrle

Gerry Rising
William Watson

Proth. Publishing: Audrey Horbett Eileen Hull

Society Officers:

President: Thomas O'Donnell V. President: Michael Morgante Treasurer: Gerald Lazarczyk Secretary: Donna DeLeon Statisticians: Robert Andrle Frances Rew Archivist: Audrey Horbett Council: 2005-2007 Mike Galas Gerald Lazarczyk Gail Seamans 2006-2008 Douglas Beattie Lynne Landon Elizabeth Wells 2007-2009 Donna DeLeon Richard Miga William Watson

The weather assault that finally arrived drove birds towards normal January environs. As smaller ponds and creeks began to freeze and the snow cover arrived, birds were forced to migrate or to concentrate in unfrozen areas or areas where food and shelter was not snow covered. For the record, average precipitation was 4.77 inches with a deviation of 1.61 inches. The mean temperature was 28.9 degrees with a deviation of 4.4 degrees.

The story of the month, perhaps the winter, was the Razorbill, last seen by Willie D'Anna and others on January 6th. The Razorbill was originally spotted by a joint BOS-RBA field trip in November 2006. The Razorbill has occurred only twice in BOS records, November 27, 1982 and January 2, 1985, therefore exceptional. This recent Razorbill was a great bird to behold and we appreciated its long run

albeit at the expense of a new \$10 fee to enter Fort Niagara.

Only two January BOS records existed for a Greater White-fronted Goose. On January 15, 1982, Wendling found two White-fronted Geese in Williamsville, NY. On January 1, 2004, Watson documented one at the Iroquois NWR. Therefore an exceptional find was made when one was found at the Tonawanda WMA on January 7th.

Sightings of Snow Geese west of an imaginary north-south line between the Finger Lakes and the BOS region are uncommon. This year, 400 of these geese were recorded at the Iroquois NWR on January 7th. Previously, the highest January number of Snow Geese in our region was 31. The BOS database contains only one January instance of a Canada Goose find exceeding the 3400 that Bill Watson found at the Iroquois NWR on January 18th. That was by Morse in January of 1980, also at the Iroquois NWR.

Due to the recent split of the Cackling Goose from Canada Goose, only one January record is present in the BOS database. Verification reports are now required for the species after January 11th through March 5th and April 23rd through October 12th.

Tim Baird found a Trumpeter Swan in a small area of open water on the otherwise frozen Allegheny Reservoir. The sighting was only the 2nd BOS January record (Fran Rew and others found two Trumpeters in Dunkirk Harbor on January 31st of 1997).

Only eight BOS January records for over 100 Tundra Swans exist and all are from 1999 and later. Debbie Sharon found 125 on January 14th and Bill Burch and myself found 176 on January 18th. That larger number was exceeded only once, by Bill Burch on January 17, 2002. The data indicates January Tundra Swans are increasing. I can remember years ago when it was a treat to find a small flock of Tundra Swans just once during the winter. Now the swan population is a fixture over winter in the upper Niagara River.

Historical records dating to the 17th century abound with stories of the swans. Many documents detail catastrophic events of large flocks going over the falls. Flocks of other waterfowl go over as well. These catastrophic events usually occur at night, during periods of fog or heavy storms. This was not necessarily an unusual event, one document recounts that the soldiers of Fort Niagara were sustained over winter on the carcasses of waterfowl recovered from the river that presumably perished in this manner.

Only two previous BOS records of Canvasback numbers over 10,000 occur. One record was of 10,350 found by Bill Burch off Grand Island on January 15, 2003. On October 31, 1981, Art Schaeffner found 15000 at Niagara Falls ON. Bill Burch and I found at least 12500 between Grand Island and Motor Island on January 21, 2007. Beardslee and Mitchell called the Canvasback uncommon in the early 1900's, and they mention that its growth has been phenomenal, first reaching 10,000 birds on a December 22, 1952 Christmas count to a maximum of ~15,000 birds in 1958.

Bill Watson estimated 1400 Common Goldeneye on January 11, 2007 from Ft. Erie ON. Only four BOS records exceed his count of 1400, and all four records were over 2000 birds. Beardslee & Mitchell said "During the thirties and early forties the Common Goldeneye was usually the most numerous winter duck in this region. Even now (the 1960's) it has the most widespread distribution, but the compact flocks of Canvasbacks have exceeded it in numbers in most recent years (the 1960's)". This is similarly true today. But the Common Goldeneye was counted in the 2000 to 5000 range in some years over the thirties, forties and fifties.

David Neveu estimated 6000 Common Mergansers in Dunkirk Harbor on January 27, 2007. That number was exceeded only four times in BOS records. According to Beardslee & Mitchell, the Common Merganser, which is the largest of our ducks, is among the most common of our wintering waterfowl, and numbers are dependent on food supplies. The largest count was 15,192 recorded in mid-January 1960 (over twice the previous high count) at a time when the Emerald Shiner was unusually abundant in the Niagara River.

David Neveu reported a leucistic Red-tailed Hawk in Farnham on January 15, 2007. This is probably the same bird reported in the Evangola area for the past few years.

January BOS Merlin records continue to accumulate so it is with tongue in cheek that it continues to be a very rare sighting. On January 12th three were seen, on January 17th two were seen and on January 18th three were seen on the UB South Campus. This corresponds with records of multiple (and single) sightings per day over recent years on the UB South campus.

Only two January BOS records exist for an American Woodcock: Morgante in 1999 at Ft. Erie and Galas in 2000 at Ft. Niagara. So the January 1st find by Terry Mosher in Pomfret is exceptional as well. Terry said he did not actually see the bird in the pre-dawn darkness. Terry went on to say that "sound that I had heard on perhaps 300 occasions broke the morning stillness: the twitter of an American Woodcock's whistling wings". Terry went on with a precise yet extremely well written description of the sounds that he heard and the events he presumed were occurring.

A Bonaparte's Gull count of at least 3000 at Beaver Island State Park on January 1st by me pales in comparison to the 15,000 seen by the Suggs on the 14th in the Niagara River at Buffalo. However, the Suggs' count is tied for second with a count of 15000 by Cohen et al on January 19, 1991. The highest count according to BOS records is 16,200 on January 29, 1995 by the late Gorden Bellerby. Mr. Bellerby "owns" most of the highest count records for BOS.

Willie D'Anna and others saw the very rare California Gull twice in January. There are only 18 BOS records of the California Gull, none before the first record in 1993 by Gordon Bellerby. The sharp-eyed Willie D'Anna "owns" most of the California Gull records.

Bill Watson counted 102 American Robins on January 11th in Tonawanda and Doug Beattie had 125 in Bethany on the 15th. There are some pretty impressive January numbers in the BOS records topped by 2,397 by Klick and Harris on January 12 of 2003 at the Iroquois NWR and Suzan and Tom O'Donnell had 1000 on January 17, 1999, also at Iroquois for 2nd place.

A sighting by Willie D'Anna of 200 American Tree Sparrows on January 13th on the Lake Ontario plains was exceeded by only 3 BOS records. The Klabundees', former caretakers of the BOS Wildlife Sanctuary, had 500 on February 11th of 1968 in Wilson while Mealy had 500 in Ellicott in March of 1964. Third place of 250 went to Willie D'Anna on January 16th of 1993 on the Lake Ontario plains. Historical records show much higher counts but with only one record above 1,000, none in January.

Only six January BOS records existed before the very rare Savannah Sparrow that Willie D'Anna noted on January 13th in Newfane. Historically, the Savannah Sparrow was considered by Beardslee & Mitchell as "one of the least hardy of the sparrows which have been known to summer here".

Only three previous January BOS Red-winged Blackbird records for greater than 100 individuals exist. Willie D'Anna recorded 115 in Newfane and 150 in Hartland, both on January 13, 2007. Endres had 475 Red-winged Blackbirds at the Iroquois NWR on January 31, 1985. Morse had 200 in Alabama NY on January 7, 1980. Fran Rew had 165 in Kent Switch in Cherry Creek.

Surprising numbers and occasions of January Brownheaded Cowbird with flocks of over 100 individuals occur. Willie D'Anna got 150 on January 13, 2007. But BOS records demonstrate eleven instances of over 100 with a high of 500 by McKale on January 31, 1981.

BOS records, supplied to me on request from the BOS database by David Suggs, cover basically the period from 1965 to roughly present day. Historical records covering pre-1965 come mostly from Beardslee and Mitchell's Birds of the Niagara Frontier Region.

The following sources were used in this report:

Beardslee, C.S. and Mitchell, H.D. 1965, Birds of the Niagara Frontier, Bulletin of the Buffalo Society of the Natural Sciences (Buffalo Museum of Science) Volume 22.

DiTommaso D., Suggs D., et al, B.O.S. Noteworthy Records Database 1964-2005.

National Weather Service, January 2007, Buffalo, New York.


Suggs, David, et al. Seasonal Checklist of the Birds: Niagara Frontier Region. Buffalo Ornithological Society, Inc.

Reminder: 2007 Vaughan Lecture: The Singing Life of Birds

by John Grehan

Donald Kroodsma from Massachusetts will be presenting *The Singing Life of Birds* at 7:00 pm on Wednesday April 25 for the Vaughan Lecture (see Calendar). Don provided the following description of his talk:

"Come listen to birds as you've never listened before, using what they have to say as a window on their minds, using what they have to say not just to identify them but to identify with them. Hear a song sparrow work through his repertoire, and listen to conversations among crows and jays. See and hear the exquisite beauty in songs of thrushes and how each male uses his songs to best effect. Listen to a babbling baby wren and baby human, realizing how much we have in common with these songbirds. Come and learn to truly listen to our most common birds in ways you never imagined possible."Further information on Donald Kroodsma can be found on the Vaughan web site at http://www.sciencebuff.org/vaughan lectures.php.



NOTEWORTHY RECORDS

Underlined common names, dates or localities indicate that an acceptable, detailed written verification according to the *Date Guide to Birds of Western New York and Adjacent Ontario* (Seventh Edition - Revised 2001) has been received and placed in the permanent files of the Buffalo Ornithological Society.

- * Indicates first record for the year.
- F Indicates first record for the migration.
- L Indicates last record for the migration.
- (f) Indicates record from feeding station. (n) Indicates nest(s). (yg) Indicates young.

PDBA - Indicates Previously Documented Breeding Area.

<u>Species</u>	January	<u>Number</u>	Location	Observer(s)
Gr. White-fr. Goose	7	1	Tonawanda WMA	Yoerg
Snow Goose	6	1 blue	Porter	D'Anna et al
17	7	<u>400</u> wh,1 bl	Iroquois NWR	Yoerg, Henderson
17	7	2 white	Dayton	Neveu
Canada Goose	18	<u>3400</u>	Iroquois NWR	Watson
Cackling Goose	7	1	Tonawanda WMA	Yoerg
**	7	4	Iroquois NWR	Yoerg
11	18	1	Iroquois NWR	Watson
Mute Swan	3	2	Pt. Breeze	Watson, Pawlicki
11	7	4	Wilson-Tuscarora SP	Sharon
**	7	<u>30</u>	Pt. Breeze	S&T O'Donnell
Trumpeter Swan	28	1	Allegheny Reservoir	Baird
Tundra Swan	3, 8, 18	21, 31, 4	Iroquois NWR	Watson
**	7	5	Tonawanda WMA	Yoerg, Henderson
**	7	13	Iroquois NWR	Yoerg, Henderson
**	11	47	Buffalo	Watson
**	14; 18	<u>125; 174</u>	Buckhorn I. SP	Sharon;Lazarczyk,Burch
"	23	11	Tonawanda	Watson
Gadwall	7	10 .	Iroquois NWR	Yoerg, Henderson
"	8	8	Iroquois NWR	Watson
11	11	28	Niagara Falls, NY	Watson
**	11	9	Niagara Falls (Ont)	Watson
Northern Shoveler	18	1	Batavia WWTP	Watson
Green-winged Teal	1	1	Niagara Falls (Ont)	J&K Landau, Rew
**	17	1	Dunkirk Harbor	Moshers
Canvasback	21	<u>12500</u>	Beaver I. SP	Lazarczyk, Burch
Redhead	11	9	Fort Erie (Ont)	Watson
**	27	36	Dunkirk Harbor	Neveu
Ring-necked Duck	5	1	Tifft NP	Watson
11	27	18	Fort Erie (Ont)	Pawlicki, D'Anna
Lesser Scaup	9; 27	2; 1	Dunkirk Harbor	Neveu
Harlequin Duck	27	1	Fort Erie (Ont)	D'Anna, Pawlicki
White-winged Scoter	3	18	Somerset	Watson
**	3	6	Pt. Breeze	Watson
Long-tailed Duck	11	140	Fort Erie (Ont)	Watson
**	14	1	Conewango	Baird et al
Bufflehead	11	<u>800</u>	Fort Erie (Ont)	Watson
Common Goldeneye	11	<u>1400</u>	Fort Erie (Ont)	Watson
Hooded Merganser	1 - 18	15 repts	BOS area (incl Ont)	Lazarczyk et al
11	7	48	Dunkirk Harbor	Neveu
Common Merganser	27	6000	Dunkirk Harbor	Neveu
Ruddy Duck	5	5	La Salle Pk, Bflo.	Watson
Ruddy Duck	8 - 20	1 - 2	Dunkirk Harbor	Neveu

<u>Species</u>	January	Number	Location	Observer(s)
**	18	5	Batavia WWTP	Watson
Red-throated Loon	3	2	Somerset	Watson, Pawlicki
11	7	2	Golden Hill SP	Yoerg, Henderson
Common Loon	27	1	Dunkirk Harbor	Neveu
Pied-billed Grebe	27	14	Dunkirk Harbor	Neveu
"	14	2	Buckhorn I. SP	Sharon
Horned Grebe	3	17	Somerset	Watson
"	6, 9	2, 2	Dunkirk Harbor	Neveu
Dcrested Cormorant	1	1	Strawberry I.	Watson
"	5	1	Tifft NP	Watson
Great Blue Heron	1	1	Bethany	Beattie
"	7	3	Tonawanda WMA	Yoerg, Henderson
"	7	1	South Dayton	Neveu
"	15	1	Arcade	J&K Landau
"	18	1	Oak Orchard WMA	Watson
"	27	1	Dunkirk Harbor	Neveu
Bald Eagle	1	2 imm	Allegheny Reservoir	Baird
"	1	1 ad	South Dayton	Neveu
II	5	1 ad	Hanover	Neveu
"	6, 7, 14	1 juv, 2 ad, 2 ad	Dayton	Neveu
"	8; 18	1; 2	Iroquois NWR	Watson et al; Watson
"	9	1 ad + 2 juv	Sheridan	Neveu
11	9, 17, 20	1 ad,1 ad + 2 juv,1 ad	Dunkirk Harbor	Neveu
II .	14	1 imm	Allegany Village	Baird et al
"	17	2 ad	Dunkirk Harbor	Moshers
"	17	2 ad	Silver Creek	Neveu
**	17	1 ad	Celeron	Neveu
11	27	1 ad	Strawberry I.	D'Anna, Pawlicki
Red-tailed Hawk	15	1 white	Farnham	Neveu
Rough-legged Hawk	1	2	Villenova	Neveu
"	1,6,7,20	4,8,2,10	South Dayton	Neveu
"	7	4	South Dayton	J&K Landau
"	14	1	Conewango	Baird et al
H .	18	1	Alabama	Watson
H .	28	1	Dayton	DeSha
Merlin	12,17,18	3, 2, 3	UB south campus	Yoerg
American Coot	2	9	Buckhorn I. SP	Sharon
11	14	1	Allegany Village	Baird et al
American Coot	27	1	Grand I.	Lazarczyk
Purple Sandpiper	28	2	Niagara Falls (Ont)	Yoerg
American Woodcock	1	1	Pomfret	Mosher
Little Gull	11	1	Buffalo	Watson, Pawlicki
n	20	1	Beaver I. SP	D&D Suggs
n e	21	1	Queenston	Yoerg, Henderson
п	21	2 - 3	Niagon-the-Lake (Ont)	Yoerg, Henderson
n e	28	1	Adam Beck Hydro (Ont)	Yoerg
Bonaparte's Gull	1	3000	Beaver I. SP	Lazarczyk
"	14	15000	Niagara River, Bflo	D&D Suggs
California Gull	6, 14	1	Adam Beck Hydro (Ont)	D'Anna et al
Iceland Gull	21, 28	5, 3 ad	Adam Beck Hydro (Ont)	D'Anna, Yoerg et al
"	21	6	Niagara Falls	D'Anna et al
п	28	4	Niagara Falls (Ont)	Yoerg
Lesser Black-b. Gull	19	1	Beaver I. SP	Sharon
Glaucous Gull	14	1	Four Mile Creek SP	Yoerg, Henderson

Species	January	<u>Number</u>	<u>Location</u>	Observer(s)
11	21	1	Adam Beck Hydro (Ont)	D'Anna, Yoerg et al
11	21; 28	5; 1-2(imm)	Niagara Falls	D'Anna et al; Yoerg
Razorbill	6	1	Niagon-the-Lake (Ont)	D'Anna et al
Short-eared Owl	1	3	Wilson	J&K Landau et al
tt.	21	4	Yates	Sharon
11	14	4	Shelby	Yoerg, Henderson
**	20	1	Grand I.	D&D Suggs
Yellow-b. Sapsucker	6	1	Niagara Falls	S&T O'Donnell
	26 - 31	1	Bethany	Beattie
Northern Shrike	1 - 30	11 repts	Throughout WNY	Many observers
Common Raven	1	8	Allegany SP	Baird
11	6	2	South Dayton	Neveu
11	14	1	Allegheny Reservoir	Baird et al
Horned Lark	8	16	Iroquois NWR	Watson
11	28	13	Bethany	Beattie
11	30	1	Farmersville	DeSha
E. a. alpestris	13	10	Yates	D'Anna
E. a. praticola	27	20	Somerset	J&K Landau, Rew
Carolina Wren	5 - 29	7 repts	Throughout WNY	Several observers
Eastern Bluebird	1	2	Alexander	Beattie
H .	7	6	Gowanda	J&K Landau
ti .	18	5	Iroquois NWR	Watson
American Robin	11	<u>102</u>	Tonawanda	Watson
tt.	15	125	Bethany	Beattie
Northern Mockingbird	10; 13	1; 1	Bethany	Beattie, Dart
"	23	1	Tonawanda	Watson
Amer. Tree Sparrow	13	<u>200</u>	Newfane	D'Anna
"	21	53	Bethany	Beattie
Savannah Sparrow	<u>13</u>	1	Newfane	D'Anna
Swamp Sparrow	13 7	6	Tonawanda WMA	Yoerg, Henderson
White-thr. Sparrow	1	6	Amherst SP	Salembier
White-cr. Sparrow	1 - 31	1 - 3	Wilson (f)	Potter, D'Anna
Lapland Longspur	14	50	Wilson	D'Anna, Potter
"	27	12	Somerset	J&K Landau, Rew
11	27	1	Wilson	J&K Landau, Rew
Snow Bunting	21; 27	20; 1	Wilson	Sharon;J&K Landau,Rew
"	27	40	Somerset	J&K Landau, Rew
**	30	14	Farmersville	DeSha
Red-w. Blackbird	13	<u>115</u>	Newfane	D'Anna
11	13	<u>150</u>	Hartland	D'Anna
Eastern Meadowlark	18	1	Fort Niagara	Sharon
Brown-head. Cowbird	13	150	Hartland	D'Anna
n	25	$\frac{1}{2}$ m + 1 f	Grand I. (f)	Lazarczyk
n	29	1	Silver Creek	Neveu
Purple Finch	25	1	Pomfret	Mosher

Also seen in January: Mallard, Greater Scaup, Red-breasted Merganser, Ruffed Grouse, Wild Turkey, Northern Harrier, Sharp-shinned Hawk, Cooper's Hawk, American Kestrel, Ring-billed Gull, Herring Gull, Great Black-backed Gull, Rock Pigeon, Mourning Dove, Eastern Screech-Owl, Belted Kingfisher, Red-bellied Woodpecker, Downy Woodpecker, Hairy Woodpecker, Northern Flicker, Pileated Woodpecker, Blue Jay, American Crow, Black-capped Chickadee, Tufted Titmouse, Red-breasted Nuthatch, White-breasted Nuthatch, Brown Creeper, Golden-crowned Kinglet, European Starling, Song Sparrow, Dark-eyed Junco, Northern Cardinal, House Finch, American Goldfinch, and House Sparrow.

Species, subspecies, and hybrids recorded for this month: <u>Total for the year 2007</u>:

099 099

January 2007 Waterfowl Count Summary by Jim Landau

Overview: The New York State Ornithological Association (NYSOA) conducts an annual waterfowl count each January throughout the state's 10 assigned regions, to assist the New York State Department of Environmental Conservation (DEC) in monitoring long-term population changes, bird conservation planning and environmental reviews. The Buffalo Ornithological Society has been participating in this effort since 1955. The region consists of the New York State portion of the BOS study area and includes the Niagara River and adjacent waters of Lakes Erie and Ontario. The count period this year was January 13 – 21, 2007, with the target date of Sunday, January 14. Final results of the state waterfowl count will be published in "The Kingbird" and posted on the NYSOA website at: http://www.nybirds.org/ProjWaterfowl.htm.

Weather: The first two weeks of January were among the warmest ever, averaging some 13 degrees warmer than normal and were virtually snow free. All waters were icefree, including the Great Lakes and all interior lakes, ponds, rivers and streams. On Friday, January 12 (the day before the count period began) the average temperature was 43° F with no snow on the ground. Then, in one of the most dramatic pattern changes in recent years, winter finally set in halfway through the count period. Interior still waters began to freeze over and lock up. By Monday, January 22 (the day after the count period closed) the average temperature was 23 °F with 5 inches of snow on the ground.

Compilation: The table on right lists the species, their accumulated tallies and trending patterns, if any. Where a species was recorded in three or fewer sections, the section numbers are given in parentheses.

Notes: The unusually moderate weather lasted through the first half of the count period, affording most observers an easy time of it, and allowing for ample coverage on the count date. While many of the counters on the Niagara River, Lake Ontario and Lake Erie commented on the lack of significant numbers of waterfowl to be counted, inland counters remarked enthusiastically about waterfowl numbers and variety of species. In fact, many reports came from waters that historically have been frozen over at this point of the year, such as the Tonawanda/Iroquois/Oak Orchard complex, Lime Lake and Countryside Gravel Ponds. The wintry weather that set in for of the second half of the count period found ever-increasing numbers of arriving birds, concluding with significant numbers of Canvasbacks on the final day of the count period. This 53rd waterfowl count logged record highs for Canada Goose, Tundra Swan, Northern Shoveler (35!), Ring-necked Duck (170!), Hooded Merganser (403!), Ruddy Duck (193!), Redthroated Loon, Double-crested Cormorant and American Coot (1202!). Buffleheads continued a significantly robust trend, with numbers recorded in the thousands for the sixth consecutive year. The only record low was for American Black Duck. Suspiciously absent for the second year in a

row, perhaps even more so due to the availability of so much open interior water, was Wood Duck.

Species	Number	Comments
Canada Goose	6766	record high
Mute Swan	4	variable (B)
Tundra Swan	312	record high
Gadwall	41	variable (E,F,O)
American Wigeon	50	above average (C,D,O)
Am. Black Duck	40	record low
Mallard	3263	average
Northern Shoveler	35	record high (B,J,M)
Northern Pintail	1	low (C)
Canvasback	11820	variable
Redhead	635	variable
Ring-necked Duck	170	record high
Greater Scaup	1535	low
Lesser Scaup	6	low (F,J)
Scaup species	150	
White-winged Scoter	164	(B,C,F)
Long-tailed Duck	612	low
Bufflehead	3161	high
Common Goldeneye	2169	variable
Hooded Merganser	403	record high
Common Merganser	1513	variable
Red-br. Merganser	743	variable
Ruddy Duck	193	record high (I,J,M)
Red-throated Loon	5	record high (D)
Common Loon	1	variable (C)
Pied-billed Grebe	13	high
Horned Grebe	6	variable (B,F,H)
Double-cr. Cormorant	136	record high (D,F,I)
American Coot	1202	record high
Other species	195	
Total Species	28	Above average
TOTAL OF ABOVE	35344	variable

Sections and Compilers:

Sec	Compilers	Area(s) surveyed	
A	Roberta Vallone	Lake Ontario (Point Breeze to Olcott)	
В	Peter Yoerg	Lake Ontario (Olcott to Fort Niagara)	
C	Bob Deleon	Fort Niagara to Niagara Falls (NY)	
D	Mike Zebehazy	Niagara-On-The-Lake to Niagara Falls (ON)	
Е	Gerry Rising, Joe Thill	Buffalo Harbor to Goat Island (NY)	
F	Gerry Rising, Bill Broderick	Jaeger Rocks to Horseshoe Falls (ON)	
G	Bill Burch	Grand Island, NY	
Н	Dave Suggs	Lake Erie (Buffalo Harbor to Silver Creek)	
I	Fran Rew	Lake Erie (Silver Creek to PA line)	
J	Bob Sundell	Jamestown & Chautauqua Lake	
K	Tim Baird	Cattaraugus County, Olean & Salamanca	
L	Doris Burton	Allegany County	
M	William Watson	Batavia	
N	Ed Ratajczak	Oak Orchard & Tonawanda WMAs	
О	Ed Ratajczak	Iroquois NWR	
P	Bill Burch	Amherst, Clarence, Cheektowaga, Lancaster	
Q	Tom Connare	Delaware Park, Forest Lawn Cemetery	
R	Elizabeth Wells	South Park, Cazenovia Park	

Participation in New York's Annual Mid-Winter Bald Eagle Survey. We are also requested by the DEC to report any Bald Eagle sightings during the waterfowl count, to be included in their annual Mid-winter Bald Eagle Survey. They, in turn, contribute the New York State census to the national Mid-winter Bald Eagle Survey, which is coordinated by the Biological Resources Division of the U.S. Geological Survey. The following sightings were reported: 1/13/07 – 1 adult, 2 p.m. Nazareth Road, Clymer, NY., Ann C. Beebel 1/13/07 - 1 adult, no time given. Angelica, NY., Doris Burton; 1/14/07 - 1 adult, 9:30 a.m. Motor Island in Niagara River, Tonawanda, NY., Gerry Rising; 1/14/07 – 2 adults, 11 a.m. Countryside Gravel Ponds, Dayton, NY., David Neveu; 1/14/07 - 1 immature, 8:30 a.m. Gargoyle Park, Olean, NY., Tim Baird; 1/14/07 - 2 adults, noon. Cayuga Pool, Iroquois NWR, Ed Ratajczak; 1/16/07 - 1 adult female, 9 a.m. Bittersweet Dr., Fluvanna, NY., Bill Seleen; 1/18/07 - 1 adult male, noon. Lakewood Community Park, Celoron, NY., Bill Seleen

Participants and contributors to this year's January Waterfowl Count included: Tim Baird, Pat Bogan, Donald Brasure, Bill Broderick, Bill Burch, Olive Burch, Doris Burton, Ken Cohen, Tom Connare, Bob Deleon, Donna Deleon, Emma Deleon, Mike Desha, Steve Eaton, Brett Ewald, Mike Galas, Doug Happ, Barbara Henderson, Audrey Horbett, Mary Jordan, Jim Landau, Karen Landau, Jerry Lazarczyk, Tom LeBlanc, Mike Morgante, David Neveu, Ed Ratajczak, Fran Rew, Gerry Rising, Gerry Rising, Jr., Jim Rozanski, Bill Seleen, Tom Simmons, Dave Suggs, Debbie Suggs, Bob Sundell, Joe Thill, John Thill, Roberta Vallone, Bill Watson, Liz Wells, Larry Wilson, Peter Yoerg, and Mike Zebehazy.

The Next New Species and Breeders in the B.O.S. Study Area

by Jim Pawlicki

The recently printed eighth edition of the BOS Verification Date Guide (2007) highlights five new species and three new breeding species since the last full update in 1998. What new species and breeders will occur next within the BOS study area? We asked the verification date guide committee members to consider this question and list five new species they suspect will next be documented (location/month) and what three species will next be identified as breeders (location) in the BOS study area. Three committee members: Willie D'Anna, Mike Morgante, and Jim Pawlicki responded.

Part I: The next five new species.

Three species made all the lists, some of which may represent a surprising absence from the current BOS study area checklist:

<u>Fish Crow</u>: Allegany River (Salamanca) in May and the Lake Ontario Plain in April. The difficult identification of

this species is perhaps the largest factor for its absence from the checklist, since in order to distinguish a Fish Crow from the very similar American Crow, you must hear it call. A well-known saying is to ask a crow whether or not it is an American Crow, and if not, it will respond with a nasal "uh, uh" – the Fish Crow's most distinctive and diagnostic call. The more common calls of the Fish Crow though, are single nasal "uh's" which have to be carefully separated from the very similar nesting call of American Crows around April-July. Spring is a good time for Fish Crows to be wandering and looking for new territory, as well as vocal, and the recent expansion of the species along the Allegany River around Pittsburgh, Pennsylvania could perhaps lead to one or more moving north along the Allegany River into Cattaraugus County. The Braddock Bay area just to our east along the Lake Ontario shore also sports several spring records, and therefore observers should keep a sharp ear out when exploring the Lake Ontario shore in spring.

Eurasian Collared-Dove: Eurasian Collared-Dove is an introduced species from Europe with an established population that has been rapidly expanding northward and westward from the southeastern U.S. in recent years. This species has been recently added to the New York State list, but sightings in the northeast could represent local escaped cage birds. Care must also be taken to distinguish the species in the field from the similar European Turtle-Dove, an infrequent escapee. The months and locations given by all three responders were the same: the Lake Erie Plain in May. As with Mourning Doves, this species is partial to bird feeders and utility lines where it is most likely to be found within the region. There was a recent unconfirmed report from northern Chautauqua County in May 2006, leading one to speculate that a confirmed record is inevitable in the near future.

Townsend's Warbler: Niagara River shore in November, and the Lake Ontario Plain in May. This species has a welldefined habit of appearing in the east during the late fall, and is almost "expected" to occur somewhere along the coast within the New England states during that time. The Niagara River during the gull season presents a good location for one to be seen perhaps due to the concentrations of birders and the tendency for warblers to linger along the Niagara River into the late fall and winter months. Hint: look carefully amongst chickadee flocks in conifers, as well as at bird feeders and under the eaves of buildings where late season insects may be found. The spring warbler migration along the Lake Ontario Plain also presents a good opportunity for finding this species amongst flocks of the more locally common warblers, as shown by an occurrence in late April at Braddock Bay just to our east in 2001.

The following six species were each mentioned once, and all represent possible new species:

Golden-crowned Sparrow: Niagara County in November. Golden-crowned Sparrow is a western species that has a tendency to wander to the east coast in the fall, as shown by the dozen or so coastal records of this species in the New England states and the Maritimes in Canada. There

have been two unconfirmed reports of this species in the BOS study area in the past, and we can hope that a confirmed record will be forthcoming. November as well as October is a good time to keep an eye out for this species amongst large flocks of White-throated and White-crowned Sparrows which are migrating through the region at that time. Also like other sparrows, Golden-crowned Sparrows are rather partial to bird feeders, and keeping a close eye on the local feeder birds in the late fall, early winter, and even May, could turn up this west coast species.

Bridled Tern: Lake Ontario in August (after a hurricane). With increased hurricane activity predicted along the Atlantic and Gulf coasts in the future, there is bound to be a number of pelagic species waiting to be found on the Great Lakes following the passage of hurricane remnants. Bridled Tern is perhaps one of the most likely additions to our list from such an event. After the passage of Hurricane Isabel's remnants in 2001, there were several reports of Bridled Terns on Lake Ontario just to our east, and if these identifications were correct, there seems little doubt that this species passed through our region as well, yet unrecorded. Past hurricane landfalls have told us that large numbers of Sooty Terns also turn up inland after the landfall of a hurricane, and therefore caution is required to separate these very similar, yet very attractive terns.

Ash-throated Flycatcher: Port Weller, Ontario in November. As with Townsend's Warbler and Goldencrowned Sparrow, Ash-throated Flycatchers have become an increasingly sought after species on the eastern seaboard in the late fall and early winter. It would be a nice addition to the long list of western species that have occurred at Port Weller in the past, due to its prime location along the south shore of Lake Ontario. Any *Myiarchus* flycatcher seen after late September should be carefully scrutinized, as Greatcrested Flycatchers are very rare at that time, and chances improve that the bird in question could be an Ash-throated Flycatcher. The closest our region has come to recording this species was an individual that lingered in early December at Hamlin Beach State Park just to our east in 2004. In addition, there has been a spring report of this species at Point Gratiot within our region in the 1980's, but unfortunately the details of the sighting were lost. Southwest originating low pressure systems are often thought of as being responsible for bringing this species to the northeast, and thus any western flycatchers should be kept in mind during those increasingly warm, mild days in the late fall.

Mountain Bluebird: Lake Ontario Plain in October. Mountain Bluebird is the high elevation, western counterpart to our Eastern Bluebird, and they have been known to wander to the northeast in the early spring and late fall. Although the males of this species are distinctly different from our bluebirds, the females and immatures can be hard to identify. However, a careful study should reveal the more slender shape, as well as colder blue-gray plumage tones typical of this species. As you may have guessed, a wayward Mountain Bluebird in the East is most likely going to associate with Eastern Bluebirds, so the next time a flock of

bluebirds brightens up that dreary day in late October, look closely – one day you might just be surprised.

Gray Kingbird: Lake Erie Plain in September. This species, a resident of the Florida peninsula and abundant in parts of Central and South America, like most flycatchers, has the tendency to wander well away from their known range during the fall months. In recent years, more and more have been found along the eastern seaboard, as well as inland. The records coming from around our region, such as Seneca County in central New York in 1987, and Monroe County just to our east in 2005, suggest the possibility that one could occur within our study area in the near future. As with any vagrant, care must be taken to identify this species. The greatest concern would be confusion with our resident Eastern Kingbirds, but other possible vagrants, most notably the similar Thick-billed Kingbird from western Mexico, should also be considered.

Yellow-legged Gull: Niagara River in December. This European gull may have already occurred on the Niagara River, but the limited knowledge of the species and limited use of digital photography in the past, resulted in the lack of adequate documentation and analysis that would have been required to firmly identify the species. As with any species of large gull, birders have had a very cautious, but appropriate approach to identifying Yellow-legged Gulls as vagrants within North America. As the name suggests, this species has bright yellow legs, which along with its slightly darker gray back and wings, are the key features for identifying adults. The most likely source of confusion comes from hybrids, such as Herring Gull x Lesser Black-backed Gull and their offspring, as well as very rare "yellowlegged" Herring Gulls. We can only hope that we are given another opportunity to identify this species within the BOS study area in the near future, now that we have a greater knowledge of its plumages and better documentation techniques.

Summary:

Willie D'Anna: Fish Crow – Lake Ontario Plain, April; Eurasian Collared-Dove – Lake Erie Plain, May; Townsend's Warbler – Lake Ontario Plain, May; Gray Kingbird – Lake Erie Plain, September; Yellow-legged Gull – Niagara River, December

Mike Morgante: Fish Crow – Allegany River, May; Eurasian Collared-Dove – Lake Erie Plain, May; Townsend's Warbler – Niagara River shore, November; Goldencrowned Sparrow – Niagara County, November; Bridled Tern – Lake Ontario, August (after hurricane)

Jim Pawlicki: Fish Crow – Allegany River (Salamanca), May; Eurasian-Collared-Dove – Lake Erie Plain, May; Townsend's Warbler – Niagara River shore, November; Ash-throated Flycatcher – Lake Ontario shore (Port Weller), November; Mountain Bluebird – Lake Ontario Plain, October


End of Part 1. Look next month for Part 2, the next three new species predicted to breed in the BOS study area.

Buffalo Ornithological Society Buffalo Museum of Science 1020 Humboldt Parkway Buffalo, NY 14211-1293

Return Service Requested

Non. Profit Org.
U.S. Postage
PAID
Buffalo, NY
Permit No. 412

Albert R. Mann Library Acquisitions Division-Serials Cornell University Ithaca, NY 14853-4301



1485343333

March – April Calendar

BOS website http://www.bosbirding.org/



Buffalo-Niagara Region Dial-a-Bird: 716-896-1271

BOS Grant Applications Due on April 30, 2007. Download application materials at www.bosbirding.org

Mar. 1 - May 15: Hamburg Hawk Watch will officially begin counting on March 1 and continue through May 15. The watch is conducted at Lakeside Memorial Park, just inside the Camp Rd. entrance, between Routes 5 and 20. Stop by between the hours of 10 a.m. and 3 p.m. and see what's migrating! Contact Jim Landau, 941-3869 or kjlandau@localnet.com


Apr. 11: BOS Meeting at 7:00 PM in the Cummings room of the Buffalo Museum of Science. The Canisius College Computational Ecology Research Group (Sara Morris, Professor of Biology, and David Sheets, Professor of Physics and their students) will present research posters.

Apr. 7: Saturday not Sunday. Oak Orchard Swamps Field Trip. Meet at 8:00 AM at Cayuga Pool parking lot that is on Route 77 in Iroquois NWR. Leader: Gail W. Seamans (716-902-4089 or gails@rochester.rr.com).

Apr. 15: April Count: Mike Hamilton (881-6709 or mhsr@wzrd.com).

Apr. 22: Sunday. Braddock Bay Trip.
Jim Pawlicki (BOS) and Bob Spahn
(RBA). Meet at the Tanning Bed at
Main and Transit at 7:00 AM. The
group will proceed to the parking lot at
Braddock Bay (Monroe County) for a
9:30 AM rendezvous with the RBA.
This trip may be canceled due to
weather conditions. Contact Jim at
Animalkid10@aol.com or 636-3915.

April 25: The Vaughn Lecture will be at 7:00 PM at the Buffalo Museum of Science Auditorium. "The Singing Life of Birds" will be presented by Donald Kroodsma.



The PROTHONOTARY



Published Monthly by the

MAY 152

BUFFALO ORNITHOLOGICAL SOCIETY

Volume 73, No. 3 March, 2007

THE MONTH: February

Mike DeSha

According to Steve McLaughlin of the National Weather Service, it was "a very wintry month." The average temperature, 25.9 °F, was 7.3 degrees less than normal while precipitation totaled 1.71 inches, 0.71 less than normal. McLaughlin continues "The abrupt pattern that began in mid-January continued through nearly all of February as our region was locked in the Arctic deep freeze for just about the entire month." It was Buffalo's coldest February in 28 years and snowiest in 12 years. Temperatures were below freezing until the 19th with the 22-day stretch (since January 28) the longest here since 1985.

The persistence of snowfall was amazing with at least a bit of snow falling on 26 of the 28 days. The snows were generally of the 'nickel and dime' variety with only two falls of 3-inches or more. Lake Erie finally froze during the first couple of weeks, but not soon enough to prevent a major lake effect event on 3-4th, which dumped one to three feet on the South Towns. Buffalo received 4 to 8 inches in this event. The other event was a synoptic one on the 14th as a huge storm crossed the Midwest and Northeast, but our area was on the northern and western fringe with a general 5 to 8 inches falling. The monthly total of 33.5 inches places it eighth on the all time snowiest Februarys in Buffalo dating back to 1884. Conditions finally moderated to near normal during the last week of the month. Snow covered the ground all month but depths were not substantial.

- **16** The Month *Mike DeSha*
- 17 Wayne Gall Lecture
 William Watson
- 18 Noteworthy Records
 Bruce Chilton
- 21 New BOS Breeders: Part II Jim Pawlicki
- 22 BOS Bird Hot Line Tom O'Donnell
- 23 BOS Calendar

The meteorological winter was a very strange one indeed. It had a very split personality, with the first half exceedingly mild and snowless while the second half was consistently very cold and snowy overall. The cold did not quite balance out the mildness, so the win-

ter averaged out slightly mild with below normal snowfall. Of note is the season snowfall, which including the record October storm, stands at 81.3 inches through the end of February, very close to the normal to date of 80.7 inches."

T.S. Eliot wrote "April is the cruelest month." but I'm not sure he ever contended with a February like this one following such a benign early winter. There were still reports of sightings by those braving the weather to visit the various well-known winter birding areas. Bill Watson counted 1410 Canvasback on February 2 on the river at Grand Island. All three scoter species were found at Dunkirk Harbor. Neveu and the Landaus found up to 12 Surf Scoters from the 11th-23rd. They noted up to 6 Whitewinged Scoters during the same period. Watson and Pawlicki saw a Black Scoter in the harbor on the 18th and the Moshers found one on the 23rd.



Snow Bunting (upper left) and Varied Thrush (lower right) photographed by, respectively, Jim Pawlicki near Marshall Rd., in the town of Yates, Orleans County on February 20, 2007 and Jerry Lazarczyk in Cambria on February 5, 2007.

The Prothonotary is published monthly by the Buffalo Ornithological Society, Buffalo Museum of Science, Buffalo, NY 14211. Send subscriptions and address changes to the Corresponding Secretary, Karen Landau, S-9195 State Road, Colden, NY 14033. The regular subscription rate is \$20/year. Back issues are available from the Treasurer for \$2/issue.

Please mail correspondence to: Jack Skalicky 178 N. Main Street #55 Salt Lake City, UT 84103-2075 [Email] skalicky@biochem.utah.edu Ed. Consultants: Robert Andrle

> Gerry Rising William Watson

Proth. Publishing: Audrey Horbett Eileen Hull

Society Officers:

President: Thomas O'Donnell V. President: Michael Morgante Treasurer: Gerald Lazarczyk Donna DeLeon Secretary: Statisticians: Robert Andrle Frances Rew Audrey Horbett Archivist: Council: 2005-2007 Mike Galas Gerald Lazarczyk Gail Seamans 2006-2008 Douglas Beattie Lynne Landon Elizabeth Wells 2007-2009 Donna DeLeon Richard Miga William Watson

Bald Eagles were present throughout our region, despite the inclement weather. On the 20th Watson saw two adults at a nest in Iroquois NWR. Three Rough-legged Hawks were seen in South Dayton by Neveu and the Landaus. DeFrancisco saw four of this species on the 28th in various townships of Chatauqua County. Yourg reported that up to three Merlins were roosting throughout the month at the UB South campus. Neveu spotted a Peregrine Falcon at South Dayton on February 3.

Five Long-eared Owls seen by D'Anna on the 3rd and 11th at Golden Hill State Park were a nice find. Watson, *et al.* found two of this species at the park on the 20th and 28th. The O'Donnells saw a Shorteared Owl in Yates and then Carlton. Roberson found two Short-eared Owls in Wheatfield.

The easy choice for bird of the month is the

vagrant Varied Thrush first reported by Gerry Rising from the backyard feeders of Bob and Joan Barry in Cambria, Niagara County. This was the only species sighted during the month that required a verification report. Reports distinguished this Robin-sized bird from an American Robin by its thinner bill, orange breast with a gray breast band, light orange supercilium, and rusty orange wing bars. Varied Thrushes typically show up in the East during late winter and early spring. There are cyclic irruptions of this species, as measured from feeder station reports in the United States, but the vagrants showing up in our area do not seem to be correlated with these increases, suggesting they may come from Alaska or the Northwest Territory of Canada. (Wells, J.V.and K.V. Rosenberg, 1996. *Birdscope* 10, No. 2. Cornell Laboratory of Ornithology, Ithaca, NY.)

On a final note unrelated to this month's birds, Cornell Laboratory of Ornithology has identified the parentage of the hybrid warbler netted by Dave Junkin back in June of 2006. The Cornell Lab is planning to publish an article about the bird so I will not reveal the results here. The answer, along with an illuminating article on hybridization,

is posted on line at the Lab's website at www.birds.cor-nell.edu/AllAboutBirds if you are interested.

Wayne Gall: The Birds and the Bugs

by Bill Watson

At the Wednesday, May 23rd meeting of the Buffalo Ornithological Society, Dr. Wayne Gall will present the lecture "The Birds and the Bugs: Avian Relationships with West Nile Virus and Lyme Disease."

In his presentation, Dr. Gall will "discuss the role of birds in the transmission cycle of West Nile virus, the spread of West Nile virus by migratory birds, the importance of birds in surveillance for West Nile virus, and the relevance of such surveillance data to public health. Also a fascinating published report will be reviewed that documents high mortality of captive owls resulting from an outbreak of West Nile virus at the Owl Foundation in Vineland, Ontario (Kay McKeever's facility), in 2002."

Regarding the relationship between birds and Lyme disease, Wayne "will present information that indicates the importance of passerine birds as hosts of immature stages of the deer tick. At least two published studies will be also reviewed that demonstrate the importance of spring migrating passerines in the dispersal of the deer tick and the dissemination of the spirochete that causes Lyme disease." Wayne K. Gall is the Regional Entomologist for the Western Region (Buffalo/Rochester) of the New York State Department of Health. He been with the State Department of Health in Buffalo since November, 2001. He is responsible for providing technical assistance on arthropod-borne diseases such as West Nile virus and Lyme disease to the 17 county health departments in the Western Region, and for performing associated research. Wayne is Clinical Assistant Professor in the Department of Social and Preventive Medicine at the University of Buffalo, where he teaches the graduate course, Arthropods of Public Health Importance. He is also Adjunct Assistant Professor of Biology at Buffalo State College where he maintains an office and lab. Wayne earned his B.A. in Biology at the University of Buffalo, M.S. in Entomology at the University of Wisconsin at Madison, and Ph.D. in Zoology at the University of Toronto.

However most of us know of Wayne Gall as the Buffalo Museum of Science's first Administrator of Tifft Nature Preserve. His initial appointment to this position was in 1983. From 1989 – 2001, Wayne was the museum's Associate Curator and then Curator of Entomology. Wayne served on the staff of the Buffalo Museum of Science for nearly 19 years. Wayne resides in Lancaster with his wife, Susan, who is a School Nurse. They have three children.

NOTEWORTHY RECORDS

Underlined common names, dates or localities indicate that an acceptable, detailed written verification according to the *Date Guide to Birds of Western New York and Adjacent Ontario* (Seventh Edition - Revised 2001) has been received and placed in the permanent files of the Buffalo Ornithological Society.

- * Indicates first record for the year.
- F Indicates first record for the migration.
- L Indicates last record for the migration.
- (f) Indicates record from feeding station. (n) Indicates nest(s). (yg) Indicates young.
- PDBA Indicates Previously Documented Breeding Area.

<u>Species</u>	<u>February</u>	<u>Number</u>	Location	Observer(s)
Mute Swan	17	5	Fort Erie (Ont)	D'Anna, Potter
	20	2	Pt. Breeze	Watson, Pawlicki
Tundra Swan	2, 8	60,144	Beaver I. SP	Watson
"	5	15	Pomfret	Mosher
"	17	53	Fort Erie (Ont)	D'Anna, Potter
·Gadwall	8; 21, 24	3; 3, 6	Tonawanda	Watson; Hess
**	8	6	Goat I.	Watson
Canvasback	2	1410	Grand I.	Watson
Redhead	8, 10	22, 65	Tonawanda	Watson
**	21	265; 40	Tonawanda	Watson; Hess
Ring-necked Duck	10	1	Tonawanda	Watson, Pawlicki
19	17	34	Fort Erie (Ont)	D'Anna, Potter
Greater Scaup	10	1 (leucistic)	Buckhorn I. SP	Lazarczyk, Stein
Lesser Scaup	2	20	Beaver I. SP	Watson
H	21	100	Tonawanda	Hess
* Surf Scoter	8, 10, 21	1, 1, 1	Tonawanda	Watson, Pawlicki
11	11 - 23	5 - 12	Dunkirk Harbor	Neveu et al
11	17	1	Fort Erie (Ont)	D'Anna et al
White-winged Scoter	11 - 23	1 - 6	Dunkirk Harbor	K&J Landau et al
11	17	6	Fort Erie (Ont)	D'Anna et al
11	20	133	Golden Hill SP	Watson
11	24	16	Fort Niagara SP	Watson
* Black Scoter	18; 23	1; 1	Dunkirk Harbor	Watson, Pawlicki; Moshers
Long-tailed Duck	11	1	Dunkirk Harbor	Neveu
11	20	24	Golden Hill SP	Watson
Hooded Merganser	3	34	N. Tonawanda	Lazarczyk, Watson
11	5, 24	34, 44	Tonawanda I.	Watson
11	11 - 23	7 - 10	Dunkirk Harbor	Neveu, Watson
Ruddy Duck	9	1	Buckhorn I. SP	Watson, Galas
H	10	1	Tonawanda	Watson, Pawlicki
11	11 - 23	1	Dunkirk Harbor	Mosher et al
Red-throated Loon	20	1	Yates	Pawlicki, Watson
Common Loon	11; 18	1; 1	Dunkirk Harbor	Neveu; Watson
Pied-billed Grebe	11 - 23	3 - 6	Dunkirk Harbor	Neveu, Watson
Horned Grebe	11 - 23	2 - 12	Dunkirk Harbor	Neveu, Watson
Red-necked Grebe	18; 27	2; 1	Dunkirk Harbor	Watson, Neveu; Mosher
Dcrested Cormorant	8, 10	5, 4	Tonawanda	Watson
n .	18	86	Dunkirk Harbor	Watson
Great Blue Heron	21	61	Motor I.	Watson
11	23	10	Dunkirk Harbor	Neveu
Great Blue Heron	24	12	Queenston (Ont)	Watson
* Black-cr. Night-Heron	8F, 10	1, 2	Tonawanda	Watson, Pawlicki
Bald Eagle	8 - 24	1 - 3	Strawberry I.	Watson et al

<u>Species</u>	February	<u>Number</u>	Location	Observer(s)
11	10	2	Westfield	DeFrancisco
11	11	1	Ripley	DeFrancisco
11	11	l ad	Dunkirk Harbor	K&J Landau, Neveu
11	18	4 - 7	Dunkirk Harbor	Watson et al
11	19	1	Falconer	DeFrancisco
11	20	2 ad + n	Iroquois NWR	Watson
11	21	1	Tonawanda	Watson
11	25	1	Machias	DeSha
11	28	4	South Valley	DeFrancisco
Rough-legged Hawk	3	1	Yates	D'Anna
"	3, 17	3, 3	South Dayton	Neveu
**	11	3	South Dayton	K&J Landau
11	21	1	Somerset	Watson
71	21	1	Yates	Watson, Pawlicki
11	28	2	Ellington	DeFrancisco
**	28	1	Charlotte	DeFrancisco
11	28	1	Gerry	DeFrancisco
Merlin	1 - 28	1 - 3	UB south campus	Yoerg
Peregrine Falcon	3	1	South Dayton	Neveu
American Coot	8, 10; 21	3, 4; 4	Tonawanda	Watson, Pawlicki; Watson
n	18	26	Dunkirk Harbor	Watson
Iceland Gull	3	1	Pt. Breeze	D'Anna
n	8	1	Tonawanda	Pawlicki, Watson
Glaucous Gull	8	2	Tonawanda	Watson, Pawlicki
"	11	1	Fort Niagara SP	Yoerg, Henderson
11	18; 23	1; 1	Dunkirk Harbor	Neveu; Moshers, Benton
Barred Owl	11	1	Bond Lake CP	Yoerg, Henderson
Long-eared Owl	3, 11	5, 5	Golden Hill SP	D'Anna
"	20; 25	2; 2	Golden Hill SP	Watson et al
Short-eared Owl	19	1	Yates	S&T O'Donnell
"	19	1	Carlton	S&T O'Donnell
**	27	2	Wheatfield	Roberson
Red-headed Wdpkr.	20	1	Lakeside Beach SP	Pawlicki, Watson
Yellow-b. Sapsucker	1 - 18	1	Bethany (f)	Beattie
Northern Shrike	28	1	South Valley	DeFrancisco
н	28	1	Ellington	DeFrancisco
11	28	1	Fort Erie (Ont)	S&T O'Donnell
Common Raven	25	1	Farmersville	DeSha
Horned Lark	10	62	Alexander	Beattie, Dart
11	11,15,18	40,153, 29	Bethany	Beattie et al
11	11	240	Wilson	D'Anna, DiTommaso
Horned Lark	17	22	South Dayton	Neveu
11	25	30	Somerset, Yates	Yoerg, Henderson
E. a. alpestris	20	4	Yates	Pawlicki, Watson
E. a. praticola	20	35	Yates	Pawlicki, Watson
Carolina Wren	2	1	Grand I.	Watson, Lazarczyk
"	12	1	Colden	K&J Landau
11	17, 23	1, 1	Silver Creek	Neveu
11	25	1	Grand I. (f)	Lazarczyk
Eastern Bluebird	9	1	Hanover	Neveu
II	11	2	Bond Lake CP	Yoerg, Henderson
11	20	3	Pt. Breeze	Watson, Pawlicki
11	20	3	Yates	Watson Watson
American Robin	20	25	Alexander	Dart
American Roun	20	40	Mexander	Dart

	Species	February	Number	Location	Observer(s)
	"	20	34	Lakeside Beach SP	Watson, Pawlicki
	"	25	87	Beaver I. SP	T O'Donnell
*	Varied Thrush	5	1	Cambria	Rising, Lazarczyk, Watson et al
	11	11	1	Cambria	Yoerg, Henderson
	American Tree Sparrow	15	410	Wilson	D'Anna
	11	17	15	Bethany	Beattie
	Song Sparrow	2	4	Wilson (f)	D'Anna, Potter
	White-thr. Sparrow	1	1	Colden	K&J Landau
	17	8	1	Tonawanda	Watson, Pawlicki
	"	15, 18	3, 3	Bethany	Beattie
	**	20	1	Golden Hill SP	Watson
	Lapland Longspur	11; 19	58; 12	Somerset	D'Anna et al
	**	20	3	Yates	Watson
	11	25	20	Somerset, Yates	Yoerg, Henderson
	Snow Bunting	1, 15	63, 160	Bethany	Beattie
	"	11	120	Wilson	D'Anna, DiTommaso
	"	20	60	Yates	Watson
	"	25	70	Farmersville	DeSha
	"	25	200	Somerset, Yates	Yoerg, Henderson
	Red-w. Blackbird	18F	23	Four Mile Creek SP	S&T O'Donnell
	"	28	1	Bethany	Beattie
*	Common Grackle	28F	1	Tonawanda	Hess
	Purple Finch	5 - 8	<u>19</u>	Pomfret (f)	Moshers

Species, subspecies, and hybrids previously recorded this year:

Species, subspecies, and hybrids recorded for this month:

107

107

Statisticians' Note I: If any observer wishes to know the status of their verification report, please contact the Statisticians and we will give them the reasons for our decision. Please mail reports for each month not later than the FIFTH day of the following month to the Compiler: Bruce Chilton 88 Pryor Avenue, Tonawanda, NY 14150; Email: BChi314159@aol.com. **Statisticians' Note II**: We are asking members of the BOS and any other birders who send in reports to the BOS to advise us as soon as they can of any possible errors in regard to records published in the Prothonotary, particularly in the Noteworthy Records so that we can make any necessary changes as soon as appropriate.

Bird Photographs Wanted: This is an opportunity for BOS members to show off the fine photos many of you have taken over the years. The BOS Communications Committee is putting together a set of display boards to be used at various public functions. We need photos of birds and we would like to obtain these from our members, if possible. We are trying to relay information to both the novice and the experienced birder, so we need photos of common birds, as well as rarities. We also need information on any research that is BOS related. Please send things as soon as possible. Thanks. Contact Liz Wells 92 West Winspear Ave. Buffalo, NY 14214 rozwellus@yahoo.com 716/837-0486

Calendar Addendum: June 1-3: Friday-Sunday. 49th Annual Allegany Nature Pilgrimage. For more information or to register visit www.alleganynaturepilgrimage.org For over four decades the Buffalo Audubon Society has partnered with the New York State Department of Parks, Recreation and Historic Preservation as well as Jamestown Audubon Society, Presque Island (PA) Audubon Society and the Burroughs Nature Club (Rochester). This three-day weekend held in the beginning of June at Allegany State Park is the highlight of the year for hundreds of outdoor enthusiasts. Over one hundred presentations, hikes, lectures, workshops, and special events highlight the three-day weekend. Campsite or cabin rental must be separately arranged with New York State Parks.

The Next New Species and Breeders in the B.O.S. Study Area

By Jim Pawlicki

The recently printed eighth edition of the BOS Verification Date Guide (2007) indicated that five new species and three new breeding species were added to the BOS checklist since the last full update of the Date Guide in 1998. So what are the next new species and breeders to occur within the BOS study area? To provide some insights to that question, we asked the verification date guide committee members to list, in random, what they thought would be the next five new species to occur, as well as the next three species to breed within the BOS study area. In addition we asked them to include the locations and months for each new species, and locations for each breeding species. Three committee members - Willie D'Anna, Mike Morgante, and Jim Pawlicki independently responded to the request.

Part II: The next three new breeding species:

The first two species made all three lists:

Sandhill Crane: Lake Erie Plain (Grand River) on the Niagara Peninsula of Ontario and Iroquois National Wildlife Refuge. Since the mid-1990's, Sandhill Cranes have shown a steady increase as spring migrants through the region mostly due to the expansion of their breeding population around the Great Lakes. The breeding population just north of Long Point on the Lake Erie Plain in Ontario has grown to several pairs in recent years and New York State saw its first confirmed nesting in 2003 at the Northern Montezuma Wetlands Complex. At both locations they have remained as successful breeders. In our region, there have been several summer reports over the last decade, yet a confirmed nesting record still has yet to be accepted. In August of 2006, a family of two adult and one immature cranes was found at the edge of our study area near the Grand River just northwest of Dunnville in Ontario. Given how late in the nesting season the observation was made, combined with how close it was to our region's border, we could only speculate that they nested within our territory at this locale. Close observation at this particular site around the height of the breeding season between May and June, along with other large wetland and grassland sites that have harbored summer records, such as Iroquois National Wildlife Refuge, will hopefully lead to a confirmed nesting in the very near future.

Worm-eating Warbler: Cattaraugus County (Allegany Indian Reservation). Worm-eating Warblers are a southern breeding warbler, and within our region, are primarily known as spring overshoots at the height of the songbird migration. In the last decade, Worm-eating Warblers have been expanding their breeding range slowly northward, and are now found as common breeders on specific hillsides just south of Ithaca in central New York, where they were formerly very rare. On several occasions in recent years,

one or two have been found in June along steep and thick deciduous slopes within our region in southern Cattaraugus County. They are most often found by tracking down a dry, mechanical-like trill, and discovering that it was indeed not one of the expected Dark-eyed Juncos! Typically these individuals are thought to be bachelor males utilizing the limited amount of suitable habitat just north of their regular breeding range, and thus have minimal amount of success attracting a female at that time. Close observation at well known sites, such as the Allegany Indian Reservation just west of Salamanca in June and July, will hopefully bring about the discovery of a male who has had the fortune of attracting a female, and lead to a nesting within the region.

The following three species were each mentioned once:

White-winged Crossbill: Allegany County. Whitewinged Crossbills are a nomadic species with a population that irrupts into our region every half dozen years, primarily during the winter months and depending on the availability of conifer seed crops throughout the northeast and eastern Canada. The fact that their nesting is tied closely to the availability of conifer seeds allows them to nest at nearly any time of year, which can be quite a feat for such a small bird during the late winter months! Throughout the higher elevations extending from the Adirondacks through central New York and into the Appalachians, they are sporadic breeders, and only utilize these areas at the south end of their range when seed crops of spruces, tamaracks, and firs in those regions are especially abundant. There have been several reports throughout the year of White-winged Crossbills in Allegany County, yet no documented nesting activity. Allegany County harbors some of the highest elevations within our territory, as well as several large tracts of conifer plantations, and would seem to be the most likely place where nesting White-winged Crossbills would be

Trumpeter Swan: Iroquois National Wildlife Refuge. The history of Trumpeter Swans in our region before the last decade is nearly non-existent. The wild population was at an all time low consisting of only 69 individuals in 1935, which increased very slowly over the last half century. Throughout the last century, they occurred exclusively in northwestern North America, where the only remaining wild population of this species existed. However, recent recovery efforts have introduced them into the Great Lakes region. There is some controversy to these efforts on the basis of whether they were historically native to this region, but regardless, their population due to these efforts has been steadily increasing over last ten years. This is shown by recent successful breeding in a few select sites throughout New York State; the closest to our territory being a specific locale just north of Montezuma National Wildlife Refuge. In our region they have become a rare, but regular winter and fall visitant, with a limited number of spring and summer sightings. Iroquois National Wildlife Refuge has much open marsh habitat similar to that of Montezuma, and presents one of the most likely places for Trumpeter Swans to nest within our region.

Snowy Egret: Motor Island, Niagara River. Snowy Egret is an attractive southern heron that is primarily known as a spring and late summer wanderer north to the Great Lakes. Many of the southern herons have been steadily increasing over the last half century and have been expanding their ranges well up along the Atlantic coast into the northeastern states. A relevant example within our region is Great Egret, which is now a regular nester amongst the Great Blue and Black-crowned Night-Herons at the Motor Island rookery on the upper Niagara River. Formerly, Great Egrets were known only as an uncommon spring, summer, and fall visitant. Over the years, Snowy Egrets have been sporadic in their frequency of occurrence within the region. Inclusively, they occurred within the region between the years 1993 to 2001, but did not occur during the following four years. In May of 2000, one, possibly two individuals were seen coming to roost amongst the resident herons on Motor Island, but close observation failed to reveal evidence of nesting, although it was suspected given the location and time of year. This species has nested once to the northwest of our region at Hamilton Harbor in Ontario, which suggests the possibility that they could also do so within our region in the near future.

Summary:

Willie D'Anna: Sandhill Crane – Grand River, Ontario; Worm-eating Warbler – Cattaraugus County (Allegany Indian Res.); Trumpeter Swan – Iroquois National Wildlife Refuge.

Mike Morgante: Sandhill Crane – Lake Erie Plain, Ontario; Worm-eating Warbler – Cattaraugus County (Allegany Indian Res.); White-winged Crossbill – Allegany County.

Jim Pawlicki: Sandhill Crane – Iroquois National Wildlife Refuge; Worm-eating Warbler – Cattaraugus County (Allegany Indian Res.); Snowy Egret – Motor Island, Niagara River.

I would like to thank Willie D'Anna and Mike Morgante for participating, as well as their insightful comments, and Jack Skalicky for his editing.

BOS Rare Bird Hotline

by Tom O'Donnell

The BOS is testing an automated calling system. By the time you read this, you should have received the inaugural message announcing the system. All members who have provided their telephone numbers will receive these general messages for such things as weather related cancellations.

The second part of the system is a replacement for the former telephone-tree rare bird hotline. One phone call to record the information regarding a rare bird and its location starts the system and technology then takes over. It calls all the numbers and keeps trying for the rest of the day or until the line is answered either by a person or answering machine or voicemail system. This is intended as a complement to Dial-A-Bird and not a replacement.

Only BOS members are eligible to join this hotline. To register call Mike Galas at 693-4892 or email him at mgalas@adelphia.net. You can register a cell phone or land-line phone or both. When you register, Mike will provide instructions on reporting rare birds. Initially we are defining rare birds to be any bird which always requires a verification report according to the latest edition of the BOS Date Guide. There is a cost to the Society for providing this service, so we ask that you follow the guidelines.

We hope that the coming year brings many opportunities to use the hotline.

Buffalo Ornithological Society Buffalo Museum of Science 1020 Humboldt Parkway Buffalo, NY 14211-1293

Return Service Requested

Non. Profit Org. U.S. Postage **PAID** Buffalo, NY Permit No. 412

Albert R. Mann Library Acquisitions Division-Serials Cornell University Ithaca, NY 14853-4301



May – June Calendar

BOS website http://www.bosbirding.org/



Buffalo-Niagara Region Dial-a-Bird: 716-896-1271

Mar. 1 - May 15: Hamburg Hawk Watch will officially begin counting on March 1 and continue through May 15. The watch is conducted at Lakeside Memorial Park, just inside the Camp Rd. entrance, between Routes 5 and 20. Stop by between the hours of 10 a.m. and 3 p.m. and see what's migrating! Contact Jim Landau, 941-3869 or kjlandau@localnet.com

May 6: Sunday. BOS Sanctuary Field Trip. Meet at 9:00 AM at 3040 Love Road Grand Island for this half day trip for spring migrants. Dress appropriately. Leader: Jerry Lazarczyk 716-773-7452; lazarcg1@netzero.com

May 9: BOS Meeting at 7:00 PM in the Cummings room of the Buffalo Museum of Science. Jerry Farrell will discuss Bird Banding at Lewiston Station: Spring and Fall 2006.

May 12: Saturday not Sunday. Tifft Nature Preserve and Times Beach for warblers. Meet at the Tifft Nature Preserve parking lot (off Fuhrmann Blvd.) at 7:30 AM. Leader: Bill Bogacki (674-5781).

May 20: May Count. Coordinator: Robert DeLeon (626-0325/rldeleon@yahoo.com). BOS members are expected to participate.

May 23: BOS Meeting at 7:00 PM in the Cummings room of the Buffalo Museum of Science. Dr. Wayne Gall will present, "The Birds and the Bugs: Avian Relationships with West Nile Virus and Lyme Disease."

June 1-3: Friday-Sunday. Allegany Nature Pilgrimage. For more information or to register visit www.alleganynaturepilgrimage.org. (see page 20)

June 8: Friday. Canadian Whip-poor-will Trip and Chinese Dinner. Meet at Vermont and Busti at 6:00 PM. Dinner at Lotus Garden Restaurant (182 West Street - west bank of Welland Canal, Port Colborne, Ontario). Then we will go to Wilson Road, four miles west of town. Reservations will be appreciated. Leader: Bill Burch (773-3690).

June 13: Wednesday. The Annual June Picnic will be held at Tifft Nature Preserve. A short field trip of Tifft Nature Preserve will follow. Bring your

ed and eat at 6:00 PM near the Visitor Center

The PROTHONOTARY



Published Monthly by the

BUFFALO ORNITHOLOGICAL SOCIETY

Volume 73, No. 4 April, 2007

THE MONTH: March

Tim Baird

Although spring does not officially arrive before late March, those who follow birds know that nature is gearing up for spring throughout the month. The Northern Hemisphere is changing its angle toward the sun, and regardless of the weather, our birds are responding to the increase in daylight and the angle of the sun's rays.

Of course, the weather does affect both birds and birders on a day to day basis, and a weather summary for a month may be misleading. According Mclaughlin's March weather summary from the National Weather Service, March's mean temperature for Buffalo was 35.0 °F, nearly a degree above the normal mean of 34.3 °F. However, March started cold with 12 of the first twenty days averaging below normal. The temperature topping out at 9 °F was a record low for a maximum temperature on March 6th. The 6th also set a record for the date with a low of 0 °F. Mild temperatures during the last 11 days helped bring the month slightly above normal. The month's highest temperature was 72 °F on the 26th.

McLaughlin summarizes March 2007 as "a bit dry". March's 2.61 inches of total precipitation failed to reach the month's average by 0.38 inches. Snowfall at 5.4 inches was 7.0 inches below normal and the lowest for March in 12 years. Cloud cover won out over clear skies as the possible sunshine at 42 percent was slightly below normal.

Winds were moderate for the month averaging 11.9

The Month *Tim Baird*

26 Noteworthy Records
Bruce Chilton

30 Bird – Tower Collisions Karen Cotton

30 Junkin's Warbler Lineage Resolved. Irby Lovette

31 BOS Calendar

mph, gusting to a maximum of 43 mph from the southwest on the 22nd. Winds on the 22nd apparently facilitated good flights of Red-shouldered Hawks and Turkey Vultures with 68 and 865, respectively, counted by Watson on the 23rd at the Hamburg Hawkwatch, and 36

Red-shouldered Hawks passing the Ripley Hawkwatch on the 25th as reported by Yoerg and Henderson.

Lake Erie was frozen at the start of the month and ice remained present in the eastern basin for the entire period. Despite significant variation in weather through the month, McLaughlin summarized March as "an unusually quiet March for the Buffalo area". Nevertheless, to those of us interested in birds, March is rarely quiet.

The thawing of aquatic habitats makes March a good month for waterfowl and other species dependent on open water. Data for March were sent in by 17 birders and totaled 107 species. About half of the species reported, and by far the largest numbers of individuals, can be considered in the aquatic habitat dependent category. Only one reporter mentioned Canada Goose (Yoerg). Considering Canada Geese at a time when this species was rare outside







Barred Owl (left) photographed by Christopher Osmanski on March 17, 2007 at Reinstein Woods Nature Preserve and Surf Scoters (upper right adult male and lower right immature male) photographed by Jerry Lazarczyk on March 6, 2007 at Dunkirk Harbor.

The Prothonotary is published monthly by the Buffalo Ornithological Society, Buffalo Museum of Science, Buffalo, NY 14211. Send subscriptions and address changes to the Corresponding Secretary, Karen Landau, S-9195 State Road, Colden, NY 14033. The regular subscription rate is \$20/year. Back issues are available from the Treasurer for \$2/issue.

Please mail correspondence to:
Jack Skalicky
178 N. Main Street #55
Salt Lake City, UT 84103-2075
[Email] skalicky@biochem.utah.edu
Ed. Consultants: Robert Andrle

Gerry Rising William Watson

Proth. Publishing: Audrey Horbett

Eileen Hull

Society Officers:

President: Thomas O'Donnell V. President: Michael Morgante Treasurer: Gerald Lazarczyk Donna DeLeon Secretary: Statisticians: Robert Andrle Frances Rew Archivist: Audrey Horbett Council: 2005-2007 Mike Galas Gerald Lazarczyk Gail Seamans 2006-2008 Douglas Beattie Lynne Landon Elizabeth Wells 2007-2009 Donna DeLeon

Richard Miga

William Watson

of spring and fall migrations, Beardslee and Mitchell reported in Birds of the Niagara Frontier Region that "possibly 100,000 (Canada) geese are present" during the spring migration (March and April) in western New York. No doubt we still experience large numbers of Canada Geese on their way north, but our resident population has likely dulled our enthusiasm for reporting this species even though their numbers may still be noteworthy.

Verification reports were submitted for early dates on Eurasian Wigeon (19th) at Oak Orchard by Yoerg, Sandhill Crane (14th) at Youngstown by Landon, and Caspian Tern (31st) at Dunkirk Harbor by Neveu. Landon's count of 20 Sandhill Cranes at Youngstown is impressive and indicative of an increase in this species in the east. A verification form noting a large assemblage of Canvas-

backs numbering at least 9160 individuals on the west river at Grand Island on March 25th was submitted by Lazarczyk. Lazarczyk notes these Canvasbacks occurred along with many other waterfowl species including a minimum of 700 Redheads. Possibly the ice in the eastern basin of Lake Erie contributed to this duck concentration on the river.

March bought the first reports of Wood Ducks, Bluewinged Teal, Northern Pintail, Northern Shovelers, and Green-winged Teal for the region in 2007. These are species that are dependent more on wetlands than the larger bodies of water, so they are less likely to be present in the depths of winter when the shallower, static stands of water normally remain frozen.

Red-necked Grebe migration sped up at the end of the month with D'Anna reporting 14 at Four Mile Creek State Park on the 23rd and an impressive 30 at Golden Hill State Park on the 31st. Weather conditions in the second half of March apparently benefited the northern movement of other species as well. Among them, Turkey Vultures and Red-shouldered Hawks noted above. Eastern Phoebes were first noted by the Moshers on the 17th at Pomfret. The first

Tree Swallows were 20 seen at Royalton by Watson on the 15th. Rising reported the first Hermit Thrush on the 13th at Golden Hill State Park. Rusty Blackbirds first seen by Landau on the 16th in Colden, increased to D'Anna's report of 24 at Hartland on the 31st.

Cedar Waxwings were scarce as the only report was 22 seen by Andrle in Eden on the 30th. Our only wood warbler reported for March was Betrus' record of a Pine Warbler at.

J.P. Nicely Park in West Falls on the last day of the month.

Viewed at close range without binoculars, his report illustrates the utility of careful observation.

The Carolina Wren reports published for the month of January, 2007 in *The Prothonotary* (Vol. 73, No. 2 February, 2007) note 7 reports for this species by "several observers throughout WNY". February 2007 reports hint at a decline (*The Prothonotary*, Vol. 73, No. 3 March 2007) with only three locations (Colden, Grand Island, and Silver Creek) noting Carolina Wrens. Carolina Wren reports came in from only two observers for March 2007, Lazarczyk found one on Grand Island and Neveu reported two at the mouth of Cattaraugus Creek on March 21st and one in Silver Creek on the 23rd and 28th. More seasonal winter weather in February and much of March likely had a negative affect on this species.

Several reports for Bald Eagles attest to the success of this species' recovery. Mosher finding nine Bald Eagles at Dunkirk Harbor, including eight immature provides evidence for a viable population in the future. Like the Bald Eagle populations, Common Ravens are thriving. Allegany State Park continues to be a Common Raven stronghold with Yoerg and Henderson finding 8 there on March 11th.

Two Lapland Longspurs and two Snow Buntings at Yates on the 17th reported by Salembier and Pawlicki are but a remnant of the numbers reported in January and February. The decline in these two species' numbers serve as a reminder that winter is waning in March, and our 'snow-birds' are leaving for the tundra.

Our "quiet March" for 2007 did not bring any exotic rarities to our region. However, one need only to survey the Noteworthy Records to appreciate the month was anything but quiet for the birds and the people who watch them.

NOTEWORTHY RECORDS

Underlined common names, dates or localities indicate that an acceptable, detailed written verification according to the *Date Guide to Birds of Western New York and Adjacent Ontario* (Seventh Edition - Revised 2001) has been received and placed in the permanent files of the Buffalo Ornithological Society. Underlining of unprecedented and unusually high numbers of birds indicates an unusually high count for a species. An unprecedented number of a species must be accompanied by detailed notes of the observation and counting method used by the observer.

- * Indicates first record for the year.
- F Indicates first record for the migration.
- L Indicates last record for the migration.
- (f) Indicates record from feeding station. (n) Indicates nest(s). (yg) Indicates

PDBA - Indicates Previously Documented Breeding Area.

	A. R. MANN LIBRARY	
you	JUN 2 2007	7
JOI	ITHACA WY 1487	

	10011	marcutes i levi	ously Bocumente	d Breeding Med.	ITHACA. NY 14860
	Gr. White-fr. Goose	19	2	Oak Orchard WMA	Yoerg, Henderson
	Snow Goose	6	1	Dunkirk Harbor	Lazarczyk, Moshers et al
	11	11	70	Alfred	Brooks
	11	13	11 wh+5 bl	Somerset	Watson
	H	17	27	Yates	Pawlicki et al
	11	18	60 wh+7 bl	Yates & Somerset	D'Anna et al
	Tundra Swan	15	108	Newstead	Watson
	11	19	185	Tonawanda WMA	Yoerg, Henderson
	11	10 - 25	8 - 67	Several WNY locations	Several observers
*	Wood Duck	15F	4	Newstead	Watson
	11	15F	2	Eden	Andrle
	H .	19	11	Dunkirk	Lazarczyk
*	Eurasian Wigeon	<u>19</u>	1	Oak Orchard WMA	Yoerg, Henderson
*	American Wigeon	13	2	Wilson	D'Anna
	"	24	51	Oak Orchard WMA	Watson
*	American Black Duck	12	8	Wilson	D'Anna
		13	3	Ridgway	Watson
*	Blue-winged Teal	23F	1	Yates	Sharon
	Northern Shoveler	14F	2	Pomfret	Mosher
	"	15	5	Eden	Andrle
	11	28	58	Batavia WWTP	Watson, Lazarczyk
*	Northern Pintail	7F	1	Forest Lawn Cem.	Hess
	11	10	1	Beaver I. SP	Sharon
	Green-winged Teal	10F	3	Beaver I. SP	Sharon
	"	13	1	Tonawanda WMA	Watson
	11	13	2	Wilson	Potter
	Canvasback	25	<u>9160</u>	West River, Grand I.	Lazarczyk
	Redhead	3, 15	184, 186	Tonawanda	Watson
	tt.	14, 15	200, 700	Grand I.	Lazarczyk
	Ring-necked Duck	1 - 31	1 - 54	Several WNY locations	Several observers
	11	15	300	Grand I.	Lazarczyk
	**	24	264	Oak Orchard WMA	Watson
	Lesser Scaup	15	4	Newstead	Watson
	**	25	2	Tifft NP	Salembier
	11	28	32	Batavia WWTP	Watson
	Surf Scoter	5; 17	18; 18	Dunkirk Harbor	Neveu; Moshers
	66	6	3	Dunkirk	Lazarczyk
	White-winged Scoter	2; 6, 17	2; 2, 3	Dunkirk Harbor	Neveu; Moshers
	н	13	70	Somerset	Watson
	Black Scoter	6	1	Dunkirk	Lazarczyk
	Long-tailed Duck	18	205	Lewiston	Watson
	**	20	206	Lewiston	Lazarczyk et al
	H	28	1	Batavia WWTP	Lazarczyk, Watson

Species	March	Number	Location	Observer(s)
Common Goldeneye	16	526	Niagara River	Watson
Ruddy Duck	4	1	Fort Erie (Ont)	Yoerg, Henderson
11	28	82	Batavia WWTP	Watson
Red-throated Loon	11	1	Golden Hill SP	Sharon
н	18	1	Youngstown	Landon, Yonker
H	23	9	Four Mile Creek SP	D'Anna
Common Loon	17, 24	1, 1	Dunkirk Harbor	Moshers, Salembier
	31	2	Golden Hill SP	D'Anna (BOS)
Pied-billed Grebe	24	3	Iroquois NWR	Watson
11	24	6	Dunkirk Harbor	Salembier
11	28	1	Batavia WWTP	Watson
Horned Grebe	6; 13	3; 13	Dunkirk Harbor	Neveu; Lazarczyk
11	10	1	Almond	Brooks
0	18	3	Point Breeze	D'Anna et al
11	24	16	Dunkirk Harbor	Salembier
11	28	10	Batavia WWTP	Watson, Lazarczyk
11	31	1	- Alfred	Brooks
Red-necked Grebe	3	1	Tonawanda	Watson
11	5; 6	1; 1	Dunkirk Harbor	Neveu; Lazarczyk
H .	7	1	Alfred	Brooks
11	23	14	Four Mile Creek SP	D'Anna
H .	31	30	Golden Hill SP	D'Anna (BOS)
Great Egret	30F	2	Motor I.	Sharon
Black-cr. Night-Heron	18	2	Goat I.	Watson et al
"	25	8	Motor I.	Sharon
11	26	5	Goat I.	D'Anna
Turkey Vulture	11F	1	Queenston (Ont)	Landon, Yonker
11	11F	. 3	Joseph Davis SP	Landon, Yonker
11	11F	1	Alfred	Brooks
11	23	865	Hamburg Hawkwatch	Watson
Osprey	25F	1	Beaver I. SP	Sharon
Bald Eagle	3 -	1	Strawberry I.	Watson
н	6	8 imm, 1 ad	Dunkirk Harbor	Moshers
н	13,15; 19	2 + n; $1 + n$	Iroquois NWR	Watson; Yoerg, Henderson
H.	20	1	Navy I.	Watson et al
"	21	1 imm	Eden	Andrle
0	23	1	Hamburg Hawkwatch	Watson
0	24	1	Iroquois NWR	Watson
Northern Harrier	13	3	Yates	Watson, Lazarczyk
11	26, 27	1, 1	Eden	Andrle
Northern Goshawk	25F	1	Ripley Hawkwatch	Yoerg, Henderson
Red-shouldered Hawk	13F	1	Orchard Park	Morgante
н	23	68	Hamburg Hawkwatch	Watson
н	23	1	Four Mile Creek SP	D'Anna
н	25	36	Ripley Hawkwatch	Yoerg, Henderson
Rough-legged Hawk	4, 28	2, 7	South Dayton	Neveu
"	17	5	Yates	Pawlicki et al
н	25	2	Ripley Hawkwatch	Yoerg, Henderson
н	27	1	Eden	Andrle
Merlin	2 - 30	1 - 5	UB south campus	Yoerg
11	21	1	Dunkirk Harbor	Neveu
Sandhill Crane	<u>14F</u>	20	Youngstown	Landon
11	24	2	Silver Creek	Neveu
0	25	2	Ripley Hawkwatch	Yoerg, Henderson
	_	_	inproj Hawkwaten	10016, Henderson

	<u>Species</u>	March	Number	<u>Location</u>	Observer(s)
*	Killdeer	1F	1	Hamburg Hawkwatch	Rew
	н	10	1	Wilson	Salembier
*	Greater Yellowlegs	28F; 29	1; 3	Iroquois NWR	Chilton; Sharon
*	Lesser Yellowlegs	29F	1	Iroquois NWR	Sharon
*	Pectoral Sandpiper	30F	8	Kiantone	Neveu
	Purple Sandpiper	20	1	Goat I.	Watson et al
*	Wilson's Snipe	28F	2	South Dayton	Neveu
	"	31	7	Hartland	D'Anna (BOS)
	American Woodcock	13F	1	Pomfret	Mosher
	"	23	3	Colden	J&K Landau
		26	1	Dunkirk Airport	Lazarczyk
	Little Gull	17	19	Lewiston	D'Anna et al
		20	8	Lewiston	Watson, Lazarczyk
	tt	21	8	Lewiston	Landon
		29	10	Lewiston	Hess
	Iceland Gull	4	1	Porter	D'Anna, Potter
	"	4	1	Jaeger Rocks (Ont)	Yoerg, Henderson
		17; 21	1; 1	Dunkirk Harbor	Moshers; Neveu
	11	22	1	Porter	D'Anna
		24	2.	Beaver I. SP	Sharon
	Lesser Black-b. Gull	18	1	Beaver I. SP	Sharon
	Glaucous Gull	4	2	Porter	D'Anna, Potter
	"	6	1	Dunkirk Harbor	Lazarczyk et al
		18	1	Yates	D'Anna et al
*	Caspian Tern	<u>31F</u>	2	Dunkirk Harbor	Neveu
	Long-eared Owl	13	2	Golden Hill SP	Watson, Lazarczyk
	"	17	3	Golden Hill SP	Pawlicki et al
	n e	18	1	Golden Hill SP	Potter et ai
	п	22	2	Wilson-Tuscarora SP	Potter
	Red-headed Wdpkr.	4	1	Fort Erie (Ont)	Yoerg, Henderson
*	Eastern Phoebe	17F	1	Pomfret	Moshers
	··	23	1	Wilson-Tuscarora SP	Potter
	Northern Shrike	31	1	Newfane	D'Anna
	Common Raven	8	1	Ward	Brooks
	п	11	8	Allegany SP	Yoerg, Henderson
	Horned Lark	31	18	Pomfret	Neveu
*	Tree Swallow	15F	20	Royalton	Watson
	11	17	2	Dunkirk Harbor	Moshers
	Carolina Wren	7	1	Grand I. (f)	Lazarczyk
*	Winter Wren	30	1	Tifft NP	Sharon
	n .	31	2	Golden Hill SP	D'Anna (BOS)
	n	31	1	Sheridan	Neveu
	Eastern Bluebird	11	2	Eden	Andrle
	n .	15	3	Newstead	Watson
*	Hermit Thrush	13F	1	Golden Hill SP	Rising
	н	17	1, 1	Pomfret	Mosher, Farver
	American Robin	2	100	Beaver I. SP	Lazarczyk
	н	8	100	Grand I.	Lazarczyk
	Northern Mockingbird	20	1	Grand I.	Pawlicki et al
		25	1	Tifft NP	Salembier
*	American Pipit	25F	10	Ripley Hawkwatch	Yoerg, Henderson
*	Cedar Waxwing	30	22	Eden	Andrle
*	Pine Warbler	31F	1	West Falls	Betrus
*	Chipping Sparrow	26F	1	Buffalo	Yoerg, Henderson

	Species	March	Number	Location	Observer(s)
*	Field Sparrow	10F	1	Wilson	Salembier
	11	30	1	Wilson	D'Anna
	Savannah Sparrow	31F	7	Dunkirk Airport	Neveu
*	Fox Sparrow	17F	2, 1	Pomfret	Mosher, Farver
	11	22	1	Buffalo	Yoerg, Henderson
	n	25 - 31	1 - 3	BOS territory	Several observers
	Swamp Sparrow	30F	1	Tifft NP	Sharon
	White-thr. Sparrow	1	2	Clarence	Watson
	11	11	2	Times Beach NP	Salembier, Mitchell
	11	12	1	Wilson (f)	D'Anna
	Lapland Longspur	17	2	Yates	Salembier, Pawlicki
	Snow Bunting	17	2	Yates	Salembier
	Red-w. Blackbird	3	3	South Park, Bflo.	Rew
	п	3	15	Hamburg	Rew
	н	4	35	South Dayton	Neveu
	Eastern Meadowlark	10F	1	Wilson	Salembier
	11	23	1	Sheridan	Neveu
	"	27	1	Alfred	Brooks
	11	28	1	South Dayton	Neveu
*	Rusty Blackbird	16F	3	Colden	J Landau
	"	28	8	South Dayton	Neveu
	**	31	24	Hartland	D'Anna (BOS)
	Common Grackle	2, 3	2, 1	Tonawanda	Watson
	n .	12	100	Porter & Wilson	D'Anna, Potter
	Brown-head. Cowbird	3	32	Hamburg Hawkwatch	Rew
	11	14	3	Wilson	D'Anna
	Purple Finch	4	16	Pomfret	Moshers
	"	7 - 16	1 = 3.	Alfred	Brooks
	11	18	2	Colden	K Landau
	11	26	2	Wilson (f)	Potter, D'Anna
	11	29	1	Niagara Falls (f)	Roberson
	11	30	1	Tifft NP	Sharon

Species, subspecies, and hybrids previously recorded this year:107Species, subspecies, and hybrids recorded for this month:029Total for the year 2007:136

Statisticians' Note I: If any observer wishes to know the status of their verification report, please contact the Statisticians and we will give them the reasons for our decision. Please mail reports for each month not later than the FIFTH day of the following month to the Compiler: Bruce Chilton 88 Pryor Avenue, Tonawanda, NY 14150; Email: BChi314159@aol.com. Statisticians' Note II: We are asking members of the BOS and any other birders who send in reports to the BOS to advise us as soon as they can of any possible errors in regard to records published in the Prothonotary, particularly in the Noteworthy Records so that we can make any necessary changes as soon as appropriate.

NYC Audubon Comments to FCC on Bird Collisions with Communication Towers

by Karen Cotton

This article and photo were originally published at the NYC Audubon website (http://www.nycaudubon.org/). Blackpoll Warbler photo by Steve Nanz.



Millions of migratory birds die at more than 90,000 lighted towers across the country every spring and fall. On January 18, 2007, NYC Audubon submitted comments to the Federal Communi-

cations Commission (FCC) regarding these collisions with communication towers. NYC Audubon urged the FCC to adopt regulations developed by Communication Tower Working Group to help reduce and prevent these collisions.

The Working Group is a consortium of federal agencies; the telecommunication, broadcasting and tower industries; scientists and conservation agencies and non-governmental organizations (NGOs); private consulting firms; and other stakeholders. Current efforts include establishing research strategies that will quantify risk factors and lead to mitigation measures that will reduce mortality. The USFWS now has voluntary siting and technical guidelines for communication towers and wind turbines that were issued in September, 2000.

The U.S. Fish and Wildlife Service's Division of Migratory Bird Management first focused in detail on the growing problem of bird collisions with communication towers after 5,000-10,000 Lapland Longspurs and other songbird species were killed in a single night at 3 towers in western Kansas in 1998.

This tragedy focused attention on the issue of migratory bird kills and prompted the USFWS to take several proactive steps in an attempt to prevent similar disasters, including convening and chairing the Communication Tower Working Group in 1999.

On Nov. 3, 2006, the FCC issued a Notice of Proposed Rulemaking (NPRM), soliciting comments to determine what impact the structures have on migratory birds, whether tower lighting and guy wire regulations need to be modified, and if the FCC needs to adopt more stringent standards for environmental assessments of proposed tower sites to incorporate bird-safety (full account of comments can be read at http://www.nycaudubon.org/home/FCC.txt).

Lineage of Junkin's Warbler

by Irby Lovette.

In the July, 2006 Prothonotary (vol. 7, p. 64), David Junkin reported on a "mystery" warbler that was trapped and photographed at his bird banding station in Wethersfeld, NY. The bird was thought to be a hybrid between two unknown warbler species. The parentage of this hybrid has recently been resolved using molecular methods and below are highlights of those findings. More information is at www.birds.cornell.edu/AllAboutBirds/mystery.

All birds, like all humans, inherit some of their DNA from their mothers and some from their fathers. Depending on the type of DNA, however, the pattern of inheritance can differ, and we can use these differences to our advantage to determine which two species interbred to produce a hybrid individual like the Junkin's warbler.

Lab scientist Amanda Talaba [Cornell Laboratory of Ornithology] started by extracting DNA from a single feather plucked from the bird when it was captured [by David Junkin in Wethersfeld, NY. Extracting DNA is a fairly straightforward process, and even one feather usually has ample DNA for lots of molecular tests.

Once she had the DNA purified, Amanda used a process called the Polymerase Chain Reaction to copy short and very specific regions of the bird's DNA. This copying process is necessary to give us enough of the target DNA to determine the DNA's sequence, the series of chemical building-blocks that varies among species. As part of a different project, we had already sequenced a number of genes from every one of the world's more than 100 wood-warbler species, so to identify the parents of Junkin's warbler, all Amanda had to do was sequence its own corresponding genes and compare those sequences to our existing warbler gene database.

To determine the mother, Amanda sequenced a gene encoded in the mitochondrial DNA. This type of DNA is unusual in that it is passed <u>only from mothers to their offspring</u>; fathers don't make any contribution at all to the next generation. It also is highly variable among species, so much so that mitochondrial DNA has been used in hundreds of studies of bird evolution. The mitochondrial DNA sequence from the Junkin's warbler individual was a perfect match to sequences we had obtained previously from Kentucky Warblers (*Oporornis formosus*), and quite different from sequences of all other warbler species.

To determine the father, Amanda sequenced part of a gene from the bird's nuclear genome. Nuclear genes come in pairs in birds: one copy from the mother, one from the father. The sequence of one copy of this gene in Junkin's warbler matched the database sequences of Kentucky Warbler, just as expected based on the mitochondrial DNA evidence. The other copy, the one that must have come from the father, matched the database sequences of Mourning Warbler (*Oporornis philadelphia*). Mystery solved.


To our knowledge, this is the first recorded hybridization between these two warbler species.

Buffalo Ornithological Society Buffalo Museum of Science 1020 Humboldt Parkway Buffalo, NY 14211-1293

Return Service Requested

Non. Profit Org.
U.S. Postage
PAID
Buffalo, NY
Permit No. 412

Albert R. Mann Library Acquisitions Division-Serials Cornell University Ithaca, NY 14853-4301



1485340055 6058

June - July Calendar

BOS website http://www.bosbirding.org/



Buffalo-Niagara Region Dial-a-Bird: 716-896-1271 June 1-3: Friday-Sunday. Allegany Nature Pilgrimage. For more information or to register visit www.alleganynaturepilgrimage.org

June 8: Friday. Canadian Whip-poor-will Trip and Chinese Dinner. Meet at Vermont and Busti at 6:00 PM. Dinner at Lotus Garden Restaurant (182 West Street - west bank of Welland Canal, Port Colborne, Ontario). Then we will go to Wilson Road, four miles west of town. Reservations will be appreciated. Leader: Bill Burch (773-3690).

June 13: Wednesday. The Annual June Picnic will be held at Tifft Nature Preserve. A short field trip of Tifft Nature Preserve will follow. Bring your own food and eat at 6:00 PM near the Visitor Center.

July 24, Sunday: Canadian shoreline of Lake Erie for shorebirds.

Leader: Mike Hamilton (881-6709). Meet at 7:00 AM at Vermont and Busti near the Peace Bridge. We will car pool from there. Among other places, we will be going to Rock Point Provincial Park, which charges \$10.00 Canadian per car for entry, so bring Canadian money if you have it. Make sure you have photo ID.

The PROTHONOTARY

ZMM

7/

007

Published Monthly by the

BUFFALO ORNITHOLOGICAL SOCIETY

Volume 73, No. 5 May, 2007

THE MONTH: April

Bill Watson

The Weather: The average temperature was 42.5 °F (2.8 °F below normal) making it the coldest April in ten years. From April 5th to the 18th the average temperature was nine degrees below normal, with four consecutive days of subfreezing temperatures (on the 5th through the 8th) tying 1982 as the longest such April stretch ever! This abnormal cold spell had a devastating effect on early insectivorous passerines. Paul Hess, the Wildlife Biologist at Iroquois NWR, reports that Carl Zenger, the volunteer that maintains the bluebird boxes, "found a total of 233 dead tree swallows between" the 10th and 18th. That number includes 112 birds from the refuge and 121 from the neighboring state WMA's." Most of the birds (216) were found in their boxes on the 10th and 11th.

The last eleven days of the month were two degrees warmer than average and local birders were able to find Blue-winged, Nashville, Yellow, Yellow-rumped, Black-throated Green, Blackburnian, Pine, Palm, and Black-and-white Warblers, as well as Louisiana Waterthrush. So despite the cold weather and vegetation being delayed about a week at month's end, these ten April warbler species were only a little short of our 10.4 warblers/April average. This is a tribute to the BOS members who made a fine effort to find early migrants at the end of April.

Precipitation was a near average 2.96 inches (only 0.08 inches less than normal). With April's 2.3 inches, the seasonal snowfall finished at 88.9 inches at the airport. This is

33 The Month
Bill Watson
35 Bl-cr. Night-Heron
Bill Watson
35 Great Egret Banding

37 Noteworthy Records
Bruce Chilton

42 April Count
Mike Hamilton

46 BOS Calendar

about eight inches below normal. Sunshine was only 37% of the possible making this month the cloudiest April in eleven years. In conclusion, the month was on average, cold and gloomy. This April only 14 verification reports were received. Compare this to the 58 verification reports that were received in April 2001, when I first started writing the April month articles. What has caused this drastic reduction in verification reports? Yes, April 2001 was warmer than this April, but that cannot explain why the verification reports plummeted from 58 to only 10. More likely are recent changes in the 2007 revision of the Verification Date Guide, that expanded no-writeup date ranges for several species.

Early arrivals: In recent Aprils there would be about fifteen verification reports of early arrivals to talk about each month, so it feels a little strange having only three to discuss this year. On the BOS April 15 Count, an all blue bird with darker wings and tail and a light colored bill was seen by Richard Byron and three other people. This earliest ever Indigo Bunting was singing on the utility wire on the



Black-crowned Night-Heron nestlings and eggs photographed by Bill Watson on April 23, 2007 on their nest. The island rookery is located above Horseshoe Falls on the Niagara River (see Bill's article on page 35 for additional details of the colony survey).

The Prothonotary is published monthly by the Buffalo Ornithological Society, Buffalo Museum of Science, Buffalo, NY 14211. Send subscriptions and address changes to the Corresponding Secretary, Karen Landau, S-9195 State Road, Colden, NY 14033. The regular subscription rate is \$20/year. Back issues are available from the Treasurer for \$2/issue.

Please mail correspondence to: Jack Skalicky 178 N. Main Street #55 Salt Lake City, UT 84103-2075 [Email] skalicky@biochem.utah.edu Ed. Consultants: Robert Andrle

> Gerry Rising William Watson

Proth. Publishing: Audrey Horbett Eileen Hull

Society Officers:

President: Thomas O'Donnell V. President: Michael Morgante Treasurer: Gerald Lazarczyk Secretary: Donna DeLeon Statisticians: Robert Andrle Frances Rew Archivist: Audrey Horbett Council: 2005-2007 Mike Galas Gerald Lazarczyk Gail Seamans 2006-2008 Douglas Beattie Lynne Landon Elizabeth Wells 2007-2009 Donna DeLeon Richard Miga William Watson

west side of the road just before the entrance to Morgan's Point. Another early Indigo Bunting first observed April 26th at Karen and Jim Landau's feeder in Colden, New York, is now our second earliest Indigo Bunting record. Although there is an undocumented report of an Indigo Bunting on April 30, 1946, (Beardslee and Mitchell 1965) the above records are the first documented for Indigo Bunting in April. In the BOS Noteworthy Database, which contains all the Noteworthy records since 1963, the earliest Indigo Bunting is on May 1st, which make this year's sightings all the more remarkable.

At Audubon's "Iroquois Observations" on Saturday April 7th an extraordinarily early pair of Common Moorhen was seen by many, and documented by Mike Galas and Jerry Lazarczyk. In his report Mike discussed the "red shield and bill" and the charac-

teristic plumage of the birds. Jerry compared the size to a small chicken. Like the Indigo Bunting this is the earliest arrival date of any Common Moorhen in the Buffalo Ornithological Society records. Although there is a report of a pair of this species at Tifft Street Marsh in the winter of 1946-1947, the previous earliest report was by Holmes on April 8, 1995 in East Aurora.

Rare Birds: Of the 52 documented records of Golden Eagle between 1964 and 2005 inclusively, exactly half have occurred in this month and of these half again occurred from the 15th to the 20th – an optimal window of time to search for Golden Eagle at the Hamburg or Ripley Hawk Watches. The Golden Eagle seen by Fran Rew at the Hamburg Hawk Watch on April 3rd is the earliest ever for April. The previous early date for April was on the 7th in 1976 and 1993.

Although fairly common from September 1st to October 22nd, American Golden-Plover is very rare in spring. The plover documented by Mike Zebehazy and photographed by Linda McElvany clearly had black under tail coverts, which ruled out any possibility of this bird being a Black-

bellied Plover. Like Golden Eagles, spring American Golden-Plovers are most likely to be seen in the month of April.

Separating the Dark-eyed Junco subspecies can be difficult due to their subtle plumage differences, sexual dimorphism and relatively common hybridization. Thus writing a verification report for a suspected female *Junco hyemalis oreganus* or "Oregon Junco" could be as problematical as writing a verification report for a Thayer's Gull. In his report (which included a photograph) Willie D'Anna noted that it differed from other juncos "in the following respects: the gray hood showed a strongly convex shape on the breast; the back was brownish with a slight reddish tone and with inconspicuous darker streaks; the hood contrasted well with the back; the flanks showed a strong wash of brownish orange." There are only three later spring records of "Oregon Junco" than this April 6th record from the Town of Wilson.

Perhaps the rarest species this April was the Western Meadowlark, requiring written verifications for the Buffalo Ornithological Society and New York State Avian Records Committee. Four of the ten written verification reports received by the statisticians were for this species. Alerted to its presence by Len DiFrancisco and Gil Randell, Tim Baird was the first to document the meadowlark on the 22nd. Willie D'Anna, Jim Pawlicki, and I documented it on the 29th. Thirty-eight of the 52 records of this species occurred in May and June. This is the first April Western Meadowlark recorded since 1969.

The April 15th Bird Count produced three very rare birds. The female Barrow's Goldeneye found in the Niagara River just south of Mill Road in Fort Erie was well documented by Brian Lewandowski. This is the latest ever spring record of Barrow's Goldeneye in the BOS study area. The previous latest ever record was of two birds that stayed at Point Abino until April 6, 1993. At Mohawk Point two Eared Grebes with "solid black necks" and "golden red" auricle plumes were found by Marg Partridge. This is the first time that a pair has been found in spring migration, and since 1963 it is the fourth occurrence of this species in April. A Barnacle Goose of questionable origin was found in Section 1 by Lynne Landon and Terry Yonker.

Although they did not require written documentation, there were several other exceptional observations in the month. The five Greater White-fronted Geese observed April 7th are the third highest ever found in spring at one location. The Cackling Goose found at Iroquois NWR on the 7th is our only April record of this species. The Eurasian Wigeon ends a six-year drought of documented sightings of this species in April and is the first ever found in the Town of Alexander.

Unusually High Numbers: In this month's Noteworthy Records unusually high numbers of birds seen by a single observer or party are underlined. See preamble to Noteworthy records, on page 37, for reporting unusually high counts for a species. The 5000 Red-breasted Mergansers at Buffalo Harbor on the 21st are the third highest number in the

BOS archives. The 294 Black-crowned Night-Herons at Niagara Falls, Ontario, betters the previous high count by a single observer of 118 seen at the same location on April 16, 1989. Willie D'Anna had very impressive numbers on the Lake Ontario Plains with 139 Wilson's Snipe (second highest ever) and 3465 Dark-eyed Juncos. During the Fox Sparrow invasion of April-2007, he observed on the 7th a record high 31 Fox Sparrows in Porter and Wilson. The previous high for April was eight. The previous all time high was 20 on November 1-10, 1966 at a feeder on Rosehill Road in Fort Erie.

I would like to acknowledge the following sources for providing information and suggestions in the writing of The Month.

Beardslee, C. S. and Mitchell H. 1965. *Birds of the Niagara Frontier Region*. Bulletin of the Buffalo Society of Natural Sciences, vol. 22.

D'Anna W. 2006. 4777 West Lake Road, Burt, NY 14028. *Personal Communications.*

DiTommaso, D. D. Suggs et al. BOS Noteworthy Database 1964-2005.

McLaughlin, S. National Weather Service, Buffalo, New York.

Hess, P. Wildlife Biologist, Iroquois NWR, 1101 Casey Road, Basom, NY 14013 *Personal Communications*.

Suggs, David et. al. 2002. Seasonal Checklist of the Birds - The Niagara Frontier Region. Buffalo Ornithological Society, Inc.

Niagara Falls Black-crowned Night-Heron Colony Survey - April 23, 2007

by Bill Watson

D. V. Chip Weseloh of the Canadian Wildlife Service was kind enough to include me in his group to make an annual census of the Black-crowned Night-Heron colony, situated on a small island above Horseshoe Falls. At 6:00 AM April 23 we met at the heliport and flew to the site. Connie Adams, Lee Harper, and myself were in charge of counting eggs and chicks in each of the 208 Black-crowned Night-Heron nests. In addition, GPS coordinates were obtained for the island and all the Herring Gull nests. The results found in the Black-crowned Night-Heron nests are as follows: 19 nests had 0 contents (content = eggs + nestlings). These nests were likely inactive and either leftover from a previous year or built this year but not used; 10 nests had 1 content; 12 nests had 2 contents; 26 nests had 3 contents; 74 nests had 4 contents; 66 nests had 5 contents; and 1 nest had 6 contents for an average of 3.94 contents/ presumed active nest or an average 3.58 contents/total nests. The 208 nest contents consisted of 724 eggs and 20 newly hatched chicks. On a second, smaller island about 50 yards away from the main colony, an additional six nests were counted for a total of 214 nests at the colony; however, the contents of these nests are unknown. I also counted 274 adult Black- crowned Night-Herons around the rookery.

A.R. MGreat Egret Banding at Motor Island – June 13, 2007

JUL 1 7 2007

by Bill Watson

On June 12852007, twenty-five nestling Great Egrets Were color-banded at the heron colony on Motor Island in the Niagara River. The banding and survey team consisted of Dr. Chip Weseloh, Dr. David Moore and Clive Hodden from the Canadian Wildlife Service – Ontario Region, Connie Adams and Tom Summerville from the New York State Department of Environmental Conservation and Mark Schlacter and myself representing the Buffalo Ornithological Society. This year we broke into two groups – one banded nestling egrets while the other surveyed for adults with red leg bands.

Nestling Great Egrets were captured and banded in the following manner. Nests were accessed using a standard extension ladder, the nestlings were captured by hand and placed in a bucket, and then carried down the ladder to the bander, Chip Weseloh. He placed RED BANDS WITH WHITE LETTER-NUMBERS ABOVE THE "KNEE" OF THE LEFT LEG AND THE TRADITIONAL ALUMINUM BAND ABOVE THE "ANKLE" OF THE RIGHT LEG. (see photos on next page). The purpose of the net is to keep the little egrets from running away. The egrets observed in the photos are exceptionally young and relatively immobile, however older ones can run very fast on the ground and through the tree tops. After the birds were banded they were put back in the bucket, carried up the ladder and returned to the nest unharmed.

The purpose of this banding study is to help answer a number of questions centered on the Motor Island colony and/or on Great Egret dispersal in general. (1) What is the dispersal pattern(s) for the Motor Island Great Egrets? (2) Do young Motor Island Great Egrets migrate toward the Mississippi Valley, the Atlantic Coast or neither? Answers to these questions may help identify the population that colonized the Motor Island rookery. (3) Do egrets migrate as family units, individuals or heterogeneous groups? (4) If they migrate as heterogeneous groups how and when do the groups form?

To help track these bird's movement, I'm asking for birders to report Great Egrets having RED BANDS WITH WHITE LETTER-NUMBERS ABOVE THE "KNEE" OF THE LEFT LEG AND THE TRADITIONAL ALUMINUM BAND ABOVE THE "ANKLE" OF THE RIGHT LEG. The band code on the red band can usually be read with a spotting scope as the letter-numbers are nearly an inch high. In addition to the 25 egrets banded at Motor Island, 125 nestling Great Egrets were banded in a similar manner at Georgian Bay this June. Thus all banded birds are not necessarily from the Motor Island colony, reinforcing the need to read the letter/number code if possible.

If you find Great Egrets with these bands, please record the date, location, number of other egrets with them, and, if possible, the letter(s) and number(s) of the banding code and report them to one of the three persons listed at the end of this article. If you see one of the color banded Great Egrets and are unable to read the code, do not hesitate to call me and I will offer my assistance.

The oldest of the Great Egret nestlings should start fledging near the beginning of July. Please look for the above bands on birds anywhere in the BOS region, but especially near the Niagara River. Last summer our first report of a dispersed Motor Island fledgling was on July 24th at Bobcaygeon, Ontario, which is north-northwest of Peterborough and 115 miles (190 km) north-northeast of Motor Island (see map below). In the past, most of the banded Motor Island Great Egrets have been relocated in New York State between the Niagara River and Montezuma NWR. Smaller numbers have been relocated on the north and south shores of Lake Erie (*e.g.*, Ohio at Conneaut Harbor).

Last summer (2006) birders were very successful at finding Great Egrets with RED LEG BANDS. Between 30 and 32 observations of banded egrets were made, and I would like to personally thank Jim Pawlicki, Bob and Mary Hartley, Mike McNulty, Fred Arnold, Frank McClain, Brenda Best, Peter Carter, Richard and Christine Salembier, David Moore, Chip Weseloh, Bob Spahn, and Doug Beattie for their reports. Of the eight egrets that had their band codes successfully read, five were banded on Motor Island in June 2006, while three more were banded that year on Nottawasaga Island in Georgian Bay, Lake Huron. All five of the Motor Island birds were found east of Motor Island (see figure below).

The dispersal pattern is biased toward a eastward direction as shown in the figure. Many of the egrets show a very

Peterborough

Lake Ontario

Toronto

Tonawanda WMA Rochester

Niagara Falls

Buffalo

Batavia

Seneca Falls

Lake
Erie

Sketch showing Great Egret nestling dispersal vectors from the Motor Island rookery in 2006. Solid lines indicate Motor Island birds (4; numbers on red bands determined) and dashed lines are inferred Motor Island birds (4; red bands were observed but numbers not read). Most vectors represent one bird. Several birds were also observed at Tifft NP (3-4) and those vectors are not resolved in the diagram. Three other datum points (red bands observed but not numbers) from birds at Luther Marsh and Rattray Marsh in Ontario are not included. Sketch by Bill Watson.

similar eastward trajectory from the Motor Island colony while only one bird was found northward. The data are few at this stage and more observations are needed before stronger conclusions can be made. This eastward dispersal bias suggests the Motor Island birds originally belonged to the Atlantic instead of the Mississippi populations.

D. V. Chip Weseloh Canadian Wildlife Service-Ontario Region 4905 Dufferin St. Downsview, Ontario M3H 5T4 Phone: 416-739-5846

email: chip.weseloh@ec.gc.ca.

Connie Adams NYSDEC 270 Michigan Ave. Buffalo, NY 14203 Phone (716) 851-7010 email: cmadams@gw.dec.state.ny.us

William Watson 771 Fletcher Street Tonawanda, NY 14150 Phone (716) 695-2820 email: williamwatsonsr@aol.com





Photographs of the Great Egret banding operation on Motor Island taken by Bill Watson on June 13, 2007.

NOTEWORTHY RECORDS

Underlined common names, dates or localities indicate that an acceptable, detailed written verification according to the *Date Guide to Birds of Western New York and Adjacent Ontario* (Eighth Edition - Revised 2007) has been received and placed in the permanent files of the Buffalo Ornithological Society. Underlines of numbers of birds indicate unusually high counts for species. Such numbers must be accompanied by detailed notes on the observations including counting methods used by observers.

- * Indicates first record for the year.
- F Indicates first record for the migration.
- L Indicates last record for the migration.
- (f) Indicates record from feeding station. (n) Indicates nest(s). (yg) Indicates young. PDBA Indicates Previously Documented Breeding Area.

Species	<u>April</u>	<u>Number</u>	Location	Observer(s)
Gr. White-fr. Goose	4 - 7	4	Iroquois NWR	Galas, Seamans (BOS)
"	7	5	Iroquois NWR	Pawlicki,Lazarczyk et al
Cackling Goose	7	4	Iroquois NWR	Pawlicki et al
Tundra Swan	23	4	Iroquois NWR	Watson
Eurasian Wigeon	17	1 male	Alexander	Dart, Beattie, Lazarczyk
American Wigeon	23	165	Tonawanda WMA	Watson
Blue-winged Teal	3	4	Lewiston	D'Anna
11	7	2	Tifft NP	Salembier
Northern Shoveler	8	10	Alexander	Beattie
H.	23	46	Iroquois NWR	Watson
Northern Pintail	19	2	Batavia	Beattie, Lazarczyk
Ring-necked Duck	7; 26	22; 14	Tifft NP	Salembier; Watson
"	11	50	Bethany	Beattie
"	14	76	Batavia	Beattie
Lesser Scaup	7	4	Tifft NP	Salembier
Surf Scoter	7; 8	1; 2	Dunkirk Harbor	Neveu; Watson
ey y Man	25	2	Batavia WWTP	Zebehazy
White-winged Scoter	7; 8	1; 8	Dunkirk Harbor	Neveu; Watson
"	8	1	Fort Erie (Ont)	Yoerg
Black Scoter	21	2	Ft. Niagara SP	Landon
Red-br. Merganser	21; 26	5000; <u>4700</u>	Buffalo Harbor	Salembier; Watson
Ruddy Duck	1	6	Iroquois NWR	Salembier
"	11	1	Bethany	Beattie
"	12;14;23	20; 8; 62	Iroquois NWR	Hess; Salembier; Watson
Common Loon	8	6	Dunkirk Harbor	Neveu; Watson; Neveu
"	11	10	Allegany SP	Baird
"	15	8	Bear Lake	Mosher, Farver
Horned Grebe	7; 8	35; 41	Dunkirk Harbor	Neveu; Watson
Red-necked Grebe	7	1	Iroquois NWR	Pawlicki
Dcrested Cormorant	8, 29	645, 500	Dunkirk Harbor	Watson
"	20	27	Eden	Andrle
American Bittern	1F	1	Tonawanda WMA	Yoerg, Henderson
11	23;27	1;1	Iroquois NWR	Watson; Galas, Rising
Great Blue Heron	18	69 + 54 n	Motor I.	Watson
Great Egret	4	5	Grand I.	Pawlicki
"	6	3 + 2 n	Motor I.	Watson
**	10	1	Tonawanda	Hess
Great Egret	19	1	Alexander	Lazarczyk, Beattie
11	22	1	Orchard Park	Morgante
Green Heron	23	1	Wilson	D'Anna
"	29	4	Tifft NP	Salembier
Black-cr. Night-Heron	6,13	109, 48	Motor I.	Watson
"	7	4	Dunkirk Harbor	Neveu

	Species	<u>April</u>	<u>Number</u>	Location	Observer(s)
	11	18	49 + 19 n	Motor I.	Watson
	11	23		n + Niagara Falls (Ont)	Watson
			20 yg + 724 eg	_	
	Osprey	1	1	Iroquois NWR	Salembier
	Uspicy	1	2 + n	Tonawanda WMA	Yoerg, Henderson
	n	19	15	Hamburg Hawkwatch	Rew
	Bald Eagle	1	2 + n	Iroquois NWR	Yoerg, Henderson
	n Lagic	4	2	Navy I.	Pawlicki
	11	6	2	Alexander	Beattie
	11	14	2 ad+2 imm	Iroquois NWR	Pawlicki et al
	11	22	3 juv	Sheridan	Neveu
	n	23	2 + n	Iroquois NWR	Watson
	n	28	5 imm+1 ad	Ripley	Pawlicki, D'Anna et al
	11	29	10	Ripley Hawkwatch	Watson et al
	Northern Goshawk	21	10	Lyndonville	D'Anna et al
	Red-shouldered Hawk	14	1	Alfred	Brooks
*			1	Eden	Andrle
ale.	Broad-winged Hawk	16F	1		
	**	21	151	Alexander	Dart, Beattie
	11	23	151	Amherst	Pawlicki D'A and of all
	11	29	<u>1000</u>	Ripley	Pawlicki, D'Anna et al
		29	<u>776</u>	Hamburg Hawkwatch	Yoerg et al
	Rough-legged Hawk	10	3	Lockport	Pawlicki
		15	2	Arcade	J Landau
	"	29	1	Hamburg Hawkwatch	Yoerg et al
*	Golden Eagle	3	1	Hamburg Hawkwatch	Rew
	Merlin	6	1	Pomfret	Mosher
	11	10 - 30	2 max	UB south campus	Yoerg
	Peregrine Falcon	4	1	Tonawanda	Pawlicki
	"	23	1	Motor I.	Watson
	**	28	1 ad	Iroquois NWR	Pawlicki, Light et al
*	Virginia Rail	6F	1	Sinking Ponds NP	Holmes
	Sora	22F; 23	1;1	Tonawanda WMA	Salembier; Watson
*	Common Moorhen	<u>7F</u>	2	Iroquois NWR	Galas, Lazarczyk et al
	American Coot	23	<u>265</u>	Iroquois NWR	Watson
*	Amer. Golden-Plover	<u>25</u>	1	Batavia WWTP	Zebehazy, McElvany (photo)
	Greater Yellowlegs	1	1	Iroquois NWR	Yoerg, Henderson
	11	5	2	Alexander	Dart
	tt .	25	60	Batavia WWTP	Zebehazy
	Lesser Yellowlegs	8	1	Dunkirk Airport	Watson, Pawlicki
	II .	25	6	Batavia WWTP	Zebehazy
*	Solitary Sandpiper	22F	1	Albion	Pawlicki et al (BOS)
	0	28	1	Newstead	Pawlicki
	Spotted Sandpiper	25	4	Batavia WWTP	Zebehazy
*	Least Sandpiper	25F	1	Batavia WWTP	Zebehazy
	Pectoral Sandpiper	25	4	Batavia WWTP	Zebehazy
	Purple Sandpiper	9	2	Goat I.	Pawlicki, Salembier
	Dunlin	25F	7	Batavia WWTP	Zebehazy
	Wilson's Snipe	6, 7	13, 13	Alexander	Dart, Beattie
	п	8	139	Wilson to Yates	D'Anna, Potter
	American Woodcock	2	2	Joseph Davis SP	Landon
	"	14	1	Oak Orchard WMA	Pawlicki et al
	11	14	1	Alfred	Brooks
	Little Gull	4 - 28	3	Buffalo	Galas
	"	8	5	Buffalo Harbor	
		O	3	Dullato Flatbor	Yoerg

	<u>Species</u>	<u>April</u>	Number	Location	Observer(s)
	п	9	4	Goat I.	Pawlicki, Salembier
	"	12	1	Beaver I. SP	Sharon
	Iceland Gull	7; 17	1; 1	Dunkirk Harbor	Neveu; Moshers
	"	8; 29	2; 2	Dunkirk Harbor	Watson, Pawlick (8+29); D'Anna (29
	Lesser Black-b. Gull	8; 29	1; 1	Dunkirk Harbor	Watson, Pawlick (8+29); D'Anna (29
	Glaucous Gull	29	1	Dunkirk Harbor	Pawlicki, D'Anna, Watson
	Caspian Term	7, 29	2, 131	Dunkirk Harbor	Neveu
	"	8, 29	2, 96	Dunkirk Harbor	Watson
	"	20	2, 50	Amherst	Pawlicki
*	Common Tern	8	2	Buffalo Harbor	
	"				Yoerg
	11	10	6	Dunkirk Harbor	D'Anna
4	F4- !- T	12	3	Lancaster	Morgante
*	Forster's Tern	23	1	E. side of Grand I.	Sharon
	Long-eared Owl	10	l i	Wilson-Tuscarora SP	Potter
		24	l	Williamsville	Salembier
	Short-eared Owl	10	4	Lockport	Pawlicki, Mielke
*	Chimney Swift	22F	1	Hamburg	J Landau
	"	23	2	Wilson	D'Anna, Potter
	Yellow-b. Sapsucker	8F	2	Ellicottville	Lazarczyk, Rising
	"	14	8	Tifft NP	Salembier
*	Least Flycatcher	27F	1	Amherst SP	Salembier, Galas, Rising
*	Eastern Kingbird	27F	1	Pomfret	Mosher
	Northern Shrike	8L	1	Somerset	Potter, D'Anna
	Blue-headed Vireo	23	1	Amherst SP	Salembier
	11	26	1	Eden	Andrle
*	Warbling Vireo	28F	2	Amherst SP	Salembier
	Common Raven	11	1	Darien	Lazarczyk
	"	11	1	Salamanca	Baird
	•	19	1	Alfred	Brooks
*	Purple Martin	22F	1	Wilson	D'Anna, Potter
	"	29	1	Ripley	D'Anna, Watson, Pawlicki
	"	29	6	Dunkirk Harbor	Neveu
	Tree Swallow	5	200	Alexander	Dart, Beattie
	N. Rough-w. Swallow	21F	1	Somerset	D'Anna, Potter
	" Swanow	21F	8	Tifft NP	Salembier
	•	21F	5	Ft. Niagara SP	Landon
	"	22	4	Sheridan	Neveu
*	Dank Cuation	25F		Batavia WWTP	Zebehazy
*	Bank Swallow		3		•
•	Cliff Swallow	25F	2	Batavia WWTP	Zebehazy
	Barn Swallow	21	1	Andover	Brooks
	"	21	4	Ft. Niagara SP	Landon
		23	1	Iroquois NWR	Watson
	Carolina Wren	22, 29	2, 3	Mouth of Cattaraugus Creek	Neveu
*	House Wren	26F	I	Tifft NP	Watson
	**	26F	1	Beaver I. SP	Hess
	11	26F	1	Amherst SP	Salembier
	"	27	1	Sheridan	Neveu
	Winter Wren	9	1	Goat I.	Pawlicki, Salembier
	11	14	1	Bethany	Beattie
	tt .	21	1	Ft. Niagara SP	Landon
	11	22	4	Sheridan	Neveu
	ti .	29	5	Tifft NP	Salembier
*	Marsh Wren	28F	1	Iroquois NWR	Pawlicki
	Golden-cr. Kinglet	22, 27	6, 9	Sheridan	Neveu

	Species	<u>April</u>	Number	Location	Observer(s)
*	Ruby-cr. Kinglet	5F	1	BOS NP	Lazarczyk
	"	7	1	Alfred	Brooks
	п	24, 27	10, 30	Amherst SP	Salembier
*	Blgr. Gnatcatcher	22F	1	Sheridan	Neveu
	11	26	4	Tifft NP	Watson
	Eastern Bluebird	1	6	Tillman WMA	Salembier
	11	12	2	Bethany	Beattie
	Hermit Thrush	3	1	Buckhorn I. SP	Sharon
	"	3	2	Buffalo	Yoerg
	#	5	1	Alexander	Dart
	ft.	21; 26	7; 2	Tifft NP	Salembier; Watson
	11	22	5	Sheridan	Neveu
*	Wood Thrush	28F	1	Wilson	Potter, D'Anna
*	Gray Catbird	21F	1	Ft. Niagara SP	Landon
	Gray Catbird	28	1	Porter	D'Anna, Potter
	Northern Mockingbird	7	1	Tifft NP	Salembier Salembier
*	Brown Thrasher	/ 11F	1	Tifft NP	Sharon
·	Brown Thrasher	21	1 1		
	Amariaan Dinit		1 21 11	Somerset	D'Anna, Potter
	American Pipit	5, 6	21, 11	Alexander	Dart, Beattie
4	Dlan and Wash la	8	9	Somerset & Yates	D'Anna, Potter
*	Blue-winged Warbler	29F	1	Pt. Gratiot	Pawlicki, Neveu et al
4	Nashville Warbler	27F	l	Amherst SP	Salembier
ىل.		28	1	Wilson	Potter
*	Yellow Warbler	28F	3	Orchard Park	Morgante
*	Yellow-r. Warbler	8F	l ·	Yates	D'Anna, Potter
		10	1	Amherst SP	Salembier
*	Blthr. Green Warb.	25F	2	Amherst SP	Salembier
*		29	l	Ripley	D'Anna et al
	Blackburnian Warbler	26F	1	Amherst SP	Salembier
	Pine Warbler	19F	1	Alfred	Brooks
	11	20	1	Wilson-Tuscarora SP	Potter
	11	22	5	Sheridan	Neveu
		29	5	Ripley	Pawlicki, D'Anna et al
*	Palm Warbler	17F, 18	1, 1	Alexander	Beattie, Dart
		24	1	Wilson	Potter, Pawlicki
*	11	24	3	Amherst SP	Salembier
4	Black-and-white Warb.	27F	1	Wilson	D'Anna
	11	29	1	Ripley	Pawlicki, D'Anna et al
*	La. Waterthrush	25F	1	Allegany SP	Baird
*	Eastern Towhee	4F	1	Wilson (f)	D'Anna, Potter
	"	5	1	Colden	K Landau
	11	8, 14; 26	1, 3; 5	Tifft NP	Salembier; Watson
	"	15, 18	1, 1	Alfred	Brooks
	Amer. Tree Sparrow	15, 21L	5, 1	Alfred	Brooks
	Chipping Sparrow	2	1	Bethany	Beattie
	11	5	2	Williamsville	Salembier
	"	5	1	Alfred	Brooks
	Field Sparrow	1	6	Tillman WMA	Salembier
*	Vesper Sparrow	2F	2	Hamburg	Pawlicki, Zebehazy
	11-	5, 8	2, 5	Pomfret (f)	Moshers
	H .	7	1	Dunkirk Airport	Neveu
	н	8	6	Somerset & Yates	D'Anna, Potter
	n	9	2	Porter	Pawlicki, Salembier
	11	13	3	Pomfret	Mosher

	<u>Species</u>	<u>April</u>	Number	<u>Location</u>	Observer(s)
	Savannah Sparrow	2	2	Hamburg	Pawlicki
	II .	5	2	Beaver I. SP	Sharon
	ri .	14	10	Batavia	Dart, Beattie
	Fox Sparrow	5 - 8	2	Niagara Falls (f)	Roberson
	**	5, 8-11	1	Eden (f)	Andrle
	Fox Sparrow	7	<u>31</u>	Porter & Wilson	D'Anna
	**	8	<u>14</u>	Wilson (f)	D'Anna
	**	14	<u>11</u>	Tifft NP	Salembier
	White-thr. Sparrow	11F	1	Eden (f)	Andrle
	**	21	1	Alfred	Brooks
	11	26	12	Tifft NP	Watson
	**	29	15	Niagara Falls (f)	Roberson
	White-cr. Sparrow	29F	2	Sheridan	Neveu
	**	30	3	Times Beach NP	Hess
	11	30	1	Eden (f)	Andrle
	**	30	2	Depew	Morgante
	**	30	1	UB south campus	Yoerg
	Dark-eyed Junco	8	<u>3465</u>	Wilson to Yates	D'Anna, Potter
*	Dark-eyed Junco J. h. oregan	us 6, 9	1	Wilson (f)	D'Anna et al
*	Rose-br. Grosbeak	24F	1	Bethany	Beattie
	11	27	1	Wilson	D'Anna, Potter
	Indigo Bunting	<u> 26F - 28</u>	1	Colden	K Landau
*	Western Meadowlark	22	1	Ripley	Baird
	**	29	1	Ripley	Pawlicki, Watson, D'Anna
	Rusty Blackbird	1	5	Tonawanda WMA	Yoerg, Henderson
	**	26	1	Amherst SP	Salembier
*	Baltimore Oriole	30F	1	Colden	J Landau
	11	30F	1	Buffalo	Yoerg
*	Pine Siskin	24	I	Wilson (f)	Potter

Species, subspecies, and hybrids previously recorded this year:

Species, subspecies, and hybrids recorded for this month (40) and April Count (13):

136

Total for the year 2007:

Statisticians' Note I: If any observer wishes to know the status of their verification report, please contact the Statisticians and we will give them the reasons for our decision. Please mail reports for each month not later than the FIFTH day of the following month to the Compiler: Bruce Chilton 88 Pryor Avenue, Tonawanda, NY 14150; Email: BChi314159@aol.com. **Statisticians' Note II**: We are asking members of the BOS and any other birders who send in reports to the BOS to advise us as soon as they can of any possible errors in regard to records published in the Prothonotary, particularly in the Noteworthy Records so that we can make any necessary changes as soon as appropriate.

Report of the 2007Annual B.O.S. April Bird Count

Date: April 15, 2007 Weather: Terry Yonker, Compiler: Mike Hamilton

Weather Synopsis

During the count, weather varied significantly from the northwest to southeast within the Buffalo Ornithological Society study area. A deep low pressure center moving up the east coast along a potent cold front began to affect the count area by midnight spreading westward during the day. New York Sections to the south and east were cloudy with frequent periods of rain, snow, fog, and mist, while Ontario sections to the north and west experienced variable conditions with less precipitation. The entire study area experienced unseasonably cold temperatures and increasing winds with strong gusts from the north and northeast, especially in the afternoon. Count day contrasted significantly with the previous day and evening when skies were partly cloudy with moderate temperatures and light winds that shifted from the southwest to the northeast.

Greater Buffalo International Airport

Sunrise: 6:35 AM EDT Sunset: 7:57 PM EDT

TIME	WEATHER	TEMP	DEW PT	PRESSURE	DIR/WIND	REMARKS
12:00 am	Cloudy/Lt Snow/Fog/Mist	35°F	31°F	1012.3 mb	NE 10 mph	
3:00 am	Cloudy/Lt Snow/Fog/Mist	32	32	1009.6	NE 13	
6:00 am	Cloudy/Lt Snow/Fog/Mist	32	32	1007.4	NE 16	
9:00 am	Cloudy/Lt Snow/Fog/Mist	33	33	1006.9	NE 14	
12:00 pm	Cloudy/Lt Snow/Fog/Mist	33	33	1006.6	N 16/G 24	Coastal Low-Long Island
3:00 pm	Cloudy/Lt Rain/Snow/Fog/Mist	34	34	1004.9	N 14/G 20	
6:00 pm	Cloudy/Lt Rain/Fog/Mist	35	35	1004.6	N 12/G 24	
9:00 pm	Cloudy/Lt Rain/Snow	36	36	1004.0	N 14/G 25	
12:00 am	Cloudy/Lt Rain/Snow/Fog/Mist	36	36	1002.1	N 16/G 23	

Compilation: The following is a list of species recorded on the count together with the number of individuals tabulated. Bold face names indicate species for which acceptable written verification forms were received. F represents first and L last dates for the spring migration, * first date for the year. Where a species was recorded in three or fewer sections, the section numbers are given in parentheses.

	Canada Goose	13,131		Common Goldeneye		367	
ķ	Barnacle Goose (origin unknown)	1	(1)	* Barrow's Goldeneye		1	(8)
	Mute Swan (adults)	12		Hooded Merganser		252	
	Wood Duck	351		Common Merganser		487	
	Gadwall	197		Red-breasted Merganser		9,171	
	American Wigeon	604		Ruddy Duck		291	
	American Black Duck	40		unspecified ducks		1	(5)
	Mallard	1,105		unspecified waterfowl		2	(17)
	Blue-winged Teal	78		Ring-necked Pheasant		23	
	Northern Shoveler	128		Ruffed Grouse		10	
	Northern Pintail	143	(3,4)	Wild Turkey		340	
	Green-winged Teal	197		Red-throated Loon		1	(4)
	Canvasback	290		Common Loon		157	
	Redhead	146		Pied-billed Grebe		108	
	Ring-necked Duck	1,379		Horned Grebe		193	
	Greater Scaup	438		Red-necked Grebe		31	
	Lesser Scaup	998		* Eared Grebe		2	(7)
	unspecified scaup	277		Double-crested Cormorant		4,054	
	Surf Scoter	4	(4,20)	Great Blue Heron		495	
	White-winged Scoter	50		Great Egret		22	
	unspecified scoters	2	(4)	* Green Heron	F	2	(12,18)
	Long-tailed Duck	2,461		Black-crowned Night-Heron		93	(2,9,11)
	Bufflehead	2,754		•			

Vultures-Cranes

	Bald Eagle	19		American Kestrel	118	
	Northern Harrier	38		Merlin	5	(11,20)
	Sharp-shinned Hawk	19		Peregrine Falcon	4	(9,11)
	Cooper's Hawk	29		unspecified hawks	4	(20)
	unspecified accipiters	2	(8,17)	Virginia Rail	5	(3,9,12)
	Red-shouldered Hawk	17		* Sora	F 1	(6)
	Red-tailed Hawk	174		American Coot	140	(0)
	Rough-legged Hawk	13		Sandhill Crane	4	(6,22)
	Rough legged Hawk	13		Sandinii Crane	7	(0,22)
	Plovers – Terns					
	Killdeer	332		Ring-billed Gull	31,030	
	Greater Yellowlegs	69		Herring Gull	1,831	
	Lesser Yellowlegs	18	(13,23)	Iceland Gull	4	(11,20)
*	Spotted Sandpiper	F 1	(18)	Lesser Black-backed Gull	2	(2,3)
*	Dunlin	F 1	(4)	Glaucous Gull	1	(4)
	Wilson's Snipe	341		Great Black-backed Gull	300	,
	American Woodcock	10		unspecified gulls	707	(20,21)
	Little Gull	22	(3,9)	Caspian Tern	25	(20,21)
	Bonaparte's Gull	7,445		Common Tern	7	(8,9,18)
	Bonaparte s Gun	7,443		Common Term	,	(0,2,10)
	Pigeons-Swallows					
	Rock Pigeon	1,137		Eastern Phoebe	138	
	Mourning Dove	1,719		Northern Shrike	1	(18)
	Eastern Screech-Owl	4		* Blue-headed Vireo	F 1	(18)
*	Great Horned Owl	16		Blue Jay	1,321	
	Barred Owl	4	(8,28)	American Crow	2,480	
	Belted Kingfisher	74		Common Raven	6	(24,28)
	Red-bellied Woodpecker	177		Horned Lark	377	, ,
	Yellow-bellied Sapsucker	54		Purple Martin	6	(8)
	Downy Woodpecker	416		Tree Swallow	1,010	(0)
	Hairy Woodpecker	138		* N. Rough-winged Swallow	F 2	(6)
	Northern Flicker	614		* Barn Swallow	F 5	(0)
	Pileated Woodpecker	37		unspecified swallows	1 3	(17)
				1		
	Tits-Waxwings			Di di di	104	
	Black-capped Chickadee	1,765		Eastern Bluebird	124	
	Tufted Titmouse	145		Hermit Thrush	13	
	Red-breasted Nuthatch	56		American Robin	9,201	
	White-breasted Nuthatch	241		Northern Mockingbird	10	
	Brown Creeper	116		Brown Thrasher	2	(13,18)
	Carolina Wren	13		European Starling	18,246	
	Winter Wren	32		American Pipit	413	
	Golden-crowned Kinglet	254		Cedar Waxwing	71	
	Ruby-crowned Kinglet	23		C		
	Workland Hanne C					
	Warblers – House Sparrows Yellow-rumped Warbler	7		White-crowned Sparrow	46	
	Pine Warbler		(12)	Dark-eyed Junco	3,630	
	Eastern Towhee	F 1		J. h. oreganus	1	
		242		unspecified sparrow	1	(17)
	American Tree Sparrow			* *	16	(4,13)
	Chipping Sparrow	263		Lapland Longspur Northern Cardinal	844	(7,13)
	Field Sparrow	84		Northern Cardinal		(7)
	Vesper Sparrow	vannah Sparrow 144 Red-winged Blackbird				(7)
	Savannah Sparrow				18,976	
	Fox Sparrow	165		Eastern Meadowlark	108	
	Song Sparrow	1,944		Rusty Blackbird	1,427	
	Swamp Sparrow	43		Common Grackle		
	White-throated Sparrow	101		Brown-headed Cowbird	2,186	
	winte-unoated Sparrow	101		Brown-neaded Cowond	2,100	

Purple Finch
House Finch
Finch
House Finch
House Sparrow
1 (19)
1,325

American Goldfinch

SUMMARY INFORMATION: Total species observed: 141

Total individual birds observed: 165,687

Number of observers: 259

COMPARATIVE INFORMATION: Associated charts, available from Michael Hamilton, compare this year's records with those for 1998-2007 and those for 1935-2007. A chart listing totals for each species per section for 2007 is also available. In addition the following notes are added:

INDIVIDUAL SPECIES SINCE 1935:

Highest counts: Ave.= average of entire count period: Gadwall, 197 (2.9 x ave.); Double-crested Comorant, 4,054 (6.3 x ave.); Virginia Rail, 5 (10.6 x ave.); Sandhill Crane, 4 (22 x ave.); Wilson's Snipe, 341 (4.9 x ave.); Little Gull, 22 (7.3 x

ave.); Fox Sparrow, 165 (5.3 x ave.); American Goldfinch, 1,986 (4 x ave.).

Lowest counts: None (this is misleading as in the first count (1935) there were only 23 observers and 44 species seen).

Rare count sightings: Barnacle Goose, 1 (1st record for entire count period); Barrow's Goldeneye, 1 (2nd record: previous record was 1 in 1993); Eared Grebe, 2 (3rd record: previous records were 1 each in 2006 and 1994); "Oregon Junco" subspecies, 1 (2nd record; previously record was 1 in 1951); Indigo Bunting, 1 (1st record for entire count period).

INDIVIDUAL SPECIES IN LAST DECADE

Highest counts: Gadwall, 197 (2.3 x ave.); American Wigeon, 604 (2.3 x ave.); Canvasback, 290 (3.4 x ave.); Redhead, 146 (3 x ave.); Ring-necked Duck, 1,379 (1.4 x ave.); Red-breasted Mergansew, 9,171 (1.7 x ave.);, Common Loon, 157 (2.3 x ave.);

Merlin, 5 (2.5 x ave.); Virginia Rail, 5 (2.5 x ave.); Sandhill Crane, 4 (5 x ave.); Wilson's Snipe, 341 (3.4 x ave.); Little Gull, 22 (2.2 x ave.); Iceland Gull, 4 (2 x ave.); Hairy Woodpecker, 138 (1.5 x ave.); Blue Jay, 1,321 (1.5 x ave.); Horned Lark, 377 (3.1 x ave.); Vesper Sparrow, 30 (2.5 x ave.); Fox Sparrow, 165 (2.8 x ave.); White-crowned Sparrow, 46 (2.5 x ave.); Dark-eyed Junco, 3,631 (1.6 x ave.); Red-winged Blackbird, 18,976 (1.1 x ave.); Purple Finch, 334 (1.7 x ave.); American Goldfinch, 1,986 (1.9 x ave.)

Finch, 334 (1.7 x ave.); American Goldfinch, 1,986 (1.9 x ave.).

Lowest counts: Canada Goose, 13,131 (51% of ave.); Ruffed Grouse, 10 (56% of ave.); Red-throated Loon, 1 (17% of ave.); Sharp-

shinned Hawk, 19 (22% of ave.); Red-tailed Hawk, 174 (52% of ave.); American Woodcock, 10 (32% of ave.);

Northern Mockingbird, 10 (43% of ave.).

Rare count sightings: Barnacle Goose, 1 (1st record); Barrow's Goldeneye, 1 (1st record); Eared Grebe, 2 (2nd record: 1st was last year); Spotted Sandpiper, 1 (2nd record: 1st was 6 in 2004); Indigo Bunting, 1 (1st record).

NOTEABLE SPECIES AVERAGE CHANGES (entire count period / last decade):

INCREASES: Wood Duck, 150/342; Gadwall, 84/29; Northern Shoveler, 47/176; White-winged Scoter, 10/478; Long-tailed Duck, 1029/2609; Bufflehead, 1034/3096; Ruddy Duck, 80/380; Wild Turkey, 7/265; Red-throated Loon, 3/6; Red-necked Grebe, 35/196; Double-crested Cormorant, 207/1314; Great Blue Heron, 176/418; Great Egret, 2/11; Black-crowned Night-Heron, 49/148; Turkey Vulture, 285/1110; Osprey, 9/24; Bald Eagle, 3/12; Sharp-shinned Hawk, 30/86; Cooper's Hawk, 12/30; Broad-winged Hawk, 26/176; American Coot, 183/362; Sandhill Crane, 0/1; Greater Yellowlegs, 14/37; Lesser Yellowlegs, 5/10; Little Gull, 3/10; Bonaparte's Gull, 4561/12532; Great Black-backed Gull, 65/224; Caspian Tern, 7/35; Mourning Dove, 777/1676; Barred Owl, 3/6; Red-bellied Woodpecker, 25/114; Yellow-bellied Sapsucker, 24/78; Pileated Woodpecker 12/31; Eastern Phoebe, 132/270; Common Raven, 3/13; Tree Swallow, 693/1457; Northern Rough-winged Swallow, 10/49; Barn Swallow, 89/44; Tufted Titmouse, 36/145; Red-breasted Nuthatch, 23/57; Carolina Wren, 5/18; Winter Wren, 11/24; Ruby-crowned Kinglet, 15/38; Hermit Thrush, 8/19; Gray Catbird, 1/3; Northern Mockingbird, 6/23; Brown Thrasher, 2/5; Yellow-rumped Warbler, 7/18; Chipping Sparrow, 53/197; Swamp Sparrow, 39/96; White-throated Sparrow, 63/150; Northern Cardinal, 388/800; Rusty Blackbird, 296/676; Purple Finch, 103/202; American Goldfinch, 487/1022; NUMBER OF OBSERVERS, 154/252

DECREASES: Tundra Swan, 92/29; American Black Duck, 278/52; Northern Pintail, 1135/376; Canvasback, 394/85; Redhead, 132/48; Greater Scaup 1276/506; Common Goldeneye, 893/346; Common Merganser, 1140/428; Ringnecked Pheasant, 88/27; Green Heron, 2/1; Pectoral Sandpiper, 47/10; Loggerhead Shrike, 3/0; American Tree Sparrow 391/178; Vesper Sparrow, 60/12; Snow Bunting, 20/3; Eastern Meadowlark, 397/140; Red Crossbill, 6/1; Common Redpoll, 117/6; Pine Siskin, 89/15; Evening Grosbeak, 473/102

OBSERVERS (Section compilers are printed in **bold** face.):

Section 1: Rick Gorek, Art Hannah, Lynne Landon, Terry Yonker

Section 2: Brian Ahara, Paul Benham, **John Black**, Kayo Roy, Dan Salisbury, Maggie Smiley

Section 3: Bill Broderick, Willie D'Anna, Vicki Rothman, James Rozanski, Elizabeth Wells

Section 4: Bob Eberhart, Julie Eberhart, Leonard Gordon, Neal Gordon, Janet Hansen-Moyes, Bill Watson

Section 5: Don Brasure, Bill Burch, Sally Castren, Margaret Christensen, Richard Christensen, Morgan Jones, Laurie McGee,

Tim McGee, Susan O'Donnell, Thomas O'Donnell, Joyce Vana

Section 6: **Jerry Chapple**, Nina Chapple

Deborah Milleville, Sue O'Donnell, Tom O'Donnell, Gerry Rising, Richard Salembier, Tim Smith Section 10: Edward Crohn, Donna DeLeon, Robert DeLeon, Donald Roberson, Mary Ann Stegmeier, John Welte, Martha Welte, Section 11: Alec Humann, Chuck Rosenburg, Norm Utech, Roberta Vallone Section 12: Chris Betruss, Greg Coniglio, Paul Fuhrmann, Wayne Gall, Linda Holmes, Mahlon Miller, Nancy Miller, Mike Morgante, Gary Nichter, Mark Nichter, Gail Seamans, Christine Sousa Section 13: Doug Beattie, Carol Britton, Elaine Dart, Tad Gerace, Jack Hartwig, Hans Kunze, Joe Salvadore, Ruth Ann Salvadore, Gail Seamans, Dana Stringham, Diane Stringham, Paula Stone, Don Thurau, Ginny Tiede, John Volpe Section 14: Bob Andrle, Ken Brandes, Fred Harrington, Erma Kern, Glena Leous, Mark Leous, Patty Madigan, Sandy Radigan, Sue Saunders, Carolyn Willington Section 15: Bill Bogacki, Ed Ratajczak Section 16: Tom Connare, Audrey Horbett, Frances Rew Section 17: James Pawlicki

Dave Burch, Barbara Byron, Richard Byron, Mike Hamilton, Jack Mansfield, Marg Partridge

Doug Happ, Marcia Jacklin, Richard Kajtoch, Brian N. Lewandowski, Mike Zebehazy

Section 18: **Bruce Chilton**, Barbara Henderson, Jim Landau, Peter Yoerg
Section 19: Ron Andrews, Ruth Boon, **Doris Burton**, Dorothy Campbell, Len Campbell, Linda Cash, Faye Clancy, Art Cooper, James Fegley, Dora Lilly, Dan Merritt, Meg Merritt, Louise Mills, Virginia Norton, Sam Norton, Sean Phelan, Teresa

Rork, John Raybuck, Michael Raybuck, Carol Stonemetz, Ann Voss, Denton Willett, Jean Wilson, Larry Wilson,

Pat Bogan, Tom Connare, Lewis Crowell, Dave Friedrich, Michael Galas, Dave Gordon, Ron Hacker, Sue Hacker,

Richard Wilson

Section 7:

Section 8: Section 9:

Section 20: Karen Brisley, Kenneth Brisley, Dick Clark, Sylvia Clarke, **Paul Farver**, Joanne Goetz, Tom Goetz, Joe Gula, Carol Hardenburg, Jerry Lazarczyk, Terry Mahoney, Jane McMaster, Richard Miga, Terry Mosher, David Neveu, Lucille Neveu, Bob Peterson, Beverly Ruska, John Ruska, Audrey Schafer, Mary Sherman, Jeanine Smith, Ted Taft

Section 21: Julie Heilman, Jessie Nelson, Joanne Nelson, Bill Seleen, **Bob Sundell**

Section 22: Paul Baglia, Ann Beebe, Nancy Karp, Sue Lawton, Linda O'Brien, **Bob Sundell**, Sharon Walker

Section 23: Sue Lawton, Bill O'Brien, Linda O'Brien, Ruth Lundin, Robert Petroline, Tom Simmons, **Bob Sundell**

Section 24: Tim Baird, Tom LeBlanc

Section 25: Tim Baird, Jeffrey Reed, James VanScoy, Regina VanScoy

Section 26: **Doris Burton**, Frances Hunt, Mary Jordan, Bob Smalley, Bruce Smalley

Section 27: Russell Allen, Ann Brocci, **Doris Burton**, Helen Link, Marie Paxhia, Wilma Sanford

Russell Allen, Charlotte Anderson, Dan Babcock, Ellen Baker, Carol Behn, Wayne Brewster, Don Brink, Lorna Brink, Betsy Brooks, Debbie Bucholz, Carol Burdick, Doris Burton, Mary Lou Cartledge, **Diane Converso**, Jim Copenheaver, Tina Cornell, Elsie Cushing, Karol Doty, Peter Finlay, Terry Finlay, John Gradoni, Pat Hulse, Geri Hills, Ralph Hills, Betty Kellogg, Wayne Kellogg, Barry Lash, Martha Lash, Sue Lange, Woodie Lange, Kathy MacDonald, Walter Mason, Mary Ormsby, Lyle Palmiter, Thelma Palmiter, Sean Phelan, Ann Pipal, Robert Pipal, Evelyn Ramsey, Dan Rase, Peggy Rase, Ernest Rositzke, Jim Smith, Roger Smith, Roger Smith, Sharon Smith, Maureen Soule', Wilma Taggart, Brabara Timbrook, Tim Timbrook, Linda Travers, Mary Trouslot, Cindy Vance,

Gerry Vance, Barbara Ware, Mary Lu Wells, Katie Weiman, Suzanne Wood

Buffalo Ornithological Society Buffalo Museum of Science 1020 Humboldt Parkway Buffalo, NY 14211-1293

Return Service Requested

Non. Profit Org. U.S. Postage **PAID** Buffalo, NY Permit No. 412

Albert R. Mann Library Acquisitions Division-Serials Cornell University Ithaca, NY 14853-4301



July - August+ Calendar

BOS website http://www.bosbirding.org/



Buffalo-Niagara Region Dial-a-Bird: 716-896-1271 July 29, Sunday: Canadian shoreline of Lake Erie for shorebirds. Leader: Mike Hamilton (881-6709). Meet at 7:00 AM at Vermont and Busti near the Peace Bridge. We will car pool from there. Among other places, we will be going to Rock Point Provincial Park, which charges \$10.00 Canadian per car for entry, so bring Canadian money if you have it. Make sure you have photo ID.

Aug. 19, Sunday: BOS August Shorebird Count. Start at 6:30 AM. The count will cover 10 reaches of the north shore of Lake Erie from the Peace Bridge to Port Maitland. Teams of two or more will be assigned each reach. If you have questions or would like to volunteer contact Terry Yonker or Lynne Landon at (716) 745-9129 or email:_llandon@daemen.edu_

Aug. 26, Sunday: Canadian shoreline of Lake Erie for shorebirds and other early migrants. Leader: Mike Hamilton (881-6709). Meet at 7:30 AM at Vermont and Busti. We will car pool from there. Among other places, we will be going to Rock Point Provincial Park, which charges \$10.00 Canadian per car for entry, so bring Canadian money if you have it. Make sure you have photo ID.

Oct. 5-7: New York State Ornithological Association Meeting in Batavia, NY. The Buffalo Ornithological Society is hosting the NYSOA meeting this year. The BOS is one of 48 organizations that make up the NYSOA. All BOS members are members of NYSOA. A registration form is included with this issue of *The Prothonotary*. In addition to the fine speakers and other programs, the Annual Meeting is an opportunity to meet birders from all across New York State and we encourage all BOS members to attend. A small steering committee has been planning the meeting, but we need your help to make this conference a success, in areas from registration to field trips. If you would like to help with field trips contact Mike DeSha at 716-676-3559 or mjdesha@ischuavalley.net. To help with other areas, contact Doug Beattie at 585-343-4767 or beattie@2ki.net

The PROTHONOTARY



Published Monthly by the

AUG 7 2007 ITHACA, NY 14853

A.R. MANNLIBRARY

BUFFALO **O**RNITHOLOGICAL SOCIETY

Volume 73, No. 6 June, 2007

THE MONTH: May

Gerry Rising

This May was a very pleasant month, but we birders can always find something to complain about. It was, in fact, too pleasant: temperature average 59°F, 2° above average with five days in the 80s, rainfall 0.9 inch, 2.5 inches below average with more than a tenth of an inch falling at the airport weather station on only three days, the most 0.3 inch on the 15th. And even the winds were mild: their average less than 9 mph with peaks reaching over 25 mph on only 11 days. You know what that good weather means: lots of leaves to make finding birds more difficult, desultory winds reducing hawk flights, and few of those early morning showers that cause migrant drops and big numbers of warblers.

Despite these usual complaints, it is difficult to argue that it wasn't a good month for birding. The May 20 BOS Count recorded its 3rd highest species total, 210, with the total individual count average for this decade. And, as the following lengthy list of Noteworthy Records indicates, the bird species were there for diligent birders to search out. The 15 verification reports indicate also that rarities were here in numbers. My own meager observations – I was away for much of the month – suggest only that the number of individual migrants was low. For example, this year Goat Island seemed not to attract its usual high numbers of passerines.

Here are brief notes on the reported observations; for details see the Noteworthy Records and Count summary

and analysis that follows:

The Month Gerry Rising 48 Hamburg Hawk Watch Jim Landau 49 Ripley Hawk Watch Gil Randell **Noteworthy Records** 51 Bruce Chilton 58 **May Count** Robert DeLeon 62

BOS Calendar

Waterfowl: A nice Lake Ontario Brant flight on the 13th. My annual complaint about the virtual absence of Blue-winged Teal, a formerly common local breeder. The usual straggling divers: high counts including 81 Long-tailed Ducks on the 7th and 111 ruddies on the 5th, 11 Red-necked Grebes on the 13th.

Cormorants and Herons: 165 cormorant nests just on Strawberry Island and 29 Great Egret nests between Strawberry and Motor Islands. Compare that number of egret nests and the 66 egrets recorded on the Count with the maximum Count number of 9 recorded before 2000; we have a pleasant incursion. Least Bittern a no show until the 29th. Four southern rarities appeared perhaps with the Great Egrets following the good weather north: Snowy Egret, Tricolored Heron, Cattle Egret and Glossy Ibis.

Hawks: Turkey Vultures continue to dominate the skies. A Golden Eagle on the 8th best bird at the Hamburg hawkwatch (Hamburg and Ripley Hawk Watch Reports below).

Shorebirds: A Marbled Godwit drew many birders to Tonawanda WMA early in the month (see below). A Purple Sandpiper stayed just long enough off Three Sisters' Island to be recorded on the Count.



Whimbrels (above) and Marbled Godwit (right) photographed by Willie D'Anna respectively on May 26, 2007 at Rock Point Provincial Park and May 5, 2007 at Tonawanda WMA.



The Prothonotary is published monthly by the Buffalo Ornithological Society, Buffalo Museum of Science, Buffalo, NY 14211. Send subscriptions and address changes to the Corresponding Secretary, Karen Landau, S-9195 State Road, Colden, NY 14033. The regular subscription rate is \$20/year. Back issues are available from the Treasurer for \$2/issue.

Please mail correspondence to: Jack Skalicky 178 N. Main Street #55 Salt Lake City, UT 84103-2075 [Email] skalicky@biochem.utah.edu Ed. Consultants: Robert Andrle

Gerry Rising
William Watson

Proth. Publishing: Audrey Horbett Eileen Hull

Society Officers:

President: Thomas O'Donnell
V. President: Michael Morgante
Treasurer: Gerald Lazarczyk
Secretary: Donna DeLeon
Statisticians: Robert Andrle

Frances Rew Archivist: Audrey Horbett

Council:
2005-2007 Mike Galas
Gerald Lazarczyk
Gail Seamans
2006-2008 Douglas Beattie
Lynne Landon
Elizabeth Wells
2007-2009 Donna DeLeon
Richard Miga

William Watson

Pigeons to Swallows: Limited reports of either cuckoo species, perhaps in parallel with thankfully low numbers of tent caterpillars. A few nighthawks drifted through and a Whip-poor-will, seldom recorded in western New York, appeared at Wilson. Great news: 6 Acadian Flycatchers in Chestnut Ridge Park; I wonder if any of the picnickers appreciate these still very uncommon birds. Two Olive-sided Flycatchers: Allegany State Park on the 17th, Sinking Ponds on the 22nd.

Tits to Waxwings: A late gang of 75 Ruby-crowned Kinglets at Fort Niagara on the 3rd. A Gray-cheeked Thrush on the 19th at Arkwright, 6 on the Count (Regions 7,20 and 23) and 2 in Wilson on the 22nd.

Warblers to Sparrows:
No Golden-winged or
Lawrence's Warblers
reported and only one
Brewster's at Allegany
SP on the 17th; clearly
the Blue-wings have

taken over this region. Most warblers were reported in ones and twos; some exceptions: 250 Yellow-rumps at Fort Niagara on the 6th, also there, 8 Palms on the 7th, 10 Chestnut-sided and 15 Black-throated Blue Warblers on the 17th; 10 Prairie Warblers in Yorkshire on the 28th; 5 Pines at Lake Erie SP on the 9th; 4 Cape Mays on Beaver Island on the 10th. That rare southerner, a Yellow-throated Warbler was again found in Allegany SP. Only two Chat reports: Count Region 7 and Four Mile Creek SP two days later.

Tanagers to House Sparrow: A Clay-colored Sparrow in Count Region 20 and in Andover on the 30th. No reports of Henslow's Sparrow. A Western Meadowlark stayed for much of the early month near the Ripley Hawkwatch. And six Orchard Orioles at Rock Point PP on the 15th continues their presence there.

Having prepared these reports when there were few lists to consider, I applaud the number of birders reporting again this year. But when I contemplate the 259 Count participants, I know that there are still many more birders out there who could add to our data.

Hamburg Hawk Watch - 2007

Jim Landau

The hawk watch began in March, with a continuation of the harsh cold which marked the previous six weeks. The two phases of the month balanced out so that March averaged out slightly mild and a bit dry. Lake Erie started the month completely frozen and remained so through mid month. The warm-up during the last week cleared ice from the western and central basins, but the eastern basin, where we are located, maintained substantially ice filled.

Nonetheless March produced our highest number of raptors, dominated by those ubiquitous Turkey Vultures that have come to be such a dominant species at many spring watches in the Northeast. When this dramatic northward species expansion might level off is still a frequent topic of speculative conversation. Noteworthy this month were the twelve Osprey recorded, a species not ordinarily seen until April. Coopers Hawks got off to a slow start in March, but finished the season about par for this species.

After the promising mild spell in late March extended over into the first few days of April, the pattern changed abruptly and gave us some of the coldest April weather in memory during the next two weeks as a deep upper low set up across Eastern North America. Overall, April was the coolest in ten years and cloudiest in eleven, due to the prevailing southwest winds off cold Lake Erie. The lake ice melted slowly, and it took until the 29th before the eastern end and harbor were ice free, about two weeks later than the usual date of 16 April.

Hamburg Hawk Watch is quite close to the shore of Lake Erie and the lake has a strong influence on hawk migration. This can be the case even when warm, sunny weather is generating thermal activity inland, to the east of the watch. As the heated updrafts draw colder, heavier lake air, it will routinely create a chilly, sometimes foggy microclimate at the watch. This may help to explain the unimpressive showing of adult Broad-winged Hawks this April. Taking a look at the numbers from Braddock Bay, a bit farther to the north and east of Hamburg, and from Derby Hill, even further along the traditional migration route, it is evident that this thermal-loving species tends to skirt our watch. The other species tallies were about as expected for the month, with all three Northern Goshawks of the season logged on 29 April.

May was very consistent in its weather throughout the month. Sunshine and mild temperatures were the rule, and winds were relatively light. In fact, the 84 percent of possible sunshine made this the sunniest may ever recorded in the 117 years of record. The only real rain of the month was on 15-16th, with the final ten days seeing a return to near full sunshine but warmer temperatures. This allowed for a few days of hawk tallies beyond our usual "official end date" of 15 May. While there were some good May daily tallies, our perennial hope of a strong immature Broadwinged Hawk flight went largely unrealized.

Accipiters, buteos, falcons and eagles were all off in overall numbers, although not alarmingly so. Bald Eagles and Rough-legged Hawks both ended the season with poor numbers, at about half of their recent trends. While Rough-legged numbers can perhaps be explained away due to seasonal fluctuations in prey abundance and snow cover, the drop in eagle sightings is a bit more puzzling. Taking into account the encouraging news of their breeding successes and overall rise in numbers, this season's total of twenty eight Bald Eagles (our lowest count in five years) leaves us scratching our heads.

	hours	TV	os	BE	NH	SS	СН	NG	RS	BW	RT	RL	GE	AK	ML	PG	UR	TOTAL
March	140.00	5798	12	10	15	70	35	0	222	0	584	14	0	26	0	2	18	6806
April	139.47	2846	89	11	21	263	67	3	12	1373	283	7	1	25	5	1	30	5037
May	86.50	682	9	7	3	77	17	0	0	202	148	0	1	0	1	3	17	1167
2007	365.97	9326	110	28	39	410	119	3	234	1575	1015	21	2	51	6	6	65	13010

Fifty three non-raptor species were also reported this season, highlighted by Horned Grebe, Sandhill Crane, Wild Turkey, all six local swallow species, Brown Thrasher, Blue-winged Warbler, and Vesper Sparrow.

We closed out our spring season with the satisfaction of a job well done, and time well spent. We have had the singular pleasure of spending some quality time with our heads in the clouds, in the company of those most majestic of birds, the raptors.

Any hawk watch that relies on volunteer coverage has a long list of people to thank and Hamburg is no exception. The coordinator gratefully acknowledges our "Hawk Watch Heroes," (Bruce Chilton, Mike Hamilton, Fran Rew, Bill Watson and Mike Zebehazy). This watch would not exist if not for their considerable commitment of time and effort, week in and week out. Thanks are also due to the "Camp Road Irregulars," (Connie Adams, Bob Andrle, Chris Betrus, Lewis Crowell, Bob and Donna Deleon, Dave Feliciano, Doug Happ, Sarah Lazazzero, Sandy Radigan, and Paul and Nancy Vigyikan) who filled in the gaps in coverage as our official counters. Additionally, many birders and friends stopped by throughout the spring to witness the migration and help with the count. Their sharp eyes, superior identification skills and good conversation are always a welcome addition. Weather summaries for this report were obtained from the National Weather Service in Buffalo. Anyone with suggestions, questions or comments regarding this year's watch are asked to please contact Jim Landau at 9195 State Road, Colden, NY 14033, by phone at (716) 941-3869, or by e-mail: kjlandau@localnet.com

Ripley Hawk Watch – Spring 2007 Gil Randell

The Ripley Hawk Watch (RHW) is located on the south shore of Lake Erie, about 60 miles southwest of Buffalo, NY. The watch consists of five main sites located between the lakeshore and the top of the escarpment, which is about three miles south of the lakeshore. Each site has certain advantages associated with different weather and wind conditions. If conditions warrant and the watch has sufficient manpower, several sites can be worked at one time. Mobile radios supplied by the Roger Tory Peterson Institute allow coordination between different sites and help avoid duplication of counts.

After a mild beginning to the winter of 2006-2007, including a Christmas without snow, the latter half of January and most of February were consistently cold and

snowy. Warmer weather in late February and early March allowed a count to be taken on March 2nd, with the watch opening for the season on March 11th. A magnificent flight of over 2,700 birds, including over 2,400 Turkey Vultures, occurred on March 26th.

Cold, snowy weather dominated the beginning of April with blustery snow storms closing the watch entirely for five days. Ice did not leave the southern shore of Lake Erie until April 11th, exactly a month later than last year. Cold weather down into Texas and Florida combined with our cold weather to slow the advance of the season until later in April and into May. May 2nd saw the beginning of a prolonged high-pressure system, a seven-day string of beautiful spring days with the difficult cloudless skies we know as "killer-blue-skies." Then rainy days alternated with days of more clear blue skies until the watch closed May 15th, making May an altogether challenging month.

Despite nearly 5,000 Turkey Vultures in March, the RHW recorded the lowest total number of Turkey Vultures in several years (8,837), which was 3,254 fewer than last year's record count of 12,091. This represents a decrease from 2006 totals of 27%.

Although four more Ospreys were sighted than last year, the 2007 total of 116 Ospreys amounts to a 39% decrease from 2003 totals (191).

The count of migrating American Bald Eagles (82) represents a decrease of 28% from the record total in 2006 of 114 migrating bald eagles but is consistent with or higher than recent year counts. The RHW recorded a record number of migrating bald eagles for one day, 17 eagles on April 29th, which surpassed last year's one-day record of 14 on April 30th. Two non-migrant eagles brought the April 29, 2007 total eagle count to 19, another record. Significantly, only two of the migrating eagles were adults. The RHW recorded 44 sighting of non-migrant bald eagles for a total season count of 126 bald eagle sightings.

Northern Harrier numbers rebounded nicely this year with 230 harriers observed, a 28% increase over the 2006 count but fairly consistent with recent year counts.

The Sharp-shinned Hawk count (1,229), while down only 2% from 2006 totals (1,261), represents what might be seen as a continuing decline and a 29% decrease from the count in 2003 (1,735). Cooper's Hawk numbers (81) were down 25% from last year's count (109). Red-shouldered

Hawk numbers (176) were up by 10% over last year's numbers.

The 2007 Broad-winged Hawk numbers (6,271), although up nearly 60% from last year's very disappointing count (3,923), were still low compared to recent years. The big day for Broad-winged Hawks was April 23rd, when 4,322 birds were seen, more broad-wings than recorded in the whole 2006 season.

The Red-tailed Hawk count (788) was down 26% from last year's low numbers of 1,066. Distinguishing resident from migrant red-tails can sometimes depend on subjective judgements, however, so the steady and dramatic decline of red-tails over the last few years (nearly a 50% decline since 2005) should be considered cautiously. In support of the data, however, the official counters and main observers have been consistent over the last five years and a fairly basic protocol has been observed: any behavior that seems to indicate that a red-tail is a resident excludes that bird from the count of migrants.

The Rough-legged Hawk count (12) was consistent with last year's (8) but down considerably from 2005 (37) and from 2004 (41). Wintering Rough-legged Hawks had been observed in fairly large numbers in January and February just south of the RHW. A few mild days in late February might have influenced the rough-legs to migrate early, both this year and last. Because the predominance of grape vine-yards in the vicinity of the RHW is not conducive to the hunting rough-legs, large numbers are not normally expected at the RHW.

Very modest numbers of Golden Eagles, Merlins and Peregrine Falcons are consistent with the counts of recent years.

American Kestrel observations this year (179) were at their lowest in at least five years, off-setting last year's nicely rebounding count (266). Kestrel numbers in 2007 represent a 50% decrease from the count in 2003 (359).

The following table summarizes observations for all raptor species:

TABLE 1. Ripley Hawk Watch Raptor Count - 2007

March	<u>April</u>	May	<u>Season</u>
0	0	1	1
4,955	2,779	1,103	8,837
2	81	33	116
14	44	24	82
53	140	37	230
214	687	328	1,229
28	33	20	81
3	5	1	9
175	0	1	176
0	5,882	389	6,271
389	249	150	788
11	1	0	12
1	1	0	2
37	119	23	179
	0 4,955 2 14 53 214 28 3 175 0 389 11	0 0 4,955 2,779 2 81 14 44 53 140 214 687 28 33 3 5 175 0 0 5,882 389 249 11 1 1 1	0 0 1 4,955 2,779 1,103 2 81 33 14 44 24 53 140 37 214 687 328 28 33 20 3 5 1 175 0 1 0 5,882 389 389 249 150 11 1 0 1 1 0

TABLE 1. Ripley Hawk	Watch Ra	ptor Count	- 2007	
Merlin	1	7	1	9
Peregrine Falcon	0	1	2	3
Unknown	2	36	11	49
<u>Totals</u>	<u>5,885</u>	<u>10,065</u>	<u>2,124</u>	<u>18,074</u>
<u>Hours</u>	<u>95</u>	<u>133</u>	<u>85.5</u>	<u>313.5</u>

The RHW observed a number of non-raptor species also. Noteworthy species this year included Common Raven, Western Meadowlark, Great Egret and Winter Wren among others. Sandhill Cranes were seen on six days, with a total of eleven cranes, and a fairly large flock was heard but not seen on a seventh day. The raven was observed on May 2nd; the Western Meadowlark was seen on eleven separate days between April 20th and May 9th, with two individuals seen together at least once. The Black Vulture, recorded above with the raptors, was seen on May 8th.

The RHW coordinator Len DeFrancisco, who approaches octogenarian status in great style, will be cutting back on his hours next year, which highlights the continuing need for new observers of all skill levels to join the RHW. The RHW enjoys its close association with the Buffalo Ornithological Society and looks forward to continued visits and support from BOS members. Spending time at the RHW, the Hamburg Hawk Watch and other hawk watches is a great way to sharpen birding skills and contribute at the same time to our knowledge of very important wildlife resources. Len says, "I want to thank all the fine folks who helped us and enjoyed counting raptors with us. The friendships I've been fortunate to enter into through my involvement with the RHW are precious to me, including long distance friendships with Amish birders to the west of us who always give us a heads-up for the first broad-wings of the season."

Len will continue active in the New York State Ornithological Association and other conservation organizations. He will continue to speak out against poorly sited industrial wind turbine projects, especially when those projects are proposed in migratory flyways. Although the proposed turbine project in the vicinity of the RHW is not going ahead at this time, the area still remains attractive to wind industry developers who are willing to discount the risk to migrating raptors, bats, neo-tropical songbirds and other birds.

A number of dedicated volunteers assisted with observations, including Mel Freeborough, Jann Randell, Mike Ceci, Bill Dietz, Tom Simmons, Bill and Eileen Jowett, Jill and Berk Adams and Tom Wasilewski. Amish birders Ed Schlabach and his brother, Leroy Yoder and Bruce Glick from Holmes County, Ohio, to the west of the RHW, alerted us to any imminent Broad-winged Hawk flights.

Detailed daily reports can be reviewed at www.hawk-count.org, along with reports from other hawk watches affiliated with the Hawk Migration Association of North America. Questions about the RHW should be directed to Len DeFrancisco, coordinator (716/665-4999), Gil Randell (716/753-2333) or to janngil@cecomet.net.

Underlined common names, dates or localities indicate that an acceptable, detailed written verification according to the *Date Guide to Birds of Western New York and Adjacent Ontario* (Eighth Edition - Revised 2007) has been received and placed in the permanent files of the Buffalo Ornithological Society. Underlines of numbers of birds indicate unusually high counts for species. Such numbers must be accompanied by detailed notes on the observations including counting methods used by observers.

- * Indicates first record for the year.
- F Indicates first record for the migration.
- L Indicates last record for the migration.
- (f) Indicates record from feeding station. (n) Indicates nest(s). (yg) Indicates young. PDBA Indicates Previously Documented Breeding Area.

	<u>Species</u>	May	<u>Number</u>	Location	Observer(s)
*	Brant	13F	28	Wilson	D'Anna
	Mute Swan	26	1	Dunnville (Ont)	Watson, D'Anna
	Northern Shoveler	5	14	Batavia WWTP	Watson, D'Anna
	н	17	1	Times Beach NP	Andrle
	Canvasback	15L	1	Dunnville (Ont)	Pawlicki, Watson
	Ring-necked Duck	27	5	Batavia WWTP	D'Anna, Potter
	Surf Scoter	7L	2	Fort Niagara	Watson
	Long-tailed Duck	7L	81	Fort Niagara	Watson
	Bufflehead	15, 26L	8, 2	Dunnville (Ont)	Watson
	11	26L	1	Rock Point PP (Ont)	D'Anna et al
	0	26L	1	Port Maitland (Ont)	D'Anna et al
	Ruddy Duck	5; 9	111; 50	Batavia WWTP	Watson, D'Anna; Beattie
	11	15	3	Dunnville (Ont)	Pawlicki, Watson
	H	25; 27	30; 35	Batavia WWTP	Morgante; D'Anna, Potter
	Common Loon	8	1	Allegheny Reservoir	Baird, Eaton
	11	17	1	Allegany SP	Baird, LeBlanc
	Red-necked Grebe	13L	11	Niagara Falls	D'Anna
	Dcrested Cormorant	7	36 + 165 n	Strawberry I.	Watson
	11	26	800	Rock Point PP	Watson
	•	26	2	Iroquois NWR	K&J Landau et al
	American Bittern	3	1	Pomfret	Mosher, Goetzes
	H	5; 30	1; 1	Tonawanda WMA	Pawlicki et al; Salembier
	11	17; 29	1; 1	Tonawanda WMA	Fox, Beattie; Yoerg et al
	H .	22	1	Iroquois NWR	Watson, Yoerg et al
*	Least Bittern	29F	1	Iroquois NWR	Salembier
	Great Blue Heron	7	89 ad + 19 yg + 68 n	Motor I.	Watson
	Great Egret	1 - 31	1 - 5	Tonawanda	Hess
	п	5	1	Tonawanda WMA	D'Anna et al
	· ·	6; 29	1; 22	Tonawanda WMA	Dart, Beattie; Lazarczyk
	n e	12	1	Hanover	Neveu
	п	14	45 + 29 n	Motor I.	Watson
	п	19	1	Dunkirk	Neveu
	n	26	3	Iroquois NWR	K&J Landau et al
*	Snowy Egret	21	1; 1	Niagara Falls, NY	Lazarczyk; Watson
*	Tricolored Heron	28 - 30	1	Iroquois NWR	O'Donnell, Lazarczyk, Watson, Galas et al
*	Cattle Egret	9F, 10	1	North Harmony	Pawlicki, Watson et al
	11	27	1 ad	Port Colborne (Ont)	Yoerg, Henderson
	Black-cr. Night-Heron	14	76 + 34 n	Motor I.	Watson
	"	17	105	Niagara Falls (Ont)	Watson
*	Glossy Ibis	17	1	Iroquois NWR	Pawlicki
	Ibis sp. (<i>Plegadis</i>)	19; 21	1; 1	Tifft NP; Iroquois NWR	Happ; D'Anna, Potter
	Turkey Vulture	4	211	Hamburg Hawkwatch	Watson
	Osprey	1, 4	1, 1	Hamburg Hawkwatch	Watson

<u>Species</u>	May	Number	Location	Observer(s)
66	3	1	Iroquois NWR	M&S Galas
Bald Eagle	3	1	Iroquois NWR	M&S Galas
"	4	4	Hamburg Hawkwatch	Watson
11	5	2 ad, 2 yg	Iroquois NWR	Pawlicki, Watson et al
11	5	3 juv	Sheridan	Neveu
	10	2 ad, 1 yg	Machias	Baird, DeSha
Ħ	17	1 imm	Allegheny Reservoir	Baird, LeBlanc
п	17; 25	6; 4	Iroquois NWR	Pawlicki; Morgante
11	18	2 ad	Navy I. (Ont)	Watson
Northern Goshawk	8L	1	Ripley Hawkwatch	M&S Galas
Broad-winged Hawk	22, 24	10, 115	Hamburg Hawkwatch	Watson
	8	1 ad	Hamburg Hawkwatch	Chilton et al
Golden Eagle Marlin	13L	1 au	<u> </u>	Yoerg
Merlin		1	UB south campus	M&S Galas
Peregrine Falcon	5 - 20	2	Niagara Falls & Goat I.	Pawlicki
11	6	2	Buffalo	
11	17	1	Iroquois NWR	Pawlicki et al
	22L	1	Hamburg Hawkwatch	Watson
Virginia Rail	3; 5	1; 4	Tonawanda WMA	M&S Galas; Pawlicki et al
Sora	3; 5	1; 3	Tonawanda WMA	M&S Galas; Pawlicki et al
"	5	1	Iroquois NWR	D'Anna et al
Common Moorhen	3	1	Iroquois NWR	M&S Galas
Sandhill Crane	5	1	Watts Flats WMA	Berry
11	6	1	Tifft NP	Morgante
11	12	1	Iroquois NWR	Pawlicki, Ensminger et al
11	<u>28L</u>	1	Iroquois NWR	Galas, Watson et al
Black-bellied Plover	18F; 21	1; 2	Iroquois NWR	Sharon; D'Anna, Potter
**	24	1	Tifft NP	Watson
Semipalmated Plover	3F	1	Clarence	M&S Galas
"	5	10	Batavia WWTP	Watson, D'Anna et al
11	5; 18	2; 63	Tonawanda WMA	D'Anna et al; Watson
11	25	40	Iroquois NWR	Morgante
Greater Yellowlegs	23	1	Crescent Beach (Ont)	D'Anna
11	26L	2	Fort Erie (Ont)	Watson, D'Anna
Lesser Yellowlegs	5	165	Tonawanda WMA	Watson, D'Anna
Solitary Sandpiper	5	6	Newfane	D'Anna, Potter
	6	15	Tonawanda WMA	Dart, Beattie
Spotted Sandpiper	6	50	Tonawanda WMA	Dart, Beattie
Upland Sandpiper	26	2	Colden	K&J Landau
0	27	1	Tillman WMA	D'Anna, Potter
Whimbrel	26F; 27L	60; 17	Rock Point PP (Ont)	D'Anna et al; Yoerg et al
11	26F	74	Morgan's Pt. (Ont)	Watson, D'Anna
	26F	17	Fort Erie (Ont)	D'Anna, Watson
11	27L	6	Long Beach CA (Ont)	Yoerg, Henderson
n	27L	11	Dunnville (Ont)	Yoerg, Henderson
Marbled Godwit		11	Tonawanda WMA	
	5; 6	1		D'Anna; Watson et al
Ruddy Turnstone	15F 23	1	Fort Erie (Ont)	Pawlicki, Watson D'Anna
Conderline		1	Jaeger Rocks (Ont)	
Sanderling "	15F	3	Fort Erie (Ont)	Pawlicki, Watson
	26	2	Rock Point PP (Ont)	D'Anna et al
Semipalm. Sandpiper	<u>6F</u>	1; 4	Tonawanda WMA	M&S Galas; Yoerg et al
11	7	1	Hartland	Watson
	26	128	Fort Erie (Ont)	Watson, D'Anna
Least Sandpiper	5	61	Batavia WWTP	Watson, Pawlicki
	5	3	Newfane	D'Anna, Potter

	<u>Species</u>	<u>May</u>	<u>Number</u>	Location	Observer(s)
	н	12	96	Yates	D'Anna, Potter
	11	12	200	Iroquois NWR	Pawlicki et al
*	White-r. Sandpiper	15F	1	Fort Erie (Ont)	Pawlicki, Watson
		25	4	Iroquois NWR	Morgante
	n	26	1	Fort Erie (Ont)	Watson, D'Anna
	Pectoral Sandpiper	3	1	Clarence	M&S Galas
	"	5	9	Tonawanda WMA	D'Anna et al
	n	29	2	Iroquois NWR	Salembier
	11	31L	3	Dunnville (Ont)	Salembier
*	Purple Sandpiper	4	2	Niagara Falls	D'Anna
	"	10	2	Goat I.	Pawlicki
	Dunlin	6; 18	1; 43	Tonawanda WMA	M&S Galas; Watson
	"	6		Tonawanda WMA	
	11		15; 3		Dart, Beattie; Yoerg et al
*	Calla Con Julium	12; 25	18; 35	Iroquois NWR	Pawlicki et al; Morgante
*	Stilt Sandpiper	<u>27</u>	1	Iroquois NWR	D'Anna, Potter
ጥ	Short-b. Dowitcher	18F	l	Crescent Beach (Ont)	Galas, D'Anna
		27L	1	Iroquois NWR	D'Anna, Potter
	Wilson's Phalarope	21; 22	1; 2	Iroquois NWR	D'Anna; Watson et al
		27	l	Iroquois NWR	Potter, D'Anna
	Little Gull	2	6	Lewiston	D'Anna
	Iceland Gull	10	1	Dunkirk Harbor	Neveu
	11	12	2	Wilson	D'Anna
	**	22L	2	Olcott	Potter, D'Anna
	Lesser Black-b. Gull	9	1	Barcelona Harbor	Pawlicki, Watson et al
	"	9	1	Dunkirk Harbor	Pawlicki, Watson et al
	H .	22L	3	Olcott	D'Anna, Potter
	11	22L	1	Wilson	D'Anna, Potter
	Glaucous Gull	2L	1	Dunkirk Harbor	Salembier
	Common Tern	6	1000	Buffalo Harbor	Pawlicki, Harper et al
*	Black Tern	3F; 18	1; 21	Tonawanda WMA	M&S Galas; Watson
	n e	5	15	Iroquois NWR	Pawlicki et al
	п	6	1	LaSalle Park, Bflo.	Pawlicki
*	Black-billed Cuckoo	9F	1	Bethany	Beattie
	11	12	1	Somerset	D'Anna, Potter
*	Yellow-billed Cuckoo	17F	1	Wilson-Tuscarora SP	Rising
	"	19	1	Bethany	Beattie
	n	19	1	Tonawanda WMA	D'Anna, Potter
	11	19	1	Arkwright	Neveu
*	Common Nighthawk	11F - 31	3 - 4	Buffalo	Yoerg, Galas
	Common Nighthawk	16	J - 4	Watts Flats WMA	Berry
	11	17	1	Tonawanda WMA	Fox, Beattie
	"		6		
s.te		19	8	Wilson-Tuscarora SP	D'Anna, Potter
*	Whip-poor-will	3F	1	Wilson	D'Anna, Potter
*	Ruby-t. Hummingbird	5F	1	Silver Creek	Neveu
		8	1	Ripley	M&S Galas
	11	8	1	Eden	Andrle
	Red-headed Wdpkr.	5	1	Youngstown	Yonker
	tt	6; 9	1; 4	Point Gratiot	Pawlicki, Watson et al; D'Anna, Potter
	"	8	1	Dunkirk	Mitchell, Galas
	11	9	2	Lake Erie SP	Pawlicki, Watson et al
	H .	9	1	Beaver I. SP	Sharon
	"	13, 20	2	Silver Creek	Neveu
	"	15; 26	3; 1	Fort Erie (Ont)	Pawlicki, Watson; D'Anna et al
	11	18 - 31	1 - 5	Fort Niagara SP	Landon

	<u>Species</u>	May	Number	Location	Observer(s)
*	Olive-s. Flycatcher	17F	1	Allegany SP	Baird, LeBlanc
	"	22	1	Sinking Ponds	Holmes
*	Eastern Wood-Pewee	9F	1	Bethany	Beattie
	**	10	1	Amherst SP	Yoerg, Henderson
*	Yellow-b. Flycatcher	12F	1	Sheridan	Neveu
	"	16; 18	1,2; 2	Amherst SP	Rising, Young, Yoerg, Henderson; Yoerg, Henderson
	"	28	1	Tillman WMA	Watson
*	Acadian Flycatcher	19F	1	Tonawanda Indian Res.	Potter, D'Anna
	"	26	6	Chestnut Ridge Pk	Morgante
	**	30	1	Iroquois NWR	Watson, Salembier
*	Alder Flycatcher	17F	1	Allegany SP	Baird, LeBlanc
	"	19	1	Tonawanda Indian Res.	Potter, D'Anna
*	Willow Flycatcher	9F	1	Lake Erie SP	Pawlicki, Watson et al
	"	16	1	Alexander	Beattie
	Least Flycatcher	4	1	Alexander	Dart, Beattie
	"	4	1	Carlton Hill WMA	Dart, Beattie
*	Gr. Cr. Flycatcher	1F	1	Orchard Park	Morgante
	"	3; 4	1	Amherst SP	Rising; Salembier
	11	4	1	Tifft NP	Sharon
	Eastern Vinghird	1	1	Tifft NP	Watson
	Eastern Kingbird	1 1	2	Beaver I. SP	Sharon
*	V-11 Also Vissa	1 11E	<u> </u>		
Ψ.	Yellow-thr. Vireo	11F	1. 1	Wilson	Potter, D'Anna
	11	15; 18	1; 1	Amherst SP	Salembier; Yoerg et al
		16	1	Alexander	Beattie
	Warbling Vireo	150	2	Tifft NP	Watson
*	Philadelphia Vireo	15F	l .	Rock Pt. PP (Ont)	Pawlicki, Watson
	11	16	1	Allegany SP	Galas, Yoerg
	11	16; 17	1; 4	Amherst SP	Yoerg et al; Salembier
	11	17	1	Tifft NP	Watson
	11	17	2	Salamanca	Baird, LeBlanc
	**	18, 22	1, 1	Fort Niagara SP	Landon
	11	22L	2	Wilson Cemetery	Potter, D'Anna
*	Red-eyed Vireo	3F; 10	1; 1	Amherst SP	Watson; Yoerg et al
	Common Raven	2	1	Ripley	Salembier
	"	6	2	Bush Hill SF	Yoerg, Henderson
	**	13	1	Allegany SP	Pawlicki, Salembier
	11	17	1	Allegany SP	Baird, LeBlanc
	**	28	3	Yorkshire	Morgante
	***	30	2	Andover	Brooks
	Bank Swallow	6	15	Hanover	Neveu
	Cliff Swallow	1	1	Kiantone	Berry
	11	1	2	Fort Erie (Ont)	D'Anna
	16	8	2 + n	Amherst	Pawlicki
	11	9	20	Old Fort Niagara	Landon
	11	10	40 + 52 n	Tonawanda I.	Watson
	11	17	1	North Tonawanda	M&S Galas
	**	22	2	Buffalo Harbor	Andrle
	17	31	60 + 30 n	Old Fort Niagara	Landon
	Carolina Wren	3; 4; 10	1; 1	Amherst SP	Watson; Salembier; Rising
	"	4	1	Sinking Ponds	Holmes
	11	12	1		
	11	18	2	Hanover	Neveu
	Winter Wren	10	2	Goat I.	Watson
	winter wren	10	1	Tifft NP	Watson
		19	I	Arkwright	Neveu

<u>S</u>	<u>pecies</u>	May	<u>Number</u>	Location	Observer(s)
**		26; 28	1; 1	Chestnut Ridge Pk	Morgante
**		27	2	Ward	Brooks
M	larsh Wren	5	1	Iroquois NWR	Watson
**		5	2	Tonawanda WMA	D'Anna et al
Rı	uby-cr. Kinglet	3	75	Fort Niagara SP	Landon
**		22L	4	Wilson	D'Anna, Potter
* Ve	eery	4F	1	Wilson	Potter
**		7	1	Fort Niagara SP	Watson
* Gı	ray-cheeked Thrush	19F	1	Arkwright	Neveu
**		22	2	Wilson Cemetery	D'Anna, Potter
* Sv	wainson's Thrush	5F	1	Chestnut Ridge Park	Morgante
**		8	1	Dunkirk	Galas
**		9	1	Lake Erie SP	Pawlicki, Watson et al
**		9	1	Buffalo	Yoerg
**		30	2	Wilson	Potter
**		30	5	Allegany SP	Chilton
W	ood Thrush	4	1	Bethany	Beattie
	orthern Mockingbird	5	1	Beaver I. SP	Sharon
"	orthern Proceedings in d	26	1	Port Colborne (Ont)	Watson, D'Anna
Aı	merican Pipit	3	1	Clarence	Galas
11	merican ripit	6; 29L	2; 1	Tonawanda WMA	D'Anna et al; Yoerg et al
**		18	2, 1	Alabama	Watson
R1	lue-winged Warbler	5	1	Watts Flats WMA	Berry
,, 11	ide-winged warbier		1	Fort Niagara SP	Landon
"		6	1	Bush Hill SF	
* Br	rewster's Warbler	17F	1	Red House	Yoerg Baird, LeBlanc
	ennessee Warbler	4F	2		, and the second
' 16	ennessee warbier		3	Allegany SD	Dart, Beattie Galas
* O	manga an Wamblan	6 4F	1	Allegany SP Wilson	
" UI	range-cr. Warbler	18	<u> </u>		Potter, D'Anna
* N	outhour Donalo		1	Fort Niagara SP	Landon Potter
* INC	orthern Parula	4F	1	Wilson	
3 7.	allaw Washlan	5	i 11	Beaver I. SP	Sharon
	ellow Warbler	I ET	11	Tifft NP	Watson
* Cl	hestnut-s. Warbler	5F	1	Watts Flats WMA	Berry
.,		6	1	Beaver I. SP	Sharon
 		6 5F	l 1	Bush Hill SF	Yoerg, Henderson
* M	lagnolia Warbler	5F	l	Tifft NP	Galas
.,		5F	l	Watts Flats WMA	Berry
		5F	l 1	Silver Creek	Neveu
	3.6 337 33	/	l	Beaver I. SP	Sharon
* Ca	ape May Warbler	9F	l	Lake Erie SP	Pawlicki, Watson et al
		9F	I	Pt. Gratiot	Pawlicki, Watson et al
**		10	4	Beaver I. SP	Pawlicki
**		10	1;1	Amherst SP	Rising; Yoerg
	lthr. Blue Warbler	4F	1	Allegany SP	Galas
"		4F	2	Amherst SP	Salembier
**		4F	3	Wilson	Potter
**		4F	3	Four Mile Creek SP	D'Anna
**		4F	1	Tifft NP	Sharon
"		6	1	Bush Hill SF	Yoerg, Henderson
Ye	ellow-r. Warbler	6	250	Fort Niagara SP	Landon
B	lackburnian Warbler	4	2	Wilson	Potter
* Y6	ellow-thr. Warbler	13F	1	Allegany SP	Pawlicki, et al
				Allegany SP	Baird; Baird et al

Species	May	<u>Number</u>	Location	Observer(s)
* Prairie Warbler	4F	1	Tifft NP	Sharon
	6	1	Alfred	Brooks
n .	9	1	Pomfret	Mosher
H	9	1	Amherst SP	Yoerg
п	21L	1	Goat I.	Watson
11	28	10	Yorkshire	Morgante
Palm Warbler	3	13	Amherst SP	Salembier
11	22L	2	Wilson	Potter, D'Anna
* Bay-breasted Warbler	9F	2	Lake Erie SP	Pawlicki, Watson et al
u	9F	1	Amherst SP	Yoerg
н	10	1	Allegany SP	Rising
0	10	1	Tifft NP	Sharon
* Blackpoll Warbler	10F	1	Amherst SP	Rising
"	10F	1	Tifft NP	Sharon
11	10F, 11	1, 1	Amherst SP	Yoerg
11	101, 11	1, 1	Wilson-Tuscarora SP	Potter
11	29	1	Orchard Park	
		1. 1		Morgante
* Cerulean Warbler	5F; 26	1; 1	Tonawanda WMA	Pawlicki; K&J Landau et al
	17	2	Allegany SP	Baird et al
11	21	l 1	Pomfret	Mosher
	26 CF	l ,	Iroquois NWR	K&J Landau et al
* American Redstart	6F	l ·	Allegany SP	Galas
	6F	l	Watts Flats WMA	Berry
"	9	l	Amherst SP	Yoerg
* Prothonotary Warbler	12F; 18	1; 1	Tonawanda WMA	Potter, D'Anna; Watson
* Ovenbird	4F	1	Wilson	Potter
66	5	1	Watts Flats WMA	Вегту
* Northern Waterthrush	5F	1	Watts Flats WMA	Berry
Northern Waterthrush	9	1	Lake Erie SP	Pawlicki, Watson et al
La. Waterthrush	4	1	Tifft NP	Sharon
"	12	1	Silver Creek Res.	Neveu
	19	1	Carroll	Berry
11	28	1	Chestnut Ridge Pk	Morgante
* Mourning Warbler	16F	1	Amherst SP	Salembier
н	19	2	Yorkshire	Pawlicki, Watson
0	19	1	Royalton	D'Anna, Potter
0	19	3	Arkwright	Neveu
* Common Yellowthroat	5F	1	Watts Flats WMA	Berry
u .	5F; 6	1; 1	Tifft NP	Galas; Sharon
11	6	1	Sinking Ponds	Holmes
* Hooded Warbler	5F	1	Chestnut Ridge Park	Morgante
u .	6	1	Bush Hill SF	Yoerg, Henderson
n	8	1	Ripley	Galas
* Wilson's Warbler	9F	1	Lake Erie SP	Watson
п	10	1	Tifft NP	Watson, Holmes
0	30	1	Wilson	Potter
* Canada Warbler	13F	1	Beaver I. SP	Sharon
	15	1	Rock Pt. PP (Ont)	Pawlicki, Watson
Yellow-br. Chat	22F	1	Four Mile Creek SP	Potter, D'Anna
* Scarlet Tanager	8F	1	Bethany	Beattie
"	8F	i	Beaver I. SP	Sharon
и	9	i	Lake Erie SP	Pawlicki
Clay-col. Sparrow	30F	2	Andover	Brooks
Vesper Sparrow	12	1	Newfane	Potter, D'Anna
. coper sparrow	1 2	1	Tewrane	Totter, D'Anna

Species	May	Number	Location	Observer(s)
H	22	1	Wilson	D'Anna, Potter
* Lark Bunting	19	1	Woodlawn	Schulz, Pecoraro
Grasshopper Sparrow	26F	1	Port Colborne (Ont)	Watson
11	27; 28	4; 4	Tillman WMA	Potter, D'Anna; Watson
11	28	1	Yorkshire	Morgante
* Lincoln's Sparrow	4F; 12	1; 2	Tifft NP	Sharon; Morgante
11	10, 16	3, 1	Amherst SP	Yoerg
11	16	1	Allegany SP	Galas, Yoerg
White-cr. Sparrow	30L	1	Wilson	Potter
Indigo Bunting	8	1	Ripley	Galas
* Bobolink	5F	1	Watts Flats WMA	Berry
11	5F	2	Bethany	Beattie
11	6	1	Tonawanda WMA	Yoerg, Henderson
Western Meadowlark	6	1	Ripley	D'Anna
Rusty Blackbird	3L	2	Tifft NP	D'Anna, Kester
* Orchard Oriole	5F, 6	1 m	Silver Creek	Neveu
11	7, 19	1 m + 1 f	Silver Creek	Neveu
11	9	2	Lake Erie SP	Pawlicki, Watson et al
11	9	1	Pt. Gratiot	Pawlicki, Watson et al
Orchard Oriole	11	2	Wilson-Tuscarora SP	D'Anna, Potter
11	15	6	Rock Pt. PP (Ont)	Pawlicki, Watson
н	17	1	Porter	Rising
Baltimore Oriole	1	1	Bethany	Beattie
Pine Siskin	11	1	Wilson Cemetery	D'Anna
		Errata		
Canvasback	Mar. 25, 2007 Mar. 15 , 2007	7 to 9160	West River, Grand I.	Lazarczyk
Dark-eyed Junco Also note same error i Month (vol 73, no. 5 c		3465 to 345	Wilson to Yates	D'Anna, Potter

Species, subspecies, and hybrids previously recorded this year:

Species, subspecies, and hybrids recorded for this month and May Count + Peregrine Falcon:

Total for the year 2007:

264

Statisticians' Note I: If any observer wishes to know the status of their verification report, please contact the Statisticians and we will give them the reasons for our decision. Please mail reports for each month not later than the FIFTH day of the following month to the Compiler: Bruce Chilton 88 Pryor Avenue, Tonawanda, NY 14150; Email: BChi314159@aol.com. Statisticians' Note II: We are asking members of the BOS and any other birders who send in reports to the BOS to advise us as soon as they can of any possible errors in regard to records published in the Prothonotary, particularly in the Noteworthy Records so that we can make any necessary changes as soon as appropriate.

Report of the 2007Annual B.O.S. May Bird Count

Date: May 20, 2007 Compiler: Robert L. DeLeon

Weather Synopsis (by Terry Yonker)

During the day and evening before the count, a strong southwest flow and warm temperatures characterized weather within the Buffalo Ornithological Society study area. An active cold front passed through the study area during the late morning and early afternoon of the count. Winds switched from the south and southwest to the northwest and north by nightfall. Light rain, fog, and mist moved through the study area in advance of the cold front and lingered several hours after passage of the front, especially in the southern tier.

Greater Buffalo International Airport

Sunrise: 5:48 AM EDT Sunset: 8:36 PM EDT

TIME	WEATHER	TEMP	DEW PT	PRESSURE	DIR/WIND	REMARKS
12:00 am	Partly Cloudy	50°F	45°F	1014.6 mb	S 17 mph	
3:00 am	Cloudy/Lt Rain/Fog/Mist	50	49	1013.8	SW 9	
6:00 am	Cloudy/Fog/Mist	51	50	1013.0	SW 6	
9:00 am	Cloudy/Fog/Mist	54	51	1012.8	SW 13	Passage of Cold Front
12:00 pm	Cloudy/Lt Rain/Fog/Mist	55	51	1013.7	W 13	
3:00 pm	Cloudy	54	46	1013.7	NW 13	
6:00 pm	Mostly Cloudy	52	42	1015.0	NW 14	
9:00 pm	Mostly Cloudy	51	40	1016.9	NW 13	
12:00 am	Mostly Cloudy	49	36	1019.1	N 14	

Compilation: The following is a list of species recorded on the count together with the number of individuals tabulated. Bold face names indicate species for which acceptable written verification forms were received. F represents first and L last dates for the spring migration, * first date for the year. Where a species was recorded in three or fewer sections, the section numbers are given in parentheses.

C			***			
Geese-Herons					100	
Brant	3	(4)	Common Merganser		123	
Canada Goose	4554		Red-breasted Merganser		434	
Mute Swan	- 4	(2,3)	Ruddy Duck		44	(7,10,13)
Wood Duck	272		unspecified waterfowl		9	
Gadwall	12	(7,8,10)	Ring-necked Pheasant	*	31	
American Wigeon	8	(7,8,10)	Ruffed Grouse		18	
American Black Duck	7		Wild Turkey		196	
Mallard	1047		Red-throated Loon		1	(26)
Blue-winged Teal	19		Common Loon		15	
Northern Shoveler	8		Pied-billed Grebe		25	
Northern Pintail	2	(10)	Horned Grebe		1	(2)
Green-winged Teal	3	(7,13)	Double-crested Cormorant		1842	
Redhead	6	(7,10)	American Bittern		5	(5,10,19)
Ring-necked Duck	2	(13)	Great Blue Heron		578	
Greater Scaup	14	(8)	Great Egret		66	
Lesser Scaup	9		Snowy Egret	*	1	(9)
White-winged Scoter	6	(4,9)	Green Heron		48	
Long-tailed Duck	4	(2,4)	Black-crowned Night-Heron		123	
Bufflehead	10	(7,8,9)	Ibis species		1	(10)
Hooded Merganser	26		•			
Vultures-Cranes						
Turkey Vulture	396		American Kestrel		49	
Osprey	16		Merlin		3	(11,24)
Bald Eagle	17		Peregrine Falcon		9	(9,11)

unspecified hawks

3

(2,9)

(2,13)

Virginia Rail

Sora

10

10

18

Northern Harrier

Cooper's Hawk

Sharp-shinned Hawk

Red-shouldered Hawk	9		Common Moorhen	4	(2,10)
Broad-winged Hawk	5	(19,25,28)	American Coot	44	
Red-tailed Hawk	147		Sandhill Crane	4	(6,22)
Rough-legged Hawk	1	(7)			
Plovers – Terns					
Black-bellied Plover	1	(10)	Wilson's Snipe	5	(5,16,18)
Semipalmated Plover	52		American Woodcock	6	(1,9,20)
Killdeer	418		Wilson's Phalarope	F* l	(10)
Greater Yellowlegs	11	(10,11,19)	unspecified shorebirds	1	
Lesser Yellowlegs	6		Bonaparte's Gull	210	
Solitary Sandpiper	12		Ring-billed Gull	13796	
Willet	* 1	(7)	Herring Gull	1023	
Spotted Sandpiper	114	· · ·	Iceland Gull	1	(3)
Purple Sandpiper	2		Lesser Black-backed Gull	3	(3,14)
Upland Sandpiper	F* 2		Glaucous Gull	2	(4,20)
Ruddy Turnstone	* 2	• •	Great Black-backed Gull	285	(7,20)
Semipalmated Sandpiper	14	` '			
• • •	148		Caspian Tern Common Tern	132	
Least Sandpiper				425	(10)
Dunlin Short-billed Dowitcher	171		Black Term	35	(10)
Pigeons-Swallows	10) (1,7,10)			
Rock Pigeon	977		Willow Flycatcher	52	
Mourning Dove	1657		Least Flycatcher	86	
Black-billed Cuckoo	27		Empidonax species	18	
Yellow-billed Cuckoo	18		Eastern Phoebe	138	
Eastern Screech-Owl	6		Great-crested Flycatcher	175	
Great Horned Owl			Eastern Kingbird		
	4		Yellow-throated Vireo	225 11	
Barred Owl	11				
Chimney Swift	6		Blue-headed Vireo	67	
Chimney Swift Ruby threated Humminghird	169		Warbling Vireo	302	
Ruby-throated Hummingbird	223		Philadelphia Vireo	5	
Belted Kingfisher	77		Red-eyed Vireo	370	
Red-headed Woodpecker	13		Blue Jay	951	
Red-bellied Woodpecker	202		American Crow	2006	
Yellow-bellied Sapsucker	64		Common Raven	15	
Downy Woodpecker	276		Horned Lark	32	
Hairy Woodpecker	88		Purple Martin	565	
Northern Flicker	283		Tree Swallow	2867	
Pileated Woodpecker	46	,	N. Rough-winged Swallow	1116	
Eastern Wood Pewee	57		Bank Swallow	206	
Yellow-bellied Flycatcher	2	2 (20,25)	Cliff Swallow	240	
Acadian Flycatcher	2		Barn Swallow	3512	
Alder Flycatcher	18				
Tits-Waxwings				1.000	
Black-capped Chickadee	913		Veery	152	
Tufted Titmouse	147		Gray-cheeked Thrush	6	
Red-breasted Nuthatch	27		Swanison's Thrush	22	
White-breasted Nuthatch	170)	Hermit Thrush	16	
Brown Creeper	16	5	Wood Thrush	435	
Carolina Wren	23	5	American Robin	5568	
House Wren	451		Gray Catbird	1198	
Winter Wren	1		Northern Mockingbird	21	
Marsh Wren	16	5	Brown Thrasher	69	
Ruby-crowned Kinglet	44		European Starling	6422	
Blue-gray Gnatcatcher	31		American Pipit	2	(2,27)
Eastern Bluebird	220		Cedar Waxwing	192	` ' '

Warblers - House Sparrows							
Blue-winged Warbler		122		Palm Warbler		26	
Golden-winged Warbler	F*	1	(5)	Bay-breasted Warbler		33	•
Tennessee Warbler		53		Blackpoll Warbler		44	
Orange-crowned Warbler		1	(7)	Cerulean Warbler		11	
Nashville Warbler		15		Black-and-white Warbler		43	
Northern Parula		6		American Redstart		398	
Yellow Warbler		1924		Ovenbird		170	
Chestnut-sided Warbler		240		Northern Waterthrush		12	
Magnolia Warbler		125		Louisiana Waterthrush		4	(17,23,27)
Cape May Warbler		11		Mourning Warbler		41	
Black-throated Blue Warbler		36		Common Yellowthroat		815	
Yellow-rumped Warbler		199		Hooded Warbler		153	
Black-throated Green Warbler		83		Wilson's Warbler		36	
Blackburnian Warbler		80		Canada Warbler		28	
Pine Warbler		17		Yellow-breasted Chat	F*	1	(7)
PrairieWarbler		8	(18,19,25)	Warbler species		12	
Tanagers – House Sparrows							
Scarlet Tanager		118		Northern Cardinal		841	- 1
Eastern Towhee		181		Rose-breasted Grosbeak		678	
American Tree Sparrow		6	(3)	Indigo Bunting		251	
Chipping Sparrow		1094		Bobolink		811	
Clay-colored Sparrow	F*	1	(20)	Red-winged Blackbird		6047	
Field Sparrow		163		Eastern Meadowlark		141	
Vesper Sparrow		5	(3,13,19)	Rusty Blackbird		3	(27)
Savannah Sparrow		202		Common Grackle		4238	
Grasshopper Sparrow	F*	19		Brown-headed Cowbird		1158	
Song Sparrow		1475		Orchid Oriole		22	
Lincoln's Sparrow		4	(6,7,20)	Baltimore Oriole		1008	
Swamp Sparrow		93		Purple Finch		187	
White-throated Sparrow		55		House Finch		385	
White-crowned Sparrow		123	•	American Goldfinch		2605	
unspecified sparrow	~	11		Evening Grosbeak		4	(28)
Dark-eyed Junco		234		House Sparrow		1641	

SUMMARY INFORMATION:

Total species observed: 210 (tied for third highest)

Total individual birds observed: 89,114 (near average for the last decade)

Number of observers:

INDIVIDUAL SPECIES SINCE 1935:

Highest counts: Thirteen species were recorded at their highest total ever: Common Merganser (123), Wild Turkey (196), Great Egret (66), Merlin (3), Peregrine Falcon (9), Glaucous Gull (2), Lesser Black-backed Gull (3), Great Black-backed Gull (285). Red-bellied Woodpecker (220), Pileated Woodpecker (46), Blue-headed Vireo (67), Gray Catbird (1198) and Hooded Warbler (153). Six other species were recorded at their second highest total: Canada Goose (4554), Great Blue Heron (578), Bald Eagle (17), Sandhill Crane (4) and Warbling Vireo (302).

Low counts:

Golden-crowned Kinglet was not observed on the count for the first time since 1964.

Rare count sightings: Snowy Egret (1) (3rd record '75 & '04); Ibis (1) (4th record '47, '02 & '03), Willet (1) (2nd record '96), Purple Sandpiper (2) (2nd record '97), Iceland Gull (1) (4th record '03, '04 & '05) Lesser Black-backed Gull (3) (2nd record '03), Northern Bobwhite (1) was also reported.

VERIFICATION REPORTS

Mike Galas for Purple Sandpiper, and Snowy Egret; Jerry Chapple for Northern Bobwhite and Tom Lathrop for Ibis.

OBSERVERS (Section compilers are printed in **bold** face.):

Section 1: David Cooper, Lynne Landon, Terry Yonker

Section 2: Brian Ahara, Paul Benham, John Black, Kayo Roy, Dan Salibury, Katherine Stoltz

Section 3: Edward Crohn, Donald Roberson, Nicholas Randell, Viki Rothman, Timothy Simon, Mary Ann Stegmeier, John Welte, Martha Welte, Bruce Zahno, Kim Zahno, Paul Ziebarth, Virginia Ziebarth

Section 4: Julie Eberhart, Neal Gordon, Holly Sweeney, Bill Watson

Section 5: Don Brasure, Bill Burch, Morgan Jones, Jim Rozanski, Elizabeth Wells

Section 6: Jerry Chappell, Nina Chapple, Chauncey Wood, Sarah Wood

Section 7: Barbara Henderson, Mike Hamilton, Margaret Wooster, Peter Yoerg

Section 8: Doug Happ, Marcie Jacklin, Mike Zebehazy

Section 9: Lewis Crowell, Willie D'Anna, Dave Friedrich, Mike Galas, Dave Gordon, Ron Hacker, Sue Hacker, Christopher Hollister, Bernie Kester, Eric Lobato, Debra Milleville, Betsy Potter, **Gary Rising**, Richard Salembier, Joe Stein

Section 10: Alyssa M. DeLeon, Donna V. DeLeon, Robert L. DeLeon, Tom Lathrop

Section 11: Mike Clarey, Molly Hallinan, Jane Hayer, Marie Johnson, Alice McKale, Thomas O'Donnell, Danielle Pecoraro, Marilyn Pecoraro O'Connell, Chuck Rosenburg, Nicole Rutz

Section 12: Joe Di Domenico, Paul Fuhrmann, Wayne Gall, Mahlon Miller, Nancy Miller, Mike Morgante, Gail Seamans, Christine Sousa

Section 13: Doug Beattie, Elaine Dart, Kurt Fox, Tad Gerace, Charles Graney, David Graney, Jack Hartwig, Jane Mason, Marc Mason, Max Mason, Joe Salvador, Ruth Ann Salvadore, Dana Stringham, Diane Stringham, Donald Thurau, Virginia Tiede, John Volpe

Section 14: Ken Brandes, Joanne Dobbler, Tim Goff, Fred Harrington, Pat Madigan, Sany Radigan, Carolyn Saunders, Sue Saunders, Nancy Vigyikan, Paul Vigyikan

Section 15: William Bogacki, Ed Ratajczak, Sally Uzunov

Section 16: Patricia Andrle, Robert Andrle, Thomas Connare, Audrey Horbett, Ann Kustich, Francis Rew

Section 17: Dorothy J. Rosche, Richard C. Rosche

Section 18: Chris Betrus, Bruce Chilton, Mike Desha, Jim Landau, Karen Landau

Section 19: Ron Andrews, Pauline Barber, Ruth Boon, **Doris Burton**, Faye Clancy, Art Cooper, Barbara Cox, Ruth Cox, James Fegley, John Hasper, Dora Lilly, Ethan Lynch, Dan Merritt, Meg Merritt, Sam Norton, Virginia Norton, Sean Phelan, Helen Preston, Michael Raybuck, Teresa Rork, Carol Stonemetz, Ann Voss, Denton Willett, Jean Wilson, Larry Wilson, Richard Wilson

Section 20: Karen Brisley, Ken Brisley, Chris Budniewski, Ray Budniewski, Paul Farver, Joanne Goetz, Tom Goetz, Joe Gula, Carol Hardenburg, Jeremy Linden, Terry Mahoney, June McMaster, Andrew Morrison, Terry Mosher, David Neveu, Lucille Neveu, Bob Peterson, Beverly Ruska, John Ruska, Audrey Schafer, Mary Shearmon, Jeannie Smith, Ted Taft, Anita West, Jordan Whitney

Section 21: Julie Heilman, Walt Heilman, Ranjit Laha, Jessie Nelson, Joanne Nelson, Linda O'Brien, Bill Seleen, Bob Sundell

Section 22: Paul Baglia, Ann Beebe, Jim Berry, Seth Berry, Nancy Karp, Sally Lawson, Lillian Ney, Bob Sundell

Section 23: Jean Pigman, Bruce J. Robinson, Bob Sundell

Section 24: Tim Baird, Jim Pawlicki

Section 25: Tim Baird, Stephan W. Eaton, Joyce Ermer, Mike Ermer, Jeff Reed, James Van Scoy, Regina Van Scoy

Section 26: Doris Burton, Frances Hunt, Mary Jordan, Bob Smalley, Bruce Smalley


Section 27: Russell Allen, H. M. Bateman, Ann Brocci, Doris Burton, Jim Horn, Helen Link, Marie Paxhia, Wilma Sanford

Section 28: Charlotte Anderson, Dan Babcock, Ellen Baker, Wayne Brewster, Don Brink, Lorna Brink, Betsy Brooks, Debbie Bucholtz, Doris Burton, Gerry Cartledge, Mary Lou Cartledge, Carla Coch, Diane Converso, Jim Copenheaver, Pauletta Copenheaver, Paul Culley, Karol Doty, MargeDugan, Keegan Fleming, John Gradoni, Peter Gradoni, Geri Hills, Ralph Hills, Pat Hulse, Betty Kellog, Wayne Kellog, Sue Lange, Woodie Lange, Barry Lash, Martha Lash, Marion McClure, Kathy McDonald, Walter Mason, Mary Ormsby, Vivian Pitzrick, Evelyn Ramsey, Dan Rase, Ona Reynolds, Nancy Rouse, Jim Smith, Maureen Soule, Terah Soule, Wilma Taggart, Tim Timbrook, Linda Travers, Mary Trouslot, Cindy Vance, Gerry Vance, Barbara Ware, Katie Weiman, Mary Lu Wells, Suzanne Wood

Return Service Requested

Non. Profit Org. U.S. Postage **PAID** Buffalo, NY Permit No. 412

Albert R. Mann Library Acquisitions Division-Serials Cornell University Ithaca, NY 14853-4301



0 04 prop process proc

August - October Calendar

BOS website http://www.bosbirding.org/



Buffalo-Niagara Region Dial-a-Bird: 716-896-1271 Aug. 19, Sunday: BOS August Shorebird Count. Start at 6:30 AM. The count will cover 10 reaches of the north shore of Lake Erie from the Peace Bridge to Port Maitland. Teams of two or more will be assigned each reach. If you have questions or would like to volunteer contact Terry Yonker or Lynne Landon at (716) 745-9129 or email:_llandon@daemen.edu_

Aug. 26, Sunday: Canadian shoreline of Lake Erie for shorebirds and other early migrants. Leader: Make Hamilton (881-6709). Meet at 7:30 AM at Vermont and Busti. We will be going to Rock Point Provincial Park, which charges \$10.00 Canadian per car for entry, so bring Canadian money if you have it. Make sure you have photo ID.

Oct. 5-7: New York State Ornithological Association Meeting in Batavia, NY. The Buffalo Ornithological Society is hosting the NYSOA meeting this year. The BOS is one of 48 organizations that make up the NYSOA. All BOS members are members of NYSOA. In addition to the fine speakers and other programs, the Annual Meeting is an opportunity to meet birders from all across New York State and we encourage all BOS members to attend. A small steering committee has been planning the meeting, but we need your help to make this conference a success, in areas from registration to field trips. **IMPORTANT NOTICE**: Please note the BOS has assumed full financial responsibility for this event. In planning we've done everything possible to carefully budget, allowing for reasonable fees, while not losing money. We need as many BOS members as possible to participate in the event, not only by attending, but also helping with one or more of the tasks necessary to make this meeting a success. If you would like to help with field trips contact Mike DeSha at 716-676-3559 or mjdesha@ischuavalley.net. To help with other areas, contact Doug Beattie at 585-343-4767 or beattie@2ki.net.

The PROTHONOTARY



Published Monthly by the

AUG 2 3 2007

A.P. JANN LIBRARY

ITHACA, NY 14853

BUFFALO ORNITHOLOGICAL SOCIETY

Volume 73, No. 7 July, 2007

THE MONTH: June

Mike DeSha

In his summary for the month, Steve McLaughlin of the National Weather Service in Buffalo characterized June as an "outstanding start to summer." It was the 6th warmest June on record, with a mean temperature of 69.4 °F, 3.6 °F, above the average temperature of 65.8 °F. Precipitation was 2.0 inches less than expected, with only 1.82 inches of rain falling at the airport as compared to the average precipitation of 3.82 inches for the month of June. The city and north towns received even less. It was the sunniest June since 1945, a "virtually unbroken stretch of sunshine and warmth. Sunshine totaled an amazing 80% of the possible."

According to McLaughlin, "This warm dry and sunny month followed a near record sunny dry May...with two month rainfall of 2.69 inches, less than a third of the normal 7.17 inches. In addition, May and June were the first consecutive months with over 80% sunshine since July and August of 1939. Only four of the 61 days were mostly cloudy while 49 were mostly sunny."

The warming temperatures and sunny skies during the month made for comfortable birding. Several species of waterfowl made a rare early summer appearance in our region. Jerry Lazarczyk found a Greater Scaup on June 27 in the Chippawa channel of the Niagara River. Bill Watson was notified and joined Lazarczyk. In his verification, Watson distinguished the Greater Scaup from a perhaps somewhat more likely Lesser Scaup by the roundness of the Greater Scaup's head and the "white in the bird's secondaries and primaries." The verification included a remarkable photograph of the bird taken by Lazarczyk (see below).

- 63 The Month Mike DeSha
- 64 Whip-poor-wills
 Bill Burch
- 65 Noteworthy Records
 Bruce Chilton
- 67 Bethlehem Bird Surveys John Grehan
- 68 BOS Calendar

Watson spotted a Bufflehead on June 16 at the Batavia Waste Water Treatment Plant. The Seasonal Checklist of the Birds of the Niagara Frontier Region characterizes the occurrence of both Bufflehead and

Greater Scaup as being very rare in June.

Richard Salembier spotted an American Bittern on June 10 at the Tonawanda WMA and I heard one pumping at Bird Marsh in Cattaraugus County on the same date. American Bitterns, as well as nesting Bald Eagles, are regular in this marsh in the Town of Machias in Cattaraugus County. On June 18, Tim Baird and I visited the marsh, viewing the Eagle's nest, which held two immature eagles, from the shoulder of Route 242 overlooking the marsh. As we stepped from the car we heard the pumping of an American Bittern. I didn't expect to see the bittern, but Tim spotted the bird in the meadow at the edge of the marsh. For a short while I thought it to be simply a stump as it held its beak upright and remained still. In a few minutes though, it started moving cautiously.

Sometimes Nature and a birding field trip conspire to allow one to view some remarkable aspect of bird behavior. The bittern began to pump its long neck upwards and then downwards as it produced its "pumping song." This is the first time I ever saw a bittern in the act of producing this remarkable sound and I watched with great delight. Anyone seeing the action would know precisely why one of the common names for this species is "thunder pumper." While at the marsh, Tim Baird and I also saw the only Marsh



Greater Scaup photographed by Jerry Lazarczyk on June 27, 2007 new Grand Island on the Niagara River.

The Prothonotary is published monthly by the Buffalo Ornithological Society, Buffalo Museum of Science, Buffalo, NY 14211. Send subscriptions and address changes to the Corresponding Secretary, Karen Landau, S-9195 State Road, Colden, NY 14033. The regular subscription rate is \$20/year. Back issues are available from the Treasurer for \$2/issue.

Please mail correspondence to: Jack Skalicky 178 N. Main Street #55 Salt Lake City, UT 84103-2075 [Email] skalicky@biochem.utah.edu Ed. Consultants: Robert Andrle

Gerry Rising William Watson

Proth. Publishing: Audrey Horbett Eileen Hull

Society Officers:

President: Thomas O'Donnell V. President: Michael Morgante Treasurer: Gerald Lazarczyk Donna DeLeon Secretary: Statisticians: Robert Andrle Frances Rew Archivist: Audrey Horbett Council: 2005-2007 Mike Galas Gerald Lazarczyk Gail Seamans 2006-2008 Douglas Beattie Lynne Landon Elizabeth Wells 2007-2009 Donna DeLeon Richard Miga William Watson

Wrens reported for the month of June. A colony of Marsh Wrens has been regularly found at this location since at least 1999.

Sightings of Sandhill Crane are becoming more common as years go by. At 8:00 AM on June 3, Martha and John Welte saw three Sandhill Cranes in Iroquois NWR. At about 1:35 PM on the same day, Watson saw a group of four in Tonawanda WMA. It seems likely that the cranes spotted later in the day may have been the same birds seen earlier by the Weltes. Jim Berry also found a Sandhill Crane at Watts Flats WMA on June 9. There are only three other records of this species in June. This is the first June in which there were multiple sightings and more than two individuals seen at one time. (William Watson, personal communication.)

In an extremely rare sighting for June, Willie D'Anna and Betsy Potter

found two Forster's Terns, appearing to be in first alternate plumage, at the Olcott Pier at the outlet of Eighteen Mile Creek in the Town of Newfane on June 9. This is the latest June date that this species has been seen. (*Watson, personal communication*.) D'Anna and Potter were able to distinguish these terns from Common Terns by the differences in bills and the black mask that didn't extend across the nape. The dull orange legs of the Forster's Terns were also different from a Common Tern of similar age

Two warbler species sightings were of note and required verification reports. Betsy Potter found a lingering Blackpoll Warbler on June 18 in her yard in the Town of Wilson. The sighting provides the latest June date for the species; the previous late date was on June 16 in 1935 (*Watson*, *personal communication*.) Tim Baird documented the sightings of Yellow-throated Warblers in Allegany State Park on June 2 and 7. The locations in the park are places where the species has been seen and successfully nested since at least 2004. Other birders reported seeing the Yellow-throated Warbler(s), but their records of this species were not accepted absent verification.

A Clay-colored Sparrow was found by Schlacter and Watson et. al. on June 7 and again on June 14. This sighting occurred outside the previously known breeding areas in Allegany and Cattaraugus Counties. A single Dickcissel was found by John and Martha Welte on June 10 in Tonawanda WMA. This sighting, marking several consecutive years of Dickcissel records, may indicate a more regular yearly movement of Dickcissels into our region.

The Whip-poor-wills Perform Again, June 8, 2007

Bill Burch

A fierce thunderstorm of short duration gave a refreshing start for this 17th annual outing, which includes a 7 p.m. dinner at the Lotus Garden in Port Colborne, Ontario. Present were 19 BOS members and guests, plus two Canadians from the Bert Miller Nature Club. Also eating there was Blayne Farnan with his wife. He came over to greet us. Blayne had conducted owl prowls for 20 years, the last for BOS in 1991.

After dinner we made a short stop at Minor Road to find Bobolink, Eastern Meadowlark and Savannah Sparrow. We reached Wilson Road at 9 p.m., where we slowly drove a mile on gravel through a forest laden with bird songs. Lynne Landon's list, mostly of birds heard, had 13: Veery, Wood Thrush, Rose-breasted Grosbeak, Northern Cardinal, Indigo Bunting, Red-winged Blackbird, Eastern Towhee and Baltimore Oriole. Can you imagine how good a morning walk here would be?

We stood at the listening spot and watched the fireflies, noting that the cool air discouraged the mosquitoes. Some persons reported hearing Green Frogs, but these were not nearly as abundant as when last heard in 2000.

At 9:18 p.m. the first Whip-poor-will called. It was close enough that several sharp ears could hear a small note they were waiting to hear: this was a popping sound made immediately before the "whip" of the call. Donald Kroodsma, in his book (and CD) on *The Singing Life of Birds* describes it as "tuck-whip-poor-WILL". (Try pressing the tongue against the upper palate, generate a little air pressure with the mouth, then let the tongue slide forward.) Eight to ten "Whips" were calling in a loud exchange, but only on the nearest one could the "pops" be heard. One bird called 40 and 62 times without halting, all at the rate of close to one per second. The calling was continuing as we left at 10:15 p.m.

Our Canadian friend, Bob Chambers, who is recovering from a spinal tumor operation, rode about in his electric wheel chair. Bob said that the Niagara Falls peregrines were active near-and-above the long Hydro outlet building on the Canadian side below the Falls. On June 22, we saw two young peregrines on the edge of the roof, waiting to be fed.

Fran Rew said, "Let's do this trip three more years and make it an even twenty."

Underlined common names, dates or localities indicate that an acceptable, detailed written verification according to the *Date Guide to Birds of Western New York and Adjacent Ontario* (Eighth Edition - Revised 2007) has been received and placed in the permanent files of the Buffalo Ornithological Society. Underlines of numbers of birds indicate unusually high counts for species. Such numbers must be accompanied by detailed notes on the observations including counting methods used by observers.

- * Indicates first record for the year.
- F Indicates first record for the migration.
- L Indicates last record for the migration.
- (f) Indicates record from feeding station. (n) Indicates nest(s). (yg) Indicates young. PDBA Indicates Previously Documented Breeding Area.

<u>Species</u>	<u>June</u>	<u>Number</u>	Location	Observer(s)
Tundra Swan	3L	1	Batavia WWTP	Watson
Northern Shoveler	16	1	Batavia WWTP	Watson
Redhead	11	1 ad+5 yg	Tonawanda WMA	Watson
Ring-necked Duck	<u>3, 6L</u>	1, 1	Tonawanda WMA	Watson
11	3, 14	6, 7	Batavia WWTP	Watson
Greater Scaup	<u>27</u>	1	Grand I.	Lazarczyk, Watson
Bufflehead	<u>16</u>	1	Batavia WWTP	Watson et al
Red-br. Merganser	15; 25	1; 1	Times Beach NP	Andrle; Watson
11	30	30	Niagara Falls	Watson
Ruddy Duck	3; 16	11; 21	Batavia WWTP	Watson; Watson et al
Common Loon	18	2	Barker	Watson, Schlacter
11	28	1	Wilson	D'Anna, Potter
Dcrested Cormorant	17	1	Allegany SP	Yoerg, Henderson
American Bittern	10	1	Tonawanda WMA	Salembier
11	10	1	Franklinville	Desha
11	18	1	Machias	Baird, Desha
Great Egret	1 - 30	1 - 4	Tonawanda	Hess
"	10	15	Fort Erie (Ont)	Morgante
11	13	50	Motor I.	Watson et al
11	22; 29	4; 3	Tifft NP	Andrle; Yoerg
Black-cr. Night-Heron	29	12	Motor I.	Watson et al
Osprey	2; 5	2; 2 + n	Buckhorn I. SP	Lazarczyk; Watson
"	6, 11	2 ad + n	Tonawanda WMA	Watson, Schlacter
11	17	1	Clay Ponds WMA	Berry
Bald Eagle	3	1 ad+1 yg	Oak Orchard WMA	Watson
"	7	1	Tonawanda WMA	Hess
11	7	1	Iroquois NWR	Hess
11	10, 24	2 ad+2 yg	Machias	Desha
11	18	2 ad+2 yg	Machias	Baird, Desha
n	29	1 imm	Allegheny Reservoir	Baird
Northern Harrier	10;20;29	1; 1; 1	Andover; Alfred; Grove	Brooks
Merlin	<u>23, 26</u>	1, 1	UB south campus	Yoerg
Peregrine Falcon	<u>5</u>	l ad+n+2 yg	Niagara Falls (Ont)	Watson
"	9; <u>25</u>	1; 1	N. Grand I. bridge	Landon, Yonker; Lazarczyk
Sandhill Crane	<u>3</u>	4	Tonawanda WMA	Watson
n	<u>3</u>	3	Iroquois NWR	M Welte
n	<u>9</u>	1	Watts Flats WMA	Berry
Upland Sandpiper	9	4	Tillman WMA	Salembier, Yoerg
Semipalm. Sandpiper	4	7	Rock Point PP (Ont)	Watson
White-r. Sandpiper	4	2	Rock Point PP (Ont)	Watson
Dunlin	4	2	Rock Point PP (Ont)	Watson
11	11L	1	Tonawanda WMA	Watson, Schlacter
Wilson's Snipe	24	2	Centerville	Morgante

<u>Species</u>	<u>June</u>	Number	Location	Observer(s)
Forster's Tern	9	2	Olcott	D'Anna, Potter
Black Tern	7, 11, 16	2, 16, 27	Tonawanda WMA	Hess; Watson, Schlacter
Barred Owl	27	1 ad+5 yg	Orchard Park	Morgante
Common Nighthawk	1 - 30	2 - 3	Buffalo	Yoerg, Henderson
Whip-poor-will	8	8	Wainfleet Bog (Ont)	Lazarczyk et al (BOS)
Red-headed Wdpkr.	9; 12	2; 1	Youngstown	Landon; Landon, Yonker
Yellow-b. Flycatcher	8L	1	Wethersfield	D&S Junkin
Acadian Flycatcher	1	2	Holland	Salembier
"	2, 3	2, 1	Allegany SP	Baird
11	6	1	Iroquois NWR	Watson, Schlacter
11	10	1	Tonawanda Indian Res.	Yoerg
11	17	2	Salamanca	Yoerg, Henderson
11	17	1	Carroll	Berry
Yellow-thr. Vireo	9	1	Tillman WMA	Yoerg
11	10	4	Tonawanda WMA	Salembier
11	17	1	Allegany Indian Res.	Yoerg, Henderson
17	22	1	Jamestown Aud. Sanct.	Baird
Common Raven	7	2	Wethersfield	Watson, Schlacter
11	17	1	Ellicottville	Yoerg, Henderson
11	17 - 30	1 - 3	Allegany Co.	Brooks
Cliff Swallow	5	4 ad+28 n	Buckhorn I. SP	Watson
"	17; 26	2; 7 + 2n	Buffalo Harbor	Andrle
11	20; 26	2; 5	Andover; Burns	Brooks
Carolina Wren	9	1	Youngstown	Landon, Yonker
11	19	1	Jamestown	Berry
Winter Wren	1	2	Holland	Salembier
11	10;22;29	2; 1; 1	Ward; Alfred; Birdsall	Brooks
**	14	1	Wethersfield	Watson et al
**	17	1	Salamanca	Yoerg
Marsh Wren	10; 18	4; 5	Machias	Desha; Desha, Baird
Gray-cheeked Thrush	7L	1	Wilson	Potter
Swainson's Thrush	2 ~	1	Allegany SP	Baird
11	2L	1	Wilson	Potter
Hermit Thrush	1	2	Holland	Salembier
Brown Thrasher	9	5	Tillman WMA	Salembier
Brewster's Warbler	10	1	Tonawanda Indian Res.	Yoerg
11	18	1	Royalton Ravine Park	Watson, Schlacter
Nashville Warbler	1	1	Portville	Baird
11	1	1	Andover	Brooks
Northern Parula	15; 17	1; 4	Allegany SP	Baird; Yoerg, Henderson
Yellow-r. Warbler	22	1	Wilson	Potter
Yellow-thr. Warbler	2, 7	2, 1	Allegany SP	Baird
Pine Warbler	1	2	Holland	Salembier
11	2, 3; 17	1, 1; 1	Allegany SP	Baird; Yoerg, Henderson
11	7, 9, 25	1	Wilson	Potter
"	24	1	Ward	Brooks
Prairie Warbler	7	1	Allegany SP	Baird
11	7	3	Eagle	Watson et al
11	14	1	Wyoming Co.	Lazarczyk et al
H	18	1	Machias	Baird, Desha
Blackpoll Warbler	<u>18L</u>	1	Wilson	Potter
Cerulean Warbler	7	2	Tonawanda WMA	Hess
"	10	8	Tonawanda Indian Res.	Yoerg
	21	1	Salamanca	Baird

<u>Species</u>	<u>June</u>	Number	Location	Observer(s)
Black-&-white Warb.	17	2	Allegany Indian Res.	Yoerg, Henderson
Prothonotary Warbler	<u>7; 30</u>	1; 1	Tonawanda WMA	Hess; Potter, D'Anna
Northern Waterthrush	3	1	Watts Flats WMA	Berry
**	6; 7	1; 3	Tonawanda WMA	Hess; Watson, Schlacter
**	10	1	Tonawanda Indian Res.	Yoerg
La. Waterthrush	1	2	Holland	Salembier
**	16	1	Carroll	Berry
**	17	1	Salamanca	Yoerg, Henderson
Hooded Warbler	17	1	Cambria	Landon
Canada Warbler	7	2	Wethersfield	Watson, Schlacter
**	16	1	Carroll	Berry
**	17	1	Allegany Indian Res.	Yoerg, Henderson
Clay-col. Sparrow	<u>7, 14</u>	1, 1	Eagle	Watson et al
**	9 - 25	2 - 3	Andover	Brooks
**	24	1	Yorkshire	Desha
Grasshopper Sparrow	4	1	Port Colborne (Ont)	Watson
**	8; 26	1; 1	Andover; Almond	Brooks
**	9	6	Tillman WMA	Salembier, Yoerg
**	13	2	Clarence	Hess
White-thr. Sparrow	3 - 29	1 - 7	Allegany Co.	Brooks
Dickcissel	10	1	Tonawanda WMA	J Welte
Orchard Oriole	22	1	Wilson	Potter
Red Crossbill	3	2 - 4	Ward	Brooks

Species, subspecies, and hybrids previously recorded this year:

Species, subspecies, and hybrids recorded for this month:

O02

Total for the year 2007:

Statisticians' Note I: If any observer wishes to know the status of their verification report, please contact the Statisticians and we will give them the reasons for our decision. Please mail reports for each month not later than the FIFTH day of the following month to the Compiler: Bruce Chilton 88 Pryor Avenue, Tonawanda, NY 14150; Email: BChi314159@aol.com. **Statisticians' Note II**: We are asking members of the BOS and any other birders who send in reports to the BOS to advise us as soon as they can of any possible errors in regard to records published in the Prothonotary, particularly in the Noteworthy Records so that we can make any necessary changes as soon as appropriate.

Bird Mortality Surveys at the Bethlehem Wind Towers

John Grehan

BQ energy is building eight new wind towers at the Bethlehem Steel site. The company has volunteered to support an exploratory bird mortality survey during 2007 and chose to use this opportunity to provide financial support for Buffalo Museum of Science and its operation of Tifft by contracting with us to implement the survey.

The survey is being carried out through the participation of volunteers at Tifft and is open to the participation of any interested individuals. Expertise in bird identification is not required, although such skills are always welcome. The survey takes place at approximately 10 day intervals in the Spring and Fall and 21 day intervals during the Summer (see below).

Each survey comprises eight transects for a 320 x 320 area around each of eight wind towers (in reality usually a

smaller area due to constraints of topography) and a weather tower. Specimens will be photographed and if identification is uncertain the specimen will be retained. Specimens may also be retained for later use in a predator removal survey. The survey usually takes about two hours.

Participants will be signed in and out of the site and a liability waiver will need to be signed. There are restrictions over walking beyond the survey area itself and photographing the area. I missed putting this notice in the Prothonotary at the beginning of the survey, however there are numerous survey dates still scheduled (see below).


If you are interested to register for one or more of the following dates please contact John Grehan at 896-5200, ext. 372, or at jgrehan@sciencebuff.org. I can also be contacted evenings at 549-1125. It is ok to let me know the day before as long as direct contact is made. Directions to the site can be provided.

Survey dates (As of August 6, 2007. These may be adjusted): August 24, September 4, 14, 24 and October 5, 16, 25.

Return Service Requested

Non. Profit Org.
U.S. Postage
PAID
Buffalo, NY
Permit No. 412

Albert R. Mann Library Acquisitions Division-Serials Cornell University Ithaca, NY 14853-4301



14853+0033 CO58

August - October Calendar

BOS website http://www.bosbirding.org/



Buffalo-Niagara Region Dial-a-Bird: 716-896-1271 Aug. 26, Sunday: Canadian shoreline of Lake Erie for shorebirds and other early migrants. Leader: Mike Hamilton (881-6709). Meet at 7:30 AM at Vermont and Busti. We will be going to Rock Point Provincial Park, which charges \$10.00 Canadian per car for entry, so bring Canadian money if you have it. Make sure you have photo ID.

Sept. 12: BOS Meeting at 7:30 PM in Cummings Room at Buffale

Museum of Science. Terry Yonker will present a talk entitled: Addressing

Climate Change in the Great Lakes.

Sept. 12-16: Joint meeting of the Raptor Research Foundation (RRF) and the Hawk Migration Association of North American (HMANA) at the Kittatinny Conference Center in Fogelsville, PA. Hosted by Hawk Mountain Sanctuary. Details can be found at www.hawkmountain.org.

Oct. 5-7: New York State Ornithological Association Meeting in Batavia, NY. The Buffalo Ornithological Society is hosting the NYSOA meeting this year. The BOS is one of 48 organizations that make up the NYSOA. All BOS members are members of NYSOA. In addition to the fine speakers and other programs, the Annual Meeting is an opportunity to meet birders from all across New York State. We encourage all BOS members to attend. IMPORTANT NOTICE: Please note the BOS has assumed full financial responsibility for this event. In planning we've done everything possible to carefully budget, allowing for reasonable fees, while not losing money. We need as many BOS members as possible to participate in the event, not only by attending, but also helping with one or more of the tasks necessary to make this meeting a success. If you can help with field trips contact Mike DeSha at 716-676-3559 or mjdesha@ischuavalley.net. To help with other areas, contact Doug Beattie at 585-343-4767 or beattie@2ki.net.

The PROTHONOTARY



Published Monthly by the

A.R. MANN LIBRARY

NOV - I 2007

ITHACA, NY 14650

BUFFALO ORNITHOLOGICAL SOCIETY

Volume 73, No. 8 August, 2007

THE MONTH: July

Gerry Rising

Surprise. We do still occasionally get an average month for weather. After May and June, this month served as a kind of relief with temperature and precipitation near normal. Average temperature, 69.7 °F, was a degree below average; precipitation, 3.3 inches, 0.2 inches above average; sunshine at 65%, 2% below average. There were 12 days when the temperature rose above 80°, with only one above 90°. The Fourth, with a 66° max, was the coolest Independence Day in a decade. Steve Mclaughlin of the National Weather Service Buffalo Office described the rainfall as spotty. Indeed, it seemed to miss my yard. On one occasion I drove through a heavy downpour a mile from home only to find my yard still dry as a bone, the sprinklers going full force.

I am always amazed at the early return of shorebirds. With spring migration hardly out of the way, back come these birds from the farthest reaches of the Arctic. Consider the first fall dates in the temporal order they appear among BOS records: Least Sandpiper, July 1; Greater Yellowlegs, July 6; American Avocet, July 8; Willet, July 17; Sanderling, Semipalmated Sandpiper, Pectoral Sandpiper and Short-billed Dowitcher, July 19; Solitary Sandpiper, July 20; and Ruddy Turnstone, July 29. Some of those birds might have been stragglers or wanderers, but the list still reflects the remarkably early return of these long distance migrants.

Sadly, as Hector Galbraith indicated at the annual meeting of the New York State Ornithological Association, the migration schedule of these birds is being challenged by global warming with a resulting sharp decrease in their numbers. Are we feeling that decline here? Difficult to tell,

69 The Month

Gerry Rising
70 Noteworthy Records

Bruce Chilton
72 BOS Calendar

of course, but I consider the maximum counts of these shorebirds puny compared with other years. Here are those maxes for individual migrating species: Semipalmated Plover 5, American Avocet 1, Greater Yellowlegs 1, Lesser Yellowlegs 23, Solitary Sandpiper 4, Willet 1, Ruddy Turnstone 2, Sanderling 4, Semipalmated Sandpiper 28, Least Sandpiper 28, Pectoral Sandpiper 1, Short-billed Dowitcher 4. Let's hope that later season numbers pick up.

Additional evidence for warming: the Tonawanda WMA count of Great Egrets reaching 170 and more reports of Acadian Flycatchers. Further evidence of the decline of field birds: only one Grasshopper Sparrow and no Henslow's Sparrows reported.

Altogether a quiet month with, despite the end of the state breeding bird atlas censusing, some good field work by a few observers. Not yet mentioned birds listed that I wish I had seen: Clay-colored Sparrow and Red Crossbill.



Willet photographed by Bill Watson on July 17, 2007 at Dunkirk Harbor.

Underlined common names, dates or localities indicate that an acceptable, detailed written verification according to the *Date Guide to Birds of Western New York and Adjacent Ontario* (Eighth Edition - Revised 2007) has been received and placed in the permanent files of the Buffalo Ornithological Society. Underlines of numbers of birds indicate unusually high counts for species. Such numbers must be accompanied by detailed notes on the observations including counting methods used by observers.

- * Indicates first record for the year.
- F Indicates first record for the migration.
- L Indicates last record for the migration.
- (f) Indicates record from feeding station. (n) Indicates nest(s). (yg) Indicates young.
- PDBA Indicates Previously Documented Breeding Area.

Species	July	<u>Number</u>	Location	Observer(s)
Mute Swan	6	11	Rock Point PP (Ont)	Watson
Wood Duck	22	63	Tonawanda WMA	Watson
Ring-necked Duck	1, 15	5, 3	Batavia WWTP	Watson
White-winged Scoter	29	1	Rock Point PP (Ont)	D'Anna,P.O'Donnell et al
Common Merganser	7. 27	4, 45	Sheridan	Neveu
n	9	1 ad + 7 yg	Hamburg	Watson
n	19	40	Windmill Pt. (Ont)	Watson
Ruddy Duck	1, 15	25, 27	Batavia WWTP	Watson
Dcrested Cormorant	6	520	Rock Point PP (Ont)	Watson
et .	23	704	Buckhorn I. SP	Watson
American Bittern	1	1	Tonawanda WMA	Watson
Great Egret	18	70	Motor I.	Watson
н	21; 24	102; 170	Tonawanda WMA	Jones; Watson
Blaek-er. Night-Heron	14	15	Tonawanda WMA	Jones
Osprey	1 - 6	2 n + yg	Allegany SP	Hess
н	1 - 6	1 n + yg	Allegheny Reservoir	Hess
11	3	2	N. Grand I. bridge	Lazarezyk
11	15	2 ad + 3 yg	Tonawanda WMA	Watson
17	21	1 + n	Buckhorn I. SP	Watson, Gordon
Bald Eagle	3	1 ad+1 imm	Westfield	DeFrancisco
ff	7	1 ad	Arkwright	Watson, Pawlicki
71	13, 29	4 imm, 5 imm	Sheridan	Neveu
ŧſ	22	2 ad + n	Iroquois NWR	Watson
Northern Goshawk	14	1 ad	Sherman	DeFrancisco
Red-shouldered Hawk	29	1	Williamsville	Salembier
Broad-winged Hawk	9	1	Alfred	Brooks
Peregrine Falcon	7	1 imm	Times Beach NP	Watson
11	21	1 ad+1 imm	Buckhorn I. SP	Watson, Gordon
American Avocet	8	1	Mouth of Silver Creek	Neveu
II.	8, 17	1	Dunkirk Harbor	Watson, Lazarezyk et al
Greater Yellowlegs	6 F	1	Dunnville (Ont)	Watson
и	18	1	Tonawanda	Hess
Solitary Sandpiper	20F, 28	2.4	Silver Creek	Neveu
tt	21	1	Windmill Pt. (Ont)	Salembier
ff.	22	3	Tonawanda WMA	Watson
Willet	<u>17F</u>	1	Dunkirk Harbor	Watson, Lazarczyk et al
Ruddy Turnstone	29F	2	Rock Point PP (Ont)	D'Anna, Pawlieki (BOS)
31	30	1	Dunkirk Harbor	Neveu
Sanderling	19F	3	Rock Point PP (Ont)	Watson
11	21	1	Windmill Pt. (Ont)	Salembier
Semipalm. Sandpiper	19F	28	Rock Point PP (Ont)	Watson
17	19F	2	Dunkirk Harbor	Neveu
Least Sandpiper	1F	2	Batavia WWTP	Watson

Species	July	Number	Location	Observer(s)
Least Sandpiper	6	18	Dunnville (Ont)	Watson
Pectoral Sandpiper	19F	1	Morgan's Pt. (Ont)	Watson
Short-b. Dowitcher	19F	2	Rock Point PP (Ont)	Watson
H	29	2	Rock Point PP (Ont)	D'Anna, Pawlicki (BOS)
11	29	1	Mouth of Silver Creek	Neveu
Common Tern	6	120	Long Beach (Ont)	Watson
Black Tern	1	29 + 1 imm	Tonawanda WMA	Watson
Red-headed Wdpkr.	7	1	Pt. Gratiot	Watson, Pawlicki
H T	21	1	Windmill Pt. (Ont)	Salembier
H.	29	2	Pt. Abino (Ont)	D'Anna, Pawlicki (BOS)
Acadian Flycatcher	1 - 6	5	Allegany SP	Hess
11	7	4	Canadaway Creek	Watson, Pawlicki
n	14	4	Pomfret	Neveu
n	22	1	Chestnut Ridge Park	Morgante
Common Raven	24, 30	2, 2	Andover	Brooks
Tree Swallow	15	100	Grand I.	Lazarczyk et al
Cliff Swallow	21	15 + 32 n	Buckhorn I. SP	Watson
Carolina Wren	6	1	Rock Point PP (Ont)	Watson
"	14	2	Westfield	DeFrancisco
11	25	1	Alfred	Brooks
ff.	31	1 ad + 2 yg	Falconer	DeFrancisco
Winter Wren	1 - 6	3	Allegany SP	Hess
H	8. 15, 22	1, 1, 1	Ward	Brooks
Swainson's Thrush	4	2	Allegany SP	Hess
Hermit Thrush	8	1	Villenova	Neveu
"	24	1	Darien SP	Dart, Beattie
Northern Parula	1 - 6	5	Allegany SP	
Pine Warbler	5	1	· ·	Hess
" "	12	i 1	Allegany SP Delevan	Hess D'Anna
11	16	1		
Prairie Warbler		į.	Concord	D'Anna December
	2	1	Alfred	Brooks
Cerulean Warbler	15	<i></i>	Bethany	Beattie
La. Waterthrush	1 - 6	2	Allegany SP	Hess
	7	2	Canadaway Creek	Watson, Pawlicki
Clay-col. Sparrow	2, 9, 10	4, 2, 1	Andover	Brooks
Grasshopper Sparrow	6		Port Colborne (Ont)	Watson
Red Crossbill		6	Ward	Brooks


Species, subspecies, and hybrids previously recorded this year:265Species, subspecies, and hybrids recorded for this month:001Total for the year 2007:266

Statisticians' Note I: If any observer wishes to know the status of their verification report, please contact the Statisticians and we will give them the reasons for our decision. Please mail reports for each month not later than the FIFTH day of the following month to the Compiler: Bruce Chilton 88 Pryor Avenue, Tonawanda, NY 14150; Email: BChi314159@aol.com. **Statisticians' Note II**: We are asking members of the BOS and any other birders who send in reports to the BOS to advise us as soon as they can of any possible errors in regard to records published in the Prothonotary, particularly in the Noteworthy Records so that we can make any necessary changes as soon as appropriate.

Return Service Requested

Non. Profit Org.
U.S. Postage
PAID
Buffalo, NY
Permit No. 412

Albert R. Mann Library Acquisitions Division-Serials Cornell University Ithaca, NY 14853-4301



14853+0055 0058

BOS website http://www.bosbirding.org/



Buffalo-Niagara Region Dial-a-Bird: 716-896-1271

October - December Calendar

Oct. 24: BOS Meeting at 7:00 PM in the Cummings room of the Buffalo Museum of Science. Brianna Gary of the New York State Department of Environmental Conservation will discuss Avian Study Results from Wind Project Sites.

Oct. 27: Saturday not Sunday. Lake Ontario Plain Field Trip for fall migrants. Leader: Willie D'Anna (751-3637 or dannapotter@wzrd.com). Meet at 8 a.m. at Tops Market in Wright's Corners. This is on the east side of Route 78 at Route 104.

Nov. 14: BOS Meeting at 7:00 PM in the Cummings room of the Buffalo Museum of Science. Kristina Klees of the University at Brockport's Department of Environmental Science and Biology will discuss her research on the topic of 'Habitat Selection of Shrubland Birds in the Great Lakes Plain Region of New York State: Implications for Conservation and Management'.

Nov. 18: Sunday. Niagara River joint trip with Rochester Birding Association, for gulls and waterfowl. Meet at 9:00 AM at Fort Niagara State Park in the parking lot just outside the old fort. There is heightened security at the border. Bring at least two forms of ID including photo ID and proof of citizenship, such as birth certificate, passport, or voter registration card. Non-citizens should bring passports. Dress warmly. Leaders: BOS Mike Hamilton (881-6709 or mhsr@wzrd.com) and RBA Bob Spahn (585-671-5690 or RSPAHN@prodigy.net).

Dec. 12: Buffalo Ornithological Society Annual Holiday Celebration at 7:30 PM in the Cummings Room of the Buffalo Science Museum.

Please bring a treat to share and enjoy an evening of birding friendship.

MANAGEMENT IN THE RESIDENCE OF THE STATE OF

The PROTHONOTARY



Published Monthly by the

BUFFALO ORNITHOLOGICAL SOCIETY

Volume 73, No. 9 September, 2007

THE MONTH: August

Jerry Lazarczyk

Paraphrasing Steve McLaughlin of the National Weather Service: It was a warm, dry August for the Buffalo area. August capped off the fine summer of 2007 with plenty of warmth and sunshine but resumed the very dry pattern established in May and June. In fact, it was the driest August in 50 years.

It was the warmest month of the summer with the average temperature of 72.4 degrees being some 3.3 degrees above normal. No records were set but 25 of the 31 days were warmer than usual. Twenty days reached at least 80 degrees with two eclipsing the ninety-degree mark. Five nights were over 70 degrees. The warmth was most noticeable during the first half of the month with the first 13 days all warm and averaging 5 degrees above normal. This was followed by several cool days from the 17-21st before warmer weather returned again for the final third of the month.

Rainfall was very sparse, totaling just 1.12 inches at the airport, the least in August since 1957. Most of this fell in a single hour on the 23rd with only a few spotty showers otherwise throughout the month. Our region was north of a ring of fire associated with stalled frontal systems to our south with near record rains from Ohio to Wisconsin. The sharp gradient extended across our southern tier which received as much as 6 inches during the month while most of Buffalo's northern suburbs caught less than an inch.

Sunshine, at 62 per cent of the possible, was near normal for the month. Sixteen days were mostly sunny while 8 were mostly cloudy. This included a 4 day stretch from 19-22nd and two rare sunless days on the 20-21st.

73 The Month

Jerry Lazarczyk

75 Noteworthy Records
Bruce Chilton

77 Niagara R. Ospreys

78 BOS Calendar

The month began with the hottest days of the summer on the 1st and 2nd, at 93 and 92 degrees respectively. The warmth continued through the 13th and did include some humidity

but was largely bearable as dew points stayed fairly modest. The pattern changed briefly at mid month as we were near the northern periphery of a stalled frontal system, close enough for cloudiness but not much rain. Some locally heavy showers did drop the only appreciable rain of the month during the afternoon of the 23rd from Buffalo southward. The last ten days turned warm and generally sunny once again. The month ended with a glorious Labor Day weekend with sunshine and pleasantly warm temperatures.





Sandhill Cranes (top; Harmony; Bob Lichorat; Aug. 14), American Avocet (bottom left; Batavia WWTP; first reported by John Welte and photographed by Jim Pawlicki; Aug. 25) and Solitary Sandpiper (bottom right; Port Colborne, Canada; Kayo Roy; Aug. 19).

The Prothonotary is published monthly by the Buffalo Ornithological Society, Buffalo Museum of Science, Buffalo, NY 14211. Send subscriptions and address changes to the Corresponding Secretary, Karen Landau, S-9195 State Road, Colden, NY 14033. The regular subscription rate is \$20/year. Back issues are available from the Treasurer for \$2/issue.

Please mail correspondence to:
Jack Skalicky
178 N. Main Street #55
Salt Lake City, UT 84103-2075
[Email] skalicky@biochem.utah.edu
Ed. Consultants: Robert Andrle

Gerry Rising William Watson

Proth. Publishing: Audrey Horbett Eileen Hull

Society Officers:

President: Thomas O'Donnell V. President: Michael Morgante Treasurer: Gerald Lazarczyk Secretary: Donna DeLeon Statisticians: Robert Andrle Frances Rew Archivist: Audrey Horbett Council: 2005-2007 Mike Galas Gerald Lazarczyk Gaii Seamans 2006-2008 Douglas Beattie Lynne Landon Elizabeth Wells 2007-2009 Donna DeLeon Richard Miga

William Watson

Winds were light during August as usual while Lake Erie warmed to 77 degrees on the 8th before sliding back to 71 degrees by month's end, close to the normal of 72 degrees.

The summer of 2007 was a warm dry and relatively sunny one across Western New York. Rainfall, or lack of it, was the big story this summer. Only 6.26 inches fell during the three months at Buffalo, the 2nd least in 55 years. Almost a third of the rain fell in a couple of hours on July 19th.

Including the dry
May, the 4 month period
from May 1-August 31
was Buffalo's driest in
66 years and 4th driest in
the 137 years of record.

All in all, a great summer for birding activities but it was getting a bit too dry by the end of August.

Because of the warmth and dryness I expected that birds in general would have sur-

vived well with the exception possibly of waterfowl. Yet this is the most uneventful month since I have been writing this column though it actually was a good month for me chasing birds statewide.

A Brant in July or August is beyond exceptional, no July or August records exist in the BOS database yet Pawlicki, Potter and D'Anna saw one on August 28th and Watson saw possibly the same one on August 29th, both observations in Olcott Harbor. The Birds of the Niagara Frontier Region by Beardslee and Mitchell (pre-1965) makes no mention of an August sighting.

An August Sandhill Crane is also an exceptional sighting in our Region - only one August record exists and that was August 18th of 1997 by Pratt at the Iroquois NWR. However, on August 14th two Sandhill Cranes were seen and photographed by Bob Lichorat in Harmony NY and four were seen at Haldimand Ontario on August 26th. The pre-1965 records show only 3 Sandhill Cranes identified in the 1880's and none since.

A Long-billed Dowitcher is an exceptional find for August with only two mentions in the BOS records. Pawl-

icki and D'Anna verified their sighting at Goose Pond in the Iroquois NWR on August 26th. Both Pawlicki and D'Anna included photos and detailed descriptions of the bird that they had seen. Beardslee and Mitchell (pre-1965) called the Long-billed Dowitcher Occasional very rare. However, sightings on August 27th 1942, August 28th 1949 and August 19th 1956 were specifically noted in their text.

An American Avocet is very rare in August but John Welte verified one at the Batavia Waste Water Treatment Plant on August 25th. He described it as a tall white wading bird that had black wings with a white mark. This is certainly different from the summer plumage Avocets seen in our region a little earlier in the year that exhibited a rich cinnamon head and neck. Afterwards, the Avocet was verified by other birders (see photo above) and seen by many birders, especially after being called into the BOS's One-Call system.

A Peregrine Falcon is a very rare sighting in August and one was verified at Rockhouse (just outside Rock Point Provincial Park Ontario) on August 11th. Recent changes to the Verification Date Guide exclude the requirement for Verification Reports for the Buffalo and Niagara Falls areas during the breeding season as the Peregrines have nested in those two areas for years.

A Marbled Godwit is very rare for the latter half of August. Mike Hamilton verified one in Ridgeway Ontario on August 19th during the Buffalo Ornithological Society's annual shorebird count.

I want to thank David Suggs for supplying BOS records upon my request from the BOS database maintained by him.

The following sources were used in this report:

Beardslee, C.S. and Mitchell, H.D. 1965, Birds of the Niagara Frontier, Bulletin of the Buffalo Society of the Natural Sciences (Buffalo Museum of Science) Volume 22.

DiTommaso D., Suggs D., et al, B.O.S. Noteworthy Records Database 1964-2006.

National Weather Service, August 2007, Buffalo, New York.

Suggs, David, et al. Seasonal Checklist of the Birds, The Niagara Frontier Region. Buffalo Ornithological Society, Inc. 2002.

Morgante, Michael, et al, Verification Date Guide To the Birds of Western New York & Adjacent Ontario, Buffalo Ornithological Society, Inc. 8th Edition Revised 2006.

Underlined common names, dates or localities indicate that an acceptable, detailed written verification according to the *Date Guide to Birds of Western New York and Adjacent Ontario* (Eighth Edition - Revised 2007) has been received and placed in the permanent files of the Buffalo Ornithological Society. Underlines of numbers of birds indicate unusually high counts for species. Such numbers must be accompanied by detailed notes on the observations including counting methods used by observers. A.R. MANN LIBRARY

- * Indicates first record for the year.
- F Indicates first record for the migration.
- L Indicates last record for the migration.
- (f) Indicates record from feeding station. (n) Indicates nest(s). (yg) PDBA Indicates Previously Documented Breeding Area.

		NOV 2 0 2007	
g)	Indi	rates young. ITHACA, NY 14853	

Brant	<u>Species</u>	August	<u>Number</u>	Location	Observer(s)
Northern Shoveler	Brant	<u>28F; 29</u>	1	Olcott Harbor	Pawlicki, D'Anna et al; Watson
" 28 35 Batavia WWTP Watson Redhead 4, 8 2, 3 Tonawanda WMA Watson Bufflehead 16 1 Baravia WWTP Watson Bufflehead 16 1 Baravia WWTP Watson Common Loon 31 4 Somerset Watson Common Loon 31 4 Somerset Watson Eared Grebe 25, 26 2, 3 Batavia WWTP Pawlicki; Watson Great Egret 4; 28 196; 223 Tonawanda WMA Yoerg; Watson Osprey 3,15,28 2, 4, 2 Tonawanda WMA Watson Osprey 3,15,28 2, 4, 2 Tonawanda WMA Watson Watson Watson Watson Watson Northern Goshawk 8 1 Almond Brooks Merlin 17 - 29 3 max UB south campus Yoerg "eregrine Falcon 10 1 Buffalo Yoerg Virginia Rail 4	Mute Swan	31	2	Somerset	
Redhead	Northern Shoveler	19	2	Dunnville (Ont)	Watson
Ring-necked Duck	"	28	35	Batavia WWTP	Watson
Bufflehead 16	Redhead	4, 8	2, 3	Tonawanda WMA	Watson
Ruddy Duck	Ring-necked Duck	4, 18	2, 2	Batavia WWTP	Watson
Common Loon	Bufflehead	16	1	Batavia WWTP	Watson
Eared Grebe	Ruddy Duck	4, 18	31, 27	Batavia WWTP	Watson
Great Egret 4; 28 196; 223 Tonawanda WMA Yoerg; Watson "" 18 20 Oak Orchard WMA Watson Osprey 3,15,28 2, 4, 2 Tonawanda WMA Watson Bald Eagle 13 1 ad Pinchurst Andrle et al "" 26 1 ad Haldimand (Ont) Yoerg, Henderson Northern Goshawk 8 1 Almond Brooks Merlin 17 - 29 3 max UB south campus Yoerg "" 26F 1 Tonawanda WMA Pawlicki Peregrine Falcon 10 1 Buffalo Yoerg "" 26 1 Tonawanda WMA Pawlicki Virginia Rail 4 6 Tonawanda WMA Pawlicki Virginia Rail 4 6 Tonawanda WMA Yoerg, Henderson Black-bellied Plover 19, 26 46, 68 Dunnville (Ont) Yoerg, Henderson American Avocet 25; 26 1; 1 Batavi WWTP Wede, Pawla	Common Loon	31	4	Somerset	Watson
18	Eared Grebe	25; 26	2; 3	Batavia WWTP	Pawlicki; Watson
18	Great Egret	4; 28	196; 223	Tonawanda WMA	Yoerg; Watson
Bald Eagle	_			Oak Orchard WMA	Watson
Bald Eagle 13 1 ad Pinehurst Andrle et al " 26 1 ad Haldimand (Ont) Yoerg, Henderson Northern Goshawk 8 1 Almond Brooks Merlin 17 - 29 3 max UB south campus Yoerg " 26F 1 Tonawanda WMA Pawlicki Peregrine Falcon 10 1 Buffalo Yoerg " 26 1 Tonawanda WMA Pawlicki Virginia Rail 4 6 Tonawanda WMA Pawlicki Virginia Rail 4 6 Tonawanda WMA Yoerg, Henderson Sandhill Crane 14 2 Harmony Lichorat " 26 4 Haldimand (Ont) Yoerg, Henderson Amer. Golden-Plover 26 2 Dunnville (Ont) Yoerg, Henderson Amer. Golden-Plover 26 1; 1 Batavia WWTP Weite Pawlicki Solitary Sandpiper 3 2 Rock Point PP (Ont) Yoerg <td>Osprey</td> <td>3,15,28</td> <td>2, 4, 2</td> <td>Tonawanda WMA</td> <td>Watson</td>	Osprey	3,15,28	2, 4, 2	Tonawanda WMA	Watson
Northern Goshawk	•			Pinehurst	Andrle et al
Merlin 17 - 29 3 max UB south campus Yoerg " 26F 1 Tonawanda WMA Pawlicki Peregrine Falcon 10 1 Buffalo Yoerg " 11 1 Rock Point PP (Ont) Yoerg, Henderson " 26 1 Tonawanda WMA Pawlicki Virginia Rail 4 6 Tonawanda WMA Yoerg Sandhill Crane 14 2 Harmony Lichorat " 26 4 Haldimand (Ont) Yoerg, Henderson Black-bellied Plover 19, 26 46, 68 Dunnville (Ont) Yoerg, Henderson American Avocet 25; 26 1; 1 Batavia WWTP Wolte, Pawlicki: Watson, Lazarczyk, D'Anna et al Solitary Sandpiper 3 2 Rock Point PP (Ont) Yoerg " 12 2 Machias Baird et al " 21 4 Tifft NP Watson Upland Sandpiper 11 1 Dunnville (Ont) Yoerg, He	_	26	1 ad	Haldimand (Ont)	Yoerg, Henderson
Peregrine Falcon	Northern Goshawk	8	1	Almond	Brooks
Peregrine Falcon	Merlin	17 - 29	3 max	UB south campus	Yoerg
11	11	26F	1	Tonawanda WMA	Pawlicki
1	Peregrine Falcon	10	1	Buffalo	Yoerg
Virginia Rail	_	<u>11</u>	1	Rock Point PP (Ont)	Yoerg, Henderson
Sandhill Crane 14 2 Harmony Lichorat " 26 4 Haldimand (Ont) Yoerg, Henderson Black-bellied Plover 19, 26 46, 68 Dunnville (Ont) Yoerg, Henderson Amer. Golden-Plover 26 2 Dunnville (Ont) Yoerg, Henderson American Avocet 25; 26 1; 1 Batavia WWTP Welte, Pawlicki; Watson, Lazarczyk, D'Anna et al Solitary Sandpiper 3 2 Rock Point PP (Ont) Yoerg " 12 2 Machias Baird et al " 21 4 Tifft NP Watson Upland Sandpiper 11 1 Dunnville (Ont) Yoerg, Henderson Whimbrel 3 1 Dunnville (Ont) Yoerg, Henderson White-I. Sandpiper 6 127 Rock Point PP (Ont) Watson White-I. Sandpiper 3F 1 Wainfleet (Ont) Yoerg " 26 2 Batavia WMA Watson " 26 3	11		1	Tonawanda WMA	Pawlicki
Sandhill Crane 14 2 Harmony Lichorat " 26 4 Haldimand (Ont) Yoerg, Henderson Black-bellied Plover 19, 26 46, 68 Dunnville (Ont) Yoerg, Henderson Amer. Golden-Plover 26 2 Dunnville (Ont) Yoerg, Henderson American Avocet 25; 26 1; 1 Batavia WWTP Wette, Pawlicki; Watson, Lazarczyk, D'Anna et al Solitary Sandpiper 3 2 Rock Point PP (Ont) Yoerg " 12 2 Machias Baird et al " 21 4 Tifft NP Watson Upland Sandpiper 11 1 Dunnville (Ont) Yoerg, Henderson Whimbrel 3 1 Dunnville (Ont) Yoerg Marbled Godwit 19 1 Windmill Point (Ont) Hamilton Semipalm. Sandpiper 6 127 Rock Point PP (Ont) Watson " 8 1 Tonawanda WMA Watson " 26 2 B	Virginia Rail	4	6	Tonawanda WMA	Yoerg
Black-bellied Plover 19, 26 46, 68 Dunnville (Ont) Yoerg, Henderson Yoerg, Henderson Amer. Golden-Plover 26 2 Dunnville (Ont) Yoerg, Henderson Amer. Golden-Plover 25; 26 1; 1 Batavia WWTP Welte, Pawlicki; Watson, Lazarcryk, D'Anna et al Solitary Sandpiper 3 2 Rock Point PP (Ont) Yoerg Baird et al " 21 4 Tifft NP Watson Upland Sandpiper 11 1 Dunnville (Ont) Yoerg, Henderson Whimbrel 3 1 Dunnville (Ont) Yoerg, Henderson Whimbrel 3 1 Windmill Point (Ont) Yoerg Marbled Godwit 19 1 Windmill Point (Ont) Hamilton Semipalm. Sandpiper 6 127 Rock Point PP (Ont) Watson White-r. Sandpiper 3F 1 Wainfleet (Ont) Yoerg Watson White-r. Sandpiper 3F 1 Tonawanda WMA Watson " 26 2 Batavia WWTP Watson, D'Anna et al " 26 3 Rock Point PP (Ont) Yoerg, Henderson Watson Watson Pectoral Sandpiper 11F, 26 2, 2 Wainfleet (Ont) Yoerg, Henderson Watson, D'Anna et al Pectoral Sandpiper 3 1 Long Beach CA (Ont) Yoerg, Henderson Watson, D'Anna et al Pectoral Sandpiper 3 1 Long Beach CA (Ont) Yoerg		14	2	Harmony	Lichorat
Amer. Golden-Plover American Avocet 25; 26 1; 1 Batavia WWTP Welte, Pawlicki; Watson, Lazarczyk, D'Anna et al Solitary Sandpiper 3 2 Rock Point PP (Ont) Yoerg Harding at al Harding at al Harding a		<u>26</u>	4	Haldimand (Ont)	Yoerg, Henderson
Amer. Golden-Plover American Avocet 25; 26 1; 1 Batavia WWTP Welte, Pawlicki; Watson, Lazarczyk, D'Anna et al Solitary Sandpiper 3 2 Rock Point PP (Ont) Yoerg Baird et al " 12 2 Machias Baird et al " Upland Sandpiper 11 1 Dunnville (Ont) Woerg, Henderson Watson Upland Sandpiper 11 1 Dunnville (Ont) Woerg, Henderson Worden Whimbrel 3 1 Dunnville (Ont) Woerg, Henderson Windmill Point (Ont) Watson Whindmill Point (Ont) Watson White-r. Sandpiper 3F 1 Wainfleet (Ont) Watson White-r. Sandpiper 8 1 Tonawanda WMA Watson " 26 2 Batavia WWTP Watson, D'Anna et al " 26 3 Rock Point PP (Ont) Yoerg, Henderson Waison Watson Watson Watson Watson Watson Watson " 26 2 Batavia WWTP Watson, D'Anna et al Pectoral Sandpiper 3 1 Batavia WWTP Watson, D'Anna et al Yoerg, Henderson Yoerg, Henderson Watson, D'Anna et al Yoerg, Henderson	Black-bellied Plover	19, 26	46, 68	Dunnville (Ont)	Yoerg, Henderson
Solitary Sandpiper 3 2 Rock Point PP (Ont) Yoerg 12 2 Machias Baird et al 12 1 4 Tifft NP Watson Upland Sandpiper 11 1 Dunnville (Ont) Yoerg, Henderson Whimbrel 3 1 Dunnville (Ont) Yoerg Marbled Godwit 19 1 Windmill Point (Ont) Hamilton Semipalm. Sandpiper 6 127 Rock Point PP (Ont) Watson White-r. Sandpiper 3F 1 Wainfleet (Ont) Yoerg Watson White-r. Sandpiper 8 1 Tonawanda WMA Watson Watson Baird's Sandpiper 11F, 26 2, 2 Wainfleet (Ont) Yoerg, Henderson Baird's Sandpiper 3 1 Batavia WWTP Watson, D'Anna et al Pectoral Sandpiper 3 1 Long Beach CA (Ont) Yoerg Pectoral Sandpiper 3 1 Long Beach CA (Ont) Yoerg Pectoral Sandpiper 3 3 Rock Point PP (Ont) Yoerg	Amer. Golden-Plover				Yoerg, Henderson
Solitary Sandpiper 3 2 Rock Point PP (Ont) Yoerg " 12 2 Machias Baird et al " 21 4 Tifft NP Watson Upland Sandpiper 11 1 Dunnville (Ont) Yoerg, Henderson Whimbrel 3 1 Dunnville (Ont) Yoerg Marbled Godwit 19 1 Windmill Point (Ont) Hamilton Semipalm. Sandpiper 6 127 Rock Point PP (Ont) Watson White-r. Sandpiper 3F 1 Wainfleet (Ont) Yoerg " 8 1 Tonawanda WMA Watson " 26 2 Batavia WWTP Watson, D'Anna et al " 26 3 Rock Point PP (Ont) Yoerg, Henderson Baird's Sandpiper 11F, 26 2, 2 Wainfleet (Ont) Yoerg, Henderson Baird's Sandpiper 3 1 Batavia WWTP Watson, D'Anna et al Pectoral Sandpiper 3 1 Long Beach CA (Ont) Yoerg " A Rock Point PP (Ont) Yoerg " Yoerg Henderson Rock Point PP (Ont) Yoerg Henderson Pectoral Sandpiper 3 1 Long Beach CA (Ont) Yoerg	American Avocet	25; 26	1; 1	Batavia WWTP	Welte, Pawlicki; Watson, Lazarczyk. D'Anna et al
12 2 Machias Baird et al " 21 4 Tifft NP Watson Upland Sandpiper 11 1 Dunnville (Ont) Yoerg, Henderson Whimbrel 3 1 Dunnville (Ont) Yoerg Marbled Godwit 19 1 Windmill Point (Ont) Hamilton Semipalm. Sandpiper 6 127 Rock Point PP (Ont) Watson White-r. Sandpiper 3F 1 Wainfleet (Ont) Yoerg " 8 1 Tonawanda WMA Watson " 26 2 Batavia WWTP Watson, D'Anna et al " 26 3 Rock Point PP (Ont) Yoerg, Henderson Baird's Sandpiper 11F, 26 2, 2 Wainfleet (Ont) Yoerg, Henderson Baird's Sandpiper 3 1 Batavia WWTP Watson, D'Anna et al Pectoral Sandpiper 3 1 Long Beach CA (Ont) Yoerg " 3 3 Rock Point PP (Ont) Yoerg			2	Rock Point PP (Ont)	Yoerg
Upland Sandpiper 11	"	12	2	Machias	Baird et al
Whimbrel 3 l Dunnville (Ont) Yoerg Marbled Godwit 19 l Windmill Point (Ont) Hamilton Semipalm. Sandpiper 6 l 127 Rock Point PP (Ont) Watson White-r. Sandpiper 3F l Wainfleet (Ont) Yoerg " 8 l Tonawanda WMA Watson " 26 2 Batavia WWTP Watson, D'Anna et al " 26 3 Rock Point PP (Ont) Yoerg, Henderson * Baird's Sandpiper 11F, 26 2, 2 Wainfleet (Ont) Yoerg, Henderson * Batavia WWTP Watson, D'Anna et al Pectoral Sandpiper 3 l Batavia WWTP Watson, D'Anna et al Pectoral Sandpiper 3 l Rock Point PP (Ont) Yoerg * Rock Point PP (Ont) Yoerg * Rock Point PP (Ont) Yoerg * Rock Point PP (Ont) Yoerg	**	21	4	Tifft NP	Watson
Whimbrel 3 l Dunnville (Ont) Yoerg Marbled Godwit 19 l Windmill Point (Ont) Hamilton Semipalm. Sandpiper 6 l 127 Rock Point PP (Ont) Watson White-r. Sandpiper 8 l Wainfleet (Ont) Yoerg " 8 l Tonawanda WMA Watson " 26 2 Batavia WWTP Watson, D'Anna et al " 26 3 Rock Point PP (Ont) Yoerg, Henderson Baird's Sandpiper 11F, 26 2, 2 Wainfleet (Ont) Yoerg, Henderson Batavia WWTP Watson, D'Anna et al Pectoral Sandpiper 3 l Batavia WWTP Watson, D'Anna et al Pectoral Sandpiper 3 l Rock Point PP (Ont) Yoerg " Rock Point PP (Ont) Yoerg " Rock Point PP (Ont) Yoerg	Upland Sandpiper	11	1	Dunnville (Ont)	Yoerg, Henderson
Semipalm. Sandpiper 6 127 Rock Point PP (Ont) Watson White-r. Sandpiper 3F 1 Wainfleet (Ont) Yoerg " 8 1 Tonawanda WMA Watson " 26 2 Batavia WWTP Watson, D'Anna et al " 26 3 Rock Point PP (Ont) Yoerg, Henderson * Baird's Sandpiper 11F, 26 2, 2 Wainfleet (Ont) Yoerg, Henderson " 26 1 Batavia WWTP Watson, D'Anna et al Pectoral Sandpiper 3 1 Long Beach CA (Ont) Yoerg " Rock Point PP (Ont) Yoerg	• • •	3	1	Dunnville (Ont)	Yoerg
Semipalm. Sandpiper 6 127 Rock Point PP (Ont) Watson White-r. Sandpiper 3F 1 Wainfleet (Ont) Yoerg " 8 1 Tonawanda WMA Watson " 26 2 Batavia WWTP Watson, D'Anna et al " 26 3 Rock Point PP (Ont) Yoerg, Henderson Baird's Sandpiper 11F, 26 2, 2 Wainfleet (Ont) Yoerg, Henderson " 26 1 Batavia WWTP Watson, D'Anna et al Pectoral Sandpiper 3 1 Long Beach CA (Ont) Yoerg " Rock Point PP (Ont) Yoerg " Yoerg	Marbled Godwit	<u>19</u>	1	Windmill Point (Ont)	Hamilton
White-r. Sandpiper White-r. Sandpiper Wainfleet (Ont) Yoerg Tonawanda WMA Watson Batavia WWTP Watson, D'Anna et al Rock Point PP (Ont) Watson, D'Anna et al Norder Point PP (Ont) Watson, D'Anna et al Wainfleet (Ont) Yoerg, Henderson Wainfleet (Ont) Watson, D'Anna et al Pectoral Sandpiper Long Beach CA (Ont) Yoerg Rock Point PP (Ont) Yoerg	Semipalm. Sandpiper		127	Rock Point PP (Ont)	Watson
Baird's Sandpiper 11F, 26 26 1 Tonawanda WMA Watson Watson, D'Anna et al Rock Point PP (Ont) Yoerg, Henderson Watson, D'Anna et al Yoerg, Henderson Watson, D'Anna et al Pectoral Sandpiper 1 Long Beach CA (Ont) Yoerg Rock Point PP (Ont) Yoerg Watson, D'Anna et al Pectoral Sandpiper Rock Point PP (Ont) Yoerg	•	3F	1	Wainfleet (Ont)	Yoerg
Baird's Sandpiper 11F, 26 2, 2 Wainfleet (Ont) Yoerg, Henderson Wainfleet (Ont) Yoerg, Henderson Watson, D'Anna et al Pectoral Sandpiper 3 1 Long Beach CA (Ont) Yoerg Woerg Rock Point PP (Ont) Yoerg Watson, D'Anna et al	"		1	Tonawanda WMA	Watson
Baird's Sandpiper 11F, 26 2, 2 Wainfleet (Ont) Yoerg, Henderson Watson, D'Anna et al Pectoral Sandpiper 3 1 Long Beach CA (Ont) Yoerg Toerg 3 3 Rock Point PP (Ont) Yoerg	"	26	2	Batavia WWTP	Watson, D'Anna et al
Pectoral Sandpiper 3 1 Long Beach CA (Ont) Yoerg Rock Point PP (Ont) Yoerg	"	26	3	Rock Point PP (Ont)	Yoerg, Henderson
Pectoral Sandpiper 3 1 Long Beach CA (Ont) Yoerg Rock Point PP (Ont) Yoerg	* Baird's Sandpiper		2, 2	Wainfleet (Ont)	_
Pectoral Sandpiper 3 1 Long Beach CA (Ont) Yoerg " Rock Point PP (Ont) Yoerg	11		1	· · · · · · · · · · · · · · · · · · ·	Watson, D'Anna et al
Rock Point PP (Ont) Yoerg	Pectoral Sandpiper		1	Long Beach CA (Ont)	Yoerg
	• •		3	•	Yoerg
	11		1	Kiantone	Berry

Stilt Sandpiper	11 F	1	Dunnville (Ont)	Yoerg, Henderson
11	12,18;26	3, 1; 4	Oak Orchard WMA	Yoerg, Henderson; Pawlicki, D'Anna et al
Buff-br. Sandpiper	26F	1	Dunnville (Ont)	Yoerg, Henderson
Short-b. Dowitcher	26	5	Batavia WWTP	D'Anna et al
11	18; 26	7; 25	Oak Orchard WMA	Yoerg, Henderson; Watson, D'Anna et al
* Long-b. Dowitcher	26	1	Oak Orchard WMA	Pawlicki, D'Anna et al
Wilson's Phalarope	11	2	Dunnville	Yoerg, Henderson
Common Tern	11; 19	300; 90	Long Beach CA (Ont)	Yoerg; Watson
Common Nighthawk	21F	1	Alabama	Watson
11	24; 27	2; 5	Amherst SP	Salembier
Whip-poor-will	3	5	Wainfleet (Ont)	Yoerg
Red-headed Wdpkr	8	1	Iroquois NWR	Watson
**	19	1	Crystal Beach (Ont)	Morgante
Olive-s. Flycatcher	24F	2	Delaware Pk, Bflo.	Pawlicki, Watson
Least Flycatcher	21F	1	Wilson	D'Anna
Yellow-thr. Vireo	31F	1	Amherst SP	Salembier
Philadelphia Vireo	31F	1	Amherst SP	Salembier
Common Raven	11	2	Andover	Brooks
Cliff Swallow	14	2	Buffalo Harbor	Andrle
11	14	Ad+yg@n	W. Side Rowing Club	Andrle
Red-br. Nuthatch	27F	1	Buffalo	Yoerg
Carolina Wren	6	2	Mohawk Pt. (Ont)	Watson
11	21	1	Woodlawn Beach SP	Watson
***	23 - 31	2	Eden	Andrle
Blgr. Gnatcatcher	21, 24	1, 3	Tifft NP	Watson
Veery	27F	1	Wilson	D'Anna
Northern Mockingbird	31	1	Hartland	Watson
Tennessee Warbler	18F, 19	1, 1	Alfred	Brooks
Northern Parula	31F	1	Tifft NP	Salembier
Chestnut-s. Warbler	19F	1	Mohawk Pt. (Ont)	Watson et al
Magnolia Warbler	19F	1	Mohawk Pt. (Ont)	Watson et al
Cape May Warbler	21F; 22	2; 2	Tifft NP	Watson, Pawlicki et al
Blthr. Blue Warbler	20F	1	St. Davids (Ont)	Watson, Pawlicki
11	27	1	Wilson	D'Anna
Blthr. Green Warb.	19F	1	Rock Point PP (Ont)	Watson et al
Blackburnian Warbler	19F	1	Rock Point PP (Ont)	Watson et al
11	24	2.	Delaware Pk, Bflo.	Watson, Pawlicki
Pine Warbler	30F	1	Tifft NP	Watson
"	31	1	Amherst SP	Salembier
Bay-breasted Warbler	24F	1	Delaware Pk, Bflo.	Pawlicki, Watson
Blackpoll Warbler	22F	1	Wilson	D'Anna
Black-&-white Warb.	19F	2	Rock Point PP (Ont)	Watson et al
"	24	1	Delaware Pk, Bflo.	Watson et al
Ovenbird	28F	1	Amherst SP	Salembier
Northern Waterthrush	27F	1	Amherst SP	Salembier
Hooded Warbler	29F	1	Amherst SP	Pawlicki, Salembier
Wilson's Warbler	24F	1	Woodlawn Beach SP	Pawlicki
"	27	1	Wilson	D'Anna
Canada Warbler	15F	1		
Canada warbier	15F 19	2	Tifft NP Mohawk Pt (Ont)	Watson et al
		2	Mohawk Pt. (Ont)	Watson et al
Bobolink Raltimora Oriola	26	32	Tonawanda WMA	Pawlicki
Baltimore Oriole	4 21	35 20	Wilson Tifft NP	D'Anna, Potter Watson

Species, subspecies, and hybrids previously recorded this year:266Species, subspecies, and hybrids recorded for this month:003Total for the year 2007:269

Statisticians' Note I: If any observer wishes to know the status of their verification report, please contact the Statisticians and we will give them the reasons for our decision. Please mail reports for each month not later than the FIFTH day of the following month to the Compiler: Bruce Chilton 88 Pryor Avenue, Tonawanda, NY 14150; Email: BChi314159@aol.com. **Statisticians' Note II**: We are asking members of the BOS and any other birders who send in reports to the BOS to advise us as soon as they can of any possible errors in regard to records published in the Prothonotary, particularly in the Noteworthy

New Nesting Platform Installed at Buckhorn Island SP to Provide Alternate Nesting Location for Large Raptors

Records so that we can make any necessary changes as soon as appropriate.

The welcome mat is out for ospreys, a large bird of prey, whose long absence from the upper Niagara River was one of varied environmental issues examined during relicensing process for the New York Power Authority's (NYPA) Niagara Power Project here, with the statewide public power utility committing to install pole-mounted platforms at suitable nesting locations. What the Power Authority and New York State environmental and parks officials and others couldn't know at the time was that ospreys would build a nest this year on a National Grid electric transmission tower at Buckhorn Island State Park (photo below), one of the designated areas for the platform, providing a serendipitous opportunity for accelerating the initiative.

A four-by-four foot platform, attached to a 70-foot pole, was installed by National Grid workers, in clear view of the tower where a pair of adult osprey is nesting no more than 200 feet away, and may have incubated eggs. National Grid donated the pole and labor for this project.



A pair of osprey chose a National Grid tower at Buckhorn Island State Park for building a nest this year. On Aug. 9, the utility teamed up with the New York Power Authority and state environmental and park agencies for installation of a nearby platform, to provide an alternate nesting location when the ospreys return next year for their seasonal migration. In September, National Grid will transfer materials from the nest to the newlyerected platform.

"What we're doing is giving the osprey an alternate nesting location on the chance they'll acclimate to it before their fall migration to Central and South America, taking into account the habit of the species for returning to the same nesting area each spring in the Northern U.S. states," said Jeff Gerlach, environmental scientist, NYPA. "Even if these specific raptors do not, this platform has all the attributes ospreys like, as far as elevation for sighting other avian predators, and proximity to open waters—in this case, the Niagara River,

where they can dive for fish." The platform is one of five NYPA is planning over the next few years for attracting ospreys to the upper river corridor where their existence was not unusual at one time. The platforms collectively comprise one of eight Habitat Improvement Projects, or HIPs, NYPA agreed to for the Niagara project's new license, in consultation with the DEC, U.S. Fish and Wildlife Service, New York State Office of Parks, Recreation and Historic Preservation (OPRHP), and other resource agencies and environmental groups.

Nesting birds on transmission towers can disrupt insulators and other electrical equipment and, in worst cases, lead to power disturbances. Since the late 1970s, National Grid has, in consultation with federal and state environmental and wildlife agencies, moved dozens of nests and created artificial nest platforms and modified trees to encourage nesting in other parts of the state. In September, the company will transfer twigs and other materials from the transmission tower at Buckhorn Island State Park to the newly erected platform.

In past years, the DEC installed two osprey nesting platforms at Buckhorn Island State Park, an 895-acre area at the northwest point of Grand Island, consisting of marsh, meadows and woods. "While those platforms haven't led to nests yet, the discovery of ospreys on the Grid tower is a positive sign for reintroducing the species to the area. Our hope is that enhanced wetland and aquatic-habitat improvement projects like those planned by NYPA will contribute to drawing ospreys and other wildlife to Buckhorn Marsh and other habitats along the upper Niagara River corridor," said Mark Kandel, DEC regional wildlife manager.

"We are pleased that these ospreys have found their home in Buckhorn Island State Park, and that NYPA and National Grid are taking measures to provide them with the safety they need to continue their future nesting here," said Mark Thomas, director of the Western Region of OPRHP.

He also noted that bald eagles have nested at Navy Island in Ontario, across from Buckhorn Marsh, providing the possibility that they might utilize the new osprey platform, or the two previously installed by DEC at the park preserve.

Pole-mounted platforms have been successfully used for establishment of osprey nests near Lakes Erie and Ontario, the St. Lawrence River and in other parts of the state. They include one at the Power Authority's St. Lawrence-Franklin D. Roosevelt Project in Northern New York, one of several the Authority has erected at riverfront sites.

News release from http://www.nypa.gov/press/2007/07080809a.htm. Michael Saltzman; 914-390-8181; michael.saltzman@nypa.gov

Return Service Requested

Non. Profit Org. U.S. Postage **PAID** Buffalo, NY Permit No. 412



October – December Calendar

Nov. 14: BOS Meeting at 7:00 PM in the Cummings room of the Buffalo Museum of Science. Kristina Klees of the University at Brockport's Department of Environmental Science and Biology will discuss her research on the topic of "Habitat Selection of Shrubland Birds in the Great Lakes Plain Region of New York State: Implications for Conservation and Management".

Nov. 18: Sunday. Niagara River joint trip with Rochester Birding Association, for gulls and waterfowl. Meet at 9:00 AM at Fort Niagara State Park in the parking lot just outside the old fort. There is heightened security at the border. Bring at least two forms of ID including photo ID and proof of citizenship, such as birth certificate, passport, or voter registration card. Non-citizens should bring passports. Dress warmly. Leaders: BOS Mike Hamilton (881-6709 or mhsr@wzrd.com) and RBA Bob Spahn (585-671-5690 or RSPAHN@prodigy.net).

Dec. 12: Buffalo Ornithological Society Annual Holiday Celebration at 7:30 PM in the Cummings Room of the Buffalo Science Museum. Please bring a treat to share and enjoy an evening of birding friendship.

BOS website http://www.bosbirding.org/



Buffalo-Niagara Region Dial-a-Bird: 716-896-1271

The PROTHONOTARY



Published Monthly by the

BUFFALO ORNITHOLOGICAL SOCIETY

Volume 73, No. 10 October, 2007

THE MONTH: September

Tim Baird

For those of us who enjoy a mild end to summer, September 2007 was a charitable month. Summer's trend of warm and dry slid into September's official start to autumn with little noticeable change. McLaughlin's National Weather Service summary of September's weather in the Buffalo area verifies this assessment, "The warm, dry and sunny September capped off an extended summer this year in western New York."

It is getting routine to say that recent months rank near the warmest in decades for the region. This year was the tenth warmest September in 136 years in Buffalo. The first week ended in a heat wave with two days topping 90° F. The 91° F reached on September 7th was a Buffalo record for the date. With a mean temperature of 66.1° F, September 2007 was 4.6° F above the average for September.

Rainfall was only slightly below normal (0.29 inches below the average 3.84 inches). However, prior to receiving nearly an inch of rain during September 25th through the 28th, September conditions were "extremely dry" according to McLaughlin.

September skies were open to 69% of the possible sunshine, 12 points higher than average. Only 4 days were categorized as mostly cloudy by the National Weather Service. The sunny and warm weather slowed Lake Erie's cooling. A water temperature of 67° F at month's end was 3° F above normal.

Connecting weather conditions to bird observations can be challenging. During a migration month such as September, movements of large air masses and associated fronts have a strong influence on bird movement. A cool air mass

79 The Month
Tim Baird
81 Noteworthy Records
Bruce Chilton

State

York
but be of Segin the

85 2007 CBC Calendar86 BOS Calendar

came into western New York near mid-month, but both the start and end of September saw little in the manner of major air mass movements.

A warming earth is a concern for many peo-

ple. Changes in bird distribution are likely as climate changes, and evidence for this is mounting according to Dr. Galbraith who was the keynote speaker at the New York State Ornithology Association, Inc. Annual Meeting in Batavia hosted by the Buffalo Ornithological Society. Such evidence notwithstanding, it would be a real stretch to consider the Nutmeg Mannikin observed by Watson, *et al* in Ontario on the 2nd of September a harbinger of things to come. Native to southeast Asia, this species has bred in Florida. A red leg band on the Ontario bird strongly suggests it was an escape. The unexpected is the spice of birding.

More to the norm, observers during September reported a good mix of birds in the BOS region. One of the highlights has to be Watson's reports of Great Egrets at the





Western Kingbird (top left; Port Weller, Ontario; Jim Pawlicki; Sept 10), Wilson's Phalarope (top right; Oak Orchard WMA; Jim Pawlicki; Sept. 8) and Red-necked Phalarope (bottom right; Hamburg; Jerry Lazarczyk; Sept. 18).



The Prothonotary is published monthly by the Buffalo Ornithological Society, Buffalo Museum of Science, Buffalo, NY 14211. Send subscriptions and address changes to the Corresponding Secretary, Karen Landau, S-9195 State Road, Colden, NY 14033. The regular subscription rate is \$20/year. Back issues are available from the Treasurer for \$2/issue.

Please mail correspondence to:
Jack Skalicky
178 N. Main Street #55
Salt Lake City, UT 84103-2075
[Email] skalicky@biochem.utah.edu
Ed. Consultants: Robert Andrle

Gerry Rising
William Watson

Proth. Publishing: Audrey Horbett Eileen Hull

Society Officers:

President: Thomas O'Donnell V. President: Michael Morgante Treasurer: Gerald Lazarczyk Secretary: Donna DeLeon Statisticians: Robert Andrle Frances Rew Archivist: Audrey Horbett Council: 2005-2007 Mike Galas Gerald Lazarczyk Cail Seamans 2006-2008 Douglas Beattie Lynne Landon Elizabeth Wells 2007-2009 Donna DeLeon Richard Miga William Watson

Tonawanda WMA with a maximum of 218 found on the 11th. One or two of that species visiting the Allegheny Plateau of the southern tier is cause for excitement. The Snowy Egret seen at Tifft NP through midmonth is very rare in the Chautauqua-Allegheny Region and would be a new species for Cattaraugus County and gives us highlanders something to look forward to.

My pick for other noteworthy assemblages include 250 Greenwinged Teal (D'Anna, et al) at Oak Orchard WMA on September 15th, and 47 Black-bellied Plovers at Dunnville, Ontario on the 2nd observed by Yoerg and Henderson. On September 16th, Pawlicki reported 230 Mourning Doves in Clarence and 14 Brown Thrashers in Amherst. The large number of Mourning Doves grabs one's attention, but is not unexpected for this abundant species. To the

contrary, the 14 thrashers is an unexpected and encouraging number for a declining species.

Noteworthy shorebirds included Long-billed Dowitchers, two seen at Rock Point Provincial Park on September 2nd by Yoerg and two more seen on the 4th at Oak Orchard WMA observed by Watson, *et al.* What are the chances that the latter two were the same birds as the Ontario duo? Single Red-necked Phalaropes visited Tifft NP (Salembier, Sept. 15th) and Lakeside Memorial Park (Andrle, *et. al.*, Sept. 18th and 19th). American Golden-Plovers turned up in good numbers after mid-month in several locations.

A Western Kingbird seen and photographed at Port Weller, Ontario on September 10th by Jim Pawlicki was the year's first for this western vagrant in the region. His detailed verification description included a comparison of its "more robin-like flight" as distinct from the Eastern Kingbird's characteristic flight on vibrating wingtips. From his observations of its plumage, Pawlicki concluded this was a hatch-year bird. It is not uncommon for vagrant species to be young birds. Inexperience likely plays a role in their misdirection, or perhaps it's adolescent wanderlust.

All-in-all, September was a good warbler month with observers reporting 26 species. In conjunction with a cooler air mass that arrived during the week previous, Salembier had a banner day on September 15th at Tifft NP. He observed 15 species of warbler for the day including an Orange-crowned Warbler, 28 Nashville Warblers, and 12 Wilson's Warblers. Salembier also reported a Goldenwinged Warbler at Amherst State Park on September 2nd. This species is becoming rare, and a statewide decline is documented by the 2000-2005 New York Breeding Bird Atlas data (link at www.nybirds.org).

Another example of the differences in bird occurrences between the lower elevations along the lake plains and the higher elevations to the south in western New York are the mid-September occurrences of Yellow Warblers. Tifft NP produced three on the 15th as reported by Salembier. On the southern plateau, this common species and the Tree Swallow migrate away from the region shortly after completing nesting and are rarely noted after early August (Eaton, 1981).

Thrushes appeared in good numbers after the second week of September and included an impressive 55 Swainson's Thrushes heard as night migrants over Tonawanda on the 26th by Hess. Beattie reported 16 Scarlet Tanagers in Bethany on September 11th, and he found only one there on the 12th. Coincidentally, McLaughlin's weather summary includes, "The Heat was broken by a strong thunderstorm on the evening of the 11th bringing some damaging winds and a pattern change to cooler weather for the next week."

One of many species declining in North America, three early Rusty Blackbirds were seen by several observers at Tifft NP on September 13th and verified by Pawlicki and Watson. Another early bird was a Lapland Longspur seen with Horned Larks on the 21st of the month in the Town of Porter. In addition to a detailed plumage description, D'Anna's verification for the bird distinguished it from the associated Horned Larks by size and behavior while feeding in a "graded and recently planted field".

September is a transition month for nature and nature enthusiasts. September 2007 made the transition from summer to autumn a soft one.

Eaton, Stephen W. 1981. Birds of Cattaraugus County New York. *Bulletin of the Buffalo Society of Natural Sciences* 12:61.

Underlined common names, dates or localities indicate that an acceptable, detailed written verification according to the *Date Guide to Birds of Western New York and Adjacent Ontario* (Eighth Edition - Revised 2007) has been received and placed in the permanent files of the Buffalo Ornithological Society. Underlines of numbers of birds indicate unusually high counts for species. Such numbers must be accompanied by detailed notes on the observations including counting methods used by observers.

- * Indicates first record for the year.
- F Indicates first record for the migration.
- L Indicates last record for the migration.
- (f) Indicates record from feeding station. (n) Indicates nest(s). (yg) Indicates young.
- PDBA Indicates Previously Documented Breeding Area.

Species	September	<u>Number</u>	Location	Observer(s)
Cackling Goose	<u>16</u>	2	Clarence	Pawlicki
11	<u>30</u>	1	Iroquois NWR	D'Anna, Potter
Wood Duck	18	298	Alexander	Beattie
Northern Shoveler	20, 30	161, 152	Batavia WWTP	Watson
Northern Pintail	29	158	Golden Hill SP	D'Anna, Potter
Green-winged Teal	15	250	Oak Orchard WMA	D'Anna et al
"	29	85	Golden Hill SP	D'Anna, Potter
Ring-necked Duck	20, 30	3, 3	Batavia WWTP	Watson
Greater Scaup	20F	1	Batavia WWTP	Watson
"	28	8	Wilson	Watson, Potter et al
Lesser Scaup	29F	7	Golden Hill SP	D'Anna, Potter
Surf Scoter	28F	3	Olcott	Pawlicki, Watson
"	29	3	Golden Hill SP	D'Anna, Potter
White-winged Scoter	15F; 29	16; 158	Golden Hill SP	Watson; D'Anna, Potter
"	28	1	Niagara Falls	Pawlicki
Black Scoter	29F	8	Golden Hill SP	D'Anna, Potter
Bufflehead	2	1	Port Colborne (Ont)	D'Anna et al
Red-br. Merganser	29F	81	Golden Hill SP	D'Anna, Potter
Ruddy Duck	16	45	Alexander	Beattie
"	20, 30	39, 82	Batavia WWTP	Watson
Common Loon	15F	14	Golden Hill SP	Watson
Pied-billed Grebe	20	33	Tonawanda WMA	Watson
Red-necked Grebe	<u>29</u> F	9	Golden Hill SP	D'Anna, Potter
Eared Grebe	1 - 30	1 - 3	Batavia WWTP	D'Anna, Watson et al
Dcrested Cormorant	2, 11	404, 600	Buffalo Harbor	Watson
11	6	765	Buckhorn I. SP	Watson
Great Egret	4, 11, 20	199,218,112	Tonawanda WMA	Watson
11	15	4	Tifft NP	Salembier, Dievendorf
Snowy Egret	<u>8 - 13</u>	1	Tifft NP	Landau et al; Pawlicki, Watson
Osprey	27	2	Amherst	Pawlicki
Bald Eagle	9	1 ad	Allegany SP	Baird
11	15	4	Oak Orchard WMA	Pawlicki, Watson et al
11	30	1 ad	Oak Orchard WMA	Yoerg, Henderson
Red-shouldered Hawk	8	2	Oak Orchard WMA	D'Anna et al
11	13; 16	1; 1 juv	Tifft NP	Pawlicki, Watson; Morgante
Merlin	2	1	Rock Point PP (Ont)	Watson, D'Anna et al
11	4, 8, 15	1, 1, 1	Alabama Swamp complex	Pawlicki, Watson et al
11	8	1	Bethany	Beattie
**	10	2	Port Weller (Ont)	Pawlicki
**	28	1	Porter	D'Anna
Peregrine Falcon	4; 8	1 imm; 1 ad	Tonawanda WMA	D'Anna; D'Anna et al
n	22	1	Tifft NP	Salembier
n	23	1	Rock Point PP (Ont)	Yoerg, Henderson

Species	<u>September</u>	Number	Location	Observer(s)
11	26	1	Woodlawn Beach SP	Andrle
Peregrine Falcon	28	1 ad	Niagara Falls	Pawlicki
Sandhill Crane	<u>l</u>	2	Watts Flats	Pawlicki
#	<u>4</u>	5	Tonawanda WMA	Pawlicki
11	<u>23</u>	5	Oak Orchard WMA	D'Anna et al
Black-bellied Plover	2; 23	47; 23	Dunnville (Ont)	Watson, D'Anna et al; Yoerg, Henderson
Amer. Golden-Plover		13	Dunnville (Ont)	Watson, D'Anna et al
"	15	13	Clarence	Pawlicki, Watson
11	15	5	Barre	Watson, D'Anna et al
#	28	16	Olcott	Pawlicki, Watson
11	28	32	Porter	D'Anna
Killdeer	2	120	Dunnville (Ont)	Watson et al
* Red Knot	2F	120	Jaeger Rocks (Ont)	Watson, Rothman et al
	23	55	Rock Point PP (Ont)	Yoerg
Sanderling			Oak Orchard WMA	Yoerg
White-r. Sandpiper	2	3	Tonawanda WMA	Č
	6	1		Beattie, Dart
Baird's Sandpiper	2	1	Woodlawn Beach SP	Morgante
"	2	1	Oak Orchard WMA	Yoerg
	2	1	Jaeger Rocks (Ont)	Watson, D'Anna et al
"	4; 6	2; 1	Tonawanda WMA	Pawlicki et al; Beattie, Dart
II	5; 13	1; 1	Tifft NP	Salembier; Watson et al
11	15	1	Barre	Watson, D'Anna et al
Pectoral Sandpiper	15; 30	16; 5	Oak Orchard WMA	Watson et al; Yoerg et al
Stilt Sandpiper	1	3	Oak Orchard WMA	Pawlicki, D'Anna et al
11	2	3	Dunnville (Ont)	Yoerg
**	4; 6	1; 1	Tonawanda WMA	Pawlicki, Watson; Beattie, Dart
Buff-br. Sandpiper	4	1	Tonawanda WMA	Pawlicki, Watson et al
Short-b. Dowitcher	1	1	Dunkirk Harbor	Pawlicki
11	4	11	Oak Orchard WMA	Watson et al
11	6	2	Tonawanda WMA	Beattie, Dart
11	15; 22	2; 1	Tifft NP	Salembier, Dievendorf; Salembier
Long-b. Dowitcher	2-	2	Rock Point PP (Ont)	Yoerg
11	4	2	Oak Orchard WMA	Watson et al
Wilson's Phalarope	8L	1	Oak Orchard WMA	Pawlicki, D'Anna, Potter
* Red-neck. Phalarope	15	1	Tifft NP	Salembier, Dievendorf
	18 - 19	1	Lakeside Memorial Pk	Andrle, Watson, Zebehazy, Landau et al
* Parasitic Jaeger	26	1	Woodlawn Beach SP	Andrle
Jaeger species	15	1	Golden Hill SP	Pawlicki, D'Anna et al
"	22	3	Athol Springs	Pawlicki
Lesser Black-b. Gull	2F	1	Morgan's Pt. (Ont)	Pawlicki, D'Anna et al
"	2F	1	Pinecrest Pt. (Ont)	D'Anna et al
11	20	1	Goat I.	Pawlicki
Caspian Tern	28	2	Olcott	Watson, Pawlicki
Mourning Dove	16	230	Clarence	Pawlicki
Common Nighthawk		1 - 4	Tonawanda	Hess
"	4	55	Buffalo	
11	5	7		Yoerg, Henderson
11		1	Allegany SP Amherst	Baird
	16	1		Pawlicki
Red-headed Wdpkr.	13	1 '	Beaver I. SP	Sharon
	18	1 imm	Lakeside Memorial Pk.	Pawlicki, Watson
Olive-s. Flycatcher	4	1	Amherst SP	Salembier
11	9	I	Amherst	Pawlicki
11	16	I	Allegany SP	Baird
	23L	I	Charlotte	Rew

	<u>Species</u>	September	Number	Location	Observer(s)
	Eastern Wood-Pewee	27	1	Williamsville	Salembier
	Yellow-b. Flycatcher	2F	1	Rock Point PP (Ont)	Watson, Rothman et al
	H .	9	1	Wilson	D'Anna, Potter
	н	15	1	Tifft NP	Salembier
	11	21L	1	Williamsville	Salembier, Pawlicki
	Least Flycatcher	19L	1	Amherst SP	Salembier
	Gr. Cr. Flycatcher	12	1	Bethany .	Beattie
	II .	12	1	Amherst SP	Salembier
	11	13L	1	Tifft NP	Watson
*	Western Kingbird	10	1	Port Weller (Ont)	Pawlicki
	Eastern Kingbird	8L	2	Tonawanda WMA	D'Anna et al
	Warbling Vireo	15; 16	3; 2	Tifft NP	Dievendorf; Morgante
	"	16	2	Amherst	Pawlicki
	11	16	1	Goat I.	
	**	21L	1	Williamsville	D'Anna, Potter Salembier
	Philadelphia Vireo	8	2	Oak Orchard WMA	
	" Timaderpina vireo	9	1	Wilson	Pawlicki, D'Anna et al
	11		1		D'Anna, Potter
	"	14	1	Bethany	Beattie
	11	16	1	Pomfret Tigg. ND	Mosher
	11	20	2	Tifft NP	Salembier
		30	1	Amherst SP	Salembier
	Red-eyed Vireo	4	22	Amherst SP	Salembier
	Common Raven	15	3	Charlotte	Rew
		16, 28	2, 1	Allegany SP	Baird
	"	30	1	Salamanca	Baird
	Horned Lark	21	45	Porter	D'Anna
	Bank Swallow	15L	1	Tonawanda WMA	D'Anna
	Carolina Wren	2	1	Fort Erie (Ont)	Watson et al
		11	1	Tifft NP	Watson
	11	24	2	Amherst SP	Salembier
	11	28	1	Wilson	Watson
	Winter Wren	9F	l	Wilson	D'Anna, Potter
	Golden-cr. Kinglet	24F	1	Wilson	Potter
	Ruby-cr. Kinglet	9F	1	Williamsville	Salembier
	**	9F	1	Wilson	D'Anna, Potter
	**	15	2	Tifft NP	Dievendorf, Sweeney
	Veery	12	1	Wilson	D'Anna, Potter
	"	22L	1	Tifft NP	Salembier
	Gray-cheeked Thrush	11F	1	Tifft NP	Watson
	"	13 - 30	1 - 4	Throughout WNY	Several observers
	11	26	8	Tonawanda	Hess
	Swainson's Thrush	1F	1	Wilson	D'Anna
	"	5	1	Amherst SP	Pawlicki, Salembier
	"	13	2	Tifft NP	Watson
	"	26	55	Tonawanda	Hess
	Hermit Thrush	13F	1	Tifft NP	Pawlicki, Watson
	"	16	1	Wilson	Potter
	Brown Thrasher	16	14	Amherst	Pawlicki
	American Pipit	15F	1	Oak Orchard WMA	Watson, D'Anna et al
	"	23	10	Dunnville (Ont)	Yoerg, Henderson
	Golden-wing. Warbler	4F	2	Amherst SP	Salembier
	Orange-cr. Warbler	15F, 20	1, 1	Tifft NP	Salembier
	Nashville Warbler	3F	1	Wilson-Tuscarora SP	Potter
	H	13;15,22	11; 28, 17	Tifft NP	Watson; Salembier

<u>Species</u>	September	<u>Number</u>	Location	Observer(s)
Northern Parula	13; 15	1; 3	Tifft NP	Watson et al; Salembier
11	15	1	Golden Hill SP	Potter
11	27	2	Williamsville	Salembier
Yellow Warbler	15	1	Golden Hill SP	Pawlicki, D'Anna et al
ti .	15	1	Oak Orchard WMA	Watson et al
11	15; 16L	3; 2	Tifft NP	Salembier; Morgante
Chestnut-s. Warbler	15	10	Tifft NP	Salembier
Magnolia Warbler	15; 16	22; 12	Tifft NP	Salembier; Morgante
Cape May Warbler	9	1	Pomfret	Mosher
"	9	5	Allegany SP	Baird
11	29	1	Williamsville	Salembier
Blthr. Blue Warbler	9	2	Wilson	Potter
"	15	5	Tifft NP	Salembier
11	15	1	Golden Hill SP	Watson
Yellow-r. Warbler	2F	1	Rock Point PP (Ont)	Pawlicki, D'Anna et al
H H	8	1	Wilson	D'Anna, Potter
Blthr. Green Warb.	9	5	Wilson	D'Anna, Potter
n	15, 22	12, 10	Tifft NP	Salembier
Blackburnian Warbler	16	1	Goat I.	D'Anna, Potter
II	24	1	Amherst SP	Salembier
Pine Warbler	1	1	Pt. Gratiot	Mosher, Chilton
"	3	1	Fort Niagara SP	Potter, D'Anna
11	9, 11, 29	1, 1, 1	Williamsville	Salembier
11	28	1	Wilson	Potter
Palm Warbler	9F	2	Amherst	Pawlicki
"	16, 23	2, 1	Allegany SP	Baird
Bay-breasted Warbler	3	1	Wilson	D'Anna, Potter
"	13; 15	8; 5	Tifft NP	Pawlicki et al; Salembier
Blackpoll Warbler	11 - 16	2 - 12	Tifft NP	Pawlicki, Watson et al
"	21	1	Bethany	Beattie
Black-&-white Warb.	8	1	Oak Orchard WMA	D'Anna et al
**	11; 15	1; 3	Tifft NP	Watson; Salembier
0	21	2	Bethany	Beattie
Ovenbird	11; 16	1; 1	Tifft NP	Watson; Morgante
11	25	2	Amherst SP	Salembier
Northern Waterthrush	3; 5	1; 1	Amherst SP	Salembier; Pawlicki et al
"	9	1	Wilson	D'Anna, Potter
Mourning Warbler	14	2	Bethany	Beattie
"	23L	2	Allegany SP	Baird
Hooded Warbler	8	2	Iroquois NWR	Pawlicki, D'Anna, Potter
**	11	1	Wilson	Potter
11	15	1	Tifft NP	Salembier
11	28L	1	Allegany SP	Baird
Wilson's Warbler	10	1	Pomfret	Mosher
11	14	1	Bethany	Beattie
"	15,22	12, 2	Tifft NP	Salembier
Canada Warbler	9	2	Wilson	D'Anna, Potter
"	15	1	Tifft NP	Salembier
Scarlet Tanager	27	2	Williamsville	Beattie
"	30	2	Amherst	Pawlicki
Lincoln's Sparrow	1F	1	Dunkirk Harbor	Mosher, Chilton
	5	1	Amherst SP	Pawlicki, Salembier
	9, 21	1, 1	Wilson	D'Anna, Potter
11	16, 23	2, 1	Allegany SP	Baird

Species	<u>September</u>	<u>Number</u>	Location	Observer(s)
n =	30	3	Iroquois NWR	Yoerg, Henderson
White-thr. Sparrow	6F	1	Williamsville	Salembier
11	6F	1	Wilson	D'Anna, Potter
White-cr. Sparrow	29F	7	Golden Hill SP	D'Anna, Potter
"	30	3	Iroquois NWR	Yoerg, Henderson
Dark-eyed Junco	20F	1	Wilson	D'Anna, Potter
Lapland Longspur	<u>21F</u>	1	Porter	D'Anna
Rusty Blackbird	<u>13F</u>	3	Tifft NP	Pawlicki, Watson et al
11	15; 16	8; 6	Tifft NP	Dievendorf; Morgante
Purple Finch	30	2	Amherst	Pawlicki

Species, subspecies, and hybrids previously recorded this year:

Species, subspecies, and hybrids recorded for this month:

Out

Total for the year 2007:

269

269

273

Statisticians' Note I: If any observer wishes to know the status of their verification report, please contact the Statisticians and we will give them the reasons for our decision. Please mail reports for each month not later than the FIFTH day of the following month to the Compiler: Bruce Chilton 88 Pryor Avenue, Tonawanda, NY 14150; Email: BChi314159@aol.com. **Statisticians' Note II**: We are asking members of the BOS and any other birders who send in reports to the BOS to advise us as soon as they can of any possible errors in regard to records published in the Prothonotary, particularly in the Noteworthy Records so that we can make any necessary changes as soon as appropriate.

2007 Christmas Bird Counts

- **December 16: Sunday. BOS Buffalo, NY Count.** Compiler: Bill Bogacki (435-4426).
- **December 16: Sunday. St. Catharines CBC.** Compiler: MarcieJacklin(mjacklin@brocku.caor905-871-2577).
- December 22: Saturday. Wilson-Lake Plains CBC. Compiler: Garner Light (772-5110 or garnerlight@hotmail.com).
- **December 22: Saturday. Beaver Meadow CBC.** Compiler: Paul Fehringer (585-457-3228; fehringer@buffaloaudubon.org). Meet 7:30 AM at Audobon Cntr.
- December. 27: Thursday. Oak Orchard CBC. Compiler: Gail Seamans (585-937-5105 or gails@netacc.net).
- December 28: Friday. Niagara Falls ON-NY CBC. Contact Willie D'Anna (751-3637 or dannapotter@roadrunner.com) to work on the NY side. Contact Kayo Roy (905-892-4433 or kayoroy@niagara.com) to work on the Canadian side. All payments and data go to the compiler, Kayo Roy, 13 Kinsman Court, Fonthill, Ontario, Canada LOS 1E3.
- **December. 29: Saturday. Hamburg East Aurora CBC.** Compiler: Tom O'Donnell (284-5569 or tmodonnell@roadrunner.com)

Return Service Requested

Non. Profit Org.
U.S. Postage
PAID
Buffalo, NY
Permit No. 412

Albert R. Mann Library Acquisitions Division-Serials Cornell University Ithaca, NY 14853-4301



14853+0099 COSA

November - January Calendar

BOS website http://www.bosbirding.org/



Buffalo-Niagara Region Dial-a-Bird: 716-896-1271


Nov. 14: BOS Meeting at 7:00 PM in the Cummings room of the Buffalo Museum of Science. Kristina Klees of the University at Brockport's Department of Environmental Science and Biology will discuss her research on the topic of "Habitat Selection of Shrubland Birds in the Grea Lakes Plain Region of New York State: Implications for Conservation and Management".

Nov. 18: Sunday. Niagara River joint trip with Rochester Birding Association, for gulls and waterfowl. Meet at 9:00 AM at Fort Niagara State Parlin the parking lot just outside the old fort. There is heightened security at the border. Bring at least two forms of ID including photo ID and proof of citizenship, such as birth certificate, passport, or voter registration card. Noncitizens should bring passports. Dress warmly. Leaders: BOS Mike Hamilton (881-6709 or mhsr@wzrd.com) and RBA Bob Spahn (585-671-5690 o RSPAHN@prodigy.net).

Nov. 24: SATURDAY. Niagara River field trip from Fort Erie to Niagara on-the-Lake for ducks, gulls, and other waterbirds. Meet at 8:00 am at Vermont and Busti in Buffalo where we will then proceed over the Peace Bridge into Fort Erie, ON. There is heightened security at the border, so please bring at least two forms of identification including photo ID and proof of citizenship (birth certificate, passport, or voter registration card). Dress warmly. This is will be an all day trip. Leader: Jim Pawlicki (289-2204 or jmpawli88@aol.com).

Dec. 12: Buffalo Ornithological Society Annual Holiday Celebration at 7:30 PM in the Cummings Room of the Buffalo Science Museum. Pleasibring a treat to share and enjoy an evening of birding friendship.

Jan. 23: BOS Meeting at 7:00 PM in the Cummings room of the Buffalo Museum of Science. Tom Somerville (NYS DEC fish and Wildlife Techn cian) and Connie Adams (NYS DEC Wildlife Biologist) will discuss "Wha are the Buffalo Peregrines Eating?" They have very interesting wing and tail remains for some of the BOS bird experts to help them identify.



Published Monthly by the

BUFFALO **O**RNITHOLOGICAL SOCIETY

Volume 73, No. 11 November, 2007

THE MONTH: October

Bill Watson

The Weather: It was the warmest October in sixty years, and the third warmest in 137 years of Buffalo records, with only 1900 and 1947 being higher. Our "endless summer" continued with an average temperature of 58.8 °F (8.1 °F above normal) making the autumn foliage remain more than two weeks later than normal. The first nine days of the month were 14 °F warmer than normal. After a slight cool down, unseasonably warm weather again returned between the 17th and 23rd. It was not until the 29th that a widespread frost ended the abnormally long growing season. The May to October average temperature was 65.9 °F, making it the warmest six-month period in Buffalo history, and breaking the 1959 record of 65.7 °F. This unusually warm weather was at least partially responsible for lingering migrants and unusually late birds such as White-eyed Vireo on the 4th, Blue-gray Gnatcatcher on the 30th, Baltimore Oriole on the 26th, and twenty Bobolinks on the October 14th Count.

The 2.73 inches of rainfall was only 0.46 below normal. The 0.87 inches of rain falling on the 23rd eased drought conditions somewhat, but the region was still in moderate drought status for most of the month. October was fairly cloudy with only 41% of the possible sunshine, about nine points less than average. The high winds with a peak gust of 44 mph and a bearing of 230° (approximately from the southwest) on the 27th produced a jaeger species and a Little Gull at Athol Springs, while winds with a peak gust of 26 mph bearing 300° on the 28th resulted in a Parasitic Jae-

The Month 87 Bill Watson **Short-eared Owl Study** 89 Chuck Rosenberg **Noteworthy Records** Bruce Chilton

94 October Count – 2007 Michael Hamilton

98 Shorebird Count – 2007 Terry Yonker

BOS Calendar 100

ger at Golden Hill State Park and another jaeger species at Four Mile Creek State Park, both on the south shore of Lake Ontario.

Early Arrivals:

There were no earlier than expected migrants requiring verification report in October. The

Brant observed on the 10th at Olcott is the only bird possibly worthy of mention. Was the lack of early arrivals partially caused by the extremely warm weather?

Late Departures: In contrast, there were three late migrants requiring verification reports. At Tifft Nature Preserve a Blue-gray Gnatcatcher was examined by Debbie Sharon on the 28th and Richard Salembier on the 30th. The only later fall Blue-gray Gnatcatcher was found at Rock Point Provincial Park on November 1st and 23rd in 2003 by Willie D'Anna. The flock of twenty **Bobolinks** found by the Ziebarths and others on the October 14th Count found on Gorton Road near Ledge Road in the Town of Alabama is our most late record for this species. There are five other early October records, and all but one is of a single bird. Finally, on the 26th in Williamsville, Richard Salembier described a "Cardinal size" ... "orange" bird in his back yard that he identified as an immature Baltimore Oriole. This is the latest record of this species in 32 years. In 2005 Betsy Potter observed a Baltimore Oriole on the 21st and 25th. These unusually late records over the last two years



The Prothonotary is published monthly by the Buffalo Ornithological Society, Buffalo Museum of Science, Buffalo, NY 14211. Send subscriptions and address changes to the Corresponding Secretary, Karen Landau, S-9195 State Road, Colden, NY 14033. The regular subscription rate is \$20/year. Back issues are available from the Treasurer for \$2/issue.

Please mail correspondence to: Jack Skalicky 178 N. Main Street #55 Salt Lake City, UT 84103-2075 [Email] skalicky@biochem.utah.edu Ed. Consultants: Robert Andrle

Gerry Rising
William Watson

Proth. Publishing: Audrey Horbett Eileen Hull

Society Officers:

President: Thomas O'Donnell V. President: Michael Morgante Treasurer: Gerald Lazarczyk Secretary: Donna DeLeon Statisticians: Robert Andrle Frances Rew Archivist: Audrey Horbett Council: 2005-2007 Mike Galas Gerald Lazarczyk Gail Seamans 2006-2008 Douglas Beattie Lynne Landon Elizabeth Wells 2007-2009 Donna DeLeon Richard Miga William Watson

begs the question: Is Baltimore Oriole going to return to the late fall and winter status it enjoyed forty years ago?

Unusually high counts: The 93 Piedbilled Grebes on Chautauqua Lake at Mayville on the 28th is only bettered by the 192 Piedbilled Grebes on Chautauqua Lake at Celeron on November 10, 2005. The four Eared Grebes observed at Batavia Waste Water Treatment Plant on the 6th ties the previous October high. The 112 Great Egrets counted at Tonawanda WMA is far more than the previous October high of 33 observed at Iroquois NWR on October 3, 1999. (Note: this enormous increase is primarily a result of finding a night roost location.) Strong west-northwest winds on the 28th not only brought in jaegers for Yoerg and Henderson at Four Mile Creek State Park and D'Anna and Potter at Golden Hill State Park, but also large

numbers of Dunlin (200 at Four Mile Creek S. P. and 230 at Golden Hill S. P.). The only prior fall count greater than 230 was 250 at St. David's, Ontario, on October 24, 1972. The thirteen Northern Saw-whet Owls banded by Dave Junkin his station in Wethersfield the night of the 12th is also a very impressive count.


Rarities: Four of the rarities always required written verification reports: Yellow (Eastern) subspecies of Palm Warbler, Rufous Hummingbird, Ross's Goose, and Sharptailed Sparrow. Richard Salembier and Jim Pawlicki both noted the yellowish supercilium, bright yellow throat, breast, sides, belly, flanks, and undertail coverts of a *Dendroica palmarum hypochrysea* (Yellow or Eastern Palm Warbler) found at Amherst State Park. There are only two previous fall records of this subspecies and the October 24th record is the latest, documented record. If the Eastern Palm Warbler was the subspecies of the month, the hatch year female Rufous Hummingbird was the species of the month. This hummingbird was making frequent visits to the feeders at the home of Larry Wilson, who lives at 9705 Main Street (Route 19) Houghton, New York. There have

been only two other documented Rufous Hummingbirds in the BOS area, both recent, one in Colden, New York, in 1996 and one in Niagara Falls, Ontario, in 2004. Although both a male and a female were observed in Houghton, only the female was successfully documented by observers. First year female Rufous and Allen's Hummingbirds are very similar; a most reliable field mark is the widths and shapes of the tail feathers. When this bird was banded by Erin Karnatz she confirmed the Rufous' identification. If anyone observed the less cooperative male, please submit a written verification report of your observations. If accepted, this would be the first record of two Rufous Hummingbirds at one location in our area. On the 12th at Port Weller, Ontario, Jim Pawlicki found a bird "about the overall size and shape of a Swamp Sparrow," but "the supercilium, lores, malar, throat, and lower edge of the auriculars were a rich orange buff." His further description left no doubt that this bird was a Nelson's Sharp-tailed **Sparrow**. There are only four later autumn records of this species. On the October 14th Count, Mike Morgante found a Ross's Goose in the Town of Bennington. This is the first October Count record of Ross's Goose. The only other October record of a Ross's Goose is from a single bird in Cold Springs, Cattaraugus County on October 7 and 9, 1992.

In past Octobers, we usually had a half dozen or so "all year" rarities that required verification reports. This October we had only four. I believe this decrease is largely the result of widespread changes in the writeup dates in the new 2006 Verification Date Guide. The Cackling Geese, Cattle Egret, and Eared Grebes reported in this issue would have been "all year" verification reports in previous years. Under last years guidelines there would have been seven "all year" verification reports. Finding a bird that now necessitates an "all year" verification report is a remarkable find, and you should take a considerable amount of pride in writing that report.

The White-eyed Vireo found by Richard Salembier at Tifft NP is only the sixth fall migrant to be found in our area since 1963. Curiously, four of the six record have occurred in the last three years. Although this at first looks like a trend of this species increasing in the fall, since all four recent reports are from Tifft Nature Preserve, it may represent the behavior of one anomalous individual Whiteeyed Vireo! The five Sandhill Cranes found at North Feeder Marsh on the Tonawanda WMA are our first October record of this species in Noteworthy Records database. This sighting was complemented by October Count records of five Sandhill Cranes found at Goose Pond at the Oak Orchard WMA, three in Fort Erie and two more on Meadows Road in South Cayuga. Previous to 2003 there were no October records of this expanding western species. The only month that currently does not have a Sandhill Crane record is February.

The two Cackling Geese discovered on the BOS Ontario Plains Field Trip at Barker on the 27th and the four found by Willie D'Anna and Betsy Potter at Somerset on the 28th are only our fourth and fifth records for this newly split



HY female Rufous Hummingbird photographed by Jim Pawlicki at Houghton, NY (Allegany County) on October 15, 2007. Inset shows additional detail.

species. There are six previous October records in the Noteworthy Records database, for what would have been this SPECIES, prior to the split. There were two Cattle Egret found on Waterport-Carlton Road in the Town of Carlton on the 20th. Previous October Cattle Egrets records are from the years 1964, 1969 and 2001.

Sometimes birds are rarities because of their location. The uncommon gulls and some ducks, such as scoters, are very rarely observed away from the Great Lakes, Niagara River, and Chautauqua Lake. The two Lesser Black-backed Gulls found on the 15th on Rushford Lake are our first Noteworthy Records database records of this species in Allegany County while four White-winged Scoters found by Jerry Lazarczyk on Cuba Lake are our first fall record of this species in Allegany County in 18 years.

I would like to acknowledge the following sources for providing information in the writing of The Month.

Beardslee, C. S. and H. D. Mitchell. 1965. *Birds of the Niagara Frontier Region*. Bulletin of the Buffalo Society of Natural Sciences, vol. 22.

DiTomasso, D. D. Suggs et al. Noteworthy Records database 1964-2005.

McLaughlin, S. U. S. National Weather Service, Buffalo, NY.

Suggs, David et. al. 2002. Seasonal Checklist of the Birds - The Niagara Frontier Region. Buffalo Ornithological Society, Inc.


Short-eared Owl Study

Chuck Rosenberg

The New York State Department of Environmental Conservation (NYSDEC) is completing a statewide study of the Short-eared Owl, a state-listed endangered species. The study will monitor Short-eared Owl movements, using night-vision scopes and radio-telemetry, to identify habitat characteristics important for over-wintering owls. Another objective of the study will be to compile recent observation records for entry into the New York Natural Heritage Program database. These records will be used toward establishing a long-term population monitoring program. The NYSDEC will ultimately apply the findings of the study toward developing grassland management practices to benefit over-wintering Short-eared Owl populations.

The NYSDEC is soliciting assistance from the Buffalo Ornithological Society in identifying recently active Shorteared Owl sites. Although we are most interested in 2007-2008 records, we would also welcome records dating back to 2000. Please report observations to:

Chuck Rosenburg NYS Dept. Environmental Conservation, 270 Michigan Avenue, Buffalo, NY 14203-2999, (716) 289-3122, cprosenb@gw.dec.state.ny.us



NOTEWORTHY RECORDS

Underlined common names, dates or localities indicate that an acceptable, detailed written verification according to the *Date Guide to Birds of Western New York and Adjacent Ontario* (Eighth Edition - Revised 2007) has been received and placed in the permanent files of the Buffalo Ornithological Society. Underlines of numbers of birds indicate unusually high counts for species. Such numbers must be accompanied by detailed notes on the observations including counting methods used by observers.

- * Indicates first record for the year.
- F Indicates first record for the migration.
- L Indicates last record for the migration.
- (f) Indicates record from feeding station. (n) Indicates nest(s). (yg) Indicates young.

PDBA - Indicates Previously Documented Breeding Area.

Species	<u>October</u>	<u>Number</u>	Location	Observer(s)
Cackling Goose	27	2	Barker	Watson, D'Anna (BOS)
II .	28	4	Somerset	D'Anna, Potter
Brant	10F	1	Olcott	Watson
H .	18, 28	14, 50	Ft. Niagara SP	Lazarczyk et al; Yoerg et al
u .	20	2	Athol Springs	D'Anna, Yoerg et al
II.	27	36	Barker	Watson, D'Anna (BOS)
Mute Swan	10	2	Olcott	Watson
u .	13	2	Waterport	Watson, Pawlicki
tt.	24	6	Wilson-Tuscarora SP	Sharon
tt.	28	2	Cassadaga Lake	Pawlicki, Watson, Lazarczyk
Gadwall	20	30	Athol Springs	D'Anna et al
American Black Duck	30	24	Batavia WWTP	Watson
Northern Shoveler	6; 30	150; 242	Batavia WWTP	Watson et al; Watson
Northern Pintail	28	69	Golden Hill SP	D'Anna, Potter
Redhead	13F	2	Buffalo	Wojewodzki, J Landau
"	28	7	Golden Hill SP	D'Anna, Potter
Ring-necked Duck	5	2	Iroquois NWR	Morgante
11	5; 6	1; 4	Batavia WWTP	Morgante; Watson et al
Greater Scaup	26	445	Niagara Falls	Pawlicki, Gochfeld
Lesser Scaup	5	1	Batavia WWTP	Morgante
"	26	220	Niagara Falls	Pawlicki, Gochfeld
Surf Scoter	18	25	LaSalle Pk, Bflo.	Pawlicki, Watson
11	20; 27	2; 1	Athol Springs	D'Anna et al; Yoerg
11	27	20	Barker	Watson, D'Anna (BOS)
11	28	37	Golden Hill SP	D'Anna, Potter
White-winged Scoter	10	4	Olcott	Watson
"	16	4	Cuba Lake	Lazarczyk, Watson
11	27	50	Barker	Watson, D'Anna (BOS)
11	28	375	Golden Hill SP	D'Anna, Potter
Black Scoter	27	1	Barker	Watson, D'Anna (BOS)
II.	28	2	Somerset	D'Anna et al
H.	28	17	Four Mile creek SP	Yoerg, Henderson
Long-tailed Duck	28	425	Golden Hill SP	D'Anna, Potter
Bufflehead	28	200	Mayville	Pawlicki, Watson, Lazarczyk
11	28	54	Golden Hill SP	D'Anna, Potter
11	30	34	Batavia WWTP	Watson
Common Goldeneye	26	25	Niagara Falls	Pawlicki, Gochfeld
11	28	21	Golden Hill SP	D'Anna, Potter
Common Merganser	5F; 30	25; 52	Batavia WWTP	Morgante; Watson
Ruddy Duck	28	800	Mayville	Pawlicki, Watson, Lazarczyk
tt.	30	428	Batavia WWTP	Watson
Red-throated Loon	10F	2	Olcott	Watson
Common Loon	10	8	Olcott	Watson

<u>Species</u>	<u>October</u>	Number	Location	Observer(s)
"	27	50	Barker	Watson, D'Anna (BOS)
"	28	135	Golden Hill SP	D'Anna, Potter
Pied-billed Grebe	28	<u>93</u>	Mayville	Pawlicki, Watson, Lazarczyk
Horned Grebe	27	38	Barker	Watson
Red-necked Grebe	21	1	Ft. Niagara SP	Landon, Yonker
"	28	1	Golden Hill SP	D'Anna, Potter
Eared Grebe	6; 30	4; 3	Batavia WWTP	Watson et al; Watson
Dcrested Cormorant	10	701	Buckhorn I. SP	Watson
Great Egret	5	1	Tifft NP	
"	5	1		Watson
**		0. 112	Batavia WWTP	Morgante
**	5; 9 19	8; 112	Tonawanda WMA	Morgante; Watson
Cattle Forest		1	Beaver I. SP	Sharon
Cattle Egret	20F	l 75	Carlton	Pawlicki
Turkey Vulture	30	75	Lewiston	Yonker
Osprey	21	l -	Buckhorn I. SP	Pawlicki
Bald Eagle	6	5	Oak Orchard WMA	D'Anna (NYSOA)
	27	1 imm	Yates	Watson, D'Anna (BOS)
11	31	1	Grand I.	Yonker
Rough-legged Hawk	20F	1	Centerville	M&J Forness
"	27	2	Yates	Watson, D'Anna (BOS)
"	30	1	Ward	Brooks
Merlin	5	1	Tonawanda WMA	Morgante
"	6	1	Batavia WWTP	Watson et al
H	20	1	Athol Springs	Watson, Yoerg, D'Anna
"	26	1	Goat I.	Pawlicki
"	27	1	Yates	Pawlicki, D'Anna (BOS)
Peregrine Falcon	5	1	Iroquois NWR	Morgante
11	8	1	Orchard Park	Yoerg, Henderson
**	10	1	Olcott	Watson
**	24	1	Amherst	Pawlicki
Common Moorhen	5; 6	1; 3	Tonawanda WMA	Morgante; D'Anna (NYSOA)
American Coot	21	70	Buckhorn I. SP	Pawlicki
**	28	<u>850</u>	Mayville	Pawlicki, Watson, Lazarczyk
"	28	79	Dunkirk Harbor	Pawlicki, Watson, Lazarczyk
Sandhill Crane	<u>13</u>	5	Tonawanda WMA	Pawlicki, Watson
Greater Yellowlegs	5	3	Iroquois NWR	Morgante
"	9; 13	2; 16	Tonawanda WMA	Watson; Pawlicki, Watson
Sanderling	7	6	Bird I. Pier	Yoerg, Henderson
Least Sandpiper	6L	2	J White WMA	D'Anna (NYSOA)
		1	Tonawanda WMA	Pawlicki
White-r. Sandpiper	6	1		
Baird's Sandpiper	8L	1 1	Allegheny Reservoir	Yoerg, Henderson
Pectoral Sandpiper	8	1	Allegheny Reservoir	Yoerg, Henderson
Dunlin	5F	3	Iroquois NWR	Morgante
	7	9	Bird I. Pier	Yoerg, Henderson
	28	<u>230</u>	Golden Hill SP	Potter, D'Anna
" 	28	<u>200</u>	Four Mile Creek SP	Yoerg, Henderson
Stilt Sandpiper	6L	1	Oak Orchard WMA	D'Anna (NYSOA)
Wilson's Snipe	12	35	St. Davids (Ont)	Pawlicki
"	31	5	Attica	Dart, Beattie
Parasitic Jaeger	28	1	Golden Hill SP	D'Anna, Potter
Little Gull	27F	2	Athol Springs	Yoerg
H .	28	2	Four Mile Creek SP	Yoerg, Henderson
Bonaparte's Gull	28	190	Golden Hill SP	D'Anna, Potter
Herring Gull	15	<u>1150</u>	Rushford Lake	Pawlicki, Watson

	Species	<u>October</u>	Number	Location	Observer(s)
	Lesser Black-b. Gull	15	2	Rushford Lake	Pawlicki, Watson
	11	26	2	Goat I.	Pawlicki, Gochfeld
	Common Tern	28	1	Chautauqua Lake	Pawlicki, Watson, Lazarczyk
	Forster's Tern	20L	1	Athol Springs	D'Anna, Watson, Yoerg
*	Nor. Saw-whet Owl	11F, 12, 15, 16	1, 13, 4, 2	Wethersfield	Junkin
*	Rufous Hummingbird	15, 16	1	Houghton	Pawlicki, Watson, Lazarczyk et al
	Eastern Wood-Pewee	2, 3	1, 1	Amherst SP	Salembier
	11	13L	1	Bethany	Beattie
	Northern Shrike	28F	1	Ellery	Pawlicki, Watson, Lazarczyk
*	White-eyed Vireo	<u>4</u>	1	Tifft NP	Salembier
	Blue-headed Vireo	16	1	Amherst SP	Salembier
	Red-eyed Vireo	2	1	Amherst SP	Salembier
	11	8	1	Wilson	Pawlicki
	Common Raven	8	1	Allegany SP	Yoerg, Henderson
	"	15	3	Houghton	Pawlicki, Beattie et al
	н	15	2	Freedom	Watson, Pawlicki
	11	15, 22	2, 1	Alfred	Brooks
	11	21	2	Houghton	Yoerg, Henderson
	11	24, 25	1, 1	Andover	Brooks
	Horned Lark	31	37	Bethany	Dart, Beattie
	N. Rough-w. Swallow	13	15	Iroquois NWR	Watson, Pawlicki
	Carolina Wren	3	1	Beaver I. SP	Hess
	"	7	1	Amherst SP	Salembier
	11	19	1	Grand I. (f)	Lazarczyk
	11	31	1	Eden (f)	Andrle
	House Wren	18L	1	Tifft NP	Salembier
	Winter Wren	2, 10	11, 8	Amherst SP	Salembier
	willer wiell	2, 10	3		Landon
	19		3	Ft. Niagara SP Tifft NP	
	Manala Winesa	11	1	Tifft NP	Salembier . Salembier
	Marsh Wren	11	1	•	
		21L	1	Buckhorn I. SP	Pawlicki
	Golden-cr. Kinglet	4	25	Ft. Niagara SP	Landon
	Blgr. Gnatcatcher	28; 30L	1; 1	Tifft NP	Sharon; Salembier
	Eastern Bluebird	3	8	Amherst SP	Salembier
	"	10	9	Barker	Watson
		28	11	Bethany	Beattie
	Gray-cheeked Thrush	10L	1	Amherst SP	Salembier
		10L	1	Tonawanda	Hess
	Swainson's Thrush	10L	2	Amherst SP	Salembier
	Northern Mockingbird	6	1	Iroquois NWR	Pawlicki
	11	11, 18	2, 2	Tifft NP	Salembier
	"	15	1	Houghton	Pawlicki, Watson
	Brown Thrasher	30L	1	Tifft NP	Salembier
	American Pipit	5	26	Bethany	Dart, Beattie
	Tennessee Warbler	8L	1	Wilson	D'Anna, Potter
	Orange-cr. Warbler	8	1	Wilson	D'Anna, Potter
	11	10	1	Amherst SP	Salembier
	11	23	1	Williamsville	Salembier, Pawlicki
	"	25L	1	Alfred	Brooks
	Nashville Warbler	6, 7	1, 2	Goat I.	D'Anna et al
	"	11L	5	Tifft NP	Salembier
	Magnolia Warbler	2	2	Amherst SP	Salembier
	11	7	1	Goat I.	Watson, D'Anna et al
	Cape May Warbler	7L	2	Goat I.	Watson, D'Anna et al

	Species	October	<u>Number</u>	<u>Location</u>	Observer(s)
	Blthr. Blue Warbler	4L	1	Tifft NP	Salembier
	Yellow-r. Warbler	4	150	Tifft NP	Salembier
	11	4	45	Ft. Niagara SP	Landon
	n	7	100	Goat I.	Watson, D'Anna et al
	Blthr. Green Warbler	7	2	Goat I.	D'Anna et al
	"	10L	1	Amherst SP	Salembier
	Pine Warbler	7	1	Goat I.	Watson, D'Anna et al
	11	11	1	Tifft NP	Salembier
	11	21	1	Amherst	Pawlicki
	Palm Warbler	1, 5	2, 2	Bethany	Beattie
	Palm Warbler	7	2	Goat I.	Watson, D'Anna et al
*	D. p. hypochrysea	24	1	Amherst SP	Salembier, Pawlicki
	Blackpoll Warbler	4	1	Tifft NP	Salembier
		7	1	Goat I.	Watson, D'Anna et al
	Eastern Towhee	12, 26-28L	1	Wilson	Potter, D'Anna
	n .	13	2	Buffalo	Wojewodzki, J Landau
	· ii	13	1	Iroquois NWR	Watson
	Chipping Sparrow	10	33	Williamsville	Salembier
	"	26	4	Beaver I. SP	Pawlicki, Gochfeld
*	Nelson's Shtail. Spar.	12	1	Port Weller (Ont)	Pawlicki
	Fox Sparrow	12F	1	Williamsville	
	"	16, 24	1, 4	Wilson (f)	Salembier Pottor D'Anna
	11	26	1, 4	Beaver I. SP	Potter, D'Anna
		26	2	Colden	Pawlicki, Gochfeld
	11	26	5		J Landau
	Lincoln's Sparrow	10	2	Tonawanda	Watson
	"	11L	1	Amherst SP	Salembier
	White-cr. Sparrow	1112	2	Tifft NP	Salembier
	"	1	2	Tillman WMA	Salembier
	Lanland Langenur	1	30	Bethany	Beattie
	Lapland Longspur	5	3	Batavia WWTP	Morgante
	Snow Bunting	28F	2	Ft. Niagara SP	Yoerg, Henderson
	"	30	21	Batavia WWTP	Watson
		31	2	Bethany	Dart, Beattie
	Rose-br. Grosbeak	10L	1	Amherst SP	Salembier
	Indigo Bunting	11L	I	Tifft NP	Salembier
	Red-w. Blackbird	10	800	Royalton	Watson
	Eastern Meadowlark	21	6	Amherst	Pawlicki
	Rusty Blackbird	5	50	Tonawanda WMA	Morgante
		10	20	Newstead	Watson
		20	300	Iroquois NWR	Pawlicki et al
	"	26	6	Tonawanda	Watson
	Common Grackle	29	127	Grand I.	Lazarczyk
	Baltimore Oriole	<u>26L</u>	1	Williamsville	Salembier
*	Common Redpoll	30F	1	Wilson (window-kill)	Potter
	Pine Siskin	9F	1	Colden	J&K Landau
	"	19, 31	1, 8	Wilson (f)	Potter
	"	21	2	Golden Hill SP	D'Anna, Potter
	n .	21	25	Houghton	Yoerg, Henderson
	II .	23 - 24	1	Eden (f)	Andrle

Species, subspecies, and hybrids previously recorded this year:273Species, subspecies, and hybrids recorded for this month:006Total for the year 2007:279

Statisticians' Note I: If any observer wishes to know the status of their verification report, please contact the Statisticians and we will give them the reasons for our decision. Please mail reports for each month not later than the FIFTH day of the following month to the Compiler: Bruce Chilton 88 Pryor Avenue, Tonawanda, NY 14150; Email: BChi314159@aol.com.

Statisticians' Note II: We are asking members of the BOS and any other birders who send in reports to the BOS to advise us as soon as they can of any possible errors in regard to records published in the Prothonotary, particularly in the Noteworthy Records so that we can make any necessary changes as soon as appropriate.

Report of the 72ndAnnual B.O.S. October Bird Count

Date: October 14, 2007 Compiler: Mike Hamilton Weather Synopsis: Terry Yonker

Weather Synopsis

Mostly cloudy to cloudy skies prevailed over much of the count area during the day. Seasonal temperatures and light westerly winds were the rule. A high pressure area was centered over the North East

Buffalo-Niagara International Airport

Sunrise: 7:27 AM EDT Sunset: 6:35 PM EDT

TIME	WEATHER	TEMP	DEW	PRESSURE	DIR/WIND	REMARKS
			PT			
Midnight	Mostly Cloudy	52	35	29.96	W7	
3:00 am	Cloudy	50	38	29.99	W8	
6:00 am	Cloudy	49	41	30.03	W7	
9:00 am	Mostly Cloudy	50	42	30.09	W8	
Noon	Mostly Cloudy	55	43	30.12	NW10	
3:00 pm	Mostly Cloudy	56	43	30.11	NW10	
6:00 pm	Mostly Cloudy	55	44	30.14	NW8	
9:00 pm	Partly Cloudy	52	45	30.15	NW3	

Compilation: The following is a list of species recorded on the count together with the number of individuals tabulated. Bold face names indicate species for which acceptable written verifications were received. F represents first and L last dates for the fall migration, * first date for the year. Where a species was recorded in three or fewer sections, the section numbers are given in parentheses ().

parentileses ().					
GEESE - HERONS					
Snow Goose	12	(4,18)	Long-tailed Duck	F 18	(3,4)
* Ross's Goose	1	(12)		F 4	(6,8,11)
Cackling Goose	1	(13)	Common Goldeneye	F 1	(8)
Canada Goose	24650		Hooded Merganser	14	
Brant	1	(6)	Common Merganser	208	
Mute Swan	33		Red-breasted Merganser	253	
Wood Duck	385		Ruddy Duck	228	
Gadwall	18		unspecified ducks	60	(3)
American Wigeon	101		unspecified waterfowl	7	(22)
American Black Duck	98		Ring-necked Pheasant	11	
Mallard	3951		Ruffed Grouse	13	
Blue-winged Teal	161		Wild Turkey	277	
Northern Shoveler	184	(13,21)	Red-throated Loon	2	(3,4)
Northern Pintail	6	(8,13,21)	Common Loon	159	
Green-winged Teal	170		Pied-billed Grebe	81	
Redhead	59	(7,17)	Horned Grebe	F 9	
Ring-necked Duck	129		Red-necked Grebe	1	(5)
Greater Scaup	927		Eared Grebe	2	(13)
Lesser Scaup	49		Double-crested Cormorant	1152	
unspecified scaup	26	(3,8)	Great Blue Heron	144	
Surf Scoter	49		Great Egret	9	(10,11)
White-winged Scoter	457		Blk-crowned Night-Heron	2	(9)
VULTURES - CRANES	S				
Turkey Vulture	409		Cooper's Hawk	31	
Osprey	5	(3,7,13)	unspecified accipiters	1	(20)
Bald Eagle	18		Red-shouldered Hawk	9	
Northern Harrier	29		Red-tailed Hawk	306	
Sharp-shinned Hawk	31		unspecified buteos	1	(8)
American Kestrel	52		Common Moorhen	1	(5)

American Coot

Sandhill Crane

F

886

10

(5,6,8)

3

2 (9)

(6,7,8)

Merlin

Peregrine Falcon

PLOVERS - TERNS					
Black-bellied Plover	2		American Woodcock	2	(20,28)
Killdeer	493		unspecified shorebirds	1	(10)
Greater Yellowlegs	71		unspecified jaegers	2	(4)
Lesser Yellowlegs	40		Bonaparte's Gull	555	, ,
Sanderling	15	(6,7)	Ring-billed Gull	9581	
Least Sandpiper	2		Herring Gull	942	
Pectoral Sandpiper	13		Lesser Black-backed Gull	4	(19)
Dunlin	11	(1,8,13)	Gr. Black-backed Gull	52	
Wilson's Snipe	11				
PIGEONS - SWALLOV					
Rock Pigeon	2235		Northern Flicker	162	
Mourning Dove	2995	(0.0)	Pileated Woodpecker	28	((22)
Yellow-billed Cuckoo	14	(23)	unspecified woodpeckers	2	(6,22)
Eastern Screech-Owl	14		Eastern Wood-Pewee	12	(2)
Great Horned Owl Barred Owl	15		Eastern Phoebe Blue-headed Vireo	43	
Northern Saw-whet Owl	5	(24)	Red-eyed Vireo	9 L 10	(3,7,10)
Chimney Swift	11	(24) (13)	Blue Jay	1860	(3,7,10)
Rufous Hummingbird	2 1	(13) (19)	American Crow	4623	
Belted Kingfisher	50	(17)	Common Raven	31	
Red-headed Woodpecker	2	(5)	Horned Lark	376	
Red-bellied Woodpecker	204	(3)	Tree Swallow	41	
Yellow-bellied Sapsucker	26		N. Rough-winged Swallow	2	(9)
Downy Woodpecker	406		Barn Swallow	7	(1,7,13)
Hairy Woodpecker	125		unspecified swallows	200	(9)
TITS - WAXWINGS					
Black-capped Chickadee	1717		Gray-cheeked Thrush	2	(10, 13)
Tufted Titmouse	167		Swainson's Thrush	2	(20)
Red-breasted Nuthatch	126		Hermit Thrush	66	
White-breasted Nuthatch	384		Wood Thrush	2	(12,20)
Brown Creeper	49		American Robin	4929	
Carolina Wren	16	(0.7)	Gray Catbird	24	
House Wren	2	(2,7)	Northern Mockingbird Brown Thrasher	13	(20)
Winter Wren	35	(2.6)	European Starling	34912	(20)
Marsh Wren	500	(2,6)	American Pipit	492	
Golden–crowned Kinglet Ruby-crowned Kinglet	500 555		Cedar Waxwing	585	
Eastern Bluebird	428		Cedai Waxwiig	303	
Lastern Bracona	.20				
WARBLERS					
Orange-crowned Warbler	1	(12)	Pine Warbler	9	(8,14,17)
Nashville Warbler	13	(5,22)	Bay-breasted Warbler	1	(9)
Magnolia Warbler	L 1	(6)	Blackpoll Warbler	L 1	(9)
Blk-throated Blue Warbler	2	(6,12)	Black-and-white Warbler	1	(9)
Yellow-rumped Warbler	1085		Common Yellowthroat	2	(17,18)
Blk-thr'ted Green Warbler	1	(11)	unspecified warblers	2	(20)

TOWHEES - SPARRO			Northern Cardinal	416	
Eastern Towhee	33		Rose-breasted Grosbeak	2	
American Tree Sparrow	500		Bobolink	20	
Chipping Sparrow	126		Red-winged Blackbird	16713	` /
Field Sparrow Vesper Sparrow	2	(19,25)	Eastern Meadowlark	19	
Savannah Sparrow	30	(17,23)	Rusty Blackbird	708	
Fox Sparrow	F 19		Common Grackle	9318	
I on Sparrow					

Song Sparrow	800		Brown-headed Cowbird		3721	
Lincoln's Sparrow	11		Purple Finch		175	
Swamp Sparrow	101		House Finch		444	
White-throated Sparrow	1983		Pine Siskin	F	9	(6,12)
White-crowned Sparrow	1290		American Goldfinch		1747	
Dark-eyed Junco	2197		House Sparrow		2743	
unspecified sparrows	14	(8,10,20)				

Summary Information – Total Species Observed159
Total Individual Birds Observed ... 150,480

Comparisons – Associated charts, available from Michael Hamilton, give comparative summary information for the most recent decade, for the full 72 counts and decade by decade since 1935. A chart listing totals for each species per section for the 2007 count is also available. In addition the following notes are of interest:

NOTES: First count record: Ross's Goose, 1; Cackling Goose, 1; Rufous Hummingbird, 1.

Second count record: unspecified jaegers, 2. First count record was 2 in 2005

Third count record: Eared Grebe, 2, other count records were 3 in 2003 and 2 in 1997; Bobolink, 20, other count records were 1 in 1968 and 1 in 1959

First decade record: Ross's Goose, 1; Cackling Goose, 1; Rufous Hummingbird, 1; Bobolink, 20.

Second decade record: Eared Grebe, 2, first decade record was 3 in 2003; unspecified jaegers, 2, first decade record was 2 in 2005; Yellow-billed Cuckoo, 1, first decade record was 1 in 2000.

Third decade record: Brant, 1, other decade records were 14 In 2005 and 7 in 2000; Red-throated Loon, 2, other decade records were 7 in 2006 and 1 in 2000; Sandhill Crane, 10, other decade records were 3 in 2004 and 1 in 2003; Northern Saw-whet Owl, 11, other decade records were 1 in 2004 and 6 in 2002; Red-headed Woodpecker, 2, other decade records were 4 in 2006 and 3 in 2000.

Highest count since 1935 (x the average): Canada Goose, 24,650 (3.8x); Bald Eagle, 18 (9x); Cooper's Hawk, 31 (3.5x); unspecified jaegers, 2 (24x); Lesser Black-backed Gull, 4 (32x); Northern Saw-whet Owl, 11 (40x); Red-bellied Woodpecker, 204 (11.3x); Downy Woodpecker, 406 (2.5x); Hairy Woodpecker, 125 (2.9x); Pileated Woodpecker, 28 (4x); Tufted Titmouse, 167 (7x); Eastern Bluebird, 428 (2.7x); Pine Warbler, 9(9); Northern Cardinal, 416 (2.3x); Bobolink, 20 (65x). *Total of 14*

Lowest count since 1935 (% of the average): None

Highest count in past decade (x the average): Canada Goose, 24,650 (1.4x); Blue-winged Teal, 161 (2.5x); Long-tailed Duck, 18 (6x); Green Heron, 9 (1.8x); Bald Eagle, 18 (2x); Cooper's Hawk, 31 (1.5x); Red-shouldered Hawk, 9 (1.5x); Sandhill Crane, 10 (10x); unspecified jaegers, 2 (5x); Lesser Black-backed Gull, 4 (4x); Yellow-billed Cuckoo, 1 (5x); Northern Saw-whet Owl, 11, (5.5x); Red-bellied Woodpecker, 204 (2.3x); Downy Woodpecker, 406 (1.5x); Hairy Woodpecker, 125 (1.8x); Pileated Woodpecker, 28 (1.8x); Red-eyed Vireo, 10 (2.4x); Horned Lark, 376 (4.4x); Tufted Titmouse, 167 (1.6x); White-breasted Nuthatch, 384 (1.5x); Eastern Bluebird, 428 (1.7x); American Robin, 4,929 (1.7x); Pine Warbler, 9 (4.5x); Lincoln's Sparrow, 11 (1.6x); White-crowned Sparrow, 1,290 (2.5x); Dark-eyed Junco, 2,197 (2.3x) Northern Cardinal, 416 (1.2x); Bobolink, 20 (10x); Purple Finch, 175 (2.2x); HouseSparrow, 2,743 (1.5x). *Total of* 29

Lowest count in past decade (% of the average): Black-crowned Night-Heron, 2 (40%); House Wren, 2 (29%); Magnolia Warbler, 1 (25%); Black-throated Green Warbler, 1 (17%). *Total of 4*

Noteable (more than double) average increases, last decade vs entire count period (% increase): Canada Goose (272%), Mute Swan (449%), Tundra Swan (201%), Mallard (211%), Northern Shoveler (446%), Green-winged Teal (274%), Ring-necked Duck (281%), Surf Scoter (264%), White-winged Scoter (250%), Common Merganser (359%), Red-breasted Merganser (260%), Ruddy Duck (421%), Common Loon (390%), Double-crested Cormorant (580%), Great Egret (500%), Turkey Vulture (354%), Bald Eagle (413%), Sharp-shinned Hawk (219%), Cooper's Hawk (227%), Merlin (462%), Peregrine Falcon (510%), Sandhill Crane (630%), Hudsonian Godwit (225%), Stilt Sandpiper (288%), Buff- breasted Sandpiper (720%), Long-billed Dowitcher (257%), Lesser Black-backed Gull (720%), Caspian Tern (617%), Mourning Dove, (287%), Eastern Screech-Owl (213%), Barred Owl (267%), Northern Saw-whet Owl (648%), Red-bellied Woodpecker (510%), Pileated Woodpecker (219%), Blue-headed Vireo (239%), Common Raven (599%), Northern Rough-winged Swallow (310%), Tufted Titmouse (423%), Red-breasted Nuthatch (204%), Carolina Wren (354%), Northern Mockingbird (270%), Pine Warbler (404%), Bobolink (655%), Common Grackle (246%). Total of 44 Noteable (50% or less) average decreases, last decade vs entire count period (% decrease): American Black Duck (21%), Canvasback (5%), Greater Scaup (33%), Lesser Scaup (30%), Black Scoter (7%), Long-tailed Duck (28%), Common Goldeneye (21%), Ring-necked Pheasant (18%), Rough-legged Hawk (20%), Virginia Rail (32%), Common Moorhen (18%), Sanderling (48%), White-rumped Sandpiper (11%), Dunlin (23%), Little Gull (47%), Bonaparte's Gull (32%), Common Tern (3%), Red-headed Woodpecker (23%), Tennessee Warbler (24%), Chestnut-sided Wabler (29%), Magnolia Warbler (34%), Cape May Warbler (34%), Bay-breasted Warbler (30%), Ovenbird (21%), Scarlet Tanager (32%), Vesper Sparrow (7%), Snow Bunting (33%), Eastern Meadowlark (24%), Pine Siskin (24%), Evening Grosbeak (4%). Total of 30

Sections and Observers: Names of section compilers are in boldface.

- 1. Fonthill, ON: Lynne Landon, Terry Yonker
- 2. Thorold, ON: John Stevens, Katherine Stoltz, Fred Zito
- 3. Wilson, NY: Bill Broderick, Ken Cohen, Willie D'Anna, Betsy Potter, Vicki Rothman
- 4. Middleport, NY: Julie Eberhart, Doug Heckel, Marsha Heckel, Barbara Henderson, Brendan Klick, **Bill Watson**, Peter Yoerg
- 5. Oak Orchard, NY: Donald Brasure, Barabara Henderson, Morgan Jones, Suasan O'Donnell, Thomas O'Donnell, Peter Yoerg
- 6. Port Maitland, ON: Jerry Chapple, Nina Chapple, George Thomas, Chauncey Wood, Sarah Wood
- 7. Lowbanks, ON: Mike Hamilton, Marg Partridge, Jim Rozanski, Liz Wells, Margaret Wooster
- 8. Fort Erie, ON: Doug Happ, Mike Zebehazy
- 9. Grand Island, NY: Patricia Bogan, Lewis Crowell, David Friedrich, Mike Galas, Ron Hacker, Sue Hacker, Chris Hollister, Bernie Kester, Susan O'Donnell, Tom O'Donnell, Gerry Rising, Maria Zatkowski
- 10. Akron, NY: Ed Crohn, Donna DeLeon, Robert DeLeon, **Don Roberson**, Mary Ann Stegmeier, John Welte, Paul Ziebarth, Virginia Ziebarth
- 11. Buffalo, NY: Alice McKale, Marie Johnson, Jane Heyer, Chuck Rosenburg
- 12. Lancaster, NY: **Greg Coniglio**, Mike Morgante, Christine Sousa, Chris Betrus, Nancy Miller, Mahlon Miller, Gail Seamans, Wayne Gall, Mark Nichter, Paul Fuhrmann
- 13. Batavia, NY: **Douglas Beattie**, Elaine Dart, Tad Gerace, Jack Hartwig, Jane Mason, Mark Mason, Max Mason, Jim Ochterski, Paula Stone, Dana Stringham, Diane Stringham, Don Thurau, Virginia Tiede, John Volpe, Mary Volpe
- 14. Hamburg, NY: Bob Andrle, Ken Brandes, Fred Harrington, Erma Kern, Patty Madigan, Sue Saunders, Carolyn Willington
- 15. Java, NY: Bill Bogacki, Ed Ratajczak
- 16. Angola, NY: Tom Connare, Audrey Horbett, Frances Rew, George Robbins
- 17. Cattaraugus, NY: Jim Pawlicki, David Gordon
- 18. Delavan, NY: Bruce Chilton, Mike Desha, Jim Landau, Karen Landau
- 19. Fillmore, NY: Allegany County Bird Club: Andy Anderson, Sharon Anderson, Ron Andrews, Pauline Barber, **Doris Burton**, Faye Clancy, James Fegley, John Hasper, Dora Lilly, Dan Merritt, Meg Merritt, Louise Mills, Mary Rauhe,
 Michael Raybuck, Theresa Rork, Linda Roth, Elaine Smith, Ann Voss, Denton Willett, Jean Wilson, **Larry Wilson**, Richard Wilson
- 20. Dunkirk, NY: Lake Erie Bird Club: Chris Budniewski, Ray Budniewski, Dick Clarke, Sylvia Clark, **Paul Farver**, Joanne Goetz, Tom Goetz, Joe Gula, Carol Hardenberg, Terry Mahoney, Jane McMaster, Terry Mosher, Lucille Neveu, Bob Peterson, Beverly Roska, John Roska, Audrey Schafer, Mary Sherman, Jeanine Smith, Ted Taft, Jordan Whitner
- 21. Cherry Creek, NY: Jamestown Audubon Society: Jesse L. Nelson, Joanne E. Nelson, Linda O'Brien, William O'Brien, **Bob Sundell**
- 22. Sherman, NY: Jamestown Audubon Society: Paul Baglia, Ann Beebe, Sue Lawton, Linda O'Brien, Sally Martinez, **Bob** Sundell
- 23 Frewsburg, NY: Jamestown Audubon Society: Jean Pigman, Mary Shaul, Thomas Simmons, **Bob Sundell**
- 24. Salamanca, NY and Allegany State Park: Cattaraugus County Bird Club: Tim Baird, Tom Le Blanc
- 25. Allegany, NY: Cattaraugus County Bird Club: **Tim Baird**, Joyce Ermer, Mike Ermer, Jeff Reed, James VanScoy, Regina VanScoy
- 26. Cuba, NY: Allegany County Bird Club: Doris Burton, Bob Smalley
- 27. Bolivar, NY: Allegany County Bird Club: Russel Allen, Ann Brocci, **Doris Burton**, Helen Link, Marie Paxhia, William Sanford
- 28. Alfred, NY: Allegany County Bird Club: Russell Allen, Charlotte Anderson, Dan Babcock, Ellen Baker, Carol Behn, Don Brink, Lorna Brink, Betsy Brooks, Doris Burton, Mary Lou Cartledge, **Diane Converso**, Jim Copenheaver, Paul Culley, Elsie Cushing, Karol Doty, Marge Dugan, Peter Finlay, Terry Finlay, John Gradoni, Geri Hills, Ralph Hills, Pat Hulse, Betty Kellog, Wayne Kellog, Sue Lange, Woodie Lange, Barry Lash, Martha Lash, Marian McClure, Kathy McDonald, Walter Mason, Mary Ormsby, Sean Phelan, Ann Pipal, Bob Pipal, Vivian Pitzrick, Evelyn Ramsey, Nicole Ramsey, Dan Rase, Ona Reynolds, Ernest Rositzke, Nancy Rouse, Mary Shields, Peter Shields, Jim Smith, Maureen Soule, Terah Soule, Wilma Taggart, Tim Timbrook, Linda Travers, Mary Trouslot, Cindy Vance, Gerry Vance, Barbara Ware, Katie Weiman, Mary Lu Wells, **Suzanne Wood**

Total Number of Observers: 238

Buffalo Ornithological Society Shorebird Count - August 19, 2007 Terry Yonker

Weather Synopsis

Weather during the Shorebird Count was unremarkable. Skies were generally clear to sunny with temperatures cool but pleasant and winds light and from the south.

Greater Buffalo International Airport

Sunrise: 6:26 AM EDT Sunset: 8:11 PM EDT

TIME	WEATHER	TEMP	DEW PT	PRESSURE	DIR/WIND	REMARKS
12:00 am	Clear	62	49	30.19	S5	
3:00 am	Clear	59	50°	30.17	S6	
6:00 am	Clear	56	49	30.16	S6	
9:00 am	Partly Sunny	61	49	30.17	S3	
12:00 pm	Partly Sunny	68	52	30.16	Calm	

Seven Year Summary of BOS Shorebird Counts

Species	2001	2002	2003	2004	2005	2006	2007
Black-bellied Plover	30	58	12	10	1	6	4
American Golden-Plover	0	0	0	0	0	0	0
Piping Plover	0	0	0	0	I	0	0
Semipalmated Plover	51	80	116	118	79	127	68
Killdeer '	264	132	265	139	156	44	367
Greater Yellowlegs	28	23	44	2	7	3	11
Lesser Yellowlegs	336	204	98	12	95	10	122
Solitary Sandpiper	6	3	2	1	2	3	5
Willet	5	2	0	0	0	0	0
Spotted Sandpiper	170	115	140	67	103	116	104
Upland Sandpiper	0	0	0	0	0	0	0
Whimbrel	1	2	2	0	0	0	0
Marbled Godwit	0	0	0	0	0	0	1
Ruddy Turnstone	3	20	14	3	9	3	0
Red Knot	3	I	0	1	3	1	0
Sanderling	15	73	25	7	29	86	10
Semipalmated Sandpiper	215	322	527	229	490	338	89
Western Sandpiper	0	0	2	4	1	0	0
Least Sandpiper	294	339	257	173	420	308	394
White-rumped Sandpiper	3	6	10	0	0	1	0
Baird's Sandpiper	3	11	0	11	13	4	2
Pectoral Sandpiper	47	63	15	4	49	15	1
Purple Sandpiper	0	0	0	0	0	0	0
Dunlin	0	4	0	2	0	0	6
Stilt Sandpiper	0	2	1	0	4	0	0
Buff-breasted Sandpiper	0	0	0	0	0	0	0
Short-billed Dowitcher	8	22	29	0	38	12	3
Long-billed Dowitcher	0	0	0	0	0	0	0
Common Snipe	0	0	0	0	0	0	0
American Woodcock	0	0	0	0	0	0	0
Wilson's Phalarope	0	0	0	0	0	0	0
Red-necked Phalarope	0	0	0	0	0	1	0
Red Phalarope	0	0	0	0	0	0	0
Unidentified	18	9	9	5	0	12	10
<u>Total</u>	<u>1500</u>	<u>1491</u>	<u>1569</u>	<u>788</u>	<u>1537</u>	<u>1090</u>	<u>1197</u>

2007 BOS Shorebird Count Results

<u>Species</u>	Reach 1	<u>2</u>	<u>3</u>	4	<u>5</u>	<u>6</u>	7	8	9	<u>10</u>	<u>Total</u>
Black-bellied Plover	1	0	0	0	0	0	0	3	0	0	4
American Golden Plover	0	0	0	0	0	0	0	0	0	0	0
Piping Plover	0	0	0	0	0	0	0	0	0	0	0
Semipalmated Plover	4	6	0	0	22	11	19	2	0	4	68
Killdeer	39	94	19	26	43	84	12	37	1	12	367
Greater Yellowlegs	0	0	0	1	0	9	1	0	0	0	11
Lesser Yellowlegs	4	6	0	2	6	86	8	5	0	5	122
Solitary Sandpiper	0	0	0	3	1	0	0	1	0	0	5
Willet	0	0	0	0	0	0	0	0	0	0	0
Spotted Sandpiper	15	15	2	3	13	20	6	22	1	7	104
Upland Sandpiper	0	0	0	0	0	0	0	0	0	0	0
Whimbrel	0	0	0	0	0	0	0	0	0	0	0
Marbled Godwit	0	1	0	0	0	0	0	0	0	0	1
Ruddy Turnstone	0	0	0	0	0	0	0	0	0	0	0
Red Knot	0	0	0	0	0	0	0	0	0	0	0
Sanderling	0	0	0	0	1	0	0	2	0	7	10
Semipalmated Sandpiper	5	12	0	1	36	5	14	9	1	6	89
Western Sandpiper	0	0	0	0	0	0	0	0	0	0	0
Least Sandpiper	32	40	0	0	57	169	20	56	1	19	394
White-rumped Sandpiper	0	0	0	0	0	0	0	0	0	0	0
Baird's Sandpiper	0	0	0	0	1	0	0	0	0	1	2
Pectoral Sandpiper	0	0	0	0	0	0	0	0	0	1	1
Purple Sandpiper	0	0	0	0	0	0	0	0	0	0	0
Dunlin	6	0	0	0	0	0	0	0	0	0	6
Stilt Sandpiper	0	0	0	0	0	0	0	0	0	0	0
Buff-breasted Sandpiper	0	0	0	0	0	0	0	0	0	0	0
Short-billed Dowitcher	0	0	0	0	0	1	0	1	0	1	3
Long-billed Dowitcher	0	0	0	0	0	0	0	0	0	0	0
Common Snipe	0	0	0	0	0	0	0	0	0	0	0
American Woodcock	0	0	0	0	0	0	0	0	0	0	0
Wilson's Phalarope	0	0	0	0	0	0	0	0	0	0	0
Red-necked Phalarope	0	0	0	0	0	0	0	0	0	0	0
Red Phalarope	0	0	0	0	0	0	0	0	0	0	0
Unidentified	0	0	0	0	0	0	0	10	0	0	10
<u>Total</u>	<u>106</u>	<u>174</u>	<u>21</u>	<u>36</u>	<u>180</u>	<u>385</u>	<u>80</u>	<u>148</u>	<u>4</u>	<u>63</u>	<u>1197</u>

Interesting note: "At Rock Point from 0815 to 0830 there were 2 Parasitic Jaegers flying back and forth near the tip! Occasionally one would swoop low over a shorebird. The shorebirds settled down and were countable after the jaegers left."


Participants: Reach 1 – Lynne Landon, Terry Yonker; Reach 2 – Ann Coburn, Michael Hamilton, Doug Happ; Reach 3 – Tom O'Donnell; Reach 4 – Jim Rozanski, Liz Wells; Reach 5 – Brian Ahara, Manley Bearda, Kayo Roy; Reach 6 – Donna DeLeon, Robert DeLeon; Reach 7 – Gail Seamans; Reach 8 – David Gordon, Jim Pawlicki, Bill Watson; Reach 9 & 10 – John Black, Brad Clements, Dan Salisbury, Roberta Salisbury.

Buffalo Ornithological Society Buffalo Museum of Science 1020 Humboldt Parkway Buffalo, NY 14211-1293

Return Service Requested

Non. Profit Org. U.S. Postage **PAID** Buffalo, NY Permit No. 412

Albert R. Mann Library Acquisitions Division-Serials Cornell University Ithaca, NY 14853-4301



January - February Calendar

BOS website http://www.bosbirding.org/



Buffalo-Niagara Region Dial-a-Bird: 716-896-1271 Jan. 9: BOS Meeting at 7:00 PM in the Cummings room of the Buffalo Museum of Science. Dr. Robert DeLeon will interpret results of the 2007 Annual BOS May Count and compare with the 70+ years of data in the Buffalo Ornithological Society May Count database.

Jan. 13: Sun. January Waterfowl Count and mid-winter Bald Eagle Survey. The count period is from Jan. 12-20. However, counters are urged to use the target date of Sunday, Jan.13, weather permitting. Participation encouraged! Contact Jim Landau at 941-3869 or kjlandau@localnet.com

Jan. 23: BOS Meeting at 7:00 PM in the Cummings room of the Buffalo Museum of Science. Tom Somerville (NYS DEC fish and Wildlife Technician) and Connie Adams (NYS DEC Wildlife Biologist) will present a talk titled, "What are the Buffalo Peregrines Eating?" They will have actual diet specimens, as well as, mystery items that they will be asking BOS members to identify. (They have very interesting wing and tail remnants for some of the BOS bird experts to help them identify.

Feb. 9: BOS Meeting at 7:00 PM in the Cummings room of the Buffalo Museum of Science. Mike Hamilton will discuss the Buffalo Ornithological Society Annual April and October Counts and compare with earlier count data. A BOS business meeting follows.

Feb. 27: BOS Meeting at 7:30 PM in the Cummings Room of the Buffalo Museum of Science. John Ruska, President of the New York State Bluebird Society will present a talk titled, "The Nesting and Status of the Eastern Bluebird."

The PROTHONOTARY



Published Monthly by the

BUFFALO ORNITHOLOGICAL SOCIETY

Volume 73, No. 12 December, 2007

THE MONTH: November

Gerry Rising

Steve McLaughlin, Buffalo Weather Office senior forecaster, called this month "a return to reality" and he went on to say, "After six months of superb summery weather, Mother Nature brought wind, clouds and rain -- typical late November weather."

Too late for farmers, wet weather did indeed arrive with 5.3 inches of precipitation, an inch and a half above normal and the most for any month this year. A big storm on 21-22 even caused some minor street flooding. In fact, there were only three days this month without at least a trace of precipitation. Little of this was snow, however, a total of 3.4 inches falling, most of it on the 6th. Even that was local and many areas received less than two inches total. The temperature for the month averaged 39°, a little more than a degree below normal.

November is a month of departures and arrivals, of the very last of the summer birds moving out and the first northerners visiting woodlots and showing up at feeders. It is also a month of waterfowl movements along the Great Lakes. More problematic, it is a hunting month when birders tend to steer clear of some areas. Despite this, our usual good field birders (whom I salute) got out and have provided us with a quite reasonable survey of the region.

Water birds: A rare Ross's Goose (that species a favorite of mine because of those three s's in a row) showed up at Sinking Ponds in East Aurora, a great find at that area censused almost daily by the redoubtable Linda Holmes. Other waterfowl numbers seem normal, highlights 120 Tundra Swans at Beaver Island on the 29th, a scaup build-up late in the month on the Niagara River above Goat Island and the usual large numbers of Ruddy Ducks (max 224) appearing mid-month at the Batavia Waste Water Treatment Plant.

101 The Month

Gerry Rising

Noteworthy Records

Bruce Chilton

105 Niagara River Field Trip Nick Sly


106 BOS Calendar

Two Northern Gannets were reported on Lake Ontario. With the DEC reporting many hundreds of loons found dead from botulism on Lake Erie beaches, it is a wonder that any are left. Fortunately, the situation appears not to be as severe on Lake Ontario -- at least not yet.

Gulls: The 3500 boneys on the 6th at Fort Erie must have been like a snowstorm. No California Gull this year but a few of the usual uncommon species did appear: Black-headed and Sabine's Gulls and a Black-legged Kittiwake. Little and Lesser Black-backed Gulls have become so regular that they no longer attract the attention they did a few years ago.

Stragglers: According to our records, not many summer birds remained into the month. A rough-winged swallow, a catbird, a few yellow-rumps and a Pine Warbler. Still more unusual: a Dickcissel on the 3rd at Lewiston.

Can winter be far behind? Not an easy question to answer without sneaking a peak at later records, but there were some good signs that this might be a good year for winter finches. Those signs included: two Rough-legged Hawks, two Purple Sandpipers at Niagara Falls, just one Snowy Owl, several Northern Shrikes, good flights of Snow Buntings, mostly along Lake Ontario, two groups of Pine Grosbeaks, a Red and a White-winged Crossbill, many Common Redpolls, a scattering of Pine Siskins and (welcome back!) a few Evening Grosbeaks. Is that list prescient? Your guess is as good as mine.



NOTEWORTHY RECORDS

Underlined common names, dates or localities indicate that an acceptable, detailed written verification according to the *Date Guide to Birds of Western New York and Adjacent Ontario* (Eighth Edition - Revised 2007) has been received and placed in the permanent files of the Buffalo Ornithological Society. Underlines of numbers of birds indicate unusually high counts for species. Such numbers must be accompanied by detailed notes on the observations including counting methods used by observers.

- * Indicates first record for the year.
- F Indicates first record for the migration.
- L Indicates last record for the migration.
- (f) Indicates record from feeding station. (n) Indicates nest(s). (yg) Indicates young. PDBA Indicates Previously Documented Breeding Area.

<u>Species</u>	November	<u>Number</u>	Location	Observer(s)
Snow Goose	10; 11	2 blue	Iroquois NWR	Watson; D'Anna
* Ross's Goose	10,11,12	1 juv	Sinking Ponds NS	Zebehazy
"	10	1 juv	Sinking Ponds NS	Morgante
"	10	1 juv	Marilla	Lazarczyk
"	11	1 juv	Sinking Ponds NS	Watson
Brant	4 - 10	1	Fort Niagara SP	Yoerg; Sharon; D'Anna
Mute Swan	6; 10	6; 5	Wilson-Tuscarora SP	Sharon; D'Anna, Pawlicki
11	24	5	Wilson Harbor	Lazarczyk
**	25	3	Queenston (Ont)	Yoerg, Henderson
Tundra Swan	10	2	Oak Orchard WMA	Watson, Schlacter
Ħ	25	2	Fort Erie (Ont)	Yoerg, Henderson
Ħ	29	120	Beaver I. SP	Sharon
Wood Duck	29	1	Grand I.	Lazarczyk
**	30	1	Sinking Ponds NS	Morgante
Gadwall	5	57	Iroquois NWR	Watson
11	21	4	Batavia WWTP	Zebehazy
American Wigeon	7	40	Alexander	Beattie
"	10	153	Iroquois NWR	Watson, Schlacter
American Black Duck	10	76	Oak Orchard WMA	Watson
"	21	40	Batavia WWTP	Zebehazy
Blue-winged Teal	7L	3	Alexander	Beattie
Northern Shoveler	7	18	Alexander	Beattie
"	10; 21	130; 6	Batavia WWTP	Watson; Zebehazy
"	24	10	Niagara Falls	Pawlicki et al (BOS)
Northern Pintail	4	1	Sinking Ponds NS	Morgante
**	13	5	Tifft NP	Andrle
**	21	20	Batavia WWTP	Zebehazy
Green-winged Teal	3; 18	34; 75	Tifft NP	Watson; Sharon
Canvasback	4	10	Niagara Falls (Ont)	D'Anna
Redhead	4	1	Niagara Falls (Ont)	D'Anna
**	17	75	Golden Hill SP	D'Anna, Potter
Greater Scaup	2	11	Bethany	Beattie
11	30	1000	Niagara Falls	Roberson
Lesser Scaup	21	3	Batavia WWTP	Zebehazy
Surf Scoter	5	2	Golden Hill SP	Watson
11	7, 12	1, 1	Bird I. Pier	Yoerg, Henderson
11	9	5	LaSalle Park	Hess
11	10	30	Jaeger Rocks (Ont)	Yoerg, Henderson
**	29	1	Fort Erie (Ont)	Yoerg, Henderson
White-winged Scoter	7, 12	2, 1	Bird I. Pier	Yoerg, Henderson
**	10	30	Jaeger Rocks (Ont)	Yoerg, Henderson
**	30	1	Niagara River	Roberson
Black Scoter	7, 12	1, 1	Bird I. Pier	Yoerg, Henderson

<u>Species</u>	November	Number	Location	Observer(s)
11	10	1	Jaeger Rocks (Ont)	Yoerg, Henderson
Long-tailed Duck	21	2	Batavia WWTP	Zebehazy
Bufflehead	6	200	Fort Erie (Ont)	Watson
11	21	11	Batavia WWTP	Zebehazy
Common Goldeneye	30	342	Niagara River	Roberson
Hooded Merganser	10	138	Iroquois NWR	Watson, Schlacter
"	25	63	Niagara Falls (Ont)	D'Anna et al
Common Merganser	1	17	Andover	Brooks
"	21	30	Batavia WWTP	Zebehazy
Ruddy Duck	10;21	224;50	Batavia WWTP	Watson; Zebehazy
"	10,21	2	Oakfield	Watson, Zebenazy Watson
11	12	5	Bird I. Pier	
"	29	<i>J</i>		Yoerg, Henderson
Dad throated Loon		1	Fort Erie (Ont)	Yoerg
Red-throated Loon	4 10	10	Four Mile Creek SP	Yoerg, Henderson
"	4, 18	11, 2	Fort Niagara SP	Yoerg, Henderson
	12	l	Barker	Watson, Schlacter
Common Loon	5	76	Golden Hill SP	Watson
Horned Grebe	3	171	Hamburg Town Park	Morgante
"	5	41	Golden Hill SP	Watson
**	6	1	Alfred	Brooks
Red-necked Grebe	3; 5	7; 4	Golden Hill SP	Watson; D'Anna
"	17	1	Pt. Breeze	D'Anna
"	24; 25	1; 2	Fort Erie (Ont)	Pawlicki (BOS); D'Anna
Eared Grebe	10; 12,21	4;2,1	Batavia WWTP	Watson; Zebehazy
Northern Gannet	18F	1	Four Mile Creek SP	Yoerg, Henderson
**	23	1	Wilson Harbor	Suggs
Dcrested Cormorant	9, 20	290, 20	La Salle Park	Hess
Turkey Vulture	1	4	Lancaster	Morgante
Osprey	3; 8	1; 1	Four Mile Creek SP	Pawlicki, Salembier; Sharon
Bald Eagle	12	1 imm	Batavia WWTP	Zebehazy
"	24	1 imm	Fort Erie (Ont)	Pawlicki et al (BOS)
Red-shouldered Hawk	17, 19	1	Orchard Park	Zebehazy
Rough-legged Hawk	3	1	Tifft NP	Watson, Gordon
"	16	2	Pembroke	Beattie
Merlin	13	1	UB south campus	Yoerg
"	24	1	Four Mile Creek SP	D'Anna et al
Daragrina Falcan		l ad	Four Mile Creek SP	Yoerg, Henderson
Peregrine Falcon	4 18	1 40	Grand I.	J Landau
A C		550	Tonawanda WMA	Watson
American Coot	5	10		Beattie
Killdeer	7		Bethany	
		ANN LIBRARY	Lewiston	Pawlicki, D'Anna
Purple Sandpiper	25	2	Niagara Falls (Ont)	D'Anna et al
Dunlin	10	2 5 2008	Porter	Pawlicki, D'Anna
American Woodcock		7 7 7000	Cambria	Pawlicki
Red Phalarope	6	<u> </u>	Bird I. Pier	Watson
Phalarope species	6 ITHAC	A, NY 1485 3	Fort Erie (Ont)	Pawlicki, Watson
Little Gull	Ú		→ Golden Hill SP	Watson
11	6; 7, 29	1; 1, 1	Fort Erie (Ont)	Watson, Pawlicki; Yoerg
Black-headed Gull	24, 29	1 ad	Fort Erie (Ont)	Pawlicki, Yoerg
	6	3500	Buffalo, Fort Erie (Ont)	Pawlicki, Watson et al
Bonaparte's Gull	U			
Bonaparte's Gull Iceland Gull	18F; 24	2; 3 ad	Adam Beck Hydro (Ont)	D'Anna, Hamilton (BOS); Pawlicki (BOS)
•		2; 3 ad 1	Adam Beck Hydro (Ont) Beaver I. SP	D'Anna, Hamilton (BOS); Pawlicki (BOS) Sharon
Iceland Gull	18F; 24			

	Species	November	<u>Number</u>	Location	Observer(s)
	Black-leg. Kittiwake	6	1 juv	Fort Erie (Ont)	Pawlicki, Watson, D'Anna
	Common Tern	6	1	Fort Erie (Ont)	Pawlicki, Watson
*	Snowy Owl	8	1	Ellicott	Berry, Rambacher et al
	Short-eared Owl	9	2	Porter	Sharon
	Northern Shrike	2; 10;23	1; 1;1	Porter	Sharon; D'Anna; Pawlicki
	11	4	1	Alfred	Brooks
	**	10	1	Batavia WWTP	Schlacter, Watson
	11	17	2	Somerset	D'Anna, Potter
	11	17	1	Carlton	D'Anna, Potter
	Common Raven	1	1	Ward	Brooks
	**	21	2	Alfred	Brooks
	Horned Lark	7	32	Bethany	Beattie
	N. Rough-w. Swallow	8L	6	Goat I.	Pawlicki
	Carolina Wren	3	1	Tifft NP	Watson, Gordon
	tt	4	1	Grand I. (f)	Lazarczyk
	rt .	6; 28	1; 1	Eden (f)	Andrle
	11	10	1	Wilson-Tuscarora SP	Pawlicki, D'Anna
	Winter Wren	10	1	Four Mile Creek SP	Pawlicki
	Ruby-cr. Kinglet	10	1	Wilson-Tuscarora SP	Pawlicki, D'Anna
	n	17	1	Amherst SP	Pawlicki, Salembier
	Eastern Bluebird	1	2	Alfred	Brooks
	Eastern Blueblid	7.0	5, 5	Bethany	Beattie
	11	7, 9			
	Hamile Thomas	10	13	Fort Niagara SP	Pawlicki, D'Anna
	Hermit Thrush	23	1	Porter Ticc. ND	Sharon
	Gray Catbird	3	1	Tifft NP	Gordon, Watson
	Northern Mockingbird	3	1	Tifft NP	Watson
	Yellow-rump. Warbler	10	2	Porter	D'Anna et al
		10	1	Iroquois NWR	Watson, Schlacter
	Pine Warbler	25	1	Fort Niagara SP	Sharon
	Fox Sparrow	3	3	Joseph Davis SP	Pawlicki, Salembier
	11	10	3	Porter	Pawlicki, D'Anna, Potter
	11	14	1	Wilson (f)	Potter
	Swamp Sparrow	10	1	Four Mile Creek SP	Pawlicki, D'Anna, Potter
	White-cr. Sparrow	17	7	Carlton	D'Anna, Potter
	Snow Bunting	4	255	Fort Niagara SP	Yoerg, Henderson
	**	4	55	Four Mile Creek SP	Yoerg, Henderson
	"	10	100	Fort Erie (Ont)	Yoerg
	11	12	75	Batavia WWTP	Zebehazy
	11	17	70	Newfane	D'Anna, Potter
	"	17	30	Yates	D'Anna, Potter
	<u>Dickcissel</u>	3	1	Lewiston	Pawlicki, Salembier
	Red-w. Blackbird	3	14	Tifft NP	Watson
	11	16	300	Pembroke	Beattie
	Rusty Blackbird	3	1	Joseph Davis SP	Pawlicki, Salembier
	11	3	10	Sinking Ponds NS	Morgante
	11	10	5	Iroquois NWR	Watson, Schlacter
	n .	10	15	Four Mile Creek SP	Pawlicki, D'Anna, Potter
	tr	16	30	Pembroke	Beattie
*	Pine Grosbeak	22F	7	Fort Niagara SP	D'Anna
	"	24	6	Four Mile Creek SP	D'Anna, Potter
	Purple Finch	3	1	Joseph Davis SP	Pawlicki, Salembier
	Red Crossbill	18	1	Fort Niagara SP	D'Anna,Potter,Hamilton (BOS)
*	White-w. Crossbill	23F, 27	1	•	
		1	1	Wilson (f)	Potter
	Common Redpoll	1	1	Wilson	Potter

<u>Species</u>	November	<u>Number</u>	Location	Observer(s)
11	18;24	120;65	Four Mile Creek SP	Yoerg; D'Anna et al
**	18	25	Wilson	Yoerg, Henderson
**	21	28	Batavia WWTP	Zebehazy
11	24	50	Wilson-Tuscarora SP	D'Anna, Potter
Pine Siskin	5, 16, 26	9, 35, 49	Colden	J Landau
**	9; 11; 19	4; 2; 2	Eden (f)	Andrle
11	17	8	Newfane	D'Anna, Potter
H .	18	2	Wilson (f)	Potter, D'Anna
**	18	1	Wilson-Tuscarora SP	Yoerg, Henderson
American Goldfinch	4	50	Eden (f)	Andrle
Evening Grosbeak	2F	11	Eden (f)	Andrle
"	3	1	Golden Hill SP	D'Anna
inecies subspecies and h	ybride proviously	recorded this v	ZOOP*	270

Species, subspecies, and hybrids previously recorded this year:279Species, subspecies, and hybrids recorded for this month:008Total for the year 2007:287

Statisticians' Note I: If any observer wishes to know the status of their verification report, please contact the Statisticians and we will give them the reasons for our decision. Please mail reports for each month not later than the FIFTH day of the following month to the Compiler: Bruce Chilton 88 Pryor Avenue, Tonawanda, NY 14150; Email: BChi314159@aol.com.

Statisticians' Note II: We are asking members of the BOS and any other birders who send in reports to the BOS to advise us as soon as they can of any possible errors in regard to records published in the Prothonotary, particularly in the Noteworthy Records so that we can make any necessary changes as soon as appropriate.

BOS Niagara River Trip – Nov. 24th Nick Sly

Jim Pawlicki led the Nov. 24th BOS river trip with myself, Tom Connare, David Gordon, and Dick Farver. We started in Fort Erie at 8am, with the group finding a



Black-headed Gull (photo above) in a roosting flock of Bonaparte's Gulls, just south of the Railroad Bridge. Jim picked out the bird by seeing a flash of red bill. The bird was very difficult to pick out among the Bonaparte's Gulls. It was only marginally bigger than the Bonaparte's, and was distinguished by the white nape and head and limited black head markings. The Bonaparte's showed some degree of gray wash to the nape. All observers (we were joined by Jean and Sharon Skelly from Rochester) sighted some or all of the field marks - black on the undersides of the primaries, white head, general paler grey mantle color, and red dark-tipped bill. Finally, the flock of Bonaparte's did a major reshuffling, after which we could not relocate the bird. Skipping ahead about half an hour, this time about a kilometer north of the Railroad Bridge, we found a group of about a hundred Bonapartes in a feeding frenzy right next to shore. We all piled out (with Marcie Jacklin and Tim Sievert from Fort Erie and another group of Ohio birders joining us) and we quickly picked up the Black-headed Gull again.

Okay, now for the trip report, not including the Blackheaded Gull. We started off in Fort Erie just south of the Peace Bridge. Lake effect squalls reduced visibility. Large numbers of Bufflehead were observed. A Bald Eagle was perched in the park, then flew over the river where we watched it unsuccessfully pursue a Bufflehead. At this point we began working our way upriver, stopping at every opening to scope for ducks and gulls. We found the aforementioned Black-headed Gull. After that, as we were beginning to pull away, a flock of American Goldfinches flew in along the shrubs bordering the river. We stopped to scan, hoping for redpolls, but saw none. But at that moment Marice Jacklin and Tim Sievert from Fort Erie found a Yellow Warbler near the flock. Unfortunately the rest of our group missed this very late Yellow Warbler. Also here were a Red-necked Grebe, all three merganser species, Common Goldeneye, Bufflehead, and a Common Loon. We continued further upriver and stopped at the Legends of Niagara Golf course just south of Chippewa and were rewarded with a juvenile Northern Harrier, a small group of Hooded Mergansers, and ten Common Redpolls. Above the falls at the downstream end of the control gates, we saw an adult Lesser Black-backed Gull and a group of about ten Northern Shovelers feeding mid-river around the large flat rock. We took the long walk to look below the falls in the gorge, but only about a dozen gulls in total were found feeding in the mist. Our next stop was at the Adam Beck Hydro where we found two separate adult Kumlien's Iceland Gulls and one second-year Lesser Black-backed Gull. Finally, at the fly-past at Niagara-on-the-Lake, we saw relatively few Bonaparte's Gulls given the date, with no other non-Bonaparte's small gulls sighted. One Belted Kingfisher rattled by and three Double-crested Cormorants were sitting on a buoy mid-river.

Buffalo Ornithological Society Buffalo Museum of Science 1020 Humboldt Parkway Buffalo, NY 14211-1293

Return Service Requested

Non. Profit Org.
U.S. Postage
PAID
Buffalo, NY
Permit No. 412

Albert R. Mann Library Acquisitions Division-Serials Cornell University Ithaca, NY 14853-4301



January - February Calendar

the BOS bird experts to help them identify.

Jan. 23: BOS Meeting at 7:00 PM in the Cummings room of the Buffalo Museum of Science. Tom Somerville (NYS DEC fish and Wildlife Technician) and Connie Adams (NYS DEC Wildlife Biologist) will present a talk titled, "What are the Buffalo Peregrines Eating?" They will have actual die specimens, as well as, mystery items that they will be asking BOS members to identify. (They have very interesting wing and tail remnants for some of

Feb. 9: BOS Meeting at 7:00 PM in the Cummings room of the Buffalo Museum of Science. Mike Hamilton will discuss the Buffalo Ornithological Society Annual April and October Counts and compare with earlier count data. A BOS business meeting follows.

Feb. 27: BOS Meeting at 7:00 PM in the Cummings Room of the Buffalo Museum of Science. John Ruska, President of the New York State Bluebirg Society will present a talk titled, "The Nesting and Status of the Eastern Bluebird."

BOS website http://www.bosbirding.org/



Buffalo-Niagara Region Dial-a-Bird: 716-896-1271

Buffalo Ornithological Society Membership Roster – January, 2008


· Last Name	First Name	Address	City	State	7in Codo	Dhono
Able	Elise	11156 Old Glenwood Rd.	East Concord	State	Zip Code	Phone 716 502 1861
Anderson	Donald W.	44 Poultney Av.		NY	14055-9716	716-592-1861
Andrle	Dr. Robert	3188 Mill Rd.	Buffalo Eden	NY	14215-2230	716-832-3381
Baird	Tim	242 East State St.		NY	14057-9629	716-992-3520
Banks	Michelle		Salamanca	NY	14779-1224	716-945-2539
Barber	Maxine	413 Rambling Rd.	East Amherst	NY	14051-1371	716-639-8655
Barone	David	45 Beverly Dr.	Depew	NY	14043-1503	716-683-3061
BEARSS	TOM & SANDRA	357 Hoyt St. 12-6105 RIVER RD.	Buffalo	NY	14213-1246	716-886-4867
Beattie		9605 Francis Rd.	LADNER	BC	V4K 5G5	604-940-9296
Bee	J. Douglas Marion L.		Batavia	NY	14020-9787	585-343-4767
Benham	Paul M.	2681 Aqueduct Rd.	Niskayuna	NY	12309-2100	716 077 5002
		112 Linden Av.	Kenmore	NY	14217-1459	716-877-5203
Berry Berst	James Edward R.	301 Park St.	Jamestown	NY	14701-8033	716-665-2473 X225
		95 Nagel Dr.	Cheektowaga	NY	14225-4313	716-684-6512
Betrus Patau Pattan	Christopher	1487 Davis Rd.	West Falls	NY	14170-9703	716-652-3761
Betsy Potter	William D'Anna &	4777 W. Lake Rd.	Burt	NY	14028-9759	716-751-3637
BLACK	JOHN W:11: I	17 VALERIE DR.	ST. CATHARINES	ONT	L2T 3G3	905-684-0143
Bogacki	William J.	72 S. Cayuga Rd.	Williamsville	NY	14221-6706	716-674-5781
Bogan	Patricia M.	456 Wendel Av.	Buffalo	NY	14223-2212	716-837-6449
Bompczyk	Nancy M.	910 Delaware Rd.	Tonawanda	NY	14223-1006	71 C 207 5520
Bowen	Elma	6709 Woodside Pl.	Niagara Falls	NY	14304-1378	716-297-5520
Brandes	Kenneth	5233 McKinley Pkwy.	Hamburg	NY	14075-3925	5 46 004 64 5 4
Brasure	Donald & Carol	64 Woodgate Rd.	Tonawanda	NY	14150-8132	716-834-6171
Brockner	Winston W.	5965 South Herzman Dr.	Evergreen	CO	80439-5448	303-674-4851
Broderick	William D.	830 River Rd.	Youngstown	NY	14174-1304	716-745-3969
Buccieri	Michael	P. O. Box 323	East Aurora	NY	14052-0323	716-652-5800
Budniewski	Ray & Chris	2374 Whitaker Rd.	Forestville	NY	14062-9665	716-965-2545
Bujnicki	Robert & Marilyn	1217 Delaware Ave. #903	Buffalo	NY	14209-1433	716-646-3497
Burch	William & Olive	22 Brandywine Dr.	Grand Island	NY	14072-1443	716-773-3690
Burton	Doris	5 John St.	Belmont	NY	14813-1116	585-268-5147
Byron	Richard & Barbara	64 Orchard Terrace	Orchard Park	NY	14127-2742	716-662-4783
Campbell	Drew	P.O. Box 1885	Williamsville	NY	14231-1885	716-668-0759
Castren	Sally	4256 Roxbury Dr.	Williamsville	NY	14221-7633	716-633-7697
CHAPPLE	JERRY & NINA	27 SYDENHAM ST.	DUNDAS	ONT	L9H 2T6	905-628-6894
Chilton	Bruce L.	88 Pryor Av.	Tonawanda	NY	14150-8319	716-833-9242
Chrisman	Diane	78 Rainbow Terr.	Orchard Park	NY	14127-2517	716-662-1716
Christensen	Richard	9 Brookside Dr.	Williamsville	NY	14221-6915	716-632-7762
Clark	Arthur R.	30 Saybrook Pl.	Buffalo	NY	14209-1107	716-881-2560
Clark	William E.	359A S. Cayuga Rd.	Williamsville	NY	14221-6743	-16 600 1551
Clemesha	Mary	301 South Meadow Dr.	North Tonawanda	NY	14120-4887	716-692-4571
Clukey	Peggy Daniels	24 Hetzel Rd.	Williamsville	NY	14221-5304	716-631-9855
Cohen	Kenneth A.	3 Mockingbird Court	West Amherst	NY	14228-1025	716-689-9487
Collins	Dick	P.O. Box 374	Elma	NY	14059-9109	716-651-9213
Coniglio	Greg & Melissa	11825 Genesee St.	Alden	NY	14004-9762	716-937-0078
Connare	Thomas P.	30 Ardmore Pl.	Buffalo	NY	14213-1446	716-884-3562
Cooper	Dr. David	805 Carriage Ln.	Lewiston	NY	14092-2072	716-284-4118
Cooper	Dr. David	28621 San Lucas Ln. #101	Bonita Springs	FL	34135-8316	239-949-0091
Corrigan	Teresa & Peter	207 Woodward Ave.	Buffalo	NY	14214-2313	716-835-1905
Crohn	Dr. Edward	68 Maple Ct., #3	Amherst	NY	14226-3637	716-839-2259
D'Amato	Joseph	73 Flower St., #3	Buffalo	NY	14214-1136	716-838-8368
Darker	Joel	2625 E. Shelby Rd.	Oakfield	NY	14125-9759	585-948-8285
Dart	Elaine	4112 Gilhooly Rd.	Alexander	NY	14005-9762	585-343-7395
DeFrancisco	Leonard	405 W. Everett St	Falconer	NY	14733-1647	716-665-4999
DeLeon	Robert L. & Donna V.		Williamsville	NY	14221-6945	716-626-0325
DeSha	Michael J.	26 Chestnut St.	Franklinville	NY	14737-1132	716-676-3559
DiDomenico	Joseph & Diane	601 Winspear Rd.	Elma	NY	14059-9112	716-683-7343
Diefendorf	Gail	343 Minnesota Av.	Buffalo	NY	14215-1031	716-838-0228

Eaton	Dr. Stephen W.	2596 Ten Mile Rd.	Allegany	NY	14706-9519	716-373-0301
Egressy	Diane & Andrew	11599 Genesee Rd.	East Concord	NY	14055-9607	716-496-6046
Elizabeth Wells	Jim Rozanski &	92 West Winspear Ave.	Buffalo	NY	14214-1116	716-837-0486
Farrell	Jerald J.	4925 Cliff St.	Lewiston	NY	14092-1822	716-754-8398
Farver	Richard	12505 Turnpike Rd.	Corry	PA	16407-8781	814-664-4198
Feliciano	David	12039 Genesee Rd.	East Concord	NY	14055-9727	716-496-5156
Firey	Myles R.	3319 E. Church St. P O Box 278	Eden	NY	14057-0278	716-992-3501
Forni	Regina	380 Stillwell Ave.	Buffalo	NY	14217-2149	716-741-3452
Freund	Harold	P. O. Box 485	Buffalo	NY	14215-0485	716-834-6181
Friedrich	David & Sherri	204 N. Transit St.	Lockport	NY	14094-2704	716-439-8899
Friedrich	David & Shirley	340 Danbury Dr.	Cheektowaga	NY	14225-2128	716-832-2447
Galas	Michael & Sylvia	16 Grand Av.	Tonawanda	NY	14150-3319	716-693-4892
Gall	Wayne & Susan	36 St. Marys St.	Lancaster	NY	14086-2016	716-681-8238
GARDINER	DENYS R.	36 WINTER WAY	BRANTFORD	ONT	N3T 6G4	519-758-5120
Gerace	Tad	23 N. Main St.	Rushville	NY	14544-9725	
Giles	Mary	465 Crescent Av.	Buffalo	NY	14214-1959	716-838-1337 May-Se
Giles	Mary	429 SW Horseshoe Bay	Port St. Lucie	FL	34986-3401	,
Goetz	JoAnne	6 Pine Dr.	Fredonia	NY	14063-2218	716-672-4155
Gordon	David A.	180 Morris Ave.	Buffalo	NY	14214-1610	716-837-3031
Gralak	Sue & Dennis	167 Westfall Dr.	Tonawanda	NY	14150-7131	716-835-2790
Greenman	Nancie B.	P.O. Box 146	Colchester	CT	06415-0146	860-204-9790
Grehan	John	9402 Lemon St.	Evans	NY	14006-9236	000-204-7170
Gworek	Richard & Sylvia	350 S. 3rd St.	Lewiston	NY	14092-1521	716-754-8984
Hacker	Ronald & Suanne	1041 Ruie Rd.	North Tonawanda	NY	14120-1763	716-694-1249
Hamilton	Michael	51 Park St.	Buffalo	NY	14120-1703	716-881-6709
Hannah	Arthur			NY		
Hansen		122 Campbell St. 87 Cornell Ave.	Youngstown		14174-1311	716-745-9921
	Janet		Eggertsville	NY	14226-4207	716-837-7340
Happ	Douglas	6775 Vail Dr.	Hamburg	NY	14075-6515	716-649-1297
Harrington	Frederick	3330 E. Pleasant Dr.	Hamburg	NY	14075-6107	716-649-3566
Harwitz	Mitchell & Marjorie	222 Bedford Av.	Buffalo	NY	14216-3104	716-875-9224
Heckel	Marsha Barkara W	7661 Tonawanda Creek Rd.	Lockport	NY	14094-9042	716-946-5368
Henderson	Barbara W.	131 Woodbridge Av.	Buffalo	NY	14214-1623	716-838-6163
Hess	Paul	338 Cleveland Dr.	Buffalo	NY	14223-1106	716-877-0005
Heyer	Mrs. Jane	3735 Delaware Ave., Apt. 609	Buffalo	NY	14217-1063	716-874-3326
Hiestand	Beverly	239 Parkside Ave. Apt. #4	Buffalo	NY	14214-1956	716-898-8954
Holmes	Linda	1048 Wish Circle	East Aurora	NY	14052-9654	716-655-5645
Horbett	Audrey	156 Westcliff Dr.	West Seneca	NY	14224-2840	716-674-7496
Horne	Julie	4890 W. Eddy Dr. Apt.143	Lewiston	NY	14092-2320	716-754-9093
Hughes	Mary C.	323 Wellingwood Dr.	East Amherst	NY	14051-1754	716-636-1719
Hull	Robert & Eileen	50 Stahl Rd., Apt. 111	Getzville	NY	14068-1551	716-639-7502
Humann	Alec	72 Lancaster Av.	Buffalo	NY	14222-1404	716-885-2998
JACKLIN	MARCIE	931 EDGEMERE RD.	FORT ERIE	ONT	L2A 1A7	905-871-2577
Jim Kuhn	Christine Lamont &	54 N. Long St.	Williamsville	NY	14221-5312	
Johnson	Marie T.	432 Emerson Dr., Apt. 2	Amherst	NY	14226-1335	716-837-7475
Jones	Morgan	39 Grasmere Rd.	Lockport	NY	14094-3409	716-433-5687
Joynt	Stuart F.	5401 W. Bus. 83 #830	Harlingen	TX	78552-3633	
Joynt	Stuart F.	17 Tioga St.	Buffalo	NY	14216-2718	716-873-4211
Junkin	David	3071 Pee Dee Rd.	Bliss	NY	14024-9773	716-322-9062
Kaczmarek	John & Darlene	20 Round Trail	Lackawanna	NY	14218-3724	
Kester	Bernie	24 Azure Pine Ct.	Amherst	NY	14228-1872	716-474-8452
Kippen	C. Agnes	P. O. Box 105	Lewiston	NY	14092-0105	716-754-8808
Klick	Brendan	18 Treeway Ct., Apt. 2A	Towson	MD	21286-4450	443-804-4512
Klick	Robert L.	48 Roycroft Blvd.	Snyder	NY	14226-4527	716-839-1792
Kolodziejczak	Alphonse	70 Rollingwood	Williamsville	NY	14221-1834	716-568-0808
	11101100					
Kreutz	Jacob & Carolyn	1443 West River Rd.	Grand Island	NY	14072-2420	716-773-7702
	•	C	Grand Island Wyoming	NY NY	14072-2420 14591-9518	716-773-7702 585-495-6797

Landau	Jim & Karen	9195 State Rd	Colden	NY	14033-9626	716-941-3869
Landsittel	Shirley	4056 Buffalo Av.	Buffalo	NY	14219-2832	716-826-0144
Lazarczyk	Gerald S.	2484 Oak Harbor	Grand Island	NY	14072-3007	716-773-7452
LeBlanc	Thomas P.	2408 Kings Row	Salamanca	NY	14779-9755	716-378-8181
Lewandowski	Brian N.	165 Blake Hill Rd.	East Aurora	NY	14052-2601	716-652-4658
Luensman	Nancy	11 Oak St.	Mayville	NY	14757-1304	716-753-7451
Lynne Landon	Terry Yonker &	139 Jackson St.	Youngstown	NY	14174-1003	716-745-9129
Mallam	Whitney W.	974 Ridge Rd.	Lewiston	NY	14092-9744	716-754-8879
Mansfield	Jack	349 Roycroft Blvd.	Snyder	NY	14226-4822	716-839-0588
Marcello	Christopher P.	231 Wallace Ave.	Buffalo	NY	14216-2513	716-834-0434
Mason Jr.	Mr & Mrs Max	Box 505	Batavia	NY	14021-0505	716-343-4212
McKale	Mrs. Alice	89 Larch Rd.	Eggertsville	NY	14226-2320	716-834-0784
McLellan	Jim & Marian	116 Beard Ave.	Buffalo	NY	14214-1671	716-833-3999
McMurtry	Carl H.	3939 Lower River Rd.	Youngstown	NY	14174-9738	716-745-3785
Miga	Richard E.	38 Elm St.	Fredonia	NY	14063-1937	716-672-7363
Morgante	Michael M.	59 Briar Hill Rd.	Orchard Park	NY	14127-3550	716-667-9705
Morris	Bob & Sara R.	5444 E. River Rd.	Grand Island	NY	14072-1131	716-773-6016
Mosher	Terry	8992 Harmon Hill Rd.	Fredonia	NY	14063-9657	716-672-5501
Murray	William D.	7851 Northfield Rd.	Clarence Center	NY	14032-9639	716-741-2420
Nailos	Deborah	67 Beverly Pl.	Hamburg	NY	14075-5101	716-648-5769
Norwalk	James C.	356 Washington St.	Geneva	NY	14456-2750	
Noville	Michael R.	2470 Bauer Rd.	Eden	NY	14057-9621	716-627-2646
Novitsky	Mary	4305 Harlem Rd.	Buffalo	NY	14226-4433	716-839-5165
Nutting	Lincoln	3722 East River Rd.	Grand Island	NY	14072-1451	716-773-7215
O'Donnell	Thomas M.	3067 Lewiston Rd.	Niagara Falls	NY	14305-1823	716-284-5569
Partridge	Marg	4512 E. Lake Rd.	Wilson	NY	14172-9635	716-751-9587
Pawlicki	Jim	70 Gaslight Trail	Williamsville	NY	14221-2207	716-636-3915
Perry	Jacalyn	5565 Mapleton Rd.	Lockport	NY	14094-9296	716-625-8189
Petrik	Michael & Lucille	370 Woodside Av.	Buffalo	NY	14220-2015	716-821-9351
Poole	James	425 Dansworth Rd.	Youngstown	NY	14174-1318	716-745-3726
Rachlin	Lauren & Jean	37 Dorset Dr.	Buffalo	NY	14223-1916	716-874-3166
Rader	Karen A.	5771 Griffin St.	Sanborn	NY	14132-9203	716-731-3399
Raines	Kathleen L.	12100 County Line Rd., Apt. E-	l Arcade	NY	14009-9769	585-492-5803
Randell	Nicholas & Elizabeth	498 Ashland Av.	Buffalo	NY	14222-1502	716-885-1251
Ratajczak	Edward F.	117 Sixth Av.	Lancaster	NY	14086-3050	716-683-0307
Renning	Karen	125 Woodridge Av.	Cheektowaga	NY	14225-1532	716-834-7832
Rew	Frances M.	50 Kenton Pl.	Hamburg	NY	14075-4308	716-649-4192
Righter	Pamela G.	32 Oakland Pl.	Buffalo	NY	14222-2009	716-886-3200
Rising	Gerald R.	295 Robinhill Dr.	Williamsville	NY	14221-1639	716-689-8301
Robbins	George	271 Hoyt St.	Buffalo	NY	14213-1434	716-884-2680
Roberson	Donald C.	924 Creekside Dr.	Niagara Falls	NY	14304-2531	716-283-5359
Root	Richard	160 Ridge Rd.	Buffalo	NY	14218-1035	716-825-4342
Rosenburg	Charles	77 Honorine Dr.	Depew	NY	14043-4116	716-683-8386
Rothman	Victoria	1073 Youngstown Wilson Rd.	Youngstown	NY	14174-9719	716-745-1297
ROY	KAYO J.	13 KINSMAN COURT	FONTHILL	ONT	LOS 1E3	905-892-4433
Ruh	Shelley	171 Brighton Rd.	Tonawanda	NY	14150-6818	716-876-1308
Salembier	Richard	31 Forest Stream Rd.	Williamsville	NY	14221-5302	716-631-5620
Sargent	Janice H.	16 Rankin Rd.	Snyder	NY	14226-4041	716-839-0834
Scarlett	Donald H.	7929 Alleghany Rd.	Corfu	NY	14036-9749	716-861-2109
Schlacter	Mark T.	714 Hibiscus Ave.	Lehigh Acres	FL	33936-7903	
Seamans	Gail W.	68 North Shore Dr.	Alden	NY	14004-9204	585-902-3134
Sisti	Sharon	991 Lafayette Av.	Buffalo	NY	14209-1306	716-885-5288
Skalicky	Jack	178 N. Main St. #55	Salt Lake City	UT	84103-2075	801-363-2461
Skinner	Jack	1145 Baseline Rd.	Grand Island	NY	14072-2513	716-773-3441
Smith	Arthur J.	82 Onondaga Ave.	Buffalo	NY	14220-2803	716-825-8429
Smith	Jeanine Jeanine	140 Chautauqua St.	Fredonia	NY	14063-2238	716-672-2235
Soule	Stephen J.	1091 Cleveland Dr.	Cheektowaga	NY	14225-1247	716-873-8145
Soulc	Stephen 3.	. O. C.				

Sowinski	Richard	6867 Creekview Dr.	Lockport	NY	14094-9555	716-625-8754
Stains	Jacqueline M.	307 Old Meadow Dr.	East Amherst	NY	14051-2406	716-689-5773
Stegmeier	Mary Ann	1340 Maple Rd., Apt #4	Williamsville	NY	14221-3537	716-688-2957
Stewart	Mrs. Margaret	146 Traverse Blvd.	Buffalo	NY	14223-1014	716-877-4437
Stone	Paula J.	6551 Swamp Rd.	Byron	NY	14422-9761	585-548-7782
Suggs	David & Debbie	3905 N. Bailey Av.	Eggertsville	NY	14226-3202	716-836-2868
Sundell	Robert	19 Chestnut St.	Jamestown	NY	14701-3121	716-484-2197
Sweeney	Holly	171 Breezewood Cmn.	East Amherst	NY	14051-1426	716-639-0158
Szarpa	Patricia	600 N. Blossom Rd.	Elma	NY	14059-9666	716-674-2851
Thill	Joseph F.	36 Allegany Av.	Kenmore	NY	14217-2009	716-877-7257
Thill	John	400 Forest Ave.	Buffalo	NY	14213-1207	
Tock	Mary Alice	8053 Back Creek Rd.	Hamburg	NY	14075-7233	716-941-5591
Tomkins	Jim	2783 W. River Rd.	Grand Island	NY	14072-2053	716-773-5268
Trenkle	Elaine	149 E. Morris Av.	Buffalo	NY	14214-1828	716-832-5344
Utech	Norman	1426 Ransom Rd.	Grand Island	NY	14072-1456	716-909-9074
Vallone	Roberta	39 Donald Dr.	West Seneca	NY	14224-3215	716-674-9472
Vana	Joyce	190 Oakbrook Dr.	Williamsville	NY	14221-2518	716-688-2043
Vigyikan	Paul & Nancy	10 Orchard Hill Dr.	Orchard Park	NY	14127-3525	716-662-5803
Voelker	Dr. Frank J.	1825 Maple Rd., Suite 5	Williamsville	NY	14221-2723	716-810-9967
Volpe	John & Mary	2870 Buffalo St.	Attica	NY	14011-9408	585-591-9272
Wagner	Robert M.	4325 Circle Crt.	Williamsville	NY	14221-7540	716-633-8109
Watson	William & Dorothy	771 Fletcher St.	Tonawanda	NY	14150-3621	716-695-2820
Weikert	William	4188 Wildwood Dr.	Williamsville	NY	14221-7433	716-634-4680
Welte	John & Martha	112 Capen Blvd.	Amherst	NY	14226-3053	716-835-0794
Wheatley	Larry	1 Losson Garden Dr., Apt. 4	Cheektowaga	NY	14227-2336	716-668-8185
Whitt	David A.	702 Ridge Rd.	Lewiston	NY	14092-1149	716-754-1678
Wojewodzki	James L.	77 Walnut Dale Rd.	Shippensburg	PA	17257-9667	717-530-8071
Wolfling	Cyril T.	12307 Westwood Rd.	Alden	NY	14004-9669	716-937-9300
Zawistowski	Maria	5225 Bridle Path Ln.	Lewiston	NY	14092-2070	716-297-5959
Zebehazy	Michael A.	7635 Jewett Holmwood Rd	Orchard Park	NY	14127-3007	716-662-6987
Ziebarth	Paul & Virginia	49 Wansfell Rd.	Amherst	NY	14226-4650	716-837-9229
Zielinski	Eugene	1005 Pickerel Ln.	Augusta	GA	30907-3131	706-650-8959
		~				

Supplement to December, 2007 Prothonotary For Members Use Only





TOPICS	VOL.	PAGE(S)
Authors		
Baird, Tim	73	24 25 70 90
Burch, Bill	73	24-25, 79-80 64
Cotton, Karen	73	30
)eLeon, Robert	73	58-61
)eSha, Mike	73	1-2, 16-17, 63-64
Grehan, John	73	9, 67
Iamilton, Mike	73	42-45, 94-97
andau, Jim	73	13-14, 48-49
andau, Karen	73	Jan. addendum
azarczyk, Jerry	73	7-9, 73-74
Lovett, Irby	73	30
)'Donnell, Tom	73	22
'awlicki, Jim	73	14-15, 21-22
tandell, Gil	73	49-50
dising, Gerry	73	47-48, 69, 101
Rosenberg, Chuck	73	89
Sly, Nick	73	105
Watson, Bill	73	17, 33-35, 35-36, 87-89
l'onker, Terry	73	98-99
Bird Counts		
April Count 2007	73	42-45
1ay Count 2007	73	58-61
horebird Count 2007	73	98-99
October Count 2007	73	94-97
Vaterfowl Count 2007	73	13-14
Field Trips		
Viagara River Trip 2007	73	105
Vhip-poor-will Trip 2007	73	64
Articles		
3ird Mortality Surveys at the Bethlehem Wind Towers	73	67
3OS Rare Bird Hotline	73	22
3OS Roster 2007	73	Dec. addendum
Christmas Count Dates 2007	73	85
Great Egret Banding at Motor Island 6/13/07	73	35-36
Hamburg Hawk Watch 2007	73	48-49
ndex 2006 Prothonotary	73	Jan. addendum
_ineage of Junkin's Warbler	73	30
New Osprey Nesting Platform - Buckhorn Island SP	73	77
Vext New Species & Breeders in BOS Study Area	73	14-15, 21-22
Viagara Falls Black-crowned Night Heron Colony Survey VYC Audubon Comments to FCC on Bird Collisions	73	35
with Communication Towers	73	30
Ripley Hawk Watch 2007	73	49-50
Seven Year Summary - BOS Shorebird Counts	73	98-99
Short-eared Owl Study	73	89
Vaughan Lecture: The Singing Life of Birds	73	9
Wayne Gall: the Birds and the Bugs	73	17
January Dago		

Accepted Verification Reports & Unusual Numbers

SPECIES	VOL	. PAGE(S)	SPECIES	VOL	. PAGE(S)
American Avocet	73	70, 75	Indigo Bunting	73	41, 43
American Coot	73	38, 91	Jaeger species	73	82
American Golden-Plover	73	38	Lapland Longspur	73	85
American Robin	73	12	Lark Bunting	73	57
American Tree Sparrow	73	12	Long-billed Dowitcher	73	76, 82
American Woodcock	73	11	Marbled Godwit	73	52, 75
Baltimore Oriole	73	93	Merlin	73	4, 11, 65
Barnacle Goose	73	42	Mute Swan	73	10
Barrow's Goldeneye	73	3, 42	Nelson's Sharp-tailed Sparrow	73	93
Black-crowned Night-Heron	73	38	Northern Goshawk	73	5
Blackpoll Warbler	73	66	Peregrine Falcon	73	65
Blue-gray Gnatcatcher	73	92	Pied-billed Grebe	73	91
Bobolink	73	95	Prothonotary Warbler	73	67
Bohemian Waxwing	73	5	Purple Sandpiper	73	59
Bonaparte's Gull	73	11	Razorbill	73	4, 12
Boreal Owl	73	5	Red-breasted Merganser	73	37
Brant	73	5	Red-necked Grebe	73	81
Broad-winged Hawk	73	38	Red-tailed Hawk	73	11
Brown-headed Cowbird	73	12	Red-winged Blackbird	73	12
Bufflehead	73	10, 65	Ring-necked Duck	73	65
Cackling Goose	73	10, 81	Ross's Goose	73	5, 94, 102
California Gull	73	4, 11	Ruby-crowned Kinglet	73	4
Canada Goose	73	10	Ruddy Duck	73	90
Canvasback	73	10, 26, 57	Rufous Hummingbird	73	5, 92, 95
Caspian Tern	73	28	Rusty Blackbird	73	85
Clay-colored Sparrow	73	67	Sage Thrasher	73	5
Common Goldeneye	73	10	Sandhill Crane	73	27, 52, 75, 82, 91, 94
Common Merganser	73	10	Savannah Sparrow	73	12
Common Moorhen	73	38	Semipalmated Sandpiper	73	52
Dark-eyed Junco	73	41, 57	Slaty-backed Gull	73	4
Dickcissel	73	67, 104	Snow Goose	73	10
Dunlin	73	91	Snowy Egret	73	58, 81
Eared Grebe	73	42, 103	Stilt Sandpiper	73	53
Eurasian Wigeon	73	26	Tricolored Heron	73	51
Fox Sparrow	73	5, 41	Trumpeter Swan	73	10
Glossy Ibis	73	51	Tundra Swan	73	10
Golden Eagle	73	38, 52	Varied Thrush	73	20
Greater Scaup	73	65	Western Kingbird	73	83
Greater White-fronted Goose	73	10	Western Meadowlark	73	41, 57
Harlequin Duck	73	5	White-eyed Vireo	73	92
Herring Gull	73	91	Willet	73	70
Ibis species	73	51, 58	Wilson's Snipe	73	38
			Yellow-throated Warbler	73	55, 66

Jan.= p.1-6 + addendum, Feb.= p.7-15, Mar.= p.16-23, Apr.= p.24-31, May = p.33-46, June = p.47-62, July = p.63-68, Aug.= p.69-72, Sept.= p.73-78, Oct.= p.79-86, Nov.= p.87-100, Dec.= p.101-106 + addendum



